Tool & Equipment QUARTERLY



2025 Jan-Mar

Call 901-300-4878





Master Wheel Hub and Bearing Remover/Installer Kit

27213




See Page 48



OEM TOOLS

DEDICATED TO HELPING YOUR BUSINESS RUN BETTER



The AutoZone® Tool and Equipment Team is here to ensure our customers are always satisfied. As our customer, you can expect fast, personalized and professional service. Our customer service associates have over 200 years of combined experience in the tool and equipment industry.

Call AutoZone® Tool & Equipment at 901-300-4878 for Questions Concerning:

- Equipment Selection
- Product Delivery
- Service After the Sale

- Product Availability
- Technical Support
- Ordering Capital Equipment

Call Your AutoZone® Commercial Sales Manager or Go to AutoZonePro.com

- To Place Orders for Parts, Tools and Equipment
- For Questions Related to Parts and Vehicle Accessories
- For Commercial Credit, Lease or Financing Information

Businesses can take advantage of IRS S-179 tax credits on equipment purchases. Contact your CPA for details.

FREE OVERNIGHT SHIPPING -



Free overnight shipping available to continental U.S. for qualifying orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

IMPORTANT INFORMATION ABOUT RECEIVING YOUR FREIGHT ORDER

The freight company will call 24 hours prior to delivery. It is important to take or return their calls to schedule delivery. Most items are shipped freight prepaid. Limited access, residential, carrier surcharges, redelivery and storage fees are not included.

OFFLOADING? Do you need:







- Items shipped via flatbed and most lifts will require a forklift.
- Palletized items including most capital equipment and tool storage require a liftgate or forklift.
- Drivers will not allow you to break down pallets and offload by hand.
- Inside delivery is not available. Product will be dropped as close as safely possible. Make sure your location is accessible to the truck and driver.
- DO NOT SIGN until you have inspected the freight and confirmed carton/ pallet count.
- Refuse shipment and/or notate any discrepancies or possible hidden damage on the bill of lading.
- DO NOT ACCEPT OR SIGN FOR DAMAGED ITEMS. Accepting and signing for a damaged or short shipment without notation releases the carrier and distributor from any claim or responsibility.
- Contact us at 901-300-4878 immediately with any questions or problems with delivery.
- For hidden minor or cosmetic damage, we may at our discretion, choose to send replacement parts.

ASK BEFORE YOU RETURN

Many of the Tool and Equipment products are covered by the manufacturer's warranty and will be serviced and repaired in the field.

Note: Most manufacturers require you to register your products with them before receiving support or service.

IF YOU HAVE OUESTIONS ABOUT WARRANTY OR RETURNS CALL 901-300-4878.

AUTOZONE® STORE MANAGERS AND COMMERCIAL SALES MANAGERS

Call Your Tool & Equipment Team at 901-300-4878 for Questions Regarding:

• Product Ordering and Availability • Assisting Customers with Price Quotes • Service After the Sale • Help with Outside Buy/EPO Orders

To place orders or for pricing contact your AutoZone® Commercial Sales Manager. For product information, availability and product support, *call 901-300-4878*.

TOOLS AND EQUIPMENT IN THIS ISSUE:

Air Compressors 66-67 Air Conditioning 51-61, 113 Air Hoses & Reels 75 Air Tools & Accessories 71-76 Alignment 85-88 Automotive Lifts 89-96, 115 Battery Service 9, 62-65 Brake Lathes 108 Brake Service 108-112 Chassis & Suspension 46-50	Engine Service 41-45 Engine Stands & Cranes 83-84 Evaporative Coolers 11-12 Exhaust Tubing Bender 125 Fans 11-12 Fluid Handling 21-24 Generators 126 Gloves 129, 147 Grease Guns 25 Hand Tools 5-8, 130-138 Hardware Kits 34, 60, 144 Heating & Cooling 10-12	Lighting & Flashlights	Shop Supplies 141-144 Specialty Tools 34-40, 114-115 Surface Prep 72, 76 Technician Sets 24, 79 Thread Repair 139-140 Tire Service 6, 96-107, 114 Tool Organization 120-121 Tool Storage 5, 116-119 Torque Wrenches 8, 38, 104 TPMS Tools 101-102
			· · · · · · · · · · · · · · · · · · ·
Cooling System	Heating & Cooling 10-12 Heavy Duty 113-115 Inflators 73	Regulators, Filters, Drains 67 Rivet Tools	
Disconnect Tools34, 114	Jacks & Hydraulics 9, 80-84, 115 Jump Starters	Scan Tools 13-15, 113	Wheel Weights 106-107

ABAC 66-67 Crushproof Tubing Co. 11 Lisle 27-28, 30, 34, 36, 41-42, Robinair 52-53 Access Tools 3.9 CTA 29, 41 Air Movement Solutions 1.2 Custom Leather Craft 1.19 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-44-5, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-45, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 114 Livernois 4-45, 48-49, 106, 111, 139-140, 145 Rotary 87, 91, 97, 97, 95, 103, 404 Rotary 87, 91, 97, 91, 95, 103, 404 Rotary 87, 91, 97, 97, 95, 103, 404 Rotary 87, 91, 97, 114 Livernois 4-45, 48-49, 106, 111, 114-115, Rotary 87, 91, 97, 97, 95, 103, 404 Rotary 87, 91, 97, 91, 95, 103, 404 Rotary 87, 91, 97, 91, 91, 114 Rotary 87, 91, 97, 91, 93, 104 Rotary 87, 91, 91, 111, 111, 113, 113, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 114, 115, 11









See More **DIAGNOSTICS** on Pages 13-20, 113







TEXA



Safe in Any Weather Made in the U.S.A.

See More **BATTERY SERVICE** on Pages 62-65

16" Long

SKU **1142915** 22660



HASSOCIATED

THE PER PER PER

See More **HAND TOOLS** on Pages 130-138



AMM80013002D

See More TIRE SERVICE

on Pages 96-107, 114



AMM8560995001

NEW Duralast tool storage

Duralast 42 in. 4-Drawer 35999 Top Chest, Blue **SKU** 1354163

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- Built-in power strip (4 outlets & 2 USB ports)
- 7,668 cubic inches of storage
- 400 lb. total weight capacity
- Combine with 1354168 (sold separately)
- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers
- 5"x2" heavy-duty casters to support up to 1,200 lbs.
- 10,532 cubic inches of storage
- 800 lb. total weight capacity
- Combine with 1354163 (sold separately)



42 in. 9-Drawer **Tool Cabinet, Blue** SKII 1354168

Duralast

30 in. 5-Drawer **Mechanic's Cart BLUE SKU** 1354167 **BLACK SKU** 1354164



- · High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 15,000 cubic inches of storage
- 700 lb. total weight capacity

Duralast

30 in. 4-Drawer **Technician Cart BLUE SKU** 1354165

BLACK SKU 1354166



- · High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 12.600 cubic inches of storage
- 580 lb. total weight capacity

SPECIAL DEALS

Duralast

1/4", 3/8", 1/2" Drive 435PC Mechanic's Tool Set

SKU 1089589

\$1.850 Value

- Features 237 Chrome Sockets, 51 Wrenches, 42 Impact Sockets, 6 ratchets & more!
- The most tools for your money, all guaranteed for life

Duralast

1/4", 3/8", 1/2" Drive 335PC Mechanic's Tool Set

SKU 1092684 Storage NOT Included

- *\$1.350 Value* • Features 210 Chrome Sockets, 41 Wrenches, 3 Ratchets & more!
- Professional Grade Tool Selection, All Guaranteed for Life

Duralast 10PC 1/4", 3/8" Drive

10MM Socket Set **SKU** 582151

- The Duralast 10pc 10mm socket set takes the need of the 10mm socket, and provides a solution for any application
- · Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast **9PC Triple** Square Bit Set



- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- · Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage
- Full polished chrome finish socket easily wipes clean

Duralast 36PC Master Bit Socket Set

SKU 569654



- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Full polished chrome finish socket easily wipes clean of oil and dirt
- · Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage

Duralast Mechanic's tool sets

Duralast NEW!

90PC EVA Mechanic's Tool Set SKU 1382518

6499



Duralast NEW!

9PC Tire Changing Kit SKU 1382480

99⁹⁹



- 1/4-in and 3/8-in drive mechanic's tool set
- EVA foam provides an easy and organized storage solution that can be placed directly into a toolbox
- Includes 100 position ratchets (1/4-in and 3/8-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- 1/2-in drive sockets, breaker bar, extension & torque wrench
- Torque wrench has range of 50 250 ft/lbs
- 12-point deep well sockets fit into wheel recesses and a 5 in. extension provides access for inset wheels or for use on vehicles with fender flares

Duralast

265PC Mechanic's Tool Set

SKU 1077624

- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



Duralast

180PC Mechanic's Tool Set SKU 52378

119⁹⁹



- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



- \bullet 1/4-in and 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



- 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



- 1/4-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength
- Premium S2 steel bits for durability

Duralast impact tools



Duralast Impact Tools, Built to Withstand the Toughest Jobs

- Duralast impact products are created with Chrome Molybdenum (Cr-Mo) steel for strength and durability in impact use
- Black oxide finish resists corrosion and withstands impact application
- All sockets feature patented off corner loading design, to reduce rounding of fasteners
- Innovative 3/8" Drive impact sockets feature a thin wall design for additional access

Duralast

7PC Impact Hex Bit Socket Sets

MM SKU 1077628 | SAE SKU 1077626



26⁹⁹



- Metric Set Includes: (7) 1/2" Drive Impact Hex Bit Sockets: 9 10, 11, 12, 13, 14, 15 mm
- SAE Set Includes: (7) 1/2" Drive Impact Hex Bit Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Duralast

2PC 1/2"Drive Impact Extension Set

SKU 914182



- Set Includes: (2) 1/2" Drive Impact Extensions: 6", 12"
 - Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use

Duralast

4PC Impact Flip Socket & Extension Kit

SKU 1077627





- Set Includes: (3) 1/2" Drive Flip Impact Sockets- 21 mm x 22 mm, 7/8" x 15/16", 3/4" x 13/16". (1) 1/2" Drive Impact Extension: 3"
- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use

Duralast

10PC 3/8" Drive Thin Wall Impact Socket Sets

MM SKU 1227805 | SAE SKU 1227807



- Metric Set Includes: (9) 3/8" Drive Thin Wall Impact Sockets: 8, 9, 10, 12, 13, 15, 16. 17, 18 mm. (1) 1/4" hex x 3/8" drive adapter.
- SAE Set Includes: (9) 3/8" Drive Thin Wall Impact Sockets: 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4". (1) 1/4" hex x 3/8" drive adapter.

Duralast

10 pc 1/2" Drive Deep Metric Impact Sockets

SKU 914180

29⁶⁹



- Set Includes: (10) 1/2" Drive Deep Metric Impact Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast

10PC 1/2" Drive Shallow Impact Socket Sets

MM SKU 914179 SAE SKU 914183 2339 each



- Metric Set Includes: (10) 1/2" Drive Metric Impact Sockets: 11, 12, 13, 15, 16, 17, 19, 21, 22, 24 mm
- SAE Set Includes: (10) 1/2" Drive SAE Impact Sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- Forged Chrome Molybdenum Alloy Steel for strenth and durability in impact use

Duralast

9PC 1/2"Drive Deep SAE Impact Sockets

SKU 569664

29⁶⁹



- Set Includes: (9) 1/2" Drive Deep SAE Impact Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- Forged Chrome Molybdenum Alloy Steel for strenth and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast5PC Impact Adapter Set

SKU 914056



- Set Includes: (1) 1/4" Drive Impact Adapter, (2) 3/8" Drive Impact Adapters, (2) 1/2" Drive Adapters
- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement onto fasteners

Duralast torque wrenches



Work Precisely with Duralast Torque Wrenches

- All Duralast Torque wrenches have precise +/- 4% accuracy in tightening direction
- Audible and mechanical torque indicators as target torque is reached
- Knurled handle design for a secure grip
- All torque wrenches come with a blow mold tray for convenient storage
- Micrometer (clicker) torque wrenches include twist collar to lock torque setting in place





- Torque range of 20-150 ft-lbs...
- Factory calibrated to +/- 4% accuracy in clockwise direction
- Twist collar locks torque setting in place
- Reversible, ratcheting head and alloy steel construction
- Knurled handle for added grip



Duralast



- 50 to 250 ft-lbs range perfect for lug nut applications
- Factory calibrated to +/- 4% accuracy in clockwise direction
- Twist collar locks torque setting in place
- Reversible, ratcheting head and alloy steel construction
- Knurled handle for added grip

- 20-100 ft-lbs range ideal for engine work and smaller vehicle lug nuts
- Torque accuracy of +/- 2% clockwise / +/- 3% counter clockwise
- 6 button design allows for easily switching between different torque units (N-m, Kg-m, Ft-Lb, In-Lb)
- Reversible, ratcheting head and alloy steel construction
- · Comfort grip handle and housing are solvent resistant

Duralast LIFT EQUIPMENT & BATTERY CHARGERS



3 Ton Aluminum Floor Jack



Duralast

3-1/2 Ton Professional Foldable Garage Jack



229⁹⁹

Duralast 4 Ton Quick Start Jacks SKU 1404838

69⁹⁹



- Includes 2 jack stands
- Patended, quick-start design, with a lifting range of 13-7/16" to 20"
- Locking pawl with built-in counterweights that secures the ratchet bar



- Heavy-duty steel construction high-grade steel with powder coated finish
- Lift range: 5.1" 18.6"

14999

• 1-Year Warranty

Ton Low Profile Jack SKU 1399156 16999

- Low profile frame greater access for low clearance vehicles
- Lift range: 3.3" 20.3"
- 1-Year Warranty

Turalast 2 Ton Off-Road Jack SKU 1399159 27999

- Oversized wheels and full length skid plate - ideal for off-road conditions
- Includes 10" lift arm extension adapter
- 1-Year Warranty

Duralast

250 Amp 12 Volt Battery Charger SKU 1277303

- The DL-250D is compatible with 12-volt standard, lithium, AGM, gel, and deep-cycle batteries
- The 250-amp engine start is strong enough to jump start cars, SUVs, trucks, and boats
- Manual operation controlled by 135-minute timer and manual rate selection knob
- Built-in ammeter lets you monitor the complete charging process



Duralast

Lithium Battery Booster/Jump Pack SKU 567656

 Powerful 1200-amp jump start is strong enough for cars, trucks, motorcycles, boats, SUVs, and other large engines

 150-PSI air compressor features a digital pressure gauge making it easy to inflate tires, toys, mattresses, and more

 The 2.4-amp USB port charges smartphones and other mobile devices two times faster than a standard USB charger"

9999



9

HEATING & COOLING

Shop Heaters



On-board air compressor



Burn No.2 to 90W and synthetics



Small footprint

Stop paying to have your waste oil hauled off! Save and burn it for FREE heat this winter.

75H Waste Oil Furnace with Built-In 10 Gal. Tank							
URNACE	BTUs	HEATS UP TO	PART NO.	PRICE			
EL-75	75,000	1,750 Sq. Ft.	ENL11075104	3,999.99			

	Waste Oil Heater Complete Systems*								
F	URNACE	BTUs	HEATS UP TO	PART NO.	PRICE	Reg. Price	Savings		
	EL-140	140,000	3,500 Sq. Ft.	ENL01140103	11,399.99	12,049.99	\$650		
	EL-200	200,000	5,000 Sq. Ft.	ENL01200104	12,649.99	13,349.99	\$700		
	EL-350	350,000	8,500 Sq. Ft.	ENL01350104	14,399.99	16,049.99	\$1,650		

*Complete systems include waste oil furnace and 250 gallon tank, swing-away burner with built-in air Not for sale in CA compressor, low-fuel cutoff, draft gauge, drain valve and Class A flue kit.

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878



FURN



FREE Strainer Pan & Tank Gauge Included!

	Heater Model	BTUs	Heats up to	Part Number	Price
	X11503	150,000	3,500 sq. ft.	LANXT150C	9,749.99
Thru-roof	XT2003	200,000	5,000 sq. ft.	LANXT200C	10,099.99
chimney	XT2503	250,000	8,500 sq. ft.	LANXT250C	12,949.99
	XT3003	300,000	10,000 sq. ft.	LANXT300C	13,649.99

Value Package *Packages Include 215 Gallon Tank and 6" chimney kit.

For Outside Buy/EPO, Call 901-300-4878

Not For Sale in CA





John Dow Industries

energylogic

Sunfire

Portable Radiant Heaters

- Quiet, Clean, Odorless
- Safe for Indoor Commercial Use

80,000 BTU

SKU OUTSIDE BUY/EPO SFRSF80

- . Heats up to 1,900 Sq. Ft
- Diesel or Kerosene
- 6 Gallon Tank

120,000 BTU

SKU **OUTSIDE BUY/EPO** SFRSF120

- . Heats up to 2,800 Sq. Ft
- Diesel or Kerosene
- 14 Gallon Tank

150,000 BTU

SKU **OUTSIDE BUY/EPO** SFRSF150

- · Heats up to 3,500 Sq. Ft
- Diesel
- 19 Gallon Tank

SUNFIRE



Exhaust Extraction

Portable Exhaust Extraction System SKU **OUTSIDE BUY/EPO** 1.44999 **DOWEV5100**

· Works with Standard 3" Exhaust Hoses and "Y" Hose Adapters

· Captures Fumes and Discharges Them Safely Up to 30' Away

- Mobile Base Makes it Easy to Position and Move Around the Shop
- Uses Standard 110V Current
- Not for Use on Diesel
- · Optional "Y" Hose Adapter Available for Dual-Exhaust Vehicles



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

HEATING & COOLING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.co

Exhaust Hoses

Flarelock Hoses

- Made Exclusively for Cars and Small Trucks
- End is Flared to Permit Connection of 2 or More Links at a Time

2.5" x 111

SKU **977557**

ACSFLT250

3.5" x 11'

SKU 977589 20999 ACSFLT350

4" x 11'

SKU **977547**

ACSDSS25

• 2 Each -

and Chain

Connector

1 Each - Splice

SKU **977590 229 99**

• 2 Each - 4' x 2-1/2" Hoses

• 1 Each - 6' x 2-1/2" Hose

• 1 Each - 2-1/2" Rubber

"Y" Connector

Straight Tailpipe Adapter, Hook

2.5" Service Station Kit

3" x 11' SKU **977559** ACSFLT300

2.5" Y-Assembly Kit with **F250 Adapter**

SKU **977549** ACSYA250

. Designed for Connecting a Single Hose to Vehicles with **Dual Exhaust System**

3" Y-Assembly Kit with F300 Adapter

SKU OUTSIDE BUY/EPO

ACSYA300

For Outside Buy/EPO, Call 901-300-4878

3" Service Station Kit

SKU **977548** ACSDSS30

• 2 Each - 4' x 3" Hoses • 1 Each - 6' x 3" Hose

• 1 Each - 3" Rubber "Y" Connector

· 2 Each - Straight Tailpipe Adapter, Hook and Chain

• 1 Each - Splice Connector



G Crushproof Tubing Compl

Door Port Adapters For 2.5" Hose (Rubber)

SKU **977551** ACSDF25

 Rubber Garage Door Port Adapter

• Designed for 2-1/2" ID

For 3" Hose (Aluminum)

SKU **977552** ACSADF30

• Aluminum Port Allows Hose to Be Vented Through the Door



For 4" Hose (Aluminum)

SKU **977554** ACSADF40

• Use on 1" Thick Doors



- · Designed for Easy Adapting to All Sorts of Tailpipes
- Connects with Ball and Snap

2.5" Adapter

SKU **97754**4 ACSRA250

3" Adapter

SKU **977545** ACSRA300



Raise Productivity

Unique high efficiency propeller design is quiet and delivers airflow over long distances.

Keep your technicians cool and comfortable.

Evaporative Coolers





Floor Fan

20" High Velocity Floor Fan

SKU **688200 0EM24870**

• CFM: 4500

· Precision-Balanced Aluminum Fan Blades and Energy-Efficient Motor Optimize Airflow Output

 3-Speed Motor Allows Operator to Control Airflow Volume

• 5' UL Listed Power Cord



OEM TOOLS

Pedestal Fan

30" Oscillating Pedestal Fan SKU **592248 0EM24885**

• CFM: 9500

• 5 Aluminum Blades

• 6' UL Listed Power Cord

· Adjustable Stand Height





OEM TOOLS



Replacement Media Sets

For 23969/23977 5300 CFM

5300 CFM

SKU **213172** 23969

· Weight: 56 Lb.

• 1/3 HP 3 Speed Motor

• Water Capacity: 14.6 Gallons

• Dimensions: 45" x 17" x 28"

. GFCI Plug for Safe Outdoor Use

. Cooling Area: 1,600 Sq. Ft.

SKU 1485036 HESCP610

For 23968/23976 3100 CFM

SKU **1485034** HESCP370

3100 CFM

SKU **213184**

· Weight: 39 Lb.

• 1/5 HP 3 Speed Motor

• Water Capacity: 10.3 Gallons

• Dimensions: 37" x 17" x 25"

. GFCI Plug for Safe Outdoor Use

• Cooling Area: 950 Sq. Ft.

23968



Customer Responsible For Offloading, Liftgate Service Available.

HEATING & COOLING

Industrial Fans



AIR MOVEMENT SOLUTIONS

More Air, Less Noise Means Improved Comfort and Productivity

- Output: 43,000 CFM
- 43.4 DB
- 110V

AirMobile 59" Fan SKU OUTSIDE BUY/EPO AMS81011300

• Industrial Grade Casters



AirFocus 59" **Variable Speed Fan** SKU **OUTSIDE BUY/EPO** AMS81011304

98999

Wall or Ceiling Mount

AirFocus 59" **Single Speed Fan** SKU OUTSIDE BUY/EPO AMS81011308

2,54999

. Wall or Ceiling Mount







SKU OUTSIDE BUY/EPO HNT81011517-1P

- · Highest Performance and Versatility
- Direct-Drive Motor
- Whisper-Quiet Air Circulation

COOL BOSS

Titan Fans Available in Diameters: 14' to 24'

Hunter Fan Kits Include: Down Rod. HMI Controller and VFD Control Panel

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Evaporative Coolers

• Whisper-Quiet Air Circulation

PORTACOOL



- Anion Negative Ion Air Purifier
- Low Level Shutoff
- Built-In Bluetooth® Audio Player and Speakers
- Wireless Remote Control

Apex 2000

SKU **1392329**

PRCA20001A1

2,000 Sq. Ft.

54"(W) x 30"(D) x

• Dimensions:

Cooling:

68"(H)

Evaporative Media Oscillating Louvers Help Cool a Larger Area

Equipped with Kuul Comfort MicroTech™

- Liquid Level Indicator with Automatic Pump Shutoff
- Lifetime Warranty on Evaporative Cooler Housing

CB-26SL

Diameters: 8' to 24'

CLBCB-26SL

- Max. Airflow: 7,115 CFM
- 3,055 Sq. Ft.
- · Fan Diameter:



SKU 1400045

- Cooling Area:

Blower Fans



300 CFM Blower Fan

SKU **1392323** MSC20300-A

- 120 Volts. 60 Hz
- For Indoor or Outdoor Use
- 3-Speed Switch (High, Medium, Low)
- 4-Position Adjustment Feet
- 8.5 Ft. Cord Length



Heater Attachment for 300 CFM Blower

SKU **OUTSIDE BUY/EPO** MSC20300-HTR

- Converts Your 300 CFM Portable Blower into a Heater for Your Garage or Work Space
- 1320 Watts, 5000 BTU
- Fits Many Popular Brands (300 CFM Only. Not for 1,200 CFM Fans.)



We Offer the Full Line of Portacool and Cool Boss Evaporative Coolers and Accessories

ALLDATA Diagnostics®

Your all-in-one scan tool solution with the power of ALLDATA built in

Turns any tablet into a pro-level scan tool

Includes VCI hardware PLUS unlimited scans

Seamless access to ALLDATA's #1 repair info

Do quick vehicle scans from your phone

SEE IT IN ACTION (888) 726-3211

ALLDATA.com

ALLDATA

AUTOMOTIVE INTELLIGENCE®

©2024 ALLDATA LLC. ALLDATA, Automotive Intelligence, ALLDATA Repair, ALLDATA Collision, ALLDATA Diagnostics, ALLDATA Shop Manager, ALLDATA Tech-Assist and ALLDATA Mobile are registered trademarks and ALLDATA Manage and ALLDATA Community are marks of ALLDATA LLC. AutoZone is a registered trademark of AutoZone IP LLC. All other marks are property of their respective owners.

TopDon ADAS

High-End Diagnostic Functionality and World-Class Support

- Foldable Calibration Frame That Offers Unmatched Portability and Convenience
- Compatible with Phoenix Diagnostic Scanner (Not Included)


TOPDON®

Phoenix ADAS Mobile Deluxe Package SKU OUTSIDE BUY/EPO *16.899* 99 **TPDPXADASDEL**

. Includes: All of the 24 LDW Targets, as Well as AVM AS (Asian Rear 360 Surround View Camera), AVM EU (Europe Rear 360 Surround View Camera) and AVM AM (American Rear 360 Surround View Camera) Targets







Phoenix ADAS Mobile Max Package SKU OUTSIDE BUY/EPO 28,39999

TPDPXADASMAX

- Includes: 24 LDW Targets, as Well as the ADAS Rear Camera and AVM Panels (US, Euro and Asian); Doppler Simulator (LAC05-04); Radar Cone Target Configuration (LAM05-02) and Corner Reflector (LAC05-03)
- · Also Includes: Night Vision System (NVS), Lidar, Around View Monitoring (AVM), Rear Camera Warning (RCW), Lane Departure Warning (LDW) and Other (LAM01-11 and LAC04-17)



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

TopDon

ArtiDiag800BT Mid-Level Diagnostic Powerhouse

SKU **1331502** TPDARTI800BT

• Full System Diagnostics for 54 Makes

- AutoVin Technology
- Bluetooth VCI Communications
- Read Version Information
- · Reads and Graphs Live Data
- OBDII Functions



T-Ninia Pro Kev Programming Via OBD2

SKU **1340225 TPDNINJAPRO**

- · Pin Reading and Key Learning
- Remote Control Learning
- · Deletes Keys
- All Keys Lost
- Reads and Clears Fault Codes
- · Supports Wireless and Wired Dual Connectivity

1'OPDON®



Phoenix Smart Diagnostic System

SKU 1331482 **2,299**99

- Android Based OE-Level Coverage
- 10.1" HD Touch Screen
- TOPOLOGY Feature for **Enhanced Diagnostics**
- . SmartLink VCI -Adds CanFD, DoIP, J2534, RP1210
- Codes/Data/Bi-Directional/Special Functions/Coding/Programming



Phoenix Max Diagnostic System

SKU **1331492 TPDPXMAX**

- Includes A 4-Channel Oscilloscope
- Supports Cloud-Based Programming For 9+ Brands, Including: Mercedes-Benz, BMW, Audi, Volkswagen/Skoda/Seat, Porsche, Jaguar/Land Rover, Nissan, Subaru and Renault
- Supports 9V to 24V Vehicle Models, Configuring Both Passenger Cars and Heavy Trucks
- Heavy Duty Housing with IP65 Standards
- Auto VIN Technology Automatically Uses the Right Diagnostic Software After Identifying the Vehicle Through Its VIN



UltraDiag 2-in-1 Diagnostic Scanner and Key Programmer SKU **1368629**

- **TPDULTRADIAG** • Full-System Diagnostics
- 8 Reset Functions: Oil, Throttle Adaptation, EPB, Steering Angle, DPF Regeneration, ABS Bleeding, BMS and Airbag
- Key Programming Functions: Number of Keys, PIN Reading, Key Learning, Remote Control Learning, Delete Keys and All Keys Lost



Transponder and Remote Tester Tool

SKU **OUTSIDE BUY/EPO TPDT-DARTS**

. Allows Either USB or Battery Powered

- Function
- Supports Transponder Chips
- Supports 100+ Transponder Chips
- Includes: Quick Guide and a USB Type-C Cable



5" Thermal Imaging Camera Tablet SKU **OUTSIDE BUY/EPO** TPDTC003

- . Superior Image Quality with an IR Resolution of 256 x 192
- Highly Accurate Temperature Readings
- Expanded Capabilities with OTG Functionality
- Optimized Testing Range



TEXA

Axone Light Car Diagnostic Kit (NANO) SKU OUTSIDE BUY/EPO TEXAXLTAKN 3,699 99

The Navigator NANO S can perform diagnostic operations on all major brands of cars and light commercial vehicles. It is the perfect entry level scan tool for automotive repair shops.

- · Axone Nemo Light Rugged Tablet
- Navigator NANO S VCI
- IDC5m Car Software License
- · Rugged Carrying Case with Custom Foam
- Motor TruSpeed Repair included



Axone Light Car Diagnostic Kit (Multihub) SKU OUTSIDE BUY/EPO 4,999 TEXAXLTAKMH The TXT MULTIHUB is TEXA'S flagship scan tool. It is

The TXT MULTIHUB is TEXA'S flagship scan tool. It is IP53 Certified, can handle Doip, Can-FD, J2534/RP1210 protocols and more. Perfect for advanced diagnostics and shops that want the capability to work in more than one environment from the same device.

- Axone Nemo Light Rugged Tablet
- Navigator TXT Multihub
- IDC5m Car Software License
- · Rugged Carrying Case with Custom Foam
- · Motor TruSpeed Repair included









Both packages offer a complete diagnostics solution:

Access repair information (including torque specs, torque sequences, fluid type, capacities), read and clear codes, view live data, wiring diagrams, maintenance resets, adaptation value resets (engine, brake systems, transmission), cylinder tests, idle learning and much more.

WHY TEXA?

- Lifetime equipment warranty with active software subscription.
- Built by TEXA to the highest Tier 1 0EM standards.
- Secure Windows-based architecture, not Android.
- · With TEXA, YOU own your data.
- Need help? You can rely on TEXA's U.S. based support team to be responsive and knowledgeable.

Try us! Call to set up a demo.

For Outside Buy/EPO, Call 901-300-4878

ALIGNMENT WITHOUT LIMITS DIAGNOSTICS + DIGITAL INSPECTION + ALIGNMENT + ADAS CALIBRATION

MaxiSYS® IA900WAT Intelligent Wheel Alignment with MSULTRA Tablet SKU 1281937 Part #IA900WAT

- Intelligent 4-Wheel Alignment System
- AutoVIN with Pre-Scan Health Check
- · Alignment spec coverage from 1979 to current
- Cameras automatically track vehicle height on lift
- Includes 24" touchscreen display and MSULTRA tablet
- Optional step by step guidance increasing workflow efficiency
 Whatested alignment instructions live readings, required.
- Illustrated alignment instructions, live readings, required tools, & adjustment locations
- Integrates with TPMS and tire tread depth tools
- Add-on LDW and All Systems ADAS Packages available







MaxiSYS® ADAS IA900WA with LDW Targets and MSULTRAADAS Tablet SKU 1337324 Part #IA900LDWT

- Frame capable of performing 4-Wheel alignment & ADAS calibration
- Includes ADAS Lane Departure Warning camera calibration targets
- Includes MaxiSYS ULTRAADAS wireless touchscreen tablet with Alignment and ADAS Calibration software
- Illustrated alignment instructions, live readings, required tools and adjustment locations display on a single screen

MaxiSYS® ADAS IA900WA with All Systems Targets and MSULTRAADAS Tablet

SKU 1268177 Part #IA900AST Includes same features & functions as IA900LDWT plus...

 Includes LDW, AVM, NVS, ACC, BSD, LIDAR, and RCW targets/calibration components

MaxiSYS® IA700 Modular ADAS Calibration Frame With Wheel Alignment pre-Check And Optical Positioning SKU 1484478 Part#IA700T

- Includes a MaxiSYS 909, an advanced diagnostics tablet with a wireless VCl and J2534 pass-thru device that supports the latest vehicle protocols, and an ADAS calibration software upgrade card for static and dynamic ADAS calibration coverage for most U.S., Asian, and European ADAS-equipped vehicles.
- Frame features robotic crossbar and six-high definition positioning and tracking cameras for optical target positioning and prompting unlevel floor compensation.
- Frame disassembles quickly for easy transport or space-saving storage.
- Includes four tire clamps with camera targets, a steering wheel lock, brake chocks, power supply, alignment aid, and frame cover.

MaxiSYS® 1A700 Lane Departure Warning Package SKU 1484479 Part #1A700LDWT IA700T PACKAGE SHOWN Same features & functions as IA700T plus.



Includes Lane Departure
Warning patterns and targets
for calibration of MercedesBenz, Nissan, Infiniti,
Hvundai, Kia. Tovota, Lexus.

Hyundai, Kia, Toyota, Lexus, Mazda, Mitsubishi, Subaru, Volkswagen, Audi, and Alfa Romeo camera-equipped vehicles

CALL FOR PRICE

AUTEL

AZG0125

Smoke Leak Detectors

Evap Diagnostic Smoke Machine

SKU **ÖUTSIĎE BUY/EPO** MSC43060EV

- Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air and Inert Gases
- Pressure Decay Gauge 0-30" H20 (70 mbar)
- Flow Meter: 0 to 0.040" (0 to 1.0 mm)
- Input Pressure: Max. 100 psi (8.2 bar)
- Built-In Pressure Regulated at 0.5 psi

For Outside Buy/EPO, Call 901-300-4878



Digital Dual Smoke Machine SKU OUTSIDE BUY/EPO MSC43066

- High-Precision Gas Pressure Sensor Ensures Accurate Data
- 3 Built-In High-Power Air Pumps, Offers Faster and Thicker Smoke Generation
- Pressure Regulated at 0.44-0.5 psi for Safe EVAP Testing, Maximum Out 20 psi for High Pressure Testing

 • Accessories Include: Full Set of Block Off
- Caps, Schrader Valve Remover/Installer, Service Port Adapter Hose, 2 Oz. Smoke Producing Fluid and Bladder for Intake Testing

For Outside Buy/EPO, Call 901-300-4878





Reprogrammers

Smart Battery Charger/Power Supply SKU **1414398**

TPDT90000

- . ECU Programming Power Supply
- 9 Step Smart Charging with Thermal Compensation
 Charges 12V and 24V AGM, WET, GEL, MF, CAL and EFB Batteries Protects Against Reverse Polarities, Reverse Charges,
- Short Circuits, Overheating and Over-Voltages
- Current Range: 5-90 and 5-45A
- Voltage Range: 11-15.8V and 22-31.5V
- Cables: AWG18-70"



VALUE: \$99.99

Tornado90000 9.5' DC Cable Extension

TPDT90DC With Purchase of: TPDT90000

Offer Good While Supplies Last Through March 31, 2025



Programmer and Power Supply Bundle SKU **OUTSIDE BUY/EPO** TPDRLINKBNDL

Simplify Your Diagnostic Process and Elevate Your Capabilities

- . Highly Compatible with OE-Level Diagnostic Software for Performing Diagnostic, Programming and Coding Tasks
- One-Click Installation of OE-Level Diagnostic Software Drivers and Online Upgrades
- ECU Programming Voltage Stabilizer
- Suitable for All Types of 12V and 24V Lead-Acid Batteries, with a Wide Battery Capacity Range from 5 to 90 Amps
- Includes: T90000 Smart Battery Charger/Power Supply, T90DC Tornado90000 9.5' DC Cable Extension and RLINKLITE J2534 Compliant Passthrough Programming Device

For Outside Buy/EPO, Call 901-300-4878





When You Buy the Kit

MaxiVIDEO® MV460

• 3.5" Color LCD Display

NEV

SKU 1089243 Part #MV460

MaxiSYS® DIAGNOSTIC SOLUTIONS

- Most comprehensive vehicle coverage in aftermarket scan tool
- . Dynamic topology module mapping for supported vehicles
- Octacore processor and 128GB-256GB memory
- Advanced VCMI including 4-channel scope on MSULTRA and MS919
- Programming and flashing with included J2534 pass-through box (with OE subscription)
- Remote Expert allows for remote programming, flashing, and reporting capabilities



MaxiSYS® MSULTRA SKU 1092018 Part #MSULTRA

MaxiSYS® MS919 SKII 1093326 Part #MS919

MaxiSYS® MS909

MaxiSYS® ULTRAEV SKU 1267097 Part #MSULTRAEV

MaxiSYS® MS909EV SKU 1267098 Part #MS909EV

SKU 1094086 Part #MS909

	ULTRA	MS919	MS909	MS909EV	ULTRAEV
REMOTE EXPERT ACCESS AND REPORT STORAGE	•	•	•	•	•
PROGRAMMING/FLASHING WITH OE SUBSCRIPTION OR REMOTE EXPERT	•	•	•	•	•
COLOR CODED MODULE TOPOLOGY ON SUPPORTED VEHICLES	•	•	•	•	•
VCMI 5-IN-ONE DEVICE					

MaxiVIDEO® MV480

SKU 1137680 Part #MV480

• Record/Playback Images & Videos

• 4.1" Color LCD Display

Dual Front and Side Cameras for Wider Viewing Angle

AutoLINK® AL549 SKU 789375 Part #AL549

- Universal OBD II and ABS Code Reader
- Read & Erase Codes. View Freeze Frame and Live Data
- Supports all 10 Modes of OBD II
- · Compatible with U.S., Asian, and European vehicles, 1996 & Newer



AutoLink® AP2500 SKU 1414288 Part #AP2500

- Read/erase codes, view Freeze Frame & Live Data, perform Emissions test
- Includes Bluetooth dongle for vehicle connection. Download FREE MaxiAP Diag app
- Vehicle health check includes engine oil life,
- average fuel consumption, and brake pad life. All Systems diagnostics on first vehicle brand. Additional coverage can be added with in-APP purchase.

SKU 103946 Part #AL329 Read/Erase Engine DTCs One-Touch I/M Readiness

AutoLINK® AL329

 Display Live & Freeze Frame Data





MaxiSYS® MS909CV SKU 1174556 Part #MS909CV

- For Class 1-8 Commercial Vehicles
- Topology Mapping on Select Models
- Engine Coverage for Construction & Agricultural Vehicles



MaxiSYS® MS906PR0 SKU 119462 Part #MS906PR0

- · All system scan with ADAS identification • Customizable Pre & Post scans
- Bi-directional Control Capability
- ADAS Calibration-capable (additional purchase required)



SPLIT SCREEN FUNCTION

MaxiCheck® MX900 SKU 1369200 Part #MX900

- Read & Erase Codes
- Bidirectional Active Tests
- and Special Functions • 40+ Function Service Menu



- Programming Bundle
- Program IMMO & Keys for U.S., Asian & European Vehicles • IM608PROII Tablet, XP400Pro, Wireless JVCI, IMKPA Key

Programming Adapter Kit



SKU 1442228 Part #IM508S • Fast and Portable IMMO &

Key Programming Tablet Includes the XP200

Key Programmer



MaxilM® KM100 SKU 1242003 Part #KM100

 Advanced key and IMMO 5.5-in. touchscreen tablet with 2 IKEYS



• One-minute Key generation, Easy key button customization

CALL FOR PRICE





REDLIR

Smoke Leak Detectors

ReadySmoke™ Leak Detector

SKU **OUTSIDE BUY/EPO** RED95-0400

- Pinpoint Intake, Exhaust and Other EVAP Leaks In Minutes
- Flow Meter Identifies Minute Leaks at and Below .010" in Diameter
- Easy Fill Dipstick Style Fluid Port
- Includes: (2) 2 Oz. OEM-Approved Vapor Producing Fluid, EVAP Service Tool Kit, Halogen Inspection Light, Cap Plug Kit, Standard Cone Adapter and Storage Case





REDLINE

For Outside Buy/EPO, Call 901-300-4878

Smoke Pro Air™

SKU **1340239** RED95-0075



- Features an Onboard Micro Air Compressor for Total Portability and Includes All Needed Accessories
- Uses OEM-Approved Fluid to Produce a Visual Vapor That is Free of Dyes and Contaminants
- Detects Leaks as Small as 0.010" and Performs Air Leak Decay Test



Smoke Pro® Total-Tech®

SKU **OUTSIDE BUY/EPO** RED95-0003C

- Find ALL Types of Leaks
- Greatly Reduce Diagnostic Time
- One Simple Connection Diagnoses an Entire System in Seconds
- · Eliminate Comebacks by Verifying That Leaks are Completely Repaired
- Includes Easy INTAKE™

Warranty: 2 Years For Outside Buv/EPO. Call 901-300-4878







Intake Inflatable Block Off Bladder

SKU **598274** 24536

- . Conforms to Any Shape
- Intake/Exhaust: Square, Round, Oval or Rectangular
- . Works with Most Automobiles and Light, Medium and Heavy Duty Trucks

• Replacement Bladder Available



OEM TOOLS

EasyConnect® Test Kit

SKU 1189091

REDLINE

RED96-0190

- Forms a Complete Seal for Effective Leak Testing without Disturbing Other Components Comes in a Compact and Durable Storage Case
- · Compatible with Any Smoke Machine
- Includes: 4 Different Sized Adapters with 4 Add-On Components



Easy INTAKE™

SKU **696477** RED95-0082

- Compatible with Anv Smoke Machine
- · Block Off Bladder Conforms to Any Shape Intake/Exhaust





RED96-0039

- · Contains No Dye or Other Contaminants
- Works in Most EVAP Smoke Machines



EasvEVAP™ Universal Filler Neck Connector

SKU **343405** RED95-0030

. Compatible with Any Smoke Machine and

Removes Cleanly from the Gas Cap Essential Tool for Late Model Cars with Fuel Tank Rollover Valves



SHARED SERVICE FUNCTIONS

Oil Reset

EPB - Electronic Parking Brake BMS - Battery Management System SAS - Steering Angle Sensor Immo Kevs - Immobilizer & Kevs Brake Bleed

DPF - Diesel Particulate Filter Injector Suspension

Throttle ABS/SRS VGT Learn

Odometer

Relative Compression Window / Door / Roof Seats

MaxiCheck® MX900 SKU 1369200 Part #MX900 Language Change Headlamn **CHG Tire Size** Speed & PTO Cylinder Trans Adaption Airbag Reset Clutch A/F Setting **Resolver Sensor Calibration Automatic Start/Stop Electronic Water Pump Start** EGR

FRM Reset Transport Mode **HV Battery** ACC A/C Rain/Light Sensor **Reset Control Unit** CCS/ACC **Sunroof Initialization**

> MaxiTPMS® TS900 SKU 1337325 Part #TS900



	MAXICHECK MX900	MAXITPMS TS900
OPERATING SYSTEM	ANDROID 11	ANDROID 11
SOFTWARE UPDATES	1 YEAR FREE	1 YEAR FREE
AUTOMATIC DETECTIONS	AUTO-VIN/SCANVIN	AUTO-VIN/SCANVIN
VEHICLE COVERAGE	US, ASIAN & EUROPEAN 1996 & NEW	US, ASIAN & EUROPEAN 1996 & NEW
OBDII TEST MODES	PERFORM BI-DIRECTIONAL ACTIVE TESTS AND SPECIAL FUNCTIONS	PERFORM BI-DIRECTIONAL ACTIVE TESTS AND SPECIAL FUNCTIONS
DIAGNOSTICS & SERVICE	ALL SYSTEMS / 40+ SERVICES	ALL SYSTEMS / 40+ SERVICES
VEHICLE CONNECTIVITY	CORDED	BLUETOOTH VCI
TPMS DIAGNOSTICS	-	INCLUDED WITH ENHANCED TPMS STATUS SCREEN
TPMS SENSOR Compatibility	-	AUTEL BLE SENSOR FOR TESLA + program autel MX-sensor 1-sensors

CALL FOR PRICE

AUTEL®

AZG0125

Multimeters and Test Kits

Power Probe III Professional Electrical Test Kit

SKU 1330691 PWPPPROKIT01

- Supplies Power and Ground for Functional Component Testing
- CAT-IV 600V Hybrid Safe AC/DC Voltmeter
- Measures Resistance to 60M Ohms
- Measures Current from .001 Amps to 10 Amps





High Power Butane Torch PWPPPBT

With Purchase of: PWPPPROKIT01

OWER PROBE

Offer Good While Supplies Last Through March 31, 2025



Power Probe III Circuit Tester

SKU **OUTSIDE BUY/EPO** PWPPP3CSRED

- Digital Voltmeter
- Continuity Tester
- 20' Jumper Lead Set
- Relay and Component Tester
- · Removable Probe Tip Adapts to Any 4 mm Lead
- 2 Bright LED Lamps
- · Quickly Supply Power and Ground to the Tip



Power Probe III with Case and Accessories


PWPPP319FTC **189**99 SKU **262523**

- Relay and Component Tester
- Voltmeter and Continuity Tester
 Carbon Fiber Design Housing
- Audio Tone
- 20' Jumper Lead
- Works on 12V to 24V Sources

Other Colors Available on AZTOOL1.com



3EZ Kit with Case and Accessories SKU **OUTSIDE BUY/EPO PWPPP3EZREDAS**



- · All-in-One Tool with DC Voltmeter, Min, Max, and Peak-to-Peak Mode, Along with Audio Signal Capability (AC Threshold)
- 8 Amp Thermal Circuit Breaker Provides Protection While Powering Up Components, Relays or Circuits and Still Allowing Inrush Current for Larger Draw Components



For Outside Buy/EPO, Call 901-300-4878

Power Probe III with Lead Set

For Outside Buy/EPO,

Call 901-300-4878

SKU **1330690** PWPPP3LS01

- Supplies Power and Ground
- Digital Voltmeter with Min./Max. Voltage Capturing
- 4 mm Banana Jack
- 20 Ft. Power Lead



Power Probe IV with Case and Accessories

SKU **802331** PWPPP401AS 30999

- Supplies Power and Ground for Functional Component Testing
- Digital Volt and Ohmmeter for Circuit Testing
- Large Color LCD Screen with Easy to Navigate User Menu
- AC-RMS, AC Peak-to-Peak, Frequency and Pulse Width for Signal Testing
- Fuel Injector Tester for Easy Circuit Diagnosis
- PCM/ECM Driver Supplies Safe **Voltage for Testing Circuits**



Power Probe® III Master Combo Kit

SKU 1105994 PWPPPKIT03S

• Power-Up Components

- Audible Monitoring of Electrical Signals Voltmeter
- 12V to 24V Range
- Bad Ground Indicator
- Continuity Tester
- Relay and
- Component Tester Trace Short and Open Circuits



Power Probe IV Master Kit

SKU 1330692 PWPPPKIT04

- Supply Power or Ground for Functional Component Testing
- Self-Resetting Thermal 8 Amp Circuit Breaker
- Multiple DC Volt Readings on the Same Display

Open or is Shorted



Automotive Test Lead Kit SKU **1105993**

ESI143



- One Set of Interconnect Leads Extended Test Lead Length of 64"
- Roll Up Storage Pouch to Keep Your Leads Organized



Auto-Ranging Digital Multimeter

SKU **851885** ESI480A





- 10 Test Functions
- · Auto Power-Off. Data Hold
- Dual Fuse Protection
- 10 Meg/0hm Input Impedance







TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Diagnostic

Compression Tester Gauge Set

SKU **1103601** 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determine

Engine Mechanical Condition



8 Piece Noid Light Set

SKU **1103589** 37161

• Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2

· See-Through Design to Check Electrical Pulses



Automotive Tune-Up and Brake Bleed Kit

SKU **70116** 25136

• Easily Diagnose Vacuum and Pressure Related Systems from the EGR to Brake Bleeding to Cooling Systems on Today's Complex Vehicles

OEM TOOLS

 Kit Contains Our Most Popular Hand Vacuum Pump with Vacuum Gauge



Exhaust Back Pressure Tester/Gauge

SKU **1103604** 37263

- . Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- Test for Restricted Exhaust Systems



Oil Pressure Gauge Set

SKU **347229** 27262

- For Use on Diesel and Gasoline Engines
- Includes Standard and Metric Adapters Found on Most Cars and Trucks
- 2-1/2" Easy-to-Read Gauge with Protective Boot
- Range: 0-100 psi, 0 to 7 Bar



S.U.R.R

SUR&R®

S-Hook Sprayer

SKU **1149152** SURS-TOOL

- Nozzle End Produces Fine Mist Spraying Action for Thorough Cleaning of the Air Intake
- Helps Improve Fuel Performance
- Removes Carbon Build-Up
- For Use with SURFIC203



Fuel Injection Cleaner Kit

SKU **1137808** SURFIC203



- Makes Connections Quickly and Easily Using S.U.R.&R.'s Exclusive Quick Connects
- . Holds Up to 18 Oz. of Canister Cleaning Solution
- Cleans More Thoroughly Than Aerosol Methods
- Easy to Connect and Use with Shop Air
- For Top Engine and Throttle Body Cleaning



Timing Light

Digital Tach Advance Timing Light

SKU **666346 ESI125**

- · Measures Ignition Spark Advance from 0° to 90°
- · 2 and 4 Stroke Tachometer Measures Engine Speed Up to 9,999 RPM
- Accurate Up to 9,000 RPM
- . Works with 12 Volt **Electrical Systems**



MOTORVA®

LANG

TU-113PB Fuel Injection Pressure Tester

SKU **1330689** LNGTU-113PB

and Import Vehicles

· Works on Most Domestic



TU-550 Master Fuel Injection Pressure Tester

SKU **1330693** LNGTU-550

LANG

- · Covers All Domestic and Foreign Platforms 1988 to Present
- Does Not Include Cis and TBI Adapters



Carbon Clean 1000 SKU OUTSIDE BUY/EPO

Fuel System Cleaners

MVC500-0220

· Complete, Through the Rail, Fuel System

- **Decarbonizing Service**
- Fuel Rail Hookup Provides the Most Effective Results
- Online Application Guide
- Unique Time Saving Adapter System
- · Cleans Fuel Injectors, Combustion Chamber and Intake Valves
- Works with MV5 (400-0050) Fuel System Cleaner

MV5 Press Gas/Petrol Fuel System Cleaner 17 Oz. (6 Pk.) SKU OUTSIDE BUY/EPO MVC400-0050PK6

For Outside Buv/EPO. Call 901-300-4878



AZG0125

TU-24A-PB Three Way Exhaust and Back Pressure Kit

SKU 1331498 LNGTU-24A-PB

Converters, Mufflers, etc.





Mityvac⁶

Professional Compression Test Kit

SKU **972276** MITMV5530

10999

Everything You Need to Perform Cylinder Compression Tests on Motorcycles, Marine and Small Engines and an Air-Hold **Adapter for Performing Valve Seal Repairs**

- Adapters Include: 10 mm, 12 mm, 14 mm and 18 mm · Extended Hoses for
- Hard-to-Reach Cylinders
- Quick Disconnect



Digital Gas Engine Compression Test Kit

SKU **383182** MITMV5532

- Stores Maximum Compression Value for Up to 12 Cylinders
- 3 Minute Auto Shut-Off
- · Sealed, Grease and Oil-Resistant Gauge **Face Prevents Contamination** of Flectronics

 Displays Values in psi. Bar and kPa



Fuel Pressure Test Kit

SKU **988887** MITMV5546



Tests Fuel System Pressure to Diagnose Common Fuel System Problems Including Failing Fuel Pump, Faulty Pressure Regulator, Blocked Filter(s) and Pinched Fuel Line(s)

- Contains 37 Adapters for Pressure Testing Most Vehicles
- High Quality, Heavy Duty Gauge with 0 120 psi
- Easily Upgrades to a Fuel Pressure and Flow Tester with the Addition of Flow Meter Upgrade Kit MVA5553



Ford 6 Liter Adapter

SKU **972279** MITMVA5610

- · Glow Plug Adapter -M14 x 1.25
- International VT365
- · Ford Power Stroke, 6.0 Liter Engine



Silverline Elite Test Kit

SKU **988888** MITMV8500

- Provides Either Vacuum or Pressure with Equal Precision and Convenience
- Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More
- Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests



Fuel Injection Cleaning Kit

SKU **972277** MITMV5565

- · Cleans Air Induction Systems Functions on Most Foreign and Domestic Applications
- · Uses Shop Air
- · Quickly and Cleanly Removes Deposits from Injectors
- Carbon Deposits in the Intake Manifold and on Intake Valves
- Accessory for the MITMV5546 and MITMV5545



INN@VA®

OE-LEVEL DIAGNOSTIC TOOLS US-BASED SUPPORT

SDS-Pro

INNOVA® 7111

SKU#1062521 · FRFF access to

- RSPRO built-in
- · Secure Gateway (SGW) access on 2018 & newer FCA vehicles



REPAIR D Automotive repair

database with verified

Contact commercial sales

manager for pricing.

OEM/Enhanced

Diagnostics

Removeable

Diagnostics

VCI - Wireless

STORE STOCKED

SDS-Tech

INNOVA® SDS50

SKU#1269649

- · FREE access to RepairSolutionsPRO
- · Active Tests and Special Functions
 - · All Systems Scan · Service Check and
 - Warning Light



Automotive repair database with verified fixes and repair tips.

Contact commercial sales

manager for pricing.

STORE STOCKED

OEM Level DTCs

· Active Tests and

Special Functions

+ Live Data

SDS-Inspector

INNOVA® SDS43 SKU#1269650

- FRFF access to
- RepairSolutionsPRO
- · Multiple Report Types
- · Service Check and Warning Light



Contact commercial sales manager for pricing.

STORE STOCKED

- Bi-Directional / Active Tests
- + Special Functions
- OEM Level DTCs + Live Data





database with verified



Designed for professional technicians to simplify and augment their vehicle diagnostic process

App Store

- Verified Fixes
- Repair Tips
- **Technical Services** Bulletins (TSBs)
- Parts/Tools for Repair
- Scheduled Maintenance
- Predictive Repairs

INNOVA® INFRARED THERMAL IMAGING CAMERAContact commercial sales manager for pricing

STORE STOCKED

· Target & record temperatures and thermal data with advanced infrared technology

· Easily inspect vehicle cooling systems, HVAC, brakes and more

· Built-in flashlight and laser

3361

SKU#1407324



INNOVA® 2.8" LCD Contact commercial sales **INSPECTION CAMERA**

manager for pricing. STORE STOCKED

3381 SKU#1392578

· Record video and audio

- 8 Bright Illumination LEDS fully light up the inspection area
- IP67 Rated Submersible Lens allows safe inspection of areas contaminated by oil or water



Accessories Included: Magnet, Hook and Mirror



INNOVA® COMPRESSION **TESTER PLUS**

SKU#273351

3614

- · Universal direct shaft
- 15" high-pressure S.S. hose with 14mm & 18mm fittings
- Side-release valve
- · Large, 2-1/2" dial face
- · 10mm,12mm and 14mm long reach adaptors

Contact commercial sales manager for pricing.

STORE STOCKED



INNOVA® AUTOMOTIVE DIGITAL Contact commercial sales **MULTIMETER** manager for pricing.

3340 SKU#94874

- · Tests alternators, diodes, solenoids, breaker points, wiring, switches and more
- 10 MegOhm impedance prevents damage to ECU
- Measure RPM. Dwell. Frequency, Temperature, Pulse Width, Duty Cycle
- Accessories Included





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Fluid Extractors

Change fluids quickly and easily anytime. No mess, no clean up. Simply remove the dipstick and insert the tube.

OEM TOOLS

AII **OEMTOOLS** Fluid **Extractors Include:**







- Single Piece Reservoir Structure Features a Leak Proof Bottom
- · Overflow Shut Off Valve Prevents Fluid from Overflowing
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant and Power Steering Fluid
- Updated 41" Extended Dipstick Hose Adapter for Longer Reach and Broader Applications



Manual Fluid Extractors

· Reservoir with Hand Operated Pump to Tackle Big Jobs





2.5 Gallons (10 Qts.) SKU **547010** 24397



Pneumatic/Manual Fluid Extractors

- Working psi: 85; Max. psi: 120
- Air Consumption: 6.5 CFM



1.5 Gallon (6.3 Qts.) SKU **666978** 24937



Brake Bleeder Adapter Hose for Fluid Evacuators

SKU **568479** 24446

• Use with OEMTOOLS Fluid **Evacuators, Converting Them** into One-Person Vacuum Brake or Hydraulic Clutch Bleeders

Universal Bleed Screw Adapter

Main Suction Hose Replacement

SKU **1442592** 24938-1

• Replacement for OEMTOOLS 24938, 24937, 24397, 24389 and 24936



Replacement Dipstick and Tube Adapters

SKU **1442595** 24938-2

2999

• 1/4" x 17" **PVC Hose**

SKU **1442583** 24938-3

• 1/4" x 41"



Fluid Evacuators

PneumatiVac Fluid Evacuator (2.3 Gallon) SKU **497203 MITMV7300**

· Operates on

Compressed Air Independent Air Shut-Off Valve



Fluid Evacuator Plus SKU **497200 MITMV7201**

· Evacuates or Dispenses at the Push of a Button

 Integrated 2.3 Gallon (8.8 Liter) Capacity Reservoir

• Durable, Chemical Resistant Polyethylene Construction

 Dipstick Tube Adapters Included



Fluid Evacuator (1.9 Gallon) SKU **594882**

MITMV7400

139⁹⁹

• Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir

· Evacuates All Kinds of Fluids Including Engine Oil, Transmission Fluids, Gear Oil, Coolant, Brake Fluid and More



AZG0125

Fluid Extractors and Fillers



1.5 L Fluid **Extractor/Dispenser** SKU **606541**

MITMVA6852

- Simple Manual Syringe-Type Action Quickly and Cleanly Extracts or Dispenses Fluid
- Integrated Valve and Cap to Prevent Spills and Leaks
- Compact, Streamlined Design Allows Access into Tight Spaces
- Ideal for Evacuating or Topping Off Fluid Reservoirs
- Easy to Clean; Hose and Seals are Simple to Replace

• Transfer Fluids Easily Use to Transfer Gas, Water, Oil and



- Used to Extract and Refill Many Common Automotive Fluids, Including Brake Fluid
- Dual Scale Molded into Cylinder Body (Qt./mL)
- Includes Extension Tube for Accessing Hard-to-Reach Filler Necks and Reservoirs



- Ideal for Evacuating or Priming Diesel Fuel Systems
 2 Adapter Hoses: 10 mm Male to 3/8" or
- 5/16" Female Fuel System Connections
- 3 Male-to-Male Adapters: 10 mm Male to a Barbed, 3/8" or 5/16" Male Connection

For Outside Buv/EPO. Call 901-300-4878

SKU **1125880** 25740

1299

Transmission Fluid FIII Adapter

. Required Tool to Fill or Add Fluid to the 5R55W **Automatic Transmission**

mituvac.

mituvac:

• Used in Many Ford Vehicles (2003 - Newer) Same as Ford No. 307-437



mituvac:

Fluid Management

Fluid Siphon Pump

SKU **568475 9099**

Other Non-Corrosive Liquids

• Hose Reach: 6' with 1/2" Diameter

OEM TOOLS

OEM TOOLS

Manual ATF Filler System

24441

24863

- Complete System for Servicing Sealed Automatic Transmissions
- Includes Adapters to Fit Ford, BMW, Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes-Benz Transmissions
- Reservoir Capacity: 3 Liters (3.1 Quarts)

• Fluid Dispensing Hose Features a Swivel Connector and Fluid Dispensing Shut-Off Valve Comes with Belt Attachment for

Storing All of the Adapters on Dispenser Adapters Included:

DSG M24 x 1.5, CVT M22 x 1.5, CVT M12 x 1.5, ATF M10 x 1.0, ATF 1/8 NPT - 27. ATF 04, ATF 03 and ATF 02



ATF Refill Kit. 5 L

SKU **265092** MITMV6410A

- Fluid is Dispensed Under Pressure for Smooth Continual Flow
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Internal Pump Components are Sealed Against Exposure to Fluids

· Flow Control Valve is Conveniently Located Near Fluid Output

 Features Integrated Safety and Manual Pressure Relief Valve



Universal Fluid Dispensing System

SKU **265093** MITMV6400

- Large 1.2 Gallon (5 Liter) Fluid Capacity
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Pressure Gauge Indicates Fluid
- Dispensing Pressure

 Safety and Manual Pressure Relief Valve
- Vehicle Adapters Not Included



Pneumatic ATF Refill Kit, 10 L SKU **1330680**

MITMV7412

"Shop-Air" to Produce Pressure for Fluid Dispensing



ATF Refill Adapters with Hose

SKU **1361999** MITMV7216A

26999


Quickly Converts the Mityvac MITMV7201 Fluid Evacuator Plus into a **Professional Tool for Refilling Sealed Automatic** Transmissions • 13 Quick-Change ATF Refill Adapters Fit Most Vehicle



Great for Use with Generators

Battery-Operated Liquid Transfer Pump

SKU **1414413** 87230



- Use in Garage, Aquariums, Home and Yard
- · Pumps Up to 6 Quarts of Liquid per Minute
- · Battery Operated (2 "D" Batteries)



OEM TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Lever Action Pumps

OEM TOOLS

Lever Action Hand Oil Pump

SKU **462495** 24381

- · Oil Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, Heavy and Light Oils, Diesel and Kerosene
- Built-In 1-1/2' and 2" Bung for Use on 16 to 55 Gallon Drums with **Either Opening**
- Not for Gasoline or DEF



Lever Action Barrel Pump -Polypropylene SKU **688036**

24471 Lever Action Pump,

- Self-Priming
- · Ideal for Diesel, Kerosene, Lubricants and Other Oils
- Not for Gasoline. Water Based Chemicals or DEF
- Maximum Flow Rate: 12 Oz. per Stroke
- Maximum Viscosity: 40 Wt. Oil

OEM TOOLS

Lever Action Barrel Pump Polypropylene Stainless Steel Rod

SKU **688038 29**99 24472

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- Not for Gasoline or DEF



OEM TOOLS

Lever Action Barrel Pump - Ryton® Stainless Steel Rod

SKU **688037** 24473

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and



LINCOLN

Lever Action Barrel Pump

SKU **970530** LIN1340

- Pumps Non-Corrosive Fluids, Not for Gasoline
- Telescoping Tube for 16 to 55 Gallon Drums





LINCOLN

Rotary Pumps

OEM TOOLS

Rotary Barrel Pump SKU **462486** 24382

- Fluid Transfer Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, ATF. Diesel and Kerosene
- Not for Gasoline or DEF



OEM TOOLS

Polypropylene Rotary Drum Pump SKU **688035**

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- . Not for Gasoline or DEF

24470



Manual Rotary Oil Pump with Hose for

55 Gallon Drums SKU **265089** LIN1385H

• Includes: 8 Ft. x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger: Seal Tight Telescoping Pick-Up Tube with Strainer for 16 to

55 Gallon Drums

with 2" Bung



LIN1385

· Hose Not Included

Drum Not Included

John Dow Industries

LINCOLN

Manual Rotary Fuel Pump with Hose for **55 Gallon Drums** SKU **265088** LIN1387

36999

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline, Diesel. Kerosene, Coolant, Non-Corrosive Materials. Medium Viscosity Petroleum Based Fluids. Hydraulic Oils and ATF



LINCOLN

Drum Wrench

Aluminum **Drum Bung Wrench**

SKU **1267963 299**

22664 • Comfortable and Textured Grip for

Ease of Use Non-Sparking, Non-Corrosive

OEM TOOLS

- **Aluminum Construction** Fits Most Steel and Plastic Caps,
- Including 3/4" Vent Plugs Effortlessly Opens and Tightens Bungs to Guarantee Drum Contents are Safe
- Opens 10, 15, 20, 30 and 55 Gallon Barrels



Fuel Transfer Pump

25 Gallon Steel Gas Caddy

SKU **360585** DOWFC25GC

74999

- UL Approved
- 25 Gallon Tank is Constructed of 14" Gauge Steel for Use with Unleaded Gasoline, Kerosene, Ethanol E85, Diesel and Bio-Diesel Fuels



DEF Pump

Lift Action Pump

SKU **1142361** LIN1390

 Transfers Popular Shop Fluids Including COMPATIBLE Acetone, Antifreeze. Windshield Washer. Thinners and More Includes NPT and

- **Buttress Threads for** Steel and Plastic Drums
- · Adjustable Bung Type Fits 15, 16, 30 and 55-Gallon Drums
- Welded Ground-Post for Safe Dispensing of Volatile Fluids Premium Grade
- 316 Stainless Steel
- Self-Priming

Grease Pump

Manual **Gear Lube** Dispenser SKU **174166**

LIN1293

LINCOLN

- 5' Hose, 13" Pump Tube • Fits 25 to 50 Lb. 5 Gallon Containers
- · Delivers 1 Oz. per Stroke





Fluid Exchangers

MAHLE

ATX280 Trans Fluid Exchange Unit SKU **OUTSIDE BUY/EPO** MSS4008002300

• 7" Touchscreen LCD Display with Graphical Interface

 Onboard Additive Tank for Detergent/ Oil Injection



Fluid Not Included MAHLE

Fluid Exchanger SKU OUTSIDE BUY/EPO MSS4258001600

BFX-10 Brake

- Suitable for ABS, ESP, EDS and SRC
- Hydraulic Pump
- Two Universal Adapters Included



BFX-20 Brake Fluid

Fluid Not Included

Exchanger

SKU **OUTSIDE BUY/EPO** MSS4258001400

Trans-Tech 4 Plus MOTOR MAC

SKU **OUTSIDE BUY/EPO**

· Automatic, In-Line Exchange

ATF Exchange Through

Vehicle Transmission

• High Volume Pump for

Rapid and Efficient

· Comes with Standard

Set of Adapters Uses MVC400-0137 2-Part ATF Cleaner and Conditioner Fluid

Drain Pan Feature

26 Quart New

Fluid Reservoir

Through Vehicle Cooler Line

MVC500-1125B

Dipstick

Service

- Hydraulic Pump
- · Suitable for ABS, ESP, EDS and SBC
- · Adapters Included



Lube Tech Set

REG. \$2,516.20

Includes 160 of the Most **Common Tools in Tool Cart**

• SAE and Metric, 1/4", 3/8" Drive Tools, Combination Wrench Sets. Pliers and Screwdrivers, Plus Battery Service Tools Oil Change Tools and More



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO Call 901-300-4878

Oil and Grease

Lynx 3:1 Universal Stub Pump SKU OUTSIDE BUY/EPO BAL1110-007



- Reliable Air Motor Design that Features Corrosion **Resistant Materials**
- Double-Acting Pump Design for Smooth and Accurate Fluid Delivery
- Includes: 2" Bung-Adapter



Oil Control Handle with Digital Meter

SKU **1485049** BAL3330-159



- Exclusive "Memory" Flex Enables the Extension to Bend Into Any Desired Shape
- Replaceable Electronic Circuit Board and Face Plate
- Ergonomically Designed Grip Handle Reduces Fatigue for Technicians



Balcrank

50' EVO Reel, Lynx 5:1 HD Pump, 275 Gal SKU OUTSIDE BUY/EPO

BAL1135-017

- Double Wall Construction
- UL 2258 Certified
- Compatible Fluids: DEF. Diesel and Lubricants
- · Compact Design
- Package Assembled from Factory





5:1 HD Oil Pump Drum Package SKU **OUTSIDE BUY/EPO** BAL1131-069

- · Reliable Air Motor Design that Features Corrosion Resistant Materials
- · Includes: Heavy-Duty Drum Cart with Semi-Pneumatic 10" Tires. Front Caster with Brake to Steady Cart While in Use, 50' x 1/2" Hose Reel and **Electronic Metered Handle**

Drum Not Included



Lynx 55:1 Pump Package SKU OUTSIDE BUY/EPO BAL1151-036


- Reliable Air Motor Design that Features Corrosion Resistant Materials
- Double-Acting Pump Design
- Optional Hose Reel Mounting Kit







Inside View





Grease Guns

- · Cast Iron Pump Head for Added Strength and Durability
- Multiple Filling Options to Support Suction, Filler and Cartridge Loading Heavy Duty Follower Spring Allows Easy Priming and Efficient Pumping

87204

• Precision Fit Plunger Prevents Grease Bypass and Resists Scoring

OEM TOOLS



Clear Barrel for Easy Grease Monitoring







Mini Pistol with Extension	Mini Lever Action	Lever Action Clear	Lever Action	Pistol Grip with 18" Extension Hose	Pneumatic with 18" Extension Hose
SKU 1207892 87207	SKU 1207896 87206	SKU 1207899 87204	SKU 1362012 87201	SKU 1207888 87203	SKU 1207901 87205
• Includes 6" Extension • 2,900 Max. psi	• 4,000 Max. psi	• Includes 7" Extension • 10,000 Max. psi	• Includes: 6" Steel Extension • 7,000 Max. psi	Pistol Grip Handles Supports One Handed Operation 6,000 Max. psi	Includes 5.5" Extension Air Operated for Continuous Lubrication Flow 6,000 Max. psi
19 99	19 ⁹⁹	29 99 REG. \$39.99 Offer Good Through March 31, 2025	1999	34 99	39 %

Grease Gun Accessories

7 Piece Grease Gun Accessory Kit

SKU **978118** 25711

• Includes: Press-On 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-On 90° Coupler, Rubber Tip Nozzle, Needle Nozzle and 60° Coupler



Extension Hoses with Spring Guard

• Premium Grease Hoses for Manual and Air-Operated Grease Guns

18¹¹

- Spring Guard for Added Rigidity to Prevent Kinking
- Max. Working Pressure: 4,500 psi
- Burst Pressure: 12,000 psi
- Accessory Thread: 1/8" NPT

SKU **1207902** 87220

SKU **1207887** 87221

36¹¹

SKU **1207893** 87222

70 Piece Grease Fitting Assortment

SKU **577685** 25752

• 70 Assorted Grease Fittings in 6 Popular Sizes



OEM TOOLS

Bearing Packer

SKU **1055505** 26540

- · Quickly Flushes Out Old Grease and Repacks Bearings with New Grease
- Transparent, Impact Resistant Cup Allows User to Clearly See Grease Level
- Works on Bearings with Up to 3-1/2" Outside Diameter



Universal Bearing Packer SKU **1339731**

- 25081 · Connects to Any Grease Gun
- · Services Most Roller and **Ball Bearings**
- Forces Out the Old Grease and **Evenly Injects Fresh Grease**



Lincoln

20V Li-ion PowerLuber Kit SKU **751676**

LIN1884

- Delivers Grease at Up to 10,000 psi
- Built-In LED Illuminates the Work Area
- . Includes: Grease Gun. 2 Batteries. Charger and Case
- 36" Flex Hose



12V Li-ion PowerLuber Kit SKU **605324** LIN1264

- Li-ion Battery for Maximum Power and Efficiency
- Delivery at Up to 8,000 psi
- Built-In LED Illuminates Dimly Lit Areas
- 30" Grease Hose



Fully Automatic Pneumatic Grease Gun SKU **445386**

LIN1162

• Fully Automatic, Continuous Operation

- 30" High-Pressure Hose with Coupler and Attachment Clin
- Pump Ratio: 40:1 at 150 psi
- Max. Grease Pressure: 6,000 psi



Super Pistol Grip SKU **445385**

LIN1134

- 18" Whip Hose • Includes Rigid Pipe
- Variable Stroke Design
- 7,500 psi
- Filler Nipple/ Bleeder Valve



Professional Lever Grease Gun with 18" Whip Hose and Coupler

SKU **522903** LIN1147

. 3-Way Loading: By Cartridge, Bulk Load and Suction Load



Oil Drains

LINCOLN

18 Gallon **Rolling Oil Drain**

SKU **988882** LIN3601

- · All Steel Design Includes Reinforced Caster Supports
- 14" Telescoping Bowl: Range of 45" to 72"
- Preset Air Regulator (Up to 150 psi)





SKU **543345** LIN3639

Drain/Evacuator

25 Gallon Used Fluid Combo

- Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs
- Includes: Mercedes-Benz, BMW and VW Dipstick Tube Adapters and 6 Evacuation Wands of Varying Flexibility, Diameter and

OEM TOOLS

Lenath Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

• Min. Height: 60" • Max. Height: 74"



SKU **543344** LIN3637

25 Gallon Used Fluid Gravity Drain

SKU **543350** LIN3635



LINCOLN

OEM TOOLS **18 Gallon Rolling Oil Drain**

SKU **667005** 87042

29999

- Pressurized Self-Evacuation **Feature Requires** Only Shop Air
- Funnel Capacity: 2.6 Gallons
- Funnel Diameter: 17" . Min. Height:
- 44.5" Max.





OEM TOOLS

OEM TOOLS 21 Gallon Oil **Drain Vacuum and Extractor**

SKU **546658 599**⁹⁹ 24862

- Designed for the Collection of Used Fluids from Lift Mounted Vehicles or by **Evacuation Directly from Fluid Reservoirs** or Dipstick Tubes
- Funnel Diameter: 15'
- Funnel Extension Adapter: 22"
- Funnel Height Adjustment: 45" to 62"
- Includes 5 Extraction Tubes: (1) 7 mm x 35"; 6 mm x 29"; 6 mm x 23" 6 mm x 22" and 3/8" x 15"



OEM TOOLS

9 Gallon Upright Portable Oil Drain

SKU **908386** 87032

- Adjustable Drain Height: 32" to 62"
- Funnel Diameter: 17¹
- · Features Built-In Drain Valve and Evacuation Spout
- 4 Heavy Duty Casters for Easy Transport
- Includes: Tool Holder







VALUE: \$19.99

Mini Lever **Action Grease** Gun

87206

Tool Tray

With Purchase of: 87032

Offer Good While Supplies Last Through March 31, 2025



18 Gallon Upright Portable Oil Drain

SKU **908388** 87031

- Adjustable Drain Height: 54" to 70"
- Funnel Diameter: 18"
- Features Built-In Drain Valve and **Evacuation Spout**
- 4 Heavy Duty Casters for **Easy Transport**
- Includes: Tool Holder







21 Gallon **Waste Oil Drain**

SKU **544817** 24861

- Pressurized Self-Evacuation Feature Requires Only Shop Air
- Large Diameter Funnel Includes a Removable Filter Screen and Wide-Mouth Extension
- Funnel
- Diameter: 15"
- · Funnel Extension
- Diameter: 22"
- Funnel Height Adjustment: 45" to 62"



Large Funnel



Sight Tube Catches Fluids without Spills



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Used Fluid Drains

Evacuation Systems

- · All-Steel Tank and Base
- Easy-to-Use Patented Cantilever Mechanism

Premium Drains Capture Used Fluids and Transfer Them to Any **Bulk Storage Tank Using a Cam-Lock Kit and Evacuation System**

Anti-Freeze SKU **1485042** BAL4110-025

- **849**99 • Powder-Coated Green
- 3/4" Cam-Lock Fitting

SKU 1485039 BAL4110-024

- · Powder-Coated Black
- 1" Cam-Lock Fitting



Balcrank



USA

Accessories

Prevents Splashing of Hot Oil

Oil Drain Splash Pads

- Keeps Work Areas Clean While Changing Transmission or Other Oils
- · Allows Hot Oil to Drain Through Porous Pad



22" Square

SKU 1340219

SHA73851





SHARK

Drains Not Included. Not for Coolants or Fluids That Will Be Recycled in the Vehicle

Super Transmission Drain Funnel

SKU **291377** LIS17902

- . Extends the Catch Area of Any Lift Drain
- Fits the Ford E 40D
- Dimensions: 24" x 36"



Transmission Drain Pan SKU 908383

87035

- Flexible Plastic Construction Fits on Top of Funnels for Most Lift Drains
- . Built-In Screen to Catch Debris. Parts and Tools
- Dimensions: 22-3/4" (L) x 23-3/4" (W) x 4-3/4" (H)

OEM TOOLS



OEM TOOLS

Change Oil Your Own Way: Save with Featured Kits

Oil Change Service Kit SKU 1169110 | 68915

 Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 5 Quart Oil Dispenser, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses and 9 Gallon Upright Portable Oil Drain





9 Gallon Oil Drain

REG. \$284.92



When You Buy the Kit

Oil Change Lube Tech Kit SKU 1169108 | 68916

. Includes: Oil Filter Wrench Pliers. Oil and Transmission Funnel. 3-Legged Oil Filter Wrench, 10L Oil Jug, Drain Plug Socket Set. Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses, 18 Gallon Upright Portable Oil Drain and 10 Piece Metric Cap Wrench Set





Used Oil Evacuation

 Includes All Necessary Fitting, Brackets, Valves, Hoses and Components for Seamless Integration with Air System and Fluid Collection/Discharge **Processes**






Salcrank

Evacuation Package for Used Antifreeze SKU **1485050 1.729 99**

1" Evacuation Package for Used Oil

SKU 1485032 BAL1121-024 **1,749** 99

BAL1121-025



Oil Filter Tools

OEM TOOLS **Swivel Oil Filter Wrench**

SKU **1125870** 87115

- Fits Oil Filters 4-3/4" to 5-3/4"
- 1" Wide Stainless Steel Band



Auto Fit Filter Pliers

SKU **1339727** 87164

OEM TOOLS

- Suitable for Filters with 2.4" to 5" Diameters
- Long Reach Slip Joint Design
- Precision Machined Jaw
- Non-Slip Comfort Grip



3 Jaw Adiustable **Magnetic Oil Filter Wrench**

1999

SKU **908387** 25101

- Oil Filter Diameter: 2.4" to 3.6" (60 mm to 93 mm)
- Secure Magnetic Attachment
- · Spring-Loaded Legs for a Secure Grip
- Includes 3/8" to 1/2" Drive Adapter



OEM TOOLS

3 Jaw Adiustable **Filter Wrench**

SKU **1339734** 87160

- Works on a Variety of Vehicles
- Fits Oil Filters 2-1/2" to 4-1/2" (63.5 mm to 114 mm)
- Fits 3/8" Drive Ratchets and Extensions
- Perfect for Removing Hard to Reach Filters



OEM TOOLS

4 Piece Swivel Oil Filter Wrench Set

SKU **1414418** 87117

- Fits Oil Filters 2-3/8" to 2-7/8", 2-7/8" to 3-3/8", 3-3/8" to 3-3/4" and 3-3/4" to 4-3/8"
- Dimpled Band with 3 Sets of Grippers to Hold Filter Securely in Place • 1" Wide Stainless Steel Band for a
- Strong Grip and Slip Resistance
- Rubber Cushioned TPR Grip for Comfort and Safety in Tight Places
- Includes 0EMT00LS 87111. 87112, 87113 and 87114

OEM TOOLS

4-in-1 Steel Oil **Filter Wrench** SKU **1189097**

87116

4 Interchangeable **Swivel Bands**

- Size Range 2-3/8" to 4-3/8" (60.3 mm to 111.1 mm)
- 1 Swivel Handle with 4 Stainless Steel Bands
- · Bands are Easily Removed and Installed

OEM TOOLS





180° Swivel **Joint Reaches Impossible Places**



2 Detent Pins Help Quickly Remove and Install Bands



Titan

OEM TOOLS

2-3/8" to 5" **Oil Filter Pliers**

SKU **757057** 25324

- Removes Stubborn Oil Filters from Gas or **Diesel Engines**
- . Long Reach Slip Joint Design
- Precision-Machined Jaw
- Non-Slip Comfort Grip
- 14" Length



2-1/2" to 4-5/8" **Oil Filter Pliers**

SKU **548380** 25320

1399

- 20° Jaw Bend for More Applications
- Jaw Teeth for Sure Grip
- 12" Length





Actual Outside Diameter Capacity:

4" (100 mm) · Chain Length: 15" (381 mm)



For Outside Buy/EPO, Call 901-300-4878

Heavy Duty Truck Oil Filters

- Extra Wide Band for Secure Grip
- 1/2" Drive Tools



SKU Part # Price Range 344322 4-1/8" to 4-5/8" (104 to 118 mm) 19.99 25231 25232 4-5/8" to 5-1/4" (118 to 134 mm) 344323 19.99 344324 25233 5-1/4" to 5-3/4" (134 to 142 mm) 21.99

Oil Filter Plug for Cummins SKU 1340221

87168

- Perfect Tool for Installing and Removing Oil Filters
- Compatible with Dodge 6.7 Diesel Engines
- · Prevents Oil Leaks When Removing Oil Filters from Engines
- · Hard Plastic Construction for Maximum Strength and Durability
- · Wide U-Shaped Handle for Added Grip and Control

Swivel-Gripper "No-Slip" Filter Wrench - 9 Pack SKU **1339725**



(2) 2.375" - 2.625 **Import Wrenches** (2) 2.875" - 3.250" **Small Wrenches** (3) 3.500" - 3.875" Standard Wrenches (2) 4.125" - 4.500' Large Wrenches



Filter Removal Cup

• Specifications: 6" x 6" x 6" x 6" (34 Oz. or 1 Liter), Volume Sufficient to Hold Typical Size Filters Commonly Used on Cars, SUVs, Light Duty Trucks and Vans

· Safely Holds Oils, Fuel (Gasoline, Diesel, Biofuels), Brake Fluid, Antifreeze and Other Hazardous Fluids



SKU 1089033 **29**99 SURFC5

1 Pack

2 Pack

SURFC5PK2

SKU 1245617 REG. \$59.98

SAVE OVER When You Buy the 2 Pack

S.U.R.R.

OEM TOOLS

OEM TOOLS

Cap Style Filter Wrenches

Toyota/Lexus Oil Filter Cap Wrench Set

SKU **383457** 25409

- Sizes: 64 mm, 73 mm and 74 mm
- . Comes in Sturdy Blow Mold Case

9 Piece Oil Filter Cap Wrench Set 27199

• Includes: 5 Chrome Plated Aluminum Wrenches (64.5 mm - 14 Flute Toyota, 64.5 mm - 14 Flute Toyota/Lexus, 88.8 mm -15 Flute Hyundai/Kia. 74.2 mm - 14 Flute European, 86.6 mm - 6 Flute European), (1) 63 mm to 83 mm Adjustable Filter Wrench for Universal Applications, 3 Forged Low Profile Oil Filter Sockets (27 mm, 32 mm and 36 mm) and 3/8" Drive Application Chart for Quick Reference



2

Make	SKU	Part #	Size	Price	
BMW/Volvo	255675	25453	86.6 mm – 16 Flutes	19.99	
Hyundai/Kia	255659	25454	88.8 mm – 15 Flutes	25.99	
Toyota/Lexus	255634	25451	64.5 mm – 14 Flutes	10.99	
Toyota/Lexus	1340227	87131	64.5 mm – 14 Flutes	9.99	
Mercedes-Benz Sprinter/VW/Audi Porsche/Mazda	1340230	87132	74.2 mm – 14 Flutes	4.99	
Mazda/Ford	1340228	87133	75.6 mm – 14 Flutes	4.99	
Chrysler	1340234	87134	84 mm – 14 Flutes	23.99	3
Volvo	1340237	87136	88.8 mm – 15 Flutes	21.99	
Land Rover	1340238	87137	90 mm – 15 Flutes	22.99	

10 Piece Metric Cap Wrench Set SKU **1189096** 87151

• Painted for Rust Resistance

- Includes: 65/67 mm 14 Flutes, 80 mm - 15 Flutes, 68 mm - 14 Flutes,
 - 86 mm 16 Flutes, 74/76 mm 15 Flutes,
- 93 mm 15 Flutes, 76 mm 14 Flutes, 93 mm - 36 Flutes, 76 mm - 30 Flutes,
- 100 mm 15 Flutes
- Comes in Sturdy, Green Blow Mold Case

Drain Plug Tools

14 Piece Drain Plug Socket Set

SKU **818568** 25374

- . Designed for Both Foreign and Domestic Vehicles Including: BMW, Ford, Mazda, Mercedes-Benz, Nissan, Peugeot, Renault and More
- Ideal for Removal of Oil Drain Plugs from Manual Transmissions, Transfer Cases, Differential Housings and More
- Includes Hex: 9, 10, 12, 14 and 17 mm; Square: 7, 8 11, 13 mm, 5/16", 3/8"; Female Square: 10 mm; Male Triangle: 10 mm; Tamper-Proof Triple Square: 16 mm



8-in-1 Oil and Lube Multi-Wrench

- Designed to Fit Most Oil Drains, Transfer Case and Differential Plugs
- Features Offset Head Design with Yoke Support for High Torque Applications

SKU **1442594** CTA2495K





 Sizes: 12, 13, 14, 15, 16, 17. 18 and 19 mm



SKU **1442585** CTA2497K





OEM TOOLS

- Male Square and Hex
- Square: 8 mm, 10 mm, 3/8" and 1/2"
- Hex: 10, 12, 14 and 17 mm

Plastic Oil Drain Plug Removal Set - 3 Piece

SKU **1207894** 25098

- · Safely and Easily Removes Plastic Oil Drain Plugs on Late Model Ford, Volkswagen, BMW and Audi Cars
- . Does Not Cause Damage to the Plug

OEM TOOLS

7 Piece Oil Filter Removal **Socket Set**

SKU **191682** 27197

Oil Filter Sockets

- 3/8" Drive
- Includes: 24 mm for Cadillac: 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra
- Comes in Sturdy, Green Blow Mold Case



OEM TOOLS

32 mm Oil Filter **Cap Socket**

SKU **548385** 25410

· Removes and Installs Oil Filters on 2.2 Liter GM Ecotec Engines Low Profile 1-1/4 In. Socket is Specially Designed for Operating Clearance 3/8" Drive





36 mm Oil Filter Socket for 6.0L Ford Diesel

SKU **110279** 25411

7 Piece Offset Oil Filter Cap **Wrench Set**

SKU **1145990** 87165

- 3/8" Drive Set Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, Saab; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra
- Comes in Sturdy, Green Blow Mold Case

3 Piece Low Profile **Oil Filter Socket Set**

SKU **094803** 27204

- Includes: 27, 32 and 36 mm 3/8" Drive







Oil Funnels

Magnetic Funnel Holder

SKU **1372897** 98375

- Translucent 16.9 Oz. Reservoir Holds a Variety of Funnels
- . Dual Magnetic Arms Attach the Holder Securely to Any Ferrous Surface
- . Magnets Securely Hold Up to 28 Oz. in Weight
- Swivel Design Allows for Easy Screw-In of the Receptacle Bottle
- · Fits Standard One Quart Oil Bottle
- End Cap Keeps Drips off the Floor



Magnetic Arms to Hold Securely in Place







OEM TOOLS

Oil and **Transmission Funnel**

SKU **547009** 87008

- · Both Straight and 45° Angle Screen to Prevent Trash from **Entering Transmission**
- Includes Screen and Dust Cap
- Length: 25"



87039

- Set Includes: Universal Oil Funnel, Chrysler (87019), Ford/Mazda (87020), GM (87021), Honda (87022), Toyota/Lexus (87024), Subaru Adapter, Toyota/Lexus Adapter and 150° Extended Adapter (87027) and Storage Rack
- Funnel Screws Directly into Filler Neck
- . Threaded to Fit a Range of Import and Domestic Vehicles Older and Current Models
- Transparent Lower Chamber to Monitor Oil Flow
- Wide Passage for Rapid Refilling

Direct Fit Individual Funnels

Part #

87019

87021

87022

87023

87024

Description

Chrysler, Dodge and Jeep

GM

Honda

Subaru

Toyota, Lexus, VW and

Mercedes

Price

23.99

18.99

21.99

26.99









STORE STOCKED

Dispensers

8 Quart Dispenser SKU **080078**

- Keep Out Contaminants
- Many Large SUVs and Trucks Now Require More Oil

10 Quart Oil Jug SKU **605325** 87018

· Safe for Automotive Oils and Fluids Convenient Carry and Pour Handles





OEM TOOLS

4.7 Quart Clear Oil

• Built-In Level Scale Lets You

Great for Transmission

Fluid Changes

lisle

Drain Pan

SKU **568469**

See Fluid Level

87013

OEM TOOLS



Lid and Cap

LIS19702

- . Spout Cap and Lid to

Flexible Spout Measuring Cans

- Designed for One-Hand Operation
- 14" Flexible Spout with Tapered Tip
- Recessed Bottom Drains Fully and **Guards Against Punctures**

16 Quart Oil Drain Pan

 Rolled-Edge Top Helps Prevent Spilling

5 Quart

SKU **298486** LING525

8 Quart

SKU **298473** LING528

2.8 Quart Low-Profile

Oil Drain Pan

SKU **568474**

87017

OEM TOOLS



LINCOLN

Filter Crusher

SKU

824892

824879

824890

824888

824886

Industrial 10 Ton Oil Filter/Can Crusher

SKU OUTSIDE BUY/EPO RANRP20FC

- 20,000 Lb. Crushing Power
- Maintenance
- Automatic Safety Door Stops Operation When Opened
- Separator Come Standard
- View of the Crushing Process
- Exclusive X-Shape Bevel in Press
- for Absolute





Ranger:

2,07999

- Reduces Used Oil Filters to 1/4 of the Original Size
- 100% Air Operated for Minimal
- · Save on Disposal Costs and Storage Space
- Pressure Regulator and Air Moisture
- Transparent Door for a Convenient
- Welded Steel Plate Construction
- Head Pre-Aligns Filters Vertical Press



• Heavy Duty Polyethylene Construction · Features a Pour

Drain Pans



Green

LIS17972

SKU 908389 87034

Black

OEM TOOLS

87033

SKU **908382**





4.5 Gallon Green **Oval Drain Pan**

4.5 Gallon Black Oval Drain Pan SKU **1142687**



COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Pressure Testers

✓ Mastercool *

SmartFit™ Universal Cooling System Test Kit SKU **250709** RED950700

- · Works on All Passenger Vehicles and Light Duty Trucks
- Eliminates the Need to Buy Costly Adapters for Radiators
- Made from Anodized Brass and High Quality Materials



Universal Cooling System Adapter Set

SKU **434723 PEG. \$79.99** 27067

- Designed to Fit Most Passenger Vehicles and Light Duty Trucks
- Fits Both Radiators and Plastic Reservoirs Universal Design Works with Any Cooling

System Pressure Pump

 Prevents Damage to Plastic Reservoir Threads That Occurs When the Wrong Adapter is Forced On

 Pressure Test Pump Not Included

Offer Good Through March 31, 2025

OEM TOOLS

Cooling System Pressure Test Pump SKU **434722** 27069

- Quickly and Easily Pressure Test Cooling Systems in Most Vehicles
- · High Quality Pressure Pump Designed to Work with Most Cooling System Adapters
- Easy-to-Use Lever Style Pressure Relief



✓ Mastercool∴

OEM TOOLS

Heavy Duty Cooling Test and Refill Kit

SKU **954220** MSC43014

- Includes: Vacuum Gauge, Sealing Collar, Valve, Rubber Gaskets and Coolant/Draining Hoses
- · Sealing Collar (with Rubber Cone) Offers a Wide Variety of Applications for Radiator Filler Necks
- Minimizes the Risk of Engine Overheating
- 2.3 Gallons per Minute Fill Rate





SKU **954231** MSC43306

- Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case
- · For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems
- Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks



27 Piece Master Radiator Pressure Test Kit

SKU **1053958** MSC43301-A

• Includes: 1 Blue Radiator Cap Test Connector R123/R125, 1 Black Radiator Cap Test Connector R123/R124, 1 Thermometer, 1 Universal Radiator Cap, 1 Vacuum Purge and Refill Tool, Coolant

Hose and Additional Installation Accessories, 1 Hand Pump and 19 Adapters (Nos. 2 to 4. 6 to 21) to Fit Most Popular Domestic and Import Cars and Trucks



Cooling System Adapters

Volvo, Saab, Jeep, Maserati, Ferrari SKU **133600** 27241R

- Fits Maserati and Ferrari Models (2000 Newer), Jeeps with Male Threads (1990 – 1994), Saab 900 (1978 - 1993), Saab 900 (Drop Top 1994), Saab 9000 (1987 – 1998), Volvos with Male Threaded Necks
- Diameter: 45 mm
- Thread Size: 3 mm

Audi, Porsche and VW

SKU **133549** 27240R

- Fits Audis and VW with Male Threads on Filler Neck, Porsche Boxster (1997 – Newer), Porsche Cayenne (2006 - Newer) and Porsche 911 (1999 – Newer)
- Diameter: 48 mm
- Thread Size: 3 mm



Audi and VW

SKU **133625** 27245R

Beetle (1998 - Newer),

Golf and Jetta (1999 - Newer)

 Fits Audi A4 (1996 – Newer), A6 (1998 – Newer), A8 (1997 - Newer), S4 (2004 - Newer), TT (2000 - Newer), Bentley (2006 - Newer), Lamborghini (2006 – Newer), Porsche Cayenne (2003 - Newer), Porsche Panamerà (2010 – Newer), Volkswagen Passat (1998 – Newer),



BMW 3, 5 and 6 Series **Radiator Adapter**

SKU **133825** 27252R

• Fits BMWs (2007 - Newer), 5 and 6 Series (2005 - Newer) and 3 Series (2006 - Newer)

· Diameter: 52 mm

• Thread Size: 3 mm



OEM TOOLS

Mazda 3, Volvo S40/V50 and Ford SKU **133633**

27249R

• Fits Land Rover LR-2 (2008 - Newer), Mazda 3 (2004 - Newer), Volvo S40 and V50 (2004 - Newer), XC60 (2010 - Newer), Ford Fusion and

Escape (2012 - Newer)

• Diameter: 50 mm; Thread Size: 2.5 mm

Toyota, Lexus and Scion Radiator Adapter 3799

SKU **133632** 27248R

• Fits Lexus LS (2007 - Newer), Toyota Celica (2000 - Newer), Spyder MR2 (2000 - Newer), RAV4 (2009 – Newer),

Prius (2004 and Newer), Camry (2007 – Newer), Highlander (2006 – Newer) and Scion XB (2008 – Newer)

• Diameter: 34 mm; Thread Size: 3 mm

Acura, Chevrolet, Chrysler, Geo, Honda, Isuzu, Lexus, Mazda, Mitsubishi, Suzuki and Toyota

SKU **133624** 27244R

• Fits Early Models with 32 mm Opening and a 9 mm Depth



BMW and Range Rover Radiator Adapter

SKU **133635** 27251R

- Fits BMWs 1988-2006, Land Rover and Range Rover Models 1995-2005
- Diameter: 52 mm
- . Threads: 4 mm



Ford, Jaguar, Pontiac, Range Rover and Saab Radiator Adapter

SKU **133611** 27243R

- Fits Jaguar X Type (2002 Newer), Saab 900 (1994 – 1998), Saab 9-3 and 9-5 (1999 – Newer), Some Saturns and Other Vehicles
- · Diameter: 52 mm; Thread Size: 3 mm



VW

SKU **133609** 27242R

- · Volkswagens with Female Threaded Filler Necks (1990 to 1998)
- . Diameter: 57 mm; Thread Size: 3 mm



Ford, Jaguar and Mazda Radiator **Adapter**

SKU **133631** 27247R

- Ford Contour 1998-2000, Jaguar XJ8 1998-Up, Jaguar XK8 1997-2006. Mazda Tribute 2001-Up
- · Diameter: 52 mm; Thread Size: 3 mm



AZG0125



COOLING SYSTEM

Coolant Funnels

Professional No-Spill Coolant Funnel Kit

SKU **943142 39 99** 87043

- 5 Spring-Loaded Adapters for a Secure Fit
- · Simply Select the Correct Adapter, Attach the Funnel and Fill
- Air-Release Tubes to Vent the System During Refilling Process
- Stopper Prevents Dripping When Removing the Funnel
- Includes: Extensions and Adapters for Hard-to-Reach Surge Tanks

No-Spill Coolant Filling Funnel Kit SKU **802197 1099** 87007

- 4 Radiator Cap Adapters to Fit Most Passenger and Light Trucks
- Simply Select Correct Adapter, Thread Together, Attach the Funnel and Fill
- . Rotary Switch to Effectively Prevent Drips and Spills, and Stop Overflow and Bubbles
- Includes: 5 Adapters, (2) 45° Elbows and (2) 5" Extension Rods for Difficult-to-Reach Areas



No-Spill Coolant Filling Funnel Kit with Coolant Tester

SKU **1340229** 87045

- Includes 5 Direct Fit Cooling System Adapters to Fit Most Passenger Vehicles and Light Trucks
 • Includes: 45° Angled and 5" Extension Adapters
- for Accessing Hard-to-Reach Spots and Tester for Glycol Based Coolants
- Fluid Stopper to Prevent Drips and Spills When Removing from the Filler Neck



Leak Tester

OEM TOOLS

Gas Engine Combustion Leak Tester

SKU **1103608** 37145

. Used to Test for Combustion Leaks That Result from Head Gasket, Cylinder Head and Engine Block Leaks

. Pulls Air from the Cooling System Up Through the Leak Tester; if Carbon Dioxide is Present, the Leak Tester Fluid Color Will Change to Yellow Signifying a Combustion Leak



OEM TOOLS

Combustion Leak Detector Fluid (8 0z.)

25739

STORE STOCKED



OEM TOOLS

Radiator Filler

2.4 Gallon Plastic Radiator Filler SKU **754738**

87104 Impervious to Oil. Gasoline

and Antifreeze Stands Un

to Extreme Weather

OEM TOOLS



AirEvac Cooling System

AirEvac Cooling System Refiller

SKU **568478** 24444

- · Quickly Refills Cooling System and Eliminates Trapped Air
- Helps Prevent Come-Backs and the Threat of Engine Damage
- Universal Adapter Forms an Airtight Seal with Most Radiator and Coolant Bottle Necks

• Performs Vacuum Leak Tests Covers Most Radiator and

Reservoir Types No Custom Adapters Required


· Comes in Sturdy, Green Blow Mold Case



AirEvac Cooling System Kit

OEM TOOLS

SKU **099292** 27066



- . Refills Cooling System without Trapping Air That Causes Overheating
- Universal Adapter Forms an Airtight Seal with Both Radiators and Coolant Reservoirs
- · Self-Locking Quick Disconnects for Fast Assembly



Coolant Testing

Professional Series Ethylene Glycol Antifreeze Tester

SKU **750007** 24507

- For Testing Hot or Cold Ethylene Glycol-Based Coolants, Including Dex-Cool®
- · Easy-to-Read Discs are Magnified by Convex Design of the Clear, Thermal Resistant Plastic Barrel
- Disc-Type 16-1/4" Tester is Accurate at All Temperatures (Celsius



Flush Tools

Coolant System Flush Gun

SKU **1284967** 24719

REG. \$49.99

- Universal Nozzle to Fit Various Radiator or Heater Hoses
- Combines Water with Compressed Air to Quickly and Efficiently Flush Cooling Systems
- Comfortable Lever-Action Air Throttle with Lock-On Latch for Simple Attachment of Air Hoses
- Used for the Detailed Flushing of Debris and Contaminants from the

Cooling System During Repair and Maintenance

Offer Good Through March 31, 2025

Heater Core Backflush Tool SKU **511000 26**99



- Fits 1/2". 5/8" and 3/4" Heater Hoses
- Saves Costly Replacement of Most Stubbornly Cloqued Heater Cores



Made of Corrosion-Resistant Aluminum

· Basic Garden Hose Hook-Up Cleans Cooling Systems and Heater Cores without Disassembly

Cooling System Back Flush Tool

SKU **750008 999** 24506

- Non-Corrosive Aluminum
- · Easy to Use
- Connects to Standard Hose 1/2", 5/8" and 3/4" Hose Fittings
- Made of Non-Corrosive Aluminum



THEXTON



COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Cooling System Tools

6 Piece Hose Clamp Pliers Set SKU 1282734

27158

- · Services Most Ring-Type or Flat-Band Hose Clamps
- Clamps are Held Open with a Ratchet Locking Mechanism
- Includes: Regular Hose Clamp Pliers, Flat-Band Hose Clamp Pliers, Large Hose Clamp Pliers, Hose Remover Pliers, Angled Hose Clamp Pliers and Cable Hose Clamp Pliers





Clic-R Hose Clamp Pliers

SKU **1089038 1699** 25102


· Easily Remove or Install Clic-R

- Type High Tension Clamps . Heavy Duty and Durable Steel Construction
- Clamps Commonly Found on BMW, Mercedes-Benz, Audi, VW and Other Cars and SUVs



Hose Remover Set - 5 Piece SKU **1335785**

- 26519 • Dual Durometer Handles for
- Comfort and Grip Hooks and Picks are Assembled from Carbon Steel for Strength and Durability
- · Perfect for the Removal of Coolant Hoses, Cotter Pins Brake Springs, Large Electrical Connectors and More



GM Water Pump Socket

SKU **OUTSIDE BUY/EPO**

27109 • Works on 1993-newer Cadillac

- Northstar 4.6L V8 Engine (1993-newer) and Oldsmobile Aurora 4.0L L47 V8 (1995-1999) 1/2" Drive
- Black Oxide Finish to Resist Rust
- · Chrome Vanadium Steel for Toughness



OEM TOOLS

Master Freeze Plug Installer Kit

SKU **965837**

 Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines





Wiew.



Coolant Exchangers

MAHLE

VCX-1 Vacuum Coolant Exchanger SKU OUTSIDE BUY/EPO

MSS4708001900

- Extremely Fast Service Cycles
- Simple Hook-Up and Operation
- Flexible Adaptation for Most Makes and Models



MAHLE FluidPRO® MCX-2 **Multi-Coolant System Fluid Exchanger**

SKU **OUTSIDE BUY/EPO** MSS4708003000

- Includes System Pressure Test Feature and "Hot Car" Radiator Cap Pressure Release
- Compatible with All Coolant Types for Adaptability

. Contains (2) 7.5 Gallon New Coolant Tanks and (1) 15 Gallon Waste Tank

Providing Simple, Rapid Switching from One Coolant to Another

• 3 Minute Service Time for Increased Productivity



Coolant Not Included

Vacufill Air Operated Coolant Exchanger with Drain Pump

SKU OUTSIDE BUY/EPO UVU570000X

1,699⁹⁹

- Includes: Auxiliary Pump for
- **Emptying Waste Reservoir** Large 12 Gallon Waste Coolant Reservoir
- · Connects Easily to Engine
- Cooling Systems
 Large 3 Gallon New Coolant Tank
- · Eliminates Potential Airlock Problems
- Tests for Leaks While Under Vacuum



Waste Pump Coolant Not Included



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

PECIALTY TOOL

Line Repair Tools



3/16" Brake Line Kit SKU 662854 SURBR-EZ316

- 110 Piece Kit Includes Most Popular Brake Nuts, Unions and Adapters
- Made in USA
- UltraBEND Tubing Easy to Flare and Bend without Kinking
- Smooth Flares Create Better Fittings Seals, Reduces Potential for Leaks
- Includes: 110 Pieces Plus 25' of UltraBEND 3/16" Tubing
- Standard (SAE) and Metric Fittings Included



Deluxe Fuel Line Replacement Kit

SKU 662866 **SURKP1500**

- Repair or Replace 1/4", 5/16" or 3/8" Fuel Lines in as Little as 5 Minutes
- No Special Insertion Tools Required
- Thumb Release Convenience Includes 168 Pieces Plus 75' of Tubing
- No Specialty Tools Required
- Pressure Rated Up to 200 psi



S.U.R.R

AIRSEPT

Universal Flaring Set


MSC72475-PRC **569**99



- Create Perfect Production Quality Flares
- Magnetic Adapter Holder Keeps Adapters in Place
- Tube and Die Set Stabilizing Arm for Easy Tube Forming
- Enlarged Die Set Compression Area for Better Grip of Dies



Fuel Line Repair Assortment Kit Dynamic



- . Kit Includes 23 of the Top Selling Connectors, Fittings and Clamps
- 86 Total Pieces



Pro Series Repair Assortment SKU **1125882**

AIR78019

- · Everything You Need for Transmission and Power Steering Line Repair in One Convenient Kit - 16 Repairs
- 5 Minute Line Repair
- · Leak-Free to 2.600 psi
- OE Approved



Bubble Flaring Tool Kit

SKU **592261** 27214

OEM TOOLS

- Designed for Metric Soft Steel Brake Lines Where an "ISO" or Bubble Style Flare is Required
- · Forged Yoke is Made of Heat-Treated Steel
- Includes: Flaring Bar. All Adapters Needed for ISO **Bubble Flaring** and 4 Dies (4.75, 6. 8 and 10 mm)



Disconnect Sets

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece

SKU **004112** 25031

- 4 Piece Disconnect Tool Set for NAVISTAR® MAXXFORCE® Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines;
 1 Straight and (1) 90° Tool for 16 mm Fuel Lines



OEM TOOLS

Fuel Line Disconnect Set SKU OUTSIDE BUY/EPO

26514

· Disconnects Fuel Lines and Spring Lock Couplings on Ford and Chrysler

Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"
High Quality ABS Plastic That Can Easily

- Stand Up to Daily Usage
- Includes Reusable Holding Trav
- . Easily Disconnects Air Conditioning and Quick Connect Fuel Lines

For Outside Buy/EPO, Call 901-300-4878



OEM TOOLS

3 Piece Aluminum 1/2" Oil Line Disconnect Set

SKU **94653** 25187

- Used to Remove and Replace Oil and Transmission Cooler Lines Found on GM, Ford, Nissan and Toyota Vehicles
- Anodized Aluminum Construction
- Quick Line Removal



Angled Disconnect Set

SKU **291416 909** LIS39400

- Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines
- · Works on Fuel Lines and Other Quick Disconnect Couplings on **Domestic and Import Vehicles**
- 6 Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Master Disconnect Tool Set

SKU **291413** LIS39900









Coolant Hose Removal Tool Set

SKU **383214** CAL244TNZ

- Used to Completely Fill the Void in the Connector to Release the Fastener
- 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces









Catyan



OEM TOOLS

SPECIALTY TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Easy Access to Spark Plug Boots

 Rubber Dipped Jaws Provide a Secure Grip for Damage Free Removal of the Spark Plug Boot

Hardened Jaws Will Not Bend When Gripping

Adiustable Spark

Plug Boot Pliers

Jaws Adjust to Five

Different Positions for

SKU **1340226**

25559

Spark Plug Service

3/8" Drive Magnetic Spark Plug **3 Piece Socket Set**

SKU **300140** 22891





Spark Plug Sockets							
Part #	Drive	Size	Features	Price			
22880	3/8"	9/16"	Magnetic	7.99			
22887	3/8"	5/8"	Magnetic	9.99			
22881	3/8"	18 mm	Magnetic	9.99			
22883	3/8"	13/16"	Magnetic	9.99			
22889	1/2"	13/16"	Magnetic	9.99			
22895	3/8"	14 mm	12 Point Thin-Wall	9.99			
	22880 22887 22881 22883 22889	Part # Drive 22880 3/8" 22887 3/8" 22881 3/8" 22883 3/8" 22889 1/2"	Part # Drive Size 22880 3/8" 9/16" 22887 3/8" 5/8" 22881 3/8" 18 mm 22883 3/8" 13/16" 22889 1/2" 13/16"	Part # Drive Size Features 22880 3/8" 9/16" Magnetic 22887 3/8" 5/8" Magnetic 22881 3/8" 18 mm Magnetic 22883 3/8" 13/16" Magnetic 22889 1/2" 13/16" Magnetic 23895 3/8" 14 mm 12 Point			

14 mm x 12 Pt. BMW Spark Plug Socket SKU **814164 1**4 99

22814

- · Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces
- Durable Chrome Moly Steel Construction
- Overall Length: 3.75
- Plug Retainer for a Secure Grip



3/8" Drive Magnetic Spark Plug Socket Extra Long (5/8")

SKU **300146** 22885



- Hard Chrome[™] Finish is Easy to Clean and Protects Against Rust Chamfered Ends Make Fastener Engagement Quick and Smooth
- . Magnetic and Won't Wear Out or Be Damaged By Oil
- Deep Marking for Easy Identification Knurling Position for Best Finger Gripping

3/8" Drive Magnetic Spark Plug Socket Extra Long (9/16")

SKU **300147 1599** 22886

SKU **814337** 22813

• 12" Extended Reach

3/8" Drive 14 mm x 12 Pt. Extra

· Designed with a Universal Joint for the Installation

and Removal of Spark Plugs Situated in Tight Spaces • Durable Chrome Moly Steel Construction

Long Spark Plug Socket



Spark Plug Boot Pliers

 Dipped Handle Grips for a Comfortable and Sure Grip

SKU **390900** 25542

12-POINT

Swivel Joint

· Designed to Remove Hard-to-Reach Spark Plug Boots

 45° Offset Jaws for Easy Gripping of Wires and Boots

STORE STOCKED

Spark Plug Wire Puller

SKU **532549** 25061

· Insulates Hands from

Electric Shock · Grips Directly on Boot to Prevent Wire Damage

STORE STOCKED





IPR Socket, 3/8" Drive SKU **912334 14 99**

25280 · Remove/Replace IPR without Damaging the Connector

 Applications: Ford 6.0 L and Other **Diesel Engines**



Oxygen Sensor Socket Set SKU **1103591 91 99** 37110

• Special Purpose, Universal Slotted Socket That Services Hex Vacuum Switches and

Oxvaen Sensors Includes Sockets for Most Applications: 3/8" Drive 7/8" (22 mm) Deep 3/8" Drive 7/8" (22 mm) Crowfoot 1/2" Drive 7/8" (22 mm) Deep Crowfoot







7 Piece Sensor Socket Set

SKU **900823 59 99** 27189

- Used for Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches
- Includes: 7/8" (22 mm) Offset Extended Oxygen Sensor, 7/8" (22 mm) Offset Oxygen Sensor Socket, 7/8" (22 mm) Vacuum Switch Socket, 7/8" (22 mm) Oxygen Sensor Socket, 1-1/16" (27 mm) Deep Oil Switch Socket, 1-3/16" (29 mm) Oil Sender Unit Socket and 1-1/16" (27 mm) GM Thermal Sensor Switch Socket

· Chrome Vanadium for Toughness

Insulated Tools

10 Piece Insulated Screwdriver Set SKU **1267942**

22593

🕶 REG. \$29.99

- 1,000V VDE Certified Insulated Screwdrivers
- Insulated Grip Handle and Precision Handle for Added Efficiency
- Insulation Sculpted Directly Onto Blade for Permanent Bonding
- Quick-Release Mechanism for Effortless Blade Change
- Exchangeable Blades with a Slim Tip to Fit Tight Terminal Blocks
- Durable Tool Pouch Included for Easy Organization
- Includes 4 Slotted Blades

Offer Good Through March 31, 2025





SPECIALTY TOOLS

Fuel Pump Tools

OEM TOOLS

OEM TOOLS

Fuel Tank Adapter

SKU **1407554** 24832

- . Makes Fuel Tank Removal Safe and Easy
- · Works with Most Transmission Jacks
- Includes: 2 Nylon Straps to Secure Tank



Bed Lifter

SKU OUTSIDE BUY/EPO 32999 STK35885



. Designed to Lift Truck Beds Safely and Easily

. Lifting Brackets Adjusts to **Evenly Distribute Weight**



For Outside Buy/EPO, Call 901-300-4878

Fuel Pump Module Spanner Wrench

SKU 110278 25156

· Removes and Installs the Fuel Pump Retaining Ring



Fuel Tank Lock Ring Tool

SKU **751721** 24398

• Ford F150 Trucks (2004 - Newer); Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota,

Durango (2004 - Newer); Chevy 1/2 Ton and 3/4 Ton Trucks (2004 - Newer)

Works with 1/2" Drive Ratchet or Breaker Bar



OEM TOOLS

Adjustable Multi-Arm Lock Ring Tool

SKU **OUTSIDE BUY/EPO** 25558

- Interchangeable Arms to Remove and Install the Retaining Ring on the Fuel Pump Module
- · Adjustable Arms to Easily Adjust to the Fitment of the Retaining and Locking Rings
- Slip Resistant Spanner to Limit Damage to the Lock Ring and Retaining Ring
- 3/8" Square Drive

OEM TOOLS



For Outside Buy/EPO, Call 901-300-4878

Terminal Tools

OEM TOOLS

19 Piece Master Terminal Tool Set 13999

SKU **447159** 27169

· Latest Tools for Coolant Sensors, Wiring Harnesses and Terminal Blocks on Most Modern Vehicles

• Eliminates Potential Damage to Wires or Terminal Blocks

Application Chart Included Inside Storage Case



Remote Starter

OEM TOOLS

Heavy Duty Remote Starter Switch

SKU **265127 49**99 25331

. Heavy Duty, Push Button Remote Starter Allows Technicians to Bump or Crank Engines While Under the Hood

LED

. 67" Heavy Insulated Wire for Long Tool Life Heavy Duty Insulated

Alligator Clips



Throttle Depressors

Brake - Accelerator Pedal Depressor

SKU **802194**




- · Easy to Adjust
- . Extends to 24'
- Suitable for Many Diagnostic **Applications**





Steering Wheel Holder and Pedal Depressor Set

SKU **802195** 24231



- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



Throttle Pedal Depressor

SKU **222525** LIS48700

- Holds Throttle at a Constant RPM
- . Engage the Nylon Hook Under the Steering Wheel, Then Extend the Depressor Rod to the Accelerator Pedal
- Length: 40"



Relay Tools

36

Relay Puller Pliers SKU **291342**

LIS46950 · For Removing Electrical Relays on Most Domestic and Import Vehicles

· Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay



Relay Test Jumper Set II

SKU **291341** LIS60610

. Includes 4 Jumpers to Fit Many Popular Relays on Honda, Nissan Toyota, Newer Ford and GM Mini Micro Relays as well as International Trucks



Relay Test Jumper Set

SKU **291333** LIS56810

OEM TOOLS

• Includes 4 Jumpers to Fit the Most Popular Size Relays on Domestic and Import Vehicles

. Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On





OEM TOOLS

SPECIALTY TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Wire Strippers

7" Wire Stripper Crimper - Cutter

SKU **751657** 24452

• Strips 20-12 Gauge Insulated and Non-Insulated Wire

. Use for Wire Cutting and Stripping, as Pliers for Grabbing and Twisting or for Crimping of Insulated and Non-Insulated Connectors

· Industrial Finish with Red Textured Grips



9-1/2" Terminal Crimping Pliers with Cutter SKU OUTSIDE BUY/EPO

25196

- For Insulated and Non-Insulated Wire Connectors and Terminals
- Specially Hardened Wire Cutter in Nose
- Tapered Nose for Working in Confined Spaces
- For 10 to 22 AWG Wire Connect
- Plastic-Dipped Comfort Handles Minimize Fatigue

For Outside Buy/EPO. Call 901-300-4878



8-1/4" Wire Stripper/ **Cutter/Crimper/Bolt Cutter**

SKU **312821** 25193

- AWG: 10, 12, 14, 16, 20 and 22 Stranded
- AWG: 8, 10, 12, 14, 16 and 18 Solid
- Crimps 7 and 8 mm Ignition Terminals



Circuit Testers

Digital Display Circuit Tester

SKU **568468** 24451

- · Detect Voltage, Power, Ground and Circuit Condition
- Display Provides Precise Voltage
- Voltage: 5 to 30V DC
- . Computer Safe DO NOT Use on Airbags





OEM TOOLS

Voltage Display

Coiled Cord Circuit Tester

SKU **422468** 25886

· Circuit Tester with a Stretchable and Retractable 12' Cord for Long Circuit Runs



OEM TOOLS

One Handed Wire Piercing Circuit Tester

SKU **422469** 25887

- Bright Hi-Vis 12' Heat and Oil Resistant Coiled Cord
- Molded Strain Relief for Long Life · Hangs on Wire for
- Hands-Free Operation • 6, 12 and
- 24 Volt Systems



OEM TOOLS

Three Way 30 Amp Circuit Tester Kit

SKU **1077225 54**99 ESI309A

- Tests All 3 Fuse Sizes (Micro, Mini and ATO Circuits)
- Plug-In Fuse Buddy and Read Circuit Amp Draws Up to 30A



ECT3000 Electrical Circuit Tracer

SKU **1392338** PWPECT3000B

· Automatic and Manual Sensitivity Locking

Arrow Indicates Direction to Short

• Signal Distance Indicator Bar

• 10 Minute Auto Shut Off

· Ergonomic Housing



Windshield Tools

Compact Windshield Wiper Arm Puller

SKU **191681 1299**

- Easily Removes Wiper Arms on Most Domestic and Foreign Vehicles
- Will Not Damage Wiper Arm or Hood Cowling During Removal
- Features Turning Knob for Fast Work and Forged Body for Strength
- Compact Design Works Great in Tight Spaces



OEM TOOLS

Window Holder

SKU **191670** 25309

- . Works on All Cars and Trucks with a Top Door Frame
- Loop Cable Over Door Frame and Attach Suction Cups to Each Side of Glass
- Window Glass is Securely Held Above the Door While Work is Performed



Universal Wiper Arm Puller

SKU **265136 2099** 25339

- For Pulling Front and Rear Wiper Tight Fitting Wiper Arms
- Suitable for Most Wiper Arms Including Audi[®], VW[®], BMW[®] Ford®, Chevrolet®, Mercedes-Benz® and Others
- Designed to Prevent Damage to Wiper Arm Nozzle



OEM TOOLS

Window Molding Clip Remover

SKU **265130** 25338



- . Use to Release Body Molding Clips Double-Sided Design Works on a Variety of Clip Configurations
- . Made with Heat-Treated Carbon Steel for Strength





Cal- Year

OEM TOOLS

Double Head Suction Cups

SKU **291351 1 1 99** 24246

- Twin Head Suction Cups Help Remove Windshields
- ABS Rubber Cups Grab Ahold of Glass
- Flexible Handle Bends to Windshield
- · Quick Release Levers for One-Hand Operation



18" Professional Windshield Knife

SKU **480782** CAL53100

Ergonomic Handle

· Constructed of Heavy Duty Steel and Aluminum with a Padded



SPECIALTY TOOLS





Tire Tread Depth Gauge SKU **954233** CEN3S402A

• Easy-to-Read Digital Display

 Fractional Scale in 1/32" Increments

· Spring-Loaded Plunger



Central TOOLS, Inc.

Central TOOLS, Inc.

24" Straight Edge SKU **949552**

25355

• Constructed with 1/4" Thick Cold Rolled Steel

 Durable Powder Coat Finish with Precision Ground Edge MADE IN USA • Hang Hole for Convenient Storage

• Includes Reusable Protective Edge

TOOLS

OEM TOOLS

6" Electronic Digital Caliper SKU **864649** 25363

. Large Easy to Read LCD Display

 Zeroing Feature • Thumb Roller with

Locking Device

OEM TOOLS

Central TOOLS, Inc.



1" Dial Indicator Set SKU **954195 CEN3D101**

• Strong Magnetic Base Revolution

Counter • Full 1" Range



Central TOOLS, Inc.

Indicator Set with Flex Arms and Lock Pliers

SKII 954184 **CEN3D103**

 Locking Pliers for Mounting

 Flex Arm for Extra Reach

• Revolution Counter • Full 1" Range

Extended Range Bore Gauge SKU **954188**

CEN3D302

 Extended Range of 1.4" to 6"

 Lower Range for Small

Applications Reach Deep into Cylinders



0-5.5" Digital **Rotor Gauge**

SKU **954197** CEN3M430A


- Easy-to-Read Digital Display
- Pointed Anvil for Measuring Grooves

 Inch and Metric Readings



Digital Drum Gauge

SKU **954196 CEN3B531**



- · Pointed Anvils for Grooves
- · Easy-to-Read Digital Display
- 4" to 20" Range Plus **Oversize**

Digital **Torque Adapter**

SKU **362559** 25684

Central TOOLS, Inc.

- · Range: 19 to 99 Ft/Lb. (27 to 135 Nm)
- Comes in a Sturdy Blow Mold Case



25' Tape Measure


SKU **1414409** 25699

• Two-Sided Blade Printed in Centimeters and Inches

- 1" Extra Wide Blade
- 10' Standout Reach
- Magnetic End with Dual Hooks
- Heavy Duty Impact-Resistant Case



OEM TOOLS



Central TOOLS, Inc.

SPECIALTY TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.co

Steck - Lockout Tools

BigEasy™ Glo with Easy Wedge Lockout Kit

SKU **964494** STK32955

- Glow-In-The-Dark Yellow Allows You to See the Tool at Night or Through Tinted Windows
- · Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo



BigEasy™ Carrying Case

SKU **227873 39**99 STK32935





- · Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck



BigEasy™ Lockout Kit SKU **964491**

STK32900

- . High Visibility Pink Powder Coating and Improved Non-Marring Wedge
- · Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door
- Paint Protector Reduces Friction Between the Car Door and the BigEasy



BigEasy™ Easy Wedge (Inflatable)

SKU **964493** STK32922

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy



Access Wools

Access Tools - Lockout Tools

Emergency Response Kit Long Case

SKU **1339730 AETERKLC**

- Most Popular Accessories, Gets into Any Vehicle
- Designed by First Responders
- · Emergency Ready
- Includes: Quick Max Long Reach Tool, Flex Max, Button Master, Super One Hand Jack Tool, Super Air Wedge, Glassman Wedge and Button Strip Tool



Button Master SKU 1189051 **AETRCBM**

• Flexible Coated Long Reach Tool

- Retractable Loop with Grip Cover
- Grab Vertical Door Buttons with Ease
- Approximately 38" in Length When Straightened
- Most Flexible and Versatile Version of All the Button Masters

One Hand Jack Set

SKU **1145698 AETOHJS4**

- Easy-to-Use Car Opening Kit
- · Soft Shielded Long Reach Tool That Won't Scratch Paint
- Air Wedge with Stiff Insert for Easy Insertion
- · Vertical Button Tool One Hand Jack for Quick, Damage-Free Insertion of the Air Jack









OEM TOOLS

Rivet Tools

Rivet Tool Kit with 200 Assorted Rivets

SKU **094877** MAR39001KIT



Deluxe Rivet Kit with 200 Stainless Steel Rivets

SKU **094879 MAR39003KIT**

Multiplex Hand Riveter and Rivet Nut Setter

SKU **1284961** MARM39410



Set Blind Rivets Up to 3/16" Diameter, Rivet Nuts Up to 1/4-20 Size





Nut Rivet Set Metric SKU **94888** MAR39303

• Includes the 39200 Thread-Setter Tool with 8-32, 10-32 and 1/4-20 Mandrels and Nosepieces and Wrench

· Contains 44 Assorted Klik Poly-Nuts







MQN Rivet Nuts Jack Nuts





Industrial Hand Riveter

SKU **291353** 25921

• For Use with Steel and Aluminum Rivets Noses: 1/8" (3.2 mm) 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)

• 18" Overall Size with Long Handle Provides More Leverage



AZG0125

Big Daddy® Hand Riveter SKU **094886**

MAR39031



 Double Gear Reduction System Easily Sets from 1/8" to 1/4" Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets

• Comes with 5/32", 3/16" and 1/4" Nose Pieces Stored in the Body



See More Marson Rivet Tools on AutoZonePro.com

SPECIALTY TOOLS

Slide Hammer Pullers

5 Lb. Slide Hammer

SKU **1103572 54 99**

- For a Variety of Pulling Tasks
- Chrome Plated Main Shaft



9 Way Slide Hammer Puller Set

SKU **1335798** 37191

11999

- Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs
- . Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 2-Way and 3-Way Cross Blocks
- Includes: Grip Wrench Adapter and Dent Puller Attachment
- Designed for Use with Other 5/8" x 18 Thread Slide Hammer Attachments





Rear Axle Puller Set SKU **094801** 27202

- Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks
- · Slide Rod and Adapters are 5/8" x 18 Standard Threads





VW/Audi Fuel Injector Puller Kit

SKU **1103636** 37383

- Includes: 1 Mini Slide Hammer, 1 Installation Tool, 2 Special Puller Attachments and 3 Knurled Collars
- · Comes in a Sturdy Blow Mold Case
- Used with All 2.0 L TSI/FSI/TSFI Engines



Multi-Purpose Puller

Multi-Purpose Bearing and Pulley Puller Set

SKU **900824** 27190

- Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More
- 20 Piece Set Includes: 6 Jaws, 2 Bar Housings 6 Bolts and 2 Retainers
- . Capacity: 6-10 Tons (Depending on the Jaws)
- Combine to Create 10 Different Pullers

OEM TOOLS



Retainer Remover

Brake Cylinder Retainer Remover

SKU **265111**

25268

- Expands and Holds Special Retainer So the Brake Cylinder May Be Removed
- · Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



OEM TOOLS

OEM TOOLS

Lock and Snap Ring Pliers

Professional Internal/External Snap Ring Pliers

SKU **1340233** 25097

- Unique Jaw Design Makes it Easy to Switch from Internal to **External Configurations**
- For Both Internal and External Rings
- Alloy Steel and PVC Grip with Storage for Tips
- Includes: 3 Pairs of Tips and Hex Key, 1 Pair Straight Tips for 1.2 mm and 1.8 mm, 2 Pair 90° Tips for 1.2 mm and 1.8 mm





Angle Tip Lock Ring Pliers SKU **191055 20**99 25354

- · For Spreading Snap Rings Found on Brakes, Pedal Shafts, Clutch Shafts, Transmissions, Machine Tools and Piston Rings
- Constructed with Durable Drop Forged Steel Alloy
- · Spring-Loaded Jaws Feature a Scored Outside Edge for a Secure Grip · Vinyl Grip Handles for Added
- Comfort and Control
- Spread: 3/4'
- Length: 8-1/4"



10 Piece Snap Ring Pliers Set SKU **900819 71** 99 27180

 Includes: (2) 5-1/2" Bent Pliers (0.038" and 0.047" Tip), (2) 6" Straight Pliers (0.038" and 0.047" Tip), 7-1/2" Bent Pliers (0.070" Tip), 8" Straight Pliers (0.070" Tip), 8-1/2" Bent Pliers (0.090" Tip), 9" Straight Pliers (0.090" Tip), 1 Pick Tool and

- 1 Hook Tool · For Both Internal and External Rings
- Constructed with Heat-Treated Chrome Moly Steel
- Comes in Sturdy Blow Mold Case



2/3 Jaw Pullers

1 Ton Puller

- Standard Jaw Puller Made with Hi-Alloy Steel · Jaws Grip Tighter as
- Pressure is Applied Adjustable and Reversible
- Jaws with 2 and 3 Jaw Configuration

3" Spread

SKU **246386** 25902

4" Spread

SKU **246387** 25903

5 Ton


SKU **516519** 27078







OEM TOOLS



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Cam/Crankshaft Tools

Crank Bolt Sockets

Deep Counter-Weighted Sockets Provide Increased Torque to Break Loose Stubborn Crank Bolts

 Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV, Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400 Vehicles and More

17 mm

SKU 912348 4 25275

22 mm

SKU **070132** 25300

19 mm

SKU **1335801** 25290

26 mm

SKU **919500** 25278

21 mm SKU **912343**

25273 **27 mm**

SKU **919501** 25276

SKU **919497** 25279

6 Piece Crank Bolt Socket Set

Provides Increased Torque to Break Loose Stubborn Crank Bolts

Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV.

Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus,

Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400

• Includes: 17, 19, 21, 22, 26 and 27 mm Deep

· Constructed with Durable Chrome Moly Steel

Counter-Weighted Sockets

Vehicles and More

OEM TOOLS

Universal **Pulley and Fan Clutch Holder**

SKU **547013** 27281

• Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes Adjustable Diameter: 1-1/2" to 8-5/8" Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm

Comes in Blow Mold Case



OEM TOOLS

5 Piece Master Cam/Timing Gear Clamp Set

SKU **383452 94 99** 27210

• Covers Most Single, Twin Cam and Quad Cam Engines

· Locks Camshaft to Hold Valve Timing During Timing Belt Replacement



2 Piece Timing Gear Holder Set

SKU **238159** 24360

OEM TOOLS Ford Cam Tool 1.6 Liter

> SKU **1103640** 37380

. Designed to Hold the VCT Sprockets in Position During Timing Belt Installation or Camshaft Service

 Alignment Tool Services: Ford Fiesta (2011 to 2014), Ford Escape (2013 to 2014), Ford Fusion (2013 to 2014), Ford Transit (2013 to 2014)



Ford 2.0 L, 2.3 L, 2.5 L **Cam Tool Kit**

SKU **626108** 24448

2.3 L DOHC 4V and 2.0 L DOHC Engines in Ford, Mercury and Mazda (2004 to 2012) and 2.0 L DOHC Engines in Ford Probe (1993 to 1994)

OEM TOOLS



• Applications: 2.0 L DOHC Engines Found in Ford and Mercury (1994 to 2003), 2.5 L DOHC,



Ford Timing Chain DEMITOOLS **Locking Wedge Tool**

SKU **012647** 24207

• For 2005-14 5.4 L and 4.6 L 3V OE Type Tool Allows for Easy Cam Changes without Removing the Timing Cover

Compact and Easy to Use

• Includes: Harmonic Balancer Holder, Camshaft Alignment Tool, VCT Alignment Tool, Crankshaft Positioning Tool, Crankshaft

Vibration Dampener Alignment Tool, 3 Pc. Wedges and

OE Type Tool

• For 5.4 L and 4.6 L 3V (2005-2014)

DOHC Cam Lock Holder

SKU **291419** LIS36880

. This Versatile Tool Easily Locks and Holds Both Camshaft Sprockets Firmly in Place

· Preserves the Engine Timing During Belt or Chain Replacement



Pilot Bearing Puller

SKU **775523** 25089

• Use to Pull Pilot Bearing from End of Crankshaft

· Plate Prevents the Jaws from Spinning When Force is Applied

· Spread Range: 1/2" to 1-1/2"

· Reach Range: 3/16" to 11/4'



Puller Attachment SKU **OUTSIDE BUY/EPO**

Pilot Bearing

27059

• Use with OEMTOOLS 37033 and 27202 Slide Hammer Pullers

Threaded with Both 5/8" x 18 and 3/4" x 16 Threads to Fit Most Slide Hammers



Services Ford, Mazda and Lincoln 1.4 L, 1.5 L, 1.6 L, 2.0 L, 2.3 L, 2.5 L,

Camshaft Timing Kit

Ford Master Timing Kit

SKU OUTSIDE BUY/EPO

CTA2221

3.0 L and 3.5 L Engines



OEM TOOLS

Call 901-300-4878

For Outside Buy/EPO.

Flywheel Turner

SKU **1207891** 25556

• Holds Flex Plates and Fly Wheels to Allow Clutch, Transmission and Crankshaft Service

• Spring Tensioned to Keep the Wrench Securely Engaged


· Sure Grip Handle



OEM TOOLS

Flywheel Locking Tool

SKU **1335793** 25557



• Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement

• Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation

• Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks



OEM TOOLS

Universal Camshaft Bearing Tool

SKU **191677** 27143



• Set Includes: Driving Shaft, Driving Shaft Extension, Expander Unit, 5 Split Driving Plugs, 2 Driving Collars and Centering Cone

Easy on Bearings

• Range: 1.125" to 2.69"



Valve & Cylinder Head Tools

Leak Detector

SKU **1103608** 37145

- Test for Internal Combustion Leaks on **Gasoline Engines**
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- . Comes in a Sturdy Blow Mold Case
- Not for Use with Diesel Engines



Combustion Leak Detector Fluid (8 Oz.)

SKU **391381** 25739





Spring Compressor

SKU **662780** 24676

Lever Action Stavs Compressed for Easy Valve

Valve Keeper Remover and

- Included Adapters Fit Valve Retainer Diameters
- · Compression Range from 1-3/8" to 5-5/8' (35 mm to 142 mm)



fisle,

OEM TOOLS

Hydraulic O=MTOOLS Valve **Lifter Puller**


SKU **424904** 27146

Lisle

 Use for Removing Many Valve Lifters from Engine **Block**

Ford Valve Spring Compressor

SKU **626111 24** 99 24434



- · Works with Engine Removed or Installed. Cylinder Head On or Off
- Not for Triton 5.4 3V



OEM TOOLS

Lever Valve

Installer Kit

Makes Valve Component

Disassembly and Reassembly

• For Use with Valve Stems from

4.5 to 7.5 mm and 5/16" to 3/8"

Chrysler New World Engine

. Magnet in Tool Body Captures Keepers

New Smaller Size Works on Toyota 4 Cylinder and

SKU **011658**

Fast and Easy

LIS36050

Lock Removal

from 1" (25 mm) to 1-3/16" (30 mm)



· Compresses Valve Springs on GM V8 Engines with Stud-Type Rocker Arms without Having to Remove Cylinder Heads

Use with OEMTOOLS®



OEM TOOLS

OEM TOOLS **Ford Valve Spring Compressor** for 3-Valve Engines SKU **814391** 24429

 Designed to Compress the Valve Spring without Removing the Camshaft While Servicing the Cylinder Head in Ford

3-Valve Engines For Use with Ford 3-Valve 4.6 L and 5.4 L Engines



STORE STOCKED

Flexible Air Valve Holder

SKU **1392465** 25029


- For 14 mm and 18 mm Spark
- Plug Holes
- 14" Flexible Hose Reaches into Tight Areas



OEM TOOLS

SKU **459100 9099** LIS48300

Push Rod Remover



· Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms



Torque Adapter. Diesel Head Bolt. Ford 6.0 L Power Stroke® Engines

SKU **298191 1899** 24208

- Eliminates the Need to Remove the Truck/Van Cab from the Chassis to Access the Rear Head Bolts
- Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging
- · Prevents Damage to the Rear Heat Shield
- Use with OEMTOOLS® 27309 3/4" Drive Torque Wrench and OEMTOOLS® 22398 18 mm Socket



24" Straight Edge

SKU **949552 199** 25355



OEM TOOLS

- . Use with a Feeler Gauge to Inspect for Distortion on Engine Blocks, Cylinder Heads, Fly Wheels, Main Bearing Saddles, Cam Bearing Saddles, Cam Covers and Bell Housings
- Constructed with 1/4" Thick Cold Rolled Steel
- Precision Ground Edge to +/- 0.001"
- Durable Powder-Coat Finish
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



Engine Cylinder Hones

BC 180SC Flex-Hone Tool Kit SKU 213154 23999 BRM14353

- 10 Piece Kit Features Flex-Hone Sizes: 10 mm, 1/2", 5/8", 3/4", 7/8", 1", 1-1/4", 1-1/2", 1-3/4" and 2"
- Complimentary Snap Back Hat, 1/2 Pint of Flex-Hone Oil and 1GB Flash Drive



SKU	Part #	Product	Cylinder	Price	
SKU	SKU Fait#	Product	Metric	SAE	Price
341226	BRMBC30018	Flex-Hone™ GB	76 mm	3"	<i>54.99</i>
341232	BRMGB31412	Flex-Hone™ GB	83 mm	3-1/4"	<i>54.99</i>
341239	BRMGB31212	Flex-Hone™ GB	89 mm	3-1/2"	<i>59.99</i>
341317	BRMGB33412	Flex-Hone™ GB	95 mm	3-3/4"	64.99
341325	BRMGB41812	Flex-Hone™ GB	105 mm	4-1/8"	69.99
341332	BRMGB45812	Flex-Hone™ GB	118 mm	4-5/8"	<i>69.99</i>

ADDITIONAL SIZES AVAILABLE - CALL US AT 901-300-4878 OR VISIT AZTOOL1.COM



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Harmonic Balancer Tools

OEM TOOLS

Harmonic Balancer Puller Kit

SKU **818738** 25090

Unique Jaw and Returning Springs for Easy Positioning of the Puller

- Includes: Puller Body, 3 Jaw Puller, 3 Jaw Retaining Pins, 3 Wave Washers,
- Pressure Screw • Insert Rods: 4", 5-13/32". 6-1/2" and 7-13/32"
- Used on Many GM, Ford, Mitsubishi and Chrysler Engines



OEM TOOLS

OEM TOOLS

Harmonic Balancer Puller Tools

SKU **1103576** 37187

- Includes: Yoke, Pressure Screw and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Ideal for Any Shop or Garage
- · Pulling Balancers and More
- · Heat-Treated for Strength and Durability



Long Reach Harmonic OEM TOOLS **Balancer/Pulley Installer for GM, Ford and Chrysler**

SKU **1103550** 37306

- Use to Install Crank Pulley or Underdrive Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16 x 2.0 mm (GM), M14 x 1.5 mm (Dodge, Chrysler and Jeep), M12 x 1.75 mm (Dodge Chrysler and Jeep) and M12 x 1.5 mm (Ford)



Universal Pulley and Fan Clutch Holder

SKU **547013** 27281

- Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- · Comes in Blow Mold Case



Harmonic Balancer Installer

SKU **1103603 39**99 37144

• Use to Properly Install Harmonic Balancers without Damage

. Thread Adapters: 12 mm x 1.5, 14 mm x 1.5 16 mm x 2.0, 7/16" x 20, 1/2" x 20, 9/16" x 18, 5/8" x 18, 3/4" x 16



OEM TOOLS

GM Harmonic Balancer Puller

SKU **213102 5099** 25264

Time Saving Tool, No Need to Remove Radiator

- Designed to Remove Harmonic Balancers without Tapped Holes
- GM Applications: 5.3 L, 5.7 LS1, 6.0 LS2, 6.2 LS3, 7.0 L
- Chrysler/Jeep/Dodge: 3.5 L V6, 3.6 L V6, 4.7 L V8, 5.7 L V8 and 6.1 L V8



Cal-Yan

OEM TOOLS

Flywheel Locking Tool

SKU **1335793** 25557

- Locks Flywheel in Place When Removing Harmonic Balancer on 6.6 L Duramax Engines with Allison Automatic Transmissions
- Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement
- Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation
- Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks



2.7/5.2 L Ford EcoBoost **Long Reach Harmonic Balancer/Installer**

SKU **1392336** CAL38710

- Designed to Achieve Easy Installation of Harmonic Balancers on Ford Ecoboost
- Can Be Used On 2.7 L, 3.0 L, 3.3 L and 5.0 L Engines in Ford/Lincoln Cars, Trucks and SUV



Ratcheting Harmonic Balancer Pulley Puller

SKU **1189050** CAL38000

- Eliminates Need to Remove the Radiator
- Push Turn Click Design
- No Need for Bolts
- Applications: FORD 5.0 Coyote, GM 5.3 L, 5.7 (LS1), 6.0 (LS2), 6.2 (LS3), 7.0 L and Most Three and Six-Spoke Harmonic Balancers/Pullevs



Hex Oil Pump Primers

OEM TOOLS

- Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start
- . Connects to the Oil Pump Shaft Through the Distributor Hole
- For Use with 3/8" Reversible Drill



Ford 5/16" SKU **534545**

27062

Ford 1/4" SKU **534537**

27061



Piston Ring Compressor SKU **013641**

- 24682 • 1-1/2" Deep, Low Friction Wrinkle Band
- Fits 3" to 5" Pistons





OEM TOOLS

Piston Ring Expander Pliers

SKU **003509** 25083

- Eliminates Piston Ring Damage and Distortion During the Installation and Removal Process Dipped Rubber Handles for Improved Grip
- Diameter Range: 3-1/8"(80 mm) to 4-5/8" (120 mm)





AZG0125

Diagnostic

Compression Tester Gauge Set

SKU **1103601** 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determines **Engine Mechanical** Condition



8 Piece Noid Light Set

SKU **1103589** 37161

- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2
- · See-Through Design to Check Electrical Pulses



Vacuum Pump OEM TOOLS Tester Power Steering and Brake Bleeder Set SKU **1103570** 37070

- · Brake Bleeding Kit Bleeds Brakes, Clutches or Other Hydraulic Systems
- Kit Includes: Vacuum Pump Reservoir Jar with Transfer Lid. Storage Lid. Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing




Exhaust Back Pressure Tester/Gauge

SKU 1103604

37263

- · Oxygen Sensor Adapter is M12 and M18 Thread . 6' Hose Allows User to Test
- from Driver's Seat • Test for Restricted Exhaust





Gas Engine Combustion Leak Tester

SKU **1103608** 37145

- · Test for Internal Combustion Leaks on Gasoline **Engines**
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- Designed for Professional Auto Mechanics and Heavy Duty **Applications**
- Not for Use with Diesel Engines
- Use with 25739 Test Fluid



Alternator Tools

Alternator Decoupler Pulley Tool Kit

SKU **300124** 27261

FEG. \$24.99

- Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off
- Includes 2 Pulley Sockets and 3 Shaft Bits
- Comes in a Sturdy Blow Mold Storage Case

Offer Good Through March 31, 2025

OEM TOOLS



Alternator Decoupler Pulley Service Set

SKU **1103629** 37275

Exhaust Manifold Spreader Set

Works Best When Used in Pairs or Install

• Use for Reinstalling the Manifold on Small-Block Chevrolets

- Removes and Installs Many Alternator Decoupler Pulleys on the Most Popular Vehicles
- · Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys



Exhaust Tools

1-1/2" x 2-7/16" **Tailpipe Expander**

SKU **OUTSIDE BUY/EPO**

27027 • Extra Long Hex Bar for Convenience

For Outside Buy/EPO, Call 901-300-4878

Exhaust Pipe Stretcher Kit SKU **080137**

LIS17350

• Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size

. Use with Impact Wrench to **Quickly Stretch Pipes**



Exhaust Donut Stretcher SKU **390901**


Before Removing Manifold to

Prevent Misalignment

25543

SKU **504028**

25253TW0



- Features an Offset J-Hook
- Large Coated Handle for Comfort



OEM TOOLS

OEM TOOLS

Template -Ford 2V and 3V

Manifold Drill

SKU **213145** 25251

- . Designed to Remove Broken Exhaust Manifold Studs
- For Ford Triton 2V and 3V Engines 4.6L, 5.4 L and 6.8 L V10
- Drill Depth Gauge Marked on Each Adapter
- Interchangeable 2V and 3V Adapters
- . Hi-Vis EVA Tray for Easy Storage and Organization
- Includes: Template. 2V Adapter, 3V Adapter, 2 Stud Alignment Pins, 3/16" and 1/8" Double-Sided Drill Bits and Stud Extractor



OEM TOOLS

Manifold Drill Template for GM EcoTec3 5.3 L and 6.2 L SKU **1125865**

- Removes Broken Exhaust Manifold Bolts without Damaging the Cylinder Head
- Tapered Bolts Allow You to Move from Hole to Hole without Moving Base Plate
- Screw Extractor Removes Broken Bolts
- Includes Bushing Drill Guide When Extractor Cannot Be Used



This Kit is the Only True, Long Term Repair for Ford Cam Phaser Noise on the Market









Stop Saying "No" to Business and Be Confident Your Customers Will Be Satisfied!

Cam phaser knock on 4.6/5.4 L 3V engines is common in older models and can lead to bigger problems if not fixed. There are millions of trucks on the road with this problem, but until now, there have been few good options to permanently help fix the knock. This kit helps to eliminate any knocking noise heard from the front valve cover/timing cover related to the phasers. These all-in-one kits correct the cam phaser knock on ONE engine.



Cam Phaser Noise Repair Kits Include:

- Wedge Tool for Easier Installation
- Programmer with OBD-II Cable
- 2 OEM Quality Phaser Bolts
- · 2 Lock Outs

Ford Cam Phaser Noise Repair Kit SKU **OUTSIDE BUY/EPO** LMEF1503V

· Fits Ford OEM Cam Phaser

Ford, Livernois and logos featured or referred to on this page are the property of their respective trademark holders I For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS


Fan Clutch Tools

BMW Cooling Fan Wrench Set

SKU **912340** 25100

- One Tool Holds the Water Pump Pulley in Place
- 32 mm Wrench Features Dipped Rubber Handle for Improved Grip
- 32 mm Ultra-Slim Specialty Wrench is Used to Loosen the Radiator Fan Nut
- Water Pump Pulley Holder is Outfitted with Multiple Holding Points to Fit a Variety of BMW Vehicles

Fan Clutch Wrench Set SKU **1103596**



• Includes Wrench Sizes: 40 mm, 48 mm, 54 mm, 68 mm, 72 mm, 76 mm and 83 mm



Offer Good Through March 31, 2025

Universal Fan Wrench Set

SKU **080554** LIS43600



- · Hooked Wrench Design Holds Nuts and Bolts, Allowing the Technician to Easily Tighten/Loosen the Other Bolts
- Double-Sided Spanner Style Holding Wrench Will Hold Pressed-On Pulleys on Many GM, Jeep and Dodge Vehicles



Pneumatic Fan Clutch Wrench Set

SKU **291409** LIS43300

- · Quickly Removes and Installs Fan Clutch When Repairing the Water Pump or Fan Clutch
- Includes Wrench Sizes: 32 mm, 36 mm, 40 mm; 7/8", 1-7/8" and 2"

OEM TOOLS



Pulley and Fan Clutch Holders

Fan Clutch Holding Tool

SKU **209526 1099** 27171

- For Fan Clutch Repair and Service
- Holds Water Pump Pulley while Servicing Fan Clutch Adjustable Jaws · Fits Most Water Pump Pulley Bolt Patterns, Including
- Pressed-On Pullevs
- Jaws Will Lock in Place, Securing Water Pump Bolts
- Longer Handle Provides Leverage for Extra Torque



Universal Pulley and Fan Clutch Holder

SKU **547013**

- Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- Comes in Blow Mold Case



Stretch Belt Tools

Stretch Belt Installation Tool

SKU **227301** 24363

- · Works on Both Large and Small Pulleys
- Clamping Jaw Allows User to Position Serpentine Belt without the Belt Slipping Out of the Tool



Stretch Belt Remover and Installer


SKU **255866** LIS59370

- Unique Magnetic Faces Hold the Tool in Place on the Pulley
- · Compact, One Piece Tool Can Be Used on the Front or Back Side of the Pulley





lisle



CHASSIS & SUSPENSION

Ball Joint Service Kits

XL C-Frame Ball Joint Press Set

SKU **1142924** 25105

10999

• Ideal for Pressing Out Larger Ball Joints on Pick-Up Trucks: Toyota Tacoma and Tundra, Chevrolet 2500-3500 and Tahoe, Dodge Ram 2500-3500 and Ford F350-F550

• Extended C-Frame Allows Use of Multiple Larger Adapters That Standard C-Frame Presses Won't Fit C-Frame Constructed

with Heavy Duty Forged Steel for Strength and Durability

 For Use with OEMTOOLS® **Ball Joint Press Kits** and Adapter



74 Piece Master Ball Joint Press Kit SKU **1207895**

37388

- · Adapters for Almost Every Car, Van, SUV and Light Duty Truck
- Comprehensive Kit with 70+ Adapters and C-Frame
- . Tough Heavy Duty C-Frame is Built to Last
- · 2 Heavy Duty Molded Cases are Designed for



OEM TOOLS

Easy to Read Manual for **Finding** Adapters Quickly and Easily



Hvdraulic Ball Joint Separator

25219

Purchase of: 37388

Offer Good While Supplies Last Through March 31, 2025

21 Piece Master Ball Joint Press Set

SKU **1142406** 25104

- Removes and Replaces Press-Fit Upper and Lower Ball Joints on 2-Wheel Drive (2WD) and 4-Wheel Drive (4WD) Vehicles
- Includes Adapters with Specialized Cut-Outs to Maneuver Around Obstructions

• Includes Adapters Needed for Removing Upper and Lower Ball Joints on GM,

Ford and Chrysler 2WD and 4WD Light-Duty Trucks, Vans and SUVs

· Heavy Duty Forged Steel Alloy C-Frame for the Toughest Jobs — Ideal for Seized Joints



Master Ball Joint Installer/Remover Adapter Set

SKU **1103612** 37310

- Includes All the Receiver Tubes and Removing/Installing Adapters Needed to Work on Many GM, Ford and Chrysler 2 and 4 Wheel Drive Pick-Ups, Vans and SUVs
- Works on Press-Fit Upper and Lower Ball Joints

• For Use with OEMTOOLS® Ball Joint Press Kits and Adapter



Ball/U-Joint Press with 4WD Adapter Set

SKU **1103607** 37089

- Remove and Replace Ball Joints on Many Vehicles
- C-Clamp Frame Press Also Removes and Replaces U-Joints
- Includes Adapters to Service 1/2 to 3/4 Ton 4 Wheel Drive Vehicles Equipped with Dana 44 Series Front Axle



Ball Joint Tools

Ball Joint Separator

SKU **1340232 20**99 37308

- Used for Separating the Ball Joint from the Spindle Support Arm on Domestic and Import FWD Vehicles
- · Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8"



Low Profile Ball Joint Separator

25112

- · Designed for Tight Access Where Many Ball Joint Separators Won't Fit
- For 2005+ Ford, Lincoln and Mercury Applications
- Impact Rated



Polaris ATV Ball Joint Tool

SKU **1142310** 24683

· For Removal and Installation of Upper and Lower Ball Joints on Sportsman XP, RZR and Ranger ATVs





OEM TOOLS

Hydraulic Ball Joint Separator

25219

SKU **177718 70***99*

- . Hydraulic Ram Rated to 8 Tons
- Jaw Capacity: 56 mm (2.25")
- Jaw Width: 22 mm (0.86")





- · Separate Ball Joints from Spindle Support Arm
- Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8" Fork Opening Measures 7/8"
- Steel Construction with Black Oxide Pins
- Comes in a Sturdy Blow Mold Case



3/4" Drive Ball Joint Impact Socket 2-9/64" SKU **462494**

24215

• Used on Chrysler/Dodge Cars, Light Trucks and Vans

3/4" Drive Ball Joint Impact Socket 1-59/64"

SKU **662809** 24238





• Used on Chrysler/Dodge Mid-Size Cars. Light Trucks and Vans

0.5

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Spring Compressors

Floor Mounted Strut Compressor

SKU **1405961** 37037

- 2,200 Lb. Capacity
- Easy-to-Adjust Bracket Conforms to Spring Rate and Diameter
- . Handles Spring Coils 3.5" to 8.75" and Up to 5/8" Diameter
- Max. Spring Height: 19"
- Can Be Securely Mounted to the Floor

No Special **Adapters Required**

Floor Mounting Hardware Not Included

VALUE: \$84.99

6 Pt. Axle Nut **Socket Set** (9 Piece)

27188

With Purchase of: 37037

Offer Good While Supplies Last Through March 31, 2025



OEM TOOLS

Model 7600 Strut Spring Compressor

SKU **547959 BRA7600**

- · Handles the Toughest **Applications**
- Min./Max. Spring Diameters: 3.5"/11.5" · No Adapters Required

OEM

Cart for BRA7600

SKU **547960** BRA00-0137

Bench Mount for BRA7600

SKU **547962** BRA05-0125



Branick

Mechanical Strut Compressor

SKU OUTSIDE BUY/EPO QSPMSC-1000

Call for Price

- Designed to Handle Any Size Spring and Strut Assembly Adjustable Extra Strong
- Clamps for a Perfect Grip Top Mounted **Tool Tray**
- Standard Wall Mount
- · Safety Guard Included Optional
- Floor Mount and Third Hand Support Kits



For Outside Buy/EPO, Call 901-300-4878

Coil Spring Compressor

SKU **1103643** 37035

- Use to Safely Compress the Coil Spring on Most Cars and Light Trucks
- Can Also Be Used When Installing Coil Spring Spacers



Coil Spring Compressor Set

SKU **1103614** 37200

- Forged Construction for Strength and Durability
- · Removes and Installs Coil Springs Quickly and Safely
- · Compresses Coil Springs on Most Passenger Cars and Pickup Trucks



OEM TOOLS Strut Spring Compressor

SKU **1207884** 37036

REG. \$49.99

• Used to Compress Strut Springs During Cartridge Replacement

• Safety Latches Lock Spring in Place During Compression Hooks are Forged and Center Screw is Hardened for Longer Life

• Thread Length: 9

 Can Be Used with Varying **Coil Diameters** Up to 5/8'

OEM TOOLS



Offer Good While Supplies Last Through March 31, 2025

Suspension

OEM TOOLS

GM Upper Control Arm Knock Out Tool

SKU **420336** 24210

 Services Chevrolet and GMC 1/2, 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks (1989 to 2001) and All Wheel Drive Chevrolet Astro and

to 2002)



Shock Socket

OEM TOOLS

OEM TOOLS

Volvo Shock Retaining Nut Strut Removal Socket Tool

SKU **300125** 24365

- Remove and Install Top Shock Retaining Nut on Volvo Models
- Applications Include: Volvo C70 (1999-2004), Volvo S40 (2000-2004), Volvo S60 (2001-2004), Volvo S70 Non-Turbo (1999-2000), Volvo S70 Turbo (1999-2000), Volvo S70 AWD Turbo (1999-2000), Volvo S80 (1999-2004), Volvo S80 V8 (2007-2008), Volvo S80 Turbo (1999-2006), Volvo V40 (2000-2004), Volvo V70 (1999-2007).

Volvo XC90 (2003-2010)



Front End Service Kit

5 Piece Front End Service Kit

SKU **1267952** 26554

- Large and Small Pitman Arm Puller for Ball Joint Application
- Two Ball Joint Separators
- Three Tie Rod Pullers



Torsion Bar Tool

OEM TOOLS

OEM TOOLS

GM. Ford. **Chrysler Torsion Bar Tool** SKU **1103600** 37278

- Safely Loads and Unloads 5-Lug, 6-Lug and 8-Luq GM, Dodge and Ford Torsion Bar Suspensions for Key Replacement
- Extended Long Reach "C-Clamp" for Use with 2011 and Higher GM Heavy Duty Trucks
- Includes Ford/Dodge Adapter



AZG0125

CHASSIS & SUSPENSION

Hub Bearing

Front Hub Service Set

SKU 1204178 68928

- · Removes Front Hubs, Drums and Brake Rotors without Damaging the Wheel Bearing
- Fits Most Domestic and Import Vehicles with Independent Front Wheel Suspension
- Jaws Spread Up to 14" with a 5" Reach
- Forged Frame Is Rated to 7 Tons
- Includes Sturdy, Green Blow Mold Case



Wheel Hub Removal Tool SKU **1245618 REG. \$86.99** 25749

- Ideal For Removing a Frozen Hub Assembly without Damaging the Axle
- For Use on Many Axle Bolted Hubs Including Five, Six and Eight Lug Hubs
- Constructed from High-Quality, Impact-Resistant and Corrosion-Resistant Steel
- 2-5/8" Center to Center Hole Pattern
- 3/4" Steel Backing Plate and Reinforced Striking Plate for Long Life

Offer Good While Supplies Last Through March 31, 2025



Master Wheel Hub and Bearing **Remover/Installer Set**

27213

SKU **298230 319 99**

- · For Removal and Installation of Front Wheel Hub and Bearings on Asian, Domestic and German Vehicles Along with Rear Wheel Hubs and Bearings on European Vehicles
- · Works on Front, Rear and All-Wheel **Drive Vehicles**
- Self-Centering Design is Durable and Easy to Use



VALUE: \$74.99

12 Pt. Axle Nut Socket Set - 8 Piece 24480



With Purchase of: 27213

Offer Good While Supplies Last Through March 31, 2025

OEM TOOLS

23 Piece Hub Bearing Remover and **Installer Set**

SKU **094804** 27205

· Removes and Installs Wheel Bearings with Steering Knuckle and Strut Assembly Still on the Vehicle

 Eliminates Need for Alignment



Tie Rod Tools

Master Inner Tie Rod Tool Set

SKU **344979** 27178

Works on Both Small Cars and SUVs

- Tube Handle Has an Inner Diameter of 2.125" to Service Small Cars, Pickups and Large SUVs
- Includes 12 Crowfoot Style Adapters, Sizes: 29 mm, 1-3/16", 1-1/4", 32.5 mm, 1-5/16", 33.6 mm. 1-3/8", 1-7/16", 1-1/2", 38.4 mm,



OEM TOOLS Tie Rod

End Remover SKU **209525**

27175

- Comes with Pressure Screw Tip Swivels for Damage Free Results
- Will Not Damage Tie Rod End Dust Boot
- · Rust Resistant Finish



Inner Tie Rod Tool Kit

SKU **217377 44** 99 27185

- · Removes and Installs Tie Rod End on Rack and Pinion Steering
 • Includes: 3/16", 5/16" and
- 7/16" Adapters



OEM TOOLS

OEM TOOLS

Inner Tie Rod Tool SKU **291414** LIS45750

• 6 Sizes: 1-3/16", 1-1/4" 1-5/16", 1-7/16", 1-1/2 and 33.6 mm



Pitman Arm Puller

Pitman Arm Puller for Light Trucks SKU **OUTSIDE BUY/EPO**

27170

- Services Cars and Light Trucks 3/4 Ton
- · Features Forged Adjustable Jaws and Two Clamp Bolts That Lock Jaws Together
- Pressure Screw Has Ball Head Designed for Striking



OEM TOOLS

Pickle Forks

Stepped Pickle Fork Set

SKU **291410** LIS41400

- 6 Tools in One
- Includes: 11/16", 15/16", 1-1/8"

Forks and 2 Handles



lisle

5 Piece Tie Rod and Ball Joint Set

SKU **1103626** 37201

- Used to Remove Tie Rods and Ball Joints
- Includes: 11" x 1-1/8". 11-3/4" x 1-5/8" 11-5/8" x 1-7/16" 16" x 11/16" and 16" x 15/16"



For Outside Buy/EPO, Call 901-300-4878



CHASSIS & SUSPENSIO

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

CV Axle Nut Sockets

39 mm 12 Pt. Axle Nut **Socket for Toyota**

SKU **452638** LIS39650

. Applications: 2008-2010 Toyota Land Cruiser, 2008-2010 Toyota Sequoia, 2007-2010 Toyota Tundra and 2008 Lexus

Axle Nut Socket Sets

• Includes Sizes: 29, 30, 32, 34, 35, 36, 38 and 39 mm

6 Pt. SKU **1103577** 37320

12 Pt. SKU 1103460 37321



OEM TOOLS

See AZTOOL1.com for Full Line of CV Axle Nut Sockets

Bushing Tool Set

OEM TOOLS


OEM TOOLS

Manual Bushing Installation and Removal Tool Set

SKU **298214** 27212

24999

- Comprehensive Kit for Fast and Effective Removal/Installation of Wheel Bearings/Suspension Bushings and Seals
- · Allows the Technician to Service a Wide Range of Bushings without Removing Components from the Vehicle
- · Comes with 20 Sleeves for Hundreds of Combinations
- External Sleeve Diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80 and 82 mm



Axle Tools

LX 570

CV Axle Puller Adapter SKU **OUTSIDE BUY/EPO** 27058

• Works with 0EMT00LS 37033, 37191, 27085, 27033 and Other Slide Hammer Pullers with 5/8" x 18

Threads

For Outside Buy/EPO, Call 901-300-4878

CV Axle Popper Set SKU **1189082**

37305

- . Includes: Axle Shim Tool and Fork/Wedge Tool
- Length: 13-3/4"
- · Used to Remove Axles from the Transmission, Ball Joints in the Suspension System and Tie Rods
- Fork Design Allows Mechanic to Exert Force Evenly on Both Sides of the Axle



5 Lb. Slide Hammer

SKU **1103572** 37033

- Use to Pull Bushings, Seals, Sleeves, Bearings, Flange-Type Rear Axles, Front-Wheel Drive Hubs, Dents and Pressed-In Bolts with Two or Three Jaw Puller Options
- Slide Rod is 3/4" x 16 Standard Threads



4WD **Spindle Puller**

SKU **143436** 27104

- Use with OEMTOOLS Slide Hammer 27033
- Fits Most Spindles 1-1/2". 1-5/8" and 2" on 4 Wheel **Drive Vehicles**
- · Heat-Treated for Strength
- Will Fit on 2 Puller Size Shafts 1/2" x 20 Threads and 5/8" x 18 Threads



Rear Axle Puller Set SKU **094801** 27202

• Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks

 Slide Rod and Adapters are 5/8" x 18 Standard Threads





Axle Spindle Threading Set SKU **1103645**

37233

. Use to Clean or Repair Axle Threads

• Set Comes with a Special Twist Shape That Provides Easier and Quicker Work

Sizes Included:

M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50. M24 x 2.00. 13/16" x 20 UNEF. 3/4" x 20 UNEF and 27 mm Extension Bar



Seal Tools

Transmission/Transaxle Plugs

SKU **298196** 24490

Ford Transaxles

- Includes 5 Plugs to Seal Both Transmissions and Transaxles on Most Import and Domestic Vehicles
- . Stepped Design for Retention and Positive Sealing Includes Side Gear Centering Pin for



Bearing Race and Seal Master Driver Set

SKU **1103639** 37119

- Installs Most Standard Wheel Bearings and Races
- Includes Driver Sizes: 1.565" 1.750", 1.965", 2.325", 2.470" 2.555", 2.830", 2.995", 3.180" and Handle



Universal Seal Installer Set SKU **818737**

34 REG. \$44.99 25082

- Knurled Long Handle
- Includes: 3" Driver, 2.5" Driver, Short Handle, Long Handle, Spider Insert, 5/16" x 1" Cap Screw, Large Spider, Small Spider and Washer
- Long Handle Provides Good Flexibility When Installing Pinion Seals



OEM TOOLS



Offer Good While Supplies Last Through March 31, 2025

CHASSIS & SUSPENSION

Power Steering Bleeders

Vacuum Pump Tester. Power Steering and Brake Bleeder Set

SKU **1103570 39**99 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid. Brake Bleeding Adapter Package, Steering **Pump Adapters and Tubing**



Power Steering Bleeder Set

SKU **434716 21 99** 27311

Reduce Comebacks

- Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes: 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump



Drive Line Tools

1/2" Drive **OEM TOOLS** (12 mm)**Ford Drive Line Impact Socket**

SKU **420319** 24212

- · Applications Include Many Ford Drive Line Bolts
- 12 mm, 12 Pt.



Power Steering Pullers

Power Steering Pulley Remover/ Installer - Ford, GM, Chrysler SKU **1103578 34** 99

37031

- . Includes 2 Screws for Use on Most Ford, Chrysler, GM and VW Power Steering Pulleys
- Pulls Pullevs on GM Belt Driven Vacuum Pumps and Pressed-On Water Pump Pulleys of **GM V6 Engines**



Steering Wheel Puller SKU **1103540**

- · Designed for All Major Makes and Models
- Sizes Included: 1/4" x 28, 8 mm x 1.25, 5/16" x 18, 5/16" x 24. and 3/8" x 16



U-Joint Tools

OEM TOOLS

U-Joint Pullers

- · Easily Removes Seized U-Joint Cups on Most Passenger Vehicles and Light Duty Trucks
- . Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups

Automotive

SKU **949561** 24539

• Bearing Cup Outside Diameter: 1" to 1.25'

Intermediate

SKU **949565** 24548

 Bearing Cup Outside Diameter: 1.25" to 1.7"

Heavy Duty SKU **041474**

24538

. Bearing Cup Outside Diameter: 1.5" to 2.2"

Automotive Bearing Cup Installer

SKU **949571** 24549

- For the Installation of Bearing Cups on Light-Duty and Medium-Duty U-Joints
- . Efficiently Install 2 Bearing Cups in One Process
- · Contact Points **Feature Magnets** to Retain Bearing **Cups During** Operation



Spindle Nuts

GM Axle Hub Nut Socket

- Style Retaining Nuts
- Unapproved Methods Can Damage the Bearing or Result in Shorter Service Life



Ford Rear Axle Nut Wrench

SKU **1392337** 27353

- Services 2003-Newer Ford F-250, F-350 and F-450 Super Duty Trucks with 10-1/2" Rear Axle
- · Same as Ford Part Number 205-448

1/2" Drive Socket

• Fits Adjusting Nuts Found

on Ford F150 Trucks

(1995 to 1996)

and Full Sized

Broncos with

Locking Hubs

Automatic

Bearing Locknut

SKU **231203**

25243

• Use with a 1/2" Drive Ratchet or Breaker Bar



4WD Ford - Dodge Spindle Socket. 76 mm x 80 mm

• 1/2" Sa. Drive

SKU **603347** 25966

4WD Ford

SKU **603346**

25965

Spindle Socket,

66.5 mm x 80 mm

• Fits Ford F-Series 1/2-Ton Truck and

Full-Size Bronco with Manual Hubs;

1-Ton Trucks with Manual Hubs;

Jimmy; 1969-89 Dodge 1/2-Ton

International 1/2-Ton Truck

Truck with Manual Hubs; 1969-72

1995-Newer Ford F-Series 3/4-Ton and

1959-85 Ford F-Series 1/2- and 3/4-Ton

Trucks and Full-Size Bronco; 1960-90

GM 1/2-Ton Truck and Full-Size Blazer/



OEM TOOLS

Toyota 8 Pin Front Hub Locknut Socket

SKU **298205** 25962

- Allows for Easy Removal and Installation of Front Hub Lock Nut without Damage to the Nut
- Applications: Toyota 4Runner 2WD (2007 to 2014), Toyota Sequoia (2008 to 2014), Toyota Tundra (2007 to 2014)
- 3/4" Drive



SKU **298219 24** 99 25967

- · Applications: GMT900 Silverado, Sierra HDCS, 2-Wheel (2WD) and 4-Wheel (4WD) Drive Cheyenne, Silverado, Escalade, Sierra and Avalanche Trucks with 10.5" or 11.5" Ring Gear
- Has 9 Pins to Fit GM New

Dodge Hub Locknut Socket SKU **344964** 25968

- Fits Dodge 1/2-Ton Pickup Trucks (1994-Newer) with Dana 44 Front Axle and Dana 60 Axle with a Vacuum Disconnect
- Designed to Accommodate the 1-11/16" (43 mm) Wheel Bearing Retaining Nut Which is Recessed into the Hub



Toyota 4 Pin Hub Locknut Socket

SKU **298224** 25969

- · Services High Torque Locknuts on Toyota 4WD Vehicles Having Free Wheel (Lock Out) Hubs
- Tacoma (1995-Newer); T100 and 4Runner (1996-Newer)
- Improved Design with Solid Pins for Increased Durability



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

FOR MORE DETAILS ON RECOVERY MACHINES GO TO AZTOOL1.COM

Recovery Machines

Areas commune: 20



Mastercool World Class Quality"	Semi-Automatic R134a Recovery Machine SKU 1368632 MSC1100	Automatic R134a Recovery Machine SKU 1368636 MSC2100	Automatic R134a Hybrid Recovery Machine SKU 1368634 MSC3100	Automatic R1234yf Hybrid Recovery Machine SKU 1368616 MSC4100
Wi-Fi Capability	✓	✓	✓	✓
Refrigerant Database	Optional	✓	✓	✓
Built-In Tank Heater	√	√	✓	✓
Vacuum Pump	3 CFM	6 CFM	6 CFM	6 CFM
Dust Cover	\checkmark	✓	\checkmark	\checkmark
Hose Flushing			✓	✓
Built-In Refrigerant Identifier				✓
Automatic Oil Injection		✓		
E-Printing Capability	Optional	Optional	√	√
Price	<i>3,</i> 799 ⁹⁹	4,749 ⁹⁹	<i>5,049</i> 99	<i>6,549</i> 99

ArcticPRO®



	l i	Refrigerant 134	Refrigerant 1234yf		
MAHLE	ACX-2150 R134a Recovery Machine SKU 213170 MSSACX2150	ACX-2180 R134a Recovery Machine SKU 213168 MSSACX2180	ACX-2180H R134a Hybrid Recovery Machine SKU 213203 MSSACX2180H	ACX-2250 R1234yf Recovery Machine SKU 213151 MSSACX2250	ACX-2280 R1234yf Recovery Machine SKU 1187032 MSSACX2280
Automatic Oil Drain	✓	✓	✓	✓	✓
Automatic Air Purge	✓	√	✓	✓	✓
Included Database	Optional	√	√	Optional	✓
Automatic Oil and Dye Injection	✓	√			
Includes Refrigerant Identifier				√**	√ *
Phone Application	Optional	✓	✓	Optional	✓
Price	4,399 ⁹⁹	<i>5,099</i> 99	<i>5,099</i> 99	6,349 ⁹⁹	7,249 ⁹⁹

On-Board Integrated Thermal Printer (Optional) *Integrated **Non-Integrated



CDS.	R134a SKU 1407803 CPSMSX134	R1234yf SKU 1407806 CPSMSX1234	R134a/R1234yf SKU 1407510 CPSMSX3030	Heavy Duty R134a SKU 1407805 CPSMXHD
Fully Automatic	✓	✓	✓	✓
Onboard Oil Injection	✓			
High Capacity Oil-less Compressor	✓	✓	✓	✓
Vehicle Database Included	✓	✓	✓	✓
10 Ft. Service Hoses	✓	✓	✓	18' Hose
Includes 2 Tanks and 2 Sets of Hoses			✓	
Wi-Fi and Bluetooth Enabled	✓	✓	✓	✓
Touch Screen	7" Hi-Res	7" Hi-Res	7" Hi-Res	7" Hi-Res
Includes Refrigerant Identifier		✓	✓	
Converts Between R134a and R1234yf in 10 Min.			✓	
Price	4,899 ⁹⁹	<i>6,349</i> 99	<i>8,799</i> ⁹⁹	<i>6,949 ⁹⁹</i>

Recovery Machines



TEXA	750R R134a Recovery Machine SKU 1282745 TEXZ11450	760 R1234yf Recovery Machine SKU 1282756 TEXA17910	780 Dual Gas Recovery Machine SKU 1282809 TEXA17810
Automatic Oil Drain	✓	\checkmark	\checkmark
Automatic Oil and Dye Injection	✓		
10 in. Multi-Touch Display		✓	✓
R134a Management	✓		✓
R1234yf Management		✓	✓
Vehicle Capacity Database	✓	✓	✓
Software Update Over Wi-Fi		✓	✓
Push-Pull Recovery	✓	✓	✓
Fully Automatic Operation	✓	✓	✓
Price	<i>5,399</i> 99	8,749 ⁹⁹	10,549 ⁹⁹

ECOTECHNICS/



Description	Hybrid Ready R134a SKU 133973 3 H0FEEAC820B	Hybrid Ready R1234yf SKU 1335790 HOFEEAC830B	Eco Dual Gas A/C Service Station SKU 1335792 H0FEEAC800
Refrigerant Type	R134a	HF0-1234yf	R134a + HF01234yf
Refrigerant Tank	30 Lb.	30 Lb.	30 Lb. + 30 Lb.
Command Valves	Automatic	Automatic	Automatic
Display	5" Touch	5" Touch	7" Touch
Database	✓	✓	\checkmark
Printer	✓	✓	✓
Status Light	✓	✓	✓
Hybrid Function	✓	✓	✓
Price	4,799 ⁹⁹	<i>6,399</i> ⁹⁹	10,499 ⁹⁹

ROBINAIR.



Description	AC1234-4 Premier R1234yf SKU 1212384 ROBAC1234-4	AC1234-9 Connected R1234yf ACS SKU 1212383 R0BAC1234-9	34288NI Economy R134a SKU 221185 R0B34288NI	34788NI-H Premier R134a Refrigerant for Hybrid and Non-Hybrid Vehicles SKU 751572 R0B34788NI-H	34788NI Premier R134a Refrigerant SKU 751569 R0B34788NI	34998 Connected R134a ACS SKU 1212385 R0B34998
Operation	Automatic	Automatic	Semi-Automatic	AutomaticHybrid VehicleApplications	Automatic Auto Oil Injection	Automatic Auto Oil Injection
Display	4.3" LCD Display	10" Hi-Res Touch Screen	4.3" Full Color Display	4.3" Full Color Display	4.3" Full Color Display	10" Hi-Res Touch Screen
Printer	R0B30038 (optional)	Wireless Printing	ROB30038 (optional)	ROB30038 (optional)	ROB30038 (optional)	Wireless Printing
Bluetooth and Wi-Fi		✓				✓
Price	6,595 ⁹⁹	7,499 ⁹⁹	4,149 ⁹⁹	4,999 ⁹⁹	4,999 ⁹⁹	<i>5,999</i> ⁹⁹

A/C VACUUM PUMP KITS - BETTER VALUE FOR YOUR MONEY

A/C Service Set with Air Vacuum Pump - R134a

SKU **850564** 68991

• Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve, Large Diameter **Dual Scale Thermometer**



REG. \$138.96

When You Buy the Kit

Starter A/C Vacuum Pump Kit - R134a SKU **1400034**

68950 Includes: 1.8 CFM, 100 Micron Single Stage Vacuum, Professional Quality Extruded Aluminum Manifold with 72" Hoses, High Quality

Manual Couplers and R134a Can Tap

REG. \$241.97

When You Buy the Kit

R134a and R1234yf **Spark-Free A/C Vacuum Pump Kit**

SKU **1400036** 68951

• Includes: 6 CFM, 75 Micron, Spark-Free Single Stage Vacuum for Use with R134a or R1234yf, Extruded Aluminum Manifold Gauges, 72" Hoses with High Quality Manual Couplers, R1234yf Conversion Couplers That Convert R134a Manifold and Hoses to R1234yf, 1/2" ACME Right Hand to 1/2" ACME

Left Hand Tank Adapter, 1/4" SAE x 1/2" ACME Hose to Vacuum Pump Adapter and R134a and R1234yf Can Tap

REG. \$404.98 When You Buy the Kit

▼ Mastercool:ੈ

OEM TOOLS

Recovery Machine Filters/Maintenance Kits







MAHLE



SKU	Part Number	Brand	Fits	Price
522875	R0B34430	Robinair	17700A, 34450, 34700, 34134Z	133.99
414883	R0B34724	Robinair	34288, 34788, 34788NI, 34788NI-H, 34988, 347002, 341342	<i>89.99</i>
752703	R0B13172	Robinair	Maintenance Kit for Models Using 34724 Filter - Includes Oil	<i>159.99</i>
186483	CPSARXF5	CPS	FX and AR Series CPS Equipment	<i>89.99</i>
1149172	CPSFX3030X1	CPS	Includes FX Series Filter, Vacuum Pump Oil and Coupler O-Rings for FX134A	139.99
389222	MSC69788FLTPK	Mastercool	69788, 69789 and 69789-H	209.99
199681	MSCCOM1FLTRPK	Mastercool	Commander 4000 and 4000x	159.99
199675	MSCC0M2FLTRPK	Mastercool	Commander 1000, 2000 and 3000	199.99
1149182	MSS3608325400	Mahle	ACX2180, ACX2180H and ACX2280	119.99
207349	MSS268077600	Mahle	ACX1120H, ACX1150, ACX1150H and ACX2120H	119.99
207508	MSS3608273900	Mahle	ACX1280, ACX2150 and ACX2250	114.99
818739	RTI3608213300	Mahle	RHS980 and ACX1180	119.99
1406968	H0FEEAC33023B	EcoTechnics	HOFEEAC800, HOFEEAC810, HOFEEAC820B, HOFEEAC830B	99.99

Portable Recovery Systems

R-134 Twin Turbo Complete Recovery Machine

SKU **OUTSIDE BUY/EPO** MSC69360

- · Largest Volume Recovery Rate on the Market
- For Use with All Refrigerants Including R410A

 Injection Molded High Density Polyethylene Case for Maximum Durability

· Safety High Pressure Switch Revolutionary

Double Piston 0il-Less Compressor



R1234yf Twin Turbo Complete Recovery Machine

SKU **OUTSIDE BUY/EPO** MSC69360-YF

- Revolutionary Double Piston Oil-Less Compressor
- · Largest Volume Recovery Rate on the Market
- Includes: 30 Lb. DOT Tank, Sight Glass, R1234yf Low Side Coupler, Oil Drain Bottle and



R134a/R1234yf Complete A/C Recovery Set

SKU OUTSIDE BUY/EPO MSC69372

- Built with the Safest Spark-Free Components
- Includes All Hoses and Couplers Needed to Recover, Cleanse and Remove the Oil from R134a and R1234yf Automotive A/C Systems
- 30 Lb. DOT Tank for R134a and 30 Lb. DOT Tank for R1234yf Refrigerants Included with Each Unit (Refrigerant Sold Separately)
- 115V/60 Hz
- 1/2 HP Oil-Less Compressor
- Compatible Refrigerants: All CFCs, HCFCs and HFCs



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Vacuum Pumps

1.8 CFM Single Stage Vacuum Pump SKU **466312**

24500

Motor: 1/4 HP. 110V

- Ultimate Vacuum Rating: 100 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 6.7 Oz. (200 mL), Included
- Internal High Volume Cooling Fan for Extended Use



4 CFM Single Stage Vacuum Pump SKU **466305** 24501

- Motor: 1/3 HP. 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use





6 CFM Single Stage Vacuum Pump

SKU **466306** 24502

- Motor: 1/2 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Spark-Free Vacuum Pump SKU **213133 250**99 24642

- Motor: Spark-Free 1/2 HP, 110V
- Ultimate Vacuum Rating: 75 Microns
- 3 Inlet Ports: 1/4" Flare, 1/2" ACME and 1/2" ACME LH
- Oil Capacity: 330 mL, Included
 Internal High Volume
- Cooling Fan for Extended Use
- · Can Be Used with R1234vf Refrigerant



Black Series 1.8 CFM Single Stage Vacuum Pump SKU **1414397** MSC90059-BL **169**99

- 80 Microns
- 1/4 HP
- 110/120 V. 60 Hz
- T-Fitting 1/4" FL-M x 1/2 ACME-M



▼ Mastercool:

1.8 CFM Deep Vacuum Pump SKU 1330695

MSC290059RCL

- 1.8 CFM Deep Vacuum Pump
- 1/4' and 1/2' Fittings
- · For Use with Multiple Refrigerants





▼ Mastercool:

3 CFM Single Stage Vacuum Pump SKU **1392324**

MSC290062

• Large Fan Keeps Vacuum Pump Cooler and Extends Life

• 1/4" SAE and 1/2" ACME Port Access • 110-120V,

60 Hz Voltage



6 CFM 2 Stage **Vacuum Pump**

SKU **OUTSIDE BUY/EPO** MSC900662V-BL

- 15 Microns
- 1/2 HP
- 110/220 V, 50/60 Hz
- Includes: 3 Inlet Ports: 1/4", 3/8" SAE and 1/2" ACME



Spark-Free 6 CFM **▼** Mastercool: Vacuum Pump (Single Stage)

SKU **1400035** MSC90066BLSF

- 80 Microns
- 1/3 HP
- 110/120V. 60HZ
- T-Fitting 1/4" FL-M x 1/2 ACME-M



For Outside Buy/EPO, Call 901-300-4878

Air-Operated Vacuum Pump SKU **544730** 24533

- Includes: 1/2" ACME (R134a) and R12 Connectors • Air Pressure Range:
- 75 to 180 psi • Air Consumption: 4.2 CFM @ 90 psi
- · Vacuum Capacity: 28.3" of Mercury @ 90 psi



Vacuum Pump Oil (8 Oz.)

SKU **363429** 24399

- Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- Compatible for Use in Pumps Made by Most Manufacturers



OEM TOOLS

Premium Vacuum Pump Oil 1 Quart Bottle

SKU **517580** CPSVP0012

- Compatible with Most Pumps
- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Manifold Gauges

R1234vf Manifold Gauge and Hose Set

SKU **752518** 24559

• 3" Easy-to-Read Gauges with

- Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers



Dual Aluminum R134a/R1234yf Gauge Set

SKU **1335797** 1/1/99 25130

. Includes: 72" Hoses, Manual Couplers and Can Tap Valves with 1/2" ACME Fittings for Use with Both R134a and R1234yf Refrigerants



OEM TOOLS

OEM TOOLS

R134a Brass Manifold Gauge Set

SKU **752520** 24563

71 99

- High Quality Brass Body with Sight Glass
- Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" Hoses (3,000 psi Burst. 600 psi Working Pressure)
- . Snap Style Quick Couplers



R134a A/C Manifold Gauge and Hose Set

SKU **466319** 24527

0099

- Easy-to-Read 2-3/4" Spring Dampened Gauges to Reduce Flutter
- Extruded Aluminum Manifold
- 72" Hoses with Manual Couplers



Deluxe R134a Gauge Set

SKU **1282751** MSC289772CL

- Solid Block Extruded Aluminum Manifold
- 72" Long Hoses with Manual Couplers
- . Gauge Guards for Protection



Dual R134a, R-12 Manifold Gauge Set

SKU **1335804** MSC293996PBCL

- Solid Block Extruded Aluminum Manifold
- 96" Long Hoses with Manual Couplers
- Gauge Guards for Protection
- Silicone Dampened Calibratable Gauges
- Extra Long Hose for Access to Heavy Duty Buses, Fleet and Refrigerated Trucks Systems



R134a Aluminum **Manifold Kit with Dve** Injector

SKU **290023** MSC89660UV

• Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



▼ Mastercool∴

Dual R134a/R1234yf Brass Gauge Set

SKU **1142631** MSC66661AYF

- 2-1/2" Silicone Dampened, Recalibrateable Gauges
- Extra Access Port for Vacuum Line
- . R1234yf High and Low Side Quick Couplers R134a High and Low Side Economy Couplers 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter (2) 12 mm-M x 14 mm-F R1234yf Adapters Set of 3 - R134a Standard Hoses



R1234yf Aluminum Manifold Gauge Set

SKU **505065** MSC83272

- Ideal for Shops That Want to Wait to Invest in New AC Service Stations Adapted for R1234yf
- Contains Manifold, 3 Service Hoses, 2 Service Couplers LT/HT



Dual Aluminum R134a/R1234yf Gauge Set

SKU **1086254** MSC89661AYF

- · Professional Extruded Aluminum Block
- 2-1/2" Silicone Dampened, Re-Calibrateable Gauges
- Free-Floating Piston Type Valves Reduce O-Ring Wear
- R1234yf High and Low Side Couplers with Extended Disconnect Protection Sleeve
- Standard Hoses, R134a Manual Couplers, R1234yf Couplers, 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter, (2) 12 mm-M x 14 mm-F R1234yf Adapters



Can Taps

24553

R1234yf **Self-Sealing Can Tap** SKU **213178**

R134a **Can Tap Valve** SKU **466315** 24524



OEM TOOLS

4-Way Side Can Tap SKU **1103203** FJC6842

- For Use with R-12, R134a or R1234yf Refrigerant Cans and Oil Change Cans
- Fits Cans with 2-7/8", 2-1/2" and 2" Diameter
- Includes: 1/2" ACME LH, 1/2" ACME and 1/4" Flare Male Fitting with Check Valve



Refrigerant and Oil Charge Side Can Tap

SKU **466313** 24523

- Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip with Positive Lock
- Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



3-In-1 Side Mount Can Tap Valve

SKU **290033** MSC85530

- Unique Design will Work on All R134a (2-7/8") R12 (2-1/2") and Oil Charge (2") Cans
- Outlet Port Offers a 1/2" ACME and 1/2" FL Fitting with an Internal Check Valve to Prevent System Backflow



Electronic Leak Detection

A/C Refrigerant Leak Detector SKU **466307**

24510

Detects All Types of Halogenated Refrigerants

- Sensitive to 0.1 Oz. per Year Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost Any Space
- Includes Spare Sensor Tip
- · Works with 1234yf

Raptor Refrigerant Leak Detector

SKU **916550 239** 99 MSC56100

- Features 3 Sensitivity Levels and 5 Detection Levels
- Detects Leaks as Small as 1/10 Oz. per Year
- Detects All Refrigerants (CFC, HCFC, HFC)
- Flexible 16" Probe for Hard-to-Reach Areas
- · Works with 1234yf



Black Series Infrared Refrigerant Leak Detector

SKU OUTSIDE BUY/EPO MSC55600-A

- Easily Select Sensitivity Levels with a Maximum Sensitivity Up to 0.14 Oz./Yr.
- TFT Screen Provides Clear and Easy Readings That Show Leakage, Sensitivity, Battery Level and Sensor Fault Indicators
- Designed to Meet EN14624, SAE1627, SAE2791 and SAE2913 Standards

For Outside Buy/EPO, Call 901-300-4878



Mastercool:

OEM TOOLS

Inspector 2-in-1 Electronic/UV Leak Detector

SKU **916553** 289⁹⁹ MSC56200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) Per Year Built-In Ultra-Bright UV Light at End of Probe — Allowing Easy Access into Tight Areas
- Works with 1234vf



Manifold Gauge Repair

R1234vf 72" **Hose Set**

SKU **1142322**

MSC83372

- Working Pressure: 800 psi
- Burst Pressure: 4,000 psi
- For Use with R1234vf
- Meets J2888, EPA, SAE and UL Standards
- Includes: 1 ea. Blue/Red 72" 12 mm-M x 12 mm-M and Yellow 72" 12 mm Fitting x 1/2 x 16 ACME LH



SKU **481709**

Replacement **Gauge High Side ▼** Mastercool<u>.</u>" for A/C Manifold

SKU **481705** 24530

• Replacement High Side Gauge Fits OEMTOOLS® and Other Brands of A/C Manifolds Used to Service A/C Systems on Cars

• 1/8" NPTF Male Threads

· Reads 0 to 500 psi



OEM TOOLS

Replacement Gauge Low Side for A/C Manifold

24531

• Reads 0 to 120 psi and 0 to 30" Hg

96" R134a Red Hose

SKU **489152** MSC84963



96" R134a Blue Hose

SKU **489151** MSC84961

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



R134a Hose Set 72"

24558

SKU **752516**

• 72" R134a 3 Hose • Set Color Coded: Red. Yellow and Blue



OEM TOOLS

1/4" Hose Set 72"

SKU **752515** 24557

• 72". 1/4" SAE 3 Hose

· Color Coded: Red. Yellow and Blue



A/C Manifold Upgrade Kit

SKU 1043688

68903

 Includes: 3-in-1 Side Mount Can Tap Valve, R134a Manual Coupler Set. 1234yf Self Sealing Can Tap, 1/2" ACME Hose Set 72", R134a to



REG. \$148.95

When You Buy the Kit

OEM TOOLS

▼ Mastercool:

R1234yf Manifold/Hose Adapter Assortment

SKU **1142732**

- 6 Common Adapters to Fit Manifolds, Hoses, Couplers and Vacuum Pumps Includes: 1/2" LH ACME Female x 1/4" Male Flare, 1/2" ACME Male x M12 x 1.5 Male, 1/2" ACME Female x M12 x 1.5 Female, 1/4" Male Flare x M12 x 1.5 Male, 1/2" LH ACME Female x M14 QDK, 1/2" LH ACME Male x 1/4" Female Flare
- · Includes Organizer Case with I.D. Labels



RI34a/RI2 Charging Hose Repair Kit SKU **295557**

MSC91334-A

• 50 Piece Assortment of Replacement Gaskets, 0-Rings, Depressors for Charging Hoses and Adapters





OEM TOOLS



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

A/C Couplers

OEM TOOLS

R134a Manual **Coupler Set**

SKU **362980** 24396



- for Extra Durability
- Includes: Adapter for



SKU **347267**

24395



R134a Low Side Manual Coupler

OEM TOOLS

SKU **752517**

- Used on BMW E60 (2003-2009 5
- Allows for A/C Service with No Radiator Removal



SKU **752527** 24561



- 1234yf Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to R1234yf
- Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter

Manual R134a Safety Lock Coupler

- Suitable for Use On All R134a Systems
- Safety Lock Ensures That Hose Remains Connected **During Operation**
- Meets All SAE, UL and **EPA Requirements for** Containment of Refrigerant

High-Side. 1/4" FL-M x 16 mm


SKU **695636** MSC82834-SLE

Low-Side. 3/8" FL-M x 13 mm SKU **695637**

MSC82934-SLE



R134a Premium **Manual Coupler Set** SKU OUTSIDE BUY/EPO CPSQC134SET



 Cross Pin Valve Depressor and Safety Sleeve to Prevent Accidental Refrigerant Venting

For Outside Buy/EPO. Call 901-300-4878



CDS

OEM TOOLS

R134a Extra **Long Coupler**

SKU **347266**

24394

24556



R134a Refrigerant Tank Adapter SKU **850565**

24554 . Male Low-Side R134a to Female 1/2" ACME

. Attaches to Virgin Tank and Low-Side Service Coupler

R1234yf Low Side Tank Adapter Assembly SKU **1103204**

25086

- Used to Fill Refrigerant from R1234yf Cylinders
- Attaches to Virgin Tank and Low Side Service Coupler
- This Fitting Does Not Have a Valve Core or Valve Core Depressor



R1234yf Hose to Vacuum Pump Adapter Fitting 1/4" x 1/2" SKU **600806**

24509

• 1/4" SAE x 1/2" ACME Female LH Thread



▼ Mastercool:

Valve Core Tools

No Gas Loss A/C Valve Core Remover/Installer

SKU **466321** 24529

- Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant
- Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports
- Includes Blow Mold Case

OEM TOOLS

A/C Valve **Core Tool**

SKU **466314** 24555

1299

• Double Ended Valve Core Tool to Service Both Standard and Large Bore R134a and R12 Cores



Universal Valve Core Remover/Installer for R1234yf

SKU 1043686 MSC58490-YF

- Attaches to R1234yf Service Ports to Quickly and Easily Remove and Replace Valve Cores without the Loss of Refrigerant
- Ball Valve Design with Stainless Steel Ball Provides Smooth Movement and Durability
- Kit Covers 17 mm and 14 mm High and Low Side Service Ports
- Includes: Valve Assembly, High Side 17 mm Connector, Low Side 14 mm Connector, Standard Valve Core Shaft, GM Large Bore Valve Core Shaft and Eaton R134a/R1234yf High Side Valve Core



Universal Valve Core Remover/Installer for R134a/R12 SKU **1142576**

MSC58490

• Kit Covers All R12 and R134a System Valve Cores for Standard, JRA, Eaton and GM Large Bore

 Includes: Valve Assembly, R134a High Side 16 mm Connector, R134a Low Side 13 mm Connector, 1/4" FL Swivel Connector. Adapter 1/4"-M x 3/16"-F High Side GM/Ford, Adapter 1/4"-M x 1/8"-F High Side Ford and Blow Mold Case



OEM TOOLS

▼ Mastercool:

A/C Service Tools

A/C Condenser Fin Comb Straightener/Cleaner

SKU **466317 0**99 24526



- **Evaporator Coils** • Compact Design for Confined
- Spaces • Includes: 6 Clearly Marked Combs:



Valve Core Tool Set (2 Piece)

SKU **1209377** 22589

· Designed for Removal and Installation of Schrader Style Valve Cores



A/C Clutch Holding Tool

SKU **1392339** 26550

- Holds Compressor Clutch in Place When Removing the Holding Bolt
- Adjustable Pins to Fit Various Compressor Clutches
- Compatible with Domestic and Import Vehicles



A/C Clutch Hub Puller and Installer

SKU **1103539** 37150

- · Features All the Tools Necessary to Remove and Install Pressed on A/C Clutch Hubs on Many Domestic and Import Vehicles
- Includes: Orifice Tube Extractor Tool Set



VALUE: \$29.99

26 Piece Master Orifice Tube Assortment

24564

With Purchase of: 37150

Offer Good While Supplies Last Through March 31, 2025



AZG0125

SpotGun® Jr.

SpotGun® Jr. Univ. Oil/UV Dve Kit for R134a/R1234yf - 1 Oz.

SKII 1368623 UVU390100

- · Works with Both R134a and R1234Yf Refrigerant Systems
- 4 Universal Oil Cartridges (1 Oz.)
- 2 ExtenDye[™] Cartridges (1 Oz.)
- 2 LeakGuard[™] OneShot Cartridges (1 Oz.)
- 2 Low-Side Service Adapter Hoses and R134a/R1234yf Couplers



SpotGun® Jr. Univ. Oil/UV Dye Kit for R134a/R1234yf -

1 Oz. with UV Lite SKU **1400039**

UVU390200 · Works with Both R134a and R1234Yf

- Refrigerant Systems Includes UV Phazer (AAA) UV Lite and UV
- **Enhancing Glasses**
- 4 Universal A/C Oil (1 Oz.)
- 2 ExtenDye™ Cartridges (1 Oz.)
 2 LeakGuard™ OneShot Cartridges (1 Oz.)



A/C ExtenDye[™] Cartridge

- SAE J2297 Certified Super Concentrated **UV** Dye
- . Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and Decrease Friction
- Contains Antioxidant to Prolong Oil Life
- · Anti-Wear Additive for Better Wear
- Works with SpotGun® Jr. Injection System

A/C ExtenDye™ Cartridge 1 Oz. (4 Pack)

SKU **1362004** UVU399020A **54**99



A/C ExtenDve™ Cartridge .25 Oz. (6 Pack)

SKU OUTSIDE BUY/EPO UVU399006APK6



Universal PAG 46 Oil R1234yf -1 Oz. Cartridge (4 Pack)

SKU **1407808** UVU399046YFPK

Wiew.

- OEM Approved
- Works with SpotGun® Jr. Injection System
- Formulated to Work with R1234yf, R134a and Hybrid Safe
- Sealed Cartridge Assures Clean Oil Delivered to Vehicle A/C System
- Injection System Measures the Correct Dosage







Universal PAG 46 Oil for R134a 1 Oz. Cartridge (12 Pack) SKU **OUTSIDE BUY/EPO**

UVU399046PK12

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

SpotGun®

SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf - 8 Oz. without UV Lite SKU **OUTSIDE BUY/EPO** UVU490100

- Works with Both R134a and R1234Yf Refrigerant Systems
- 1 Universal Oil Cartridge (8 Oz.)
 1 ExtenDye™ Cartridge (8 Oz.)
- Service Maintenance Stickers
- 2 Low-Side Service Adapter Hoses and R134a/ R1234vf Couplers



SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf -8 Oz. with UV Lite

SKU **OUTSIDE BUY/EPO** UVU490200

- Works with Both R134a and R1234Yf Refrigerant Systems
- 1 Universal Oil Cartridge (8 Oz.)
- 1 ExtenDye™ Cartridge (8 Oz.)
- UV Phazer[™] Black (AAA Batteries Included) UV Enhancing Glasses



WIEW.

A/C ExtenDye™ Cartridge - 8 Oz. SKU **OUTSIDE BUY/EPO** UVU499108A

69⁹⁹

- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier
- . Contains Antioxidant to Prolong Oil Life
- Fits Competitive Guns



Mastercool

Professional UV Leak Detection Kit with 12V/50W UV Light

SKU **290041** MSC53351

- 12 Volt/50 Watt UV Leak Detector
- 1 Oz. Coolant Dye, 1 Oz. Oil/ATF/Fuel Dye, Dye Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels



Universal **Concentrated Dve** Cartridge 1 Oz. (5 Pack)

SKU **505040** MSC53810-5

- 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle



OEM TOOLS

AIR CONDITIONING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Diagnostic Work Light

The Most Innovative 3-in-1

13.4" Multi-Use Rechargeable Diagnostic Under-the-Hood Work Light

SKU **591153** 24609

• 5 Hr. Run Time on High







400 Lumens Super Bright Work Light



Yellow Smoke Detection Light





Leak Detection Lights

UV Phazer Professional 395nm Leak Detection Light

- Adjustable Zoom Lens Allows for Focusing Light Intensity In a Smaller/Larger Area for Precision Viewing
- · Rechargeable Li-ion Battery

Black

SKU **1405963** UVUEW40395

- High Output True UV LED Light
- Precise, True UV Wavelength and Bandwidth to Optimize the Fluorescence of UV Dyes
- Max. Run Time: 4 Hrs.



SKU **1400042** UVUEW50395

- UV Dye Shines Brighter with the Phazer Neo Than Any Other UV Light
- Water Resistant
- Max. Run Time: 5 Hrs.



UV Leak Detection Light and Glasses

SKU **213144** 24516

- . Compact UV Leak Detection Pen Light
- Can Be Used with All Types of UV Leak Detection Dyes
- Yellow Lens Protective Glasses Enhance Visibility of Leaks

OEM TOOLS

• Includes: 2 AA Batteries



Magnifying Glass with 5 LED and 1 UV Light

SKU **191688** 25465

. Compact Magnifier with 5 LED Lights and a Super Bright UV Light

• UV Light Detects Dyes



OEM TOOLS

Refillable Injectors

In-Line Dye and Oil Injector

SKU **466322 39**99 24532

- Add Up to 2 Oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant
- 1/2" ACME Fittings to Fit Most R134a Systems
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



OEM TOOLS

R12 and R134a **Hand Turn Dye Injector**

SKU **466320** 24528



- Injects Dye or Oil into R12 or R134a Systems
- Refillable, Capacity: 2 Oz.
- Includes: R134a Quick Coupler
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



Pourable Dyes

A/C ExtenDye™ Bottle - 8 Oz. SKU **OUTSIDE BUY/EPO** UVU499008A

- SAE J2297 Certified Super Concentrated UV Dye
- Works in R134a, R1234yf Systems and is Hybrid Safe
- · Contains Friction Modifier to Increase Lubricity and Decrease Friction
- . Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance

For Outside Buy/EPO, Call 901-300-4878



R1234yf Hand Turn

Oil and Dye Injector SKU **213158 24** 99 24517

- Easy to Operate Hand Turn Injection
- Durable Aluminum Construction with Laser Etched Filling Guide
- Includes R1234yf System Coupler
- 2 Oz. (60 mL) Capacity
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



OEM TOOLS

Refillable Universal Dye Injector for R1234yf SKU **764999**

МSC53123-YF **149**99

- Heavy Duty Aluminum Construction Injects Dye or Oil into R1234yf Systems
- · Refillable, Any Dye or Oil Can Be Used
- · Easy Twist Injection System
- Precise Injection Control



Multi-Purpose Dye SKU **1392316** UVUB483206

• Pinpoint Leaks in Engine Oil, Transmission, Hydraulic, Power Steering, Gasoline and Diesel Fuel Systems



PAG 46 Oil with A/C ExtenDye™ 8 Oz. Bottle (4 Pack)

SKU 1400040 UVU488046PBD4

PAG 100 Oil with A/C ExtenDve™ 8 Oz. Bottle (4 Pack)

SKU **OUTSIDE BUY/EPO** UVU488100PBD4

For Outside Buy/EPO, Call 901-300-4878



Orifice Tube

OEM TOOLS

26 Piece Master Orifice Tube Assortment

SKU **851868 29 99** 24564

- Covers Most Vehicles That Require Air **Conditioning Orifice Tubes**
- Includes: Chrysler (Orange, Purple T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow), Jeep (Green - White) and Volvo (Yellow)



A/C O-Ring Assortment

270 Piece A/C **0-Ring Kit**

OEM TOOLS

CDS

SKU **271196** 68141

· Great O-Ring Set for Most Automotive and **Refrigerant Applications**



Kit Contains 270 **O-Rings in a Variety** of SAE Sizes



✓ Mastercool≗

▼ Mastercool:



Digital Scales

Digital Refrigerant Scale (240 Lb. Capacity)

SKU **752521** 24560

- High-Visibility .75" x 2.5" LCD Backlit Display
- 3 Units of Measure: Kg/Oz./Lb.
- · Automatic Shut-Off After 10 Minutes, Backlight Will Shut Off After 3 Minutes
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product in or Out of the Protective Case



Black Series Electronic Charging Scale with Bluetooth

SKU **290029** MSC98210-BL

- Includes Bluetooth
- Wireless Technology Capacity: 243 Lb.
- Accuracy: ≤±0.05% of Reading
- Resolution:
- 0.05 Lb./0.5 Oz./0.01 kg
- · Rugged, Non-Slip Platform



A/C Flush

A/C Flush Machine SKU OUTSIDE BUY/EPO

CPSAFM100

- Air Operated 8' Hoses to Reach
- Any System · Forward or Reverse Flush
- without Changing Hoses • 2-1/2 Gallon Capacity Tank for
- Use on Cars and Buses • Universal Couplers Allows Connection
- to Most Types of Connections · Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter

For Outside Buy/EPO, Call 901-300-4878

A/C Supreme Flush, 1 Gallon Can SKU **OUTSIDE BUY/EPÓ CPSAFMSF**

 Superior Flush Removes Particles Including Common Leak Sealants, That Can Damage Refrigerant Recovery Machines and A/C System Components



MASTERCLEANSE A/C Flush Machine

SKU OUTSIDE BUY/EPO MSC69900

• Designed to Flush All HVAC/R and Automotive Systems

• Pump Power: 0.4 HP; Flow Rate: 4 Gal/Min.

- · Stainless Steel Ball Valve Controls
- 1/4" SAE Connection
- Pump Equipped with Mechanical Seal and PTFE Gasket
- 110 VAC

For Outside Buy/EPO, Call 901-300-4878

Adapter Kit

SKU **481575** MSC69925

- Isolates A/C System Components for Closed Loop Flushing • Flush Individual Components without Removing Them
- from the Vehicle • Install Adapters on A/C Line Ends to
- Allow Attachment of Flushing Equipment



A/C Flush Kit

SKU **1103579**

- Uses Shop Air to Pressurize the Solvent to Thoroughly Clean the System
- Simple, Effective and Easy to Use
 Attached Nozzle Directs the Solvent without Sprayback
- Includes: Canister, Hose, Blowgun, Rubber Tip and Cylinder Cap
- Solvent Purchased Separately



OEM TOOLS

A/C Flush Solvent

Bottle (32 Oz.)

SKU **695650** MSC91049-32

1 Gallon

SKU **695653** MSC91049-128

MSC91049-32





MSC91049-128

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

A/C Hose and Line Repair

Heavy Duty Ratcheting Hose Cutter

SKU **466311** 24522

- . Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts
- Ratcheting Action Makes it Faster and Easier to Use than Other Cutters
- . Cuts Rubber Hose and PVC Up to 1-1/2" OD
- · Wide Hooked Jaws Hold **Tubing Securely**



OEM TOOLS

OEM TOOLS

Ratcheting Tubing Cutter

SKU **466309** 24520

- · Ratcheting Action is Ideal Where Space is Limited
- Cuts 1/4" to 7/8" **Tubing**
- Spare Cutting Wheel Included

• Mount to Bench Using Holding Fixture or Place in Vise

Includes: 71500 - 001 Yoke Assembly, 71550 - 002 Arbor

Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die

Set - #6 (5/16"), 71500 - 8 Die Set - #8 (13/32"), 71500 - 10 Die

Manual Style A/C Hose Crimper,

Bench or Vise Mounted

• Manual Style A/C Hose Crimper

Set - #10 (1/2"), 71500 - 12 Die

Set - #12 (5/8") and 71500-PB Custom Mold Box Carrying Case

SKU **290028**

MSC71550



▼ Mastercool:

Thermometers

Thermal Imaging Camera SKU **213193** 24552

- Temperature Range: -4°F to 1,202°F (-20°C to 650°C), Selectable Temperature (C or F)
- Captures Thermal Images and Saves to MicroSD Card (Not Included)
- 3 Selectable Color Palettes
- 1.8" LCD Color Display
- Includes Storage Pouch and Mini **USB Cable**



OEM TOOLS

Infrared Thermometer with Target Laser

SKU **290019** MSC52224ASP

- Temperature Range: -58°F to 1022°F (-50°C to 550°C)
- Analog Dial Thermometer in Storage Case
- with Auto Power-Off (After 15 Seconds)



• Includes: Laser Thermometer and

4 Digit LCD Backlit Display



AIRSEPT

Hand-Held Hydraulic Crimper Kit for A/C Hoses

SKU **OUTSIDE BUY/EPO FJC2806**

- Includes Complete Set of Dies
- For Hose Sizes: #6, #8, #10, #12 and Reduced Barrier Hose Sizes
- Hand-Held, Hydraulic Tool Ideal for Shop and Field Applications
- Custom-Molded **Protective Case**



For Outside Buy/EPO, Call 901-300-4878

Line Terminator SAE (5 Pack)

AirSept® Line Repair

SAVE TIME & MONEY!



FIX or TERMINATE a Line in 5 MINUTES!

Line Terminator SAE/Metric (10 Pack) SKU **504124**



• Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"

· Block Off Leaking Rear Evaporators and Failed System Components

SKU **504122**

AIR76526

 Include One Each: 5/16" 3/8",1/2", 5/8" and 3/4" SAE Kits



- AIR76530 • Quickly and Effectively Blocks A/C Lines at the Damage Point
- or at the Front System "Y" Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm





UP TO 2,600 psi

OE-APPROVED REPAIR SOLUTION INSTALLS IN MINUTES, NO SPECIAL TOOLS, NO GLUE

Line Splice Straight SAE/Metric (10 Pack) SKU **504103 284** 99

AIR76051

• Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm,

12 mm, 15 mm and 16 mm



Line Terminator Rear A/C Blockoff Kits

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- · Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines



SKU	Part #	Size	Price
504149	AIR76502	3/8" Line	26.99
504146	AIR76501	1/2" Line	26.99
504150	AIR76503	5/16" Line	26.99
504152	AIR76504	5/8" Line	30.99
504154	AIR76505	3/4" Line	35.99
329221	AIR77508	8 mm OD Line	26.99
329219	AIR77510	10 mm OD Line	26.99
329231	AIR77515	15 mm OD Line	30.99
329230	AIR77516	16 mm OD Line	30.99

Line Splice Straight Repair Kit

- High-Tech Anti-Vibration Tension Ring Ensures **Durability in Tough Automotive Applications**
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2,600 psi



SKU	Part #	Size	Price
504140	AIR76003	5/16" Line	<i>35.99</i>
504138	AIR76002	3/8" Line	35.99
504136	AIR76001	1/2" Line	<i>35.99</i>
504143	AIR76011	5/8" Line	44.99
504132	AIR77008	8 mm Line	<i>35.99</i>
504155	AIR77010	10 mm Line	35.99

Smart Splice[™] Line to Hose

- Leak-Proof Line Splice[™] Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Also Works for Heater and Coolant Lines
- Install in 5 Minutes



SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	<i>35.99</i>
504128	AIR76702	3/8" Line to #6 Hose	<i>35.99</i>
OSB/EPO	AIR76704	5/8" Line to #10 Hose	44.99

For Outside Buy/EPO, Call 901-300-4878

BATTERY SERVICE

Battery Testers

OEM TOOLS

Professional Series Battery Tester

SKU **750009** 24508

· Large Tester Uses Gravity with the Number of Floating Discs to Show State of Battery

Charge Specific Gravity Levels are Printed on the Tough, See-Through Plastic Body

• Large 16-1/4" Disc-Type Tester is Accurate Down to -40°F

MIDTRONICS Advancing **Battery Conductance Tester**

SKU **291330** MIDPBT100

- Tests Both the Starter and the **Charging System**
- Tests 12V Automotive Batteries from 200 to 850 CCAs
- Durable Design for the Workshop or in the Field



OEM TOOLS Digital **Battery Analyzer** SKU **819073**

24359 · Shows Available Power in CCA Starter and Charging System Testing

 Easy-to-Read Backlit LCD Screen · Voltage Range: 1.5-15VDC

· Battery CCA: 200-1200

STORE STOCKED

TOPDON[®] **BT MobilePro S Jump Start/Power Bank/BSC System Analyzer**

SKU **1485041 TPDBTMPROS**

- Turns Your Diagnostic Scan Tool into a Battery Tester
- . Compatible to Phoenix Line of Diagnostic Scanners
- Battery, Cranking and Charging Tests
- Tablet Compatibility
- Test Voltage: 12V
- Test Range: 100~2000CCA

 Battery Type: Regular Flooded, AGM, EFB and GEL Test Standards:

CCA, BCI. CA, MCA, JIS, DIN and More



OEM TOOLS 100 Amp **Battery Load Tester**

SKU **203583** 24338

- · Conveniently Tests Batteries in Just 10 Seconds
- Battery Load Test: 100A (12V), 50A (6V)
- Designed to Work on Both 6V and 12V Batteries Up to 1,000 CCA
- Determines State of Charge, Cranking and Charging Volts
- Convenient Handle for Transport

BT600 Battery

SKU **1339732**

• 3.5" Color Screen • Built-In Thermal Printer

and Charging Tests

TPDBT600

Tester with Printer

· Performs Complete Battery, Cranking

· Large, Reinforced, Smoke-Free and

Quick and Accurate Test Results

Paper for BT600, BT300P

Spark-Free Copper Clamps



1'OPDON'

500 Amp Carbon Pile Load Tester

SKU **1168827** 24336

- Variable Load Capability to 500 Amps
- Tests Batteries to 1,000 CCA
- · Test Alternators, Regulators and Starters
- · Large, Easy-to-Read Gauges
- Heavy Duty Clamps



OEM TOOLS

12V Digital Battery Electrical System Tester with Printer

SKU **343373** ASC12-1015

- Tests Both Batteries Up to 1,700 CCA and Alternators · Tests Starters and
- **Charging Systems**
- Backlit Digital Display
- 9 Languages
- Includes: Deluxe Case and Extra Print Paper



BASSOCIATED

12/24V Digital Battery Electrical System Tester with Printer

SKU OUTSIDE BUY/EPO ASC12-2415

• Tests Both Batteries Up to 2,000 CCA and Alternators

For Outside Buy/EPO, Call 901-300-4878

Battery Service Tools

Side Terminal Battery Wrench

• For Use with Side Terminal Batteries Found on Many GM and Other Domestic Vehicles

5/16¹¹

SKU **466513** 25287

• Length: 5-1/2"



10 mm and 5/16"

25282

SKU **965838**

• Length: 12"

2 Liter Battery Filler SKU **972771**

SKU 1442591 **TPDBTPAPER**

Thermal Printer

87010

· Automatic Shut-Off to

Prevent Overfilling Fills Battery to Proper Level without Spilling



Battery Terminal Puller

SKU **466489** 25121

- . Use to Remove Battery Terminal Clamp without Damaging the Battery Post
- Puller Will Also Work on Corroded Spring-Type Clamps



OEM TOOLS

Battery Nut Pliers SKU **943134**

25123

- · Easily Tighten and Loosen Nuts
- Offset Handles
- · Serrated Jaws for a Firm Grip



Battery Carrier

SKU **002284** 25316

. Designed to Grab, Lift and Carry Top Post and Side Terminal Batteries

 Grips Battery Widths from 5" to 7" with **Rubber Pads**

· Plastic Hand Grin Provides a Firm Hold



6 Piece Battery Service Kit

SKU **1168822 69**99 25110

• Includes: Battery Terminal Puller, 4-Way Post Cleaner, Battery Nut Pliers, Extended 5/16" and 10 mm Battery Terminal Wrench, 5/16" Side Terminal Battery Wrench and a Side Terminal Brush Organized in a Heavy Duty, Roll-Up Storage Sleeve





BATTERY SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Jump Starters

TOPDON

Battery Tester and Jump Start

SKU **1368635** TPDV2200PLUS

- . Jump Start Capacity: 8L Gas, 6L Diesel
- 2200A Peak Current for Jumps • Use the App to Perform **Detailed Battery Tests**
- 300 Lumen LED Light with Solid, SOS and Strobe Functions
- · Output Ports: Type-C: USB1, USB2. DC



JumpSurge 3000 Amp **Portable Jump Starter**

SKU **OUTSIDE BŪY/EPO TPDJS3000**

TOPDON

Sturdy Outer Housing Resistant to Water, Dust and Wear

- 45 Jumps on a Single Charge
- USB Quick Charge 3.0 Port

· Heavy Duty Smart Clamps



Kwikstart® 12 Volt Portable Power and Jump Start

SKU **850637** ASC6256

- · Peak Amp Output: 1700 Amps
- 360 CCA of Boost Assist
- (2) 12V DC Accessory Outlets to Power and/or Recharge DC Electronics
- 32" Heavy Duty Cables and USB Port



BASSOCIATED

30,000 mAh Lithium Jump **Starter for V10 and Diesel**

CAL590

SKU **1268417 249**99



 Vehicle Jump Starter and Backup Charger for Portable Electronics

- 800 Cranking Amps and 1800 Peak Amps
- 30,000 mAh High Capacity Li-ion Battery
- · Fast Charging with Low Self-Discharge Cycle Includes: Intelli-Clamps
- for Jumpstarting with Built-In Safety and Diagnostic Features



SOLJNC770R • Heavy Duty Clamps with 68" Cables

Amp 12 Volt Jump Starter

- 1700 Peak Amps; 425 Cranking Amps
- Dual USB Outlets to Charge Mobile Devices


Premium 1700 Peak

SKU **OUTSIDE BUY/EPO**

Master ON/OFF Switch



SKU **OUTSIDE BUY/EPO** SOLJNC660



- 1700 Peak Amps; 425 Cranking Amps
- Heavy Duty Clamps with 46" Cables

S@LAR. 3400 Amp 12/24 Volt

Jump Starter SKU OUTSIDE BUY/EPO SOLJNC1224



- Clore PROFORMER Battery Technology
- 3400 Peak Amps and 850 Cranking Amps - 12V
- 1700 Peak Amps and 425 Cranking Amps - 24V



S@LAR.



2-in-1 2200 Peak Amp Jump Starter and Tire Inflator

SKU 1485043 TPDV2200AIR

· Battery Capacity: 12000mah

- . Delivers a Powerful 2200A Peak Current with Up to 25 Starts Per Charge
- Capable of Jump-Starting Vehicles with Engines Up to 8.0 Liters for Gasoline or 6.0 Liters for Diesel
- Functions as a PD45W Fast-Charging Power Bank
- 400-Lumen LED Flashlight
- Tire Inflator Fills in Under 3 Minutes

TOPDON®



2-in-1 4500 Peak Amp Jump Starter and Battery/System Tester SKU 1485040

TPDV4500PLUS

- Up to 45 Jump Starts on a Single Charge
- Test and Monitor Battery with App
- Peak Amps: 4500
- 500 Lumen Flashlight
- Outputs: Bidirectional TYPE-C, USB1, USB2
- IP65-Rated Casing
- Includes: D45W Charger Adapter. DC Adapter. DC Adapter and PD100W Cable

TOPDON®



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO Call 901-300-4878

Wheeled Chargers

Battery Charger 12V SKU **OUTSIDE BUY/EPO** S0L4735

- EZ View Control Panel
- 200 Amp Engine Starting Assistance
- 40 Amp Fast Charge Rate
- 5 Amp Setting for ATVs, Boats, Lawn and Garden Applications

Battery Charger with Engine Start 12/24V

SKU **OUTSIDE BUY/EPO** SOL4745 • 40 Amp 12V, 20 Amp 24V

Charge Rate

S0L4735



S&LAR.

Smart Charger

30A Smart Charger and Power Supply


SKU **1442582** TPDT30000

- Suitable for Multiple Battery Types, Including AGM, LI, WET, GEL, MF CAL and EFB
- 9-Step Smart Charging, Checks for Sulphation and Acid Stratification, Repairs Batteries. Prevents **Battery Damage**
- Works as a Stable Power Supply for 12V and 24V Devices
- Current Range: 12V-30A, 24V-15A. 6V-15A, 12V-10A
- · Clamp Cable Length and Gauge: 7.2'. AWG10



TOPDON[®]

One Charger Does It All



For Outside Buy/EPO, Call 901-300-4878

AZG0125

TERY SERVICE

ASSOCIATED

Associated Battery Chargers

















							<u> </u>
	Commercial Duty Charger	Heavy Duty Fleet Charger/Analyzer	Heavy Duty Charger	Intellamatic® Charger and Reflash Power Supply			
	SKU 221248 ASC6002B	SKU 1414394 ASC6021AGM	SKU 662763 ASC6012AGM	SKU 344790 ASCESS6008	SKU 343379 ASCESS6008MSK	SKU 343370 ASCESS6007B	SKU 662745 ASCIBC6008MSK
Charger Type	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel
UL of CSA Continuous Amperage Charging Rate	100/80A	70/65/30A	70/60A	60A	60A	40A	60A
Re-Flash Power Supply Output Amperage	N/A	N/A	N/A	70A @ 13.9V	70A @ 13.9V	45A @ 13.9V	70A @ 13.9V
Crank Assist Amperage	400	205A	250	270	270	130	270
Operating Charging Voltage	6/12/18/24V	6/12/24V	6/12V	12V	12V	12V	12V
Battery Types	SLA	SLA, AGM, EFB	SLA, AGM, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, EFB, Li-ion, Gel-Cell
Smart Charger	N	N	N	Y	Y	Y	Y
Adjustable Charging Voltage	N	N	N	N	N	N	Y
Adjustable Re-Flash Power Supply Voltage	N	N	N	Y	Y	Y	Y
Memory Saver Mode	N	N	N	N	Y	N	Y
DC Cable Length and Gauge	8' 4AWG	6.5' 4AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG
Warranty*	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited
Price	1,22499	874 ⁹⁹	679°9	979°°	1,114 ⁹⁹	784 ⁹⁹	1,379°9

^{*}Two years bumper to bumper (B2B) manufacturer's warranty with five years transformer/rectifier for heavy duty battery chargers (6001A, 6002B, 6006, 6009 and 6012) and three years transformer/rectifier warranty for INTELLAMATIC wheeled smart chargers.

Bench Chargers

6/12V, 1A Maintainer SKU **765478** ASC9003A

- LED Lights Indicating **Charging Status**
- Includes 2 Sets of Charging Leads
- OEM Vehicle Manufacture Approved
- Safe for AGM, Gel Cell, SLA Batteries
- Reverse Polarity Protected
- Overcharge Protection1 Year Warranty



6/12V, 10/2A Smart Bench Top Charger

SKU **850633** ASC3055A

• Digital Display Shows Charging Voltage/ Amperage or Time Remaining

- Safe for SLA, AGM, Gel **Batteries**
- 50A Boost • 1 Year
- Warranty



6/12V, 15/2A Smart **Bench Top Charger**

SKU **85063**4 **ASC3100A**

 Digital Display Shows Charging Voltage/ Amperage or Time Remaining

- Safe for AGM, Gel Cell, SLA **Batteries**
- 100A Boost
- 1 Year Warranty



ASSOCIATED

BATTERY SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Booster Cables

20 Ft. 4 Gauge Booster **Cables with Storage Bag**

SKU **1168815** 24335

REG. \$39.99

- Extra Long 20 Foot Flexible Cables Expands Your Reach
- Tangle Free Design Ensures Quick and Easy Connections
- Insulated Clamps Fit Top and Side Post Batteries
- Oil, Gas and Acid Resistant All Copper Wire
- Includes: Storage Bag



OEM TOOLS

Offer Good Through March 31, 2025

20 Ft. Heavy Duty **Booster Cables**

SKU **972269** ASC6160

- 500A Vinyl Coated Steel Clamps with Copper Jaws and Strain Relief Guards
- T-94 Jacked Stays Flexible to -40°F
- 4AWG Tangle-Free Copper Cable
- Made in USA



BASSOCIATED

Clamp Kit BIASSOCIATED 400 Amp SKU 110434

ASC6199

· Professional Quality Heavy Duty Clamps for All Booster Cables



Power Supply

ASSOCIATED

12V - 90A Reflash **Power Supply and Charger**

SKU **OUTSIDE BUY/EPO**

ASCESS6100

- Adjustable Power Supply from 12.6V to 14.9V at up to 90 Amps
- · Safe for All Batteries Including AGM, EFB, Li-ion and Gel
- OEM Vehicle Manufacture Approved
- 8.4 Ft. DC Leads

For Outside Buy/EPO,



Smart Battery Charger/Power Supply

SKU **1414398** TPDT90000

- ECU Programming Power Supply
- 9 Step Smart Charging with Thermal Compensation
- Charges 12V and 24V AGM, WET, GEL, MF, CAL and EFB Batteries
- Protects Against Reverse Polarities, Reverse Charges, Short Circuits, Overheating and Over-Voltages
- Current Range: 5-90 and 5-45A
- Voltage Range: 11-15.8V and 22-31.5V
- Cables: AWG18-70"

TOPDON[®]



120A Power Supply and Battery Charger

SKU **1485033** TPDT1200005



TOPDON

- Intelligent Current (5-120A) and Voltage (11-16.8V) Output Adjustment
- · 3 Major Charging Modes and 9-Step Smart Charging
- Compatible with Lead-Acid Batteries and Lithium Batteries
- Clamp Cable Length: 16 Ft.



VALUE: \$99.99

Tornado90000 9.5' DC Cable Extension

TPDT90DC With Purchase of: TPDT90000

Offer Good While Supplies Last Through March 31, 2025



AUTEL MAXIBAS

BATTERY & ELECTRICAL ANALYSIS

MaxiBAS® BT609 SKU 1125832 Part #BT609

- · Adaptive Conductance Technology: Produces a More Accurate Exam of the Battery's Status
- · All System Scan, Read and Clear Codes
- Complete Service Menu 20+ Functions

MaxiBAS® BT608 SKU 1105501 Part #BT608

- Adaptive Conductance Technology: Detects Battery Capacity Reducing Misdiagnosis
- Auto Battery Reset / Print Test Reports Via Built-in Thermal Printer
- AutoSCAN/VINScan for Quick Vehicle Identification & Battery Specifications



MaxiBAS® BT506 SKU 1125835 Part #BT506

- Use with Smartphone or other Smart Device
- Support In-vehicle and Out-of-Vehicle Testing of Passenger Vehicle Batteries
- Test 6- and 12-volt Batteries: 100 2000 CCA
- Test 12- and 24- Cranking/Charging Systems • Test Flooded, AGM, AGM Spiral, EFB & GEL Batteries
- - It keeps VCI in sight and is easy to retrieve and not forget after use



MaxiEV® ALT100L

- SKU 1442217 Part #ALT100L
- Tests high voltage battery enclosures and high voltage thermodynamics systems such as coolant and A/C for leaks
- · High-sensitive pressure sensing significantly improves test accuracy and stability
- · Dual Pressure Display: Real-time display of current pressure and leakage fluctuations



AUTEL MAXIEV

ADVANCED **EV DIAGNOSTICS**

MaxiEV® CDT100

SKU 1443474 Part #CDT100

- Wide-voltage design, suitable for discharge, charge, and activation testing of modules with different voltage levels
- Set constant current and power, Charge and Discharge modes for varied applications
- · Displays single-cell maximum/minimum voltage and other data onscreen in graphs, columns, and report forms



MaxiEV® ITS100 SKU 1442216 Part #ITS100

- Tests high voltage wiring and components
- Test resistance measurement before loading into the vehicle
- · Helps identify issues like damage, deterioration, or contamination of the insulation

OBDII EXTENSION CABLE

SKU 1443473 Part #VCIEXTCAB Compatible with all OBDII-compliant VCIs




MaxiBAS® BTAK SKU 1149588 Part #BTAK

- . Battery Tester Accessory Kit
- Digital Multimeter and Current Clamp Kit
- Measures Voltage, Current and Resistance



MaxiBAS® BTMS SKU 1149587 Part #BTMS

Battery Tester Memory Saver



• Enables Vehicle Computer to Be Powered and Maintain Data When Connected to Backup Vehicle Battery

CALL FOR PRICE

AUTEL

AZG0125

AIR COMPRESSO















AB/	1 3-21	60	V.

ABA5-2160V4

ABA5-2180V4NS

ABAC7-2180V2 ABAC5-2180V ABAC5-2380V ABAC7-2380V2

ABA13-30GH



n Atlas	Со	рсо	Comp	any

3.5 HP 60 Gallo
230V Air
Compressor,
Single Phase
SKU OSB/EPO
ABA3-2160V1
ADAU ZIUUTI
NI/A

Not Required

Yes

1,199⁹⁹



5 HP 80 Gallon
230V Air
Compressor,
Single Phase
SKU OSB/EPO
ABA5-2180V4NS

5 HP 80 Gallon
230V Air
Compressor
SKU OSB/EPO
ABAC5-2180V - Single Phas
ABAC5-2380V - 3 Phase

7.5 HP 80 Gallon 230V Air Compressor SKU **OSB/EPO** ABAC7-2180V2 - Single Phase ABAC7-2380V2 - 3 Phase

13 HP 30 Gallon **Honda Powered Air Compressor** SKU OSB/EPO ABA13-30GH

ABAC10-23120H 10 HP 120 Gallon

An Atlas Copco Co	mpany
-------------------	-------

, ny	Compressor, Single Phase SKU OSB/EPO ABA3-2160V1
	N/A

230V Air Compressor, Single Phase SKU OSB/EPO ABA5-2160V4	
N/A	

18 CFM

(2-3 Technicians)

175 psi

Yes

2.84999

(2-4 Technicians)

175 psi

Yes

Yes

23 CFM

(1-3 Technicians)

175 psi

230V Air

An Atlas Copco Company

ny	SKU OSB/EPO ABA3-2160V1
	N/A
	12.3 CFI (1 Technic
	135 psi

N/A 15.4 CFM

Compressor SKU OSB/EPO ABAC5-2180V - Single Phase ABAC5-2380V - 3 Phase	
N/A	

N/A

Compressor, 3 Phase SKU OSB/EPO ABAC10-23120H

N/A

35 CFM

(3-6 Technicians)

175 psi

CARB Compliant

Mounted and Wired

High Flow Belt Guard

Price

CARB Compliant	
CFM at 100 psi	
Max. Pressure	
eavy Duty, Low-RPM Cast Iron Pump	
Magnetic Starter	

Cast Iron Cylinders

15.4 CFM (1-2 Technicians) (1-3 Technicians) ian) 175 psi **Cast Iron Cylinders**

Yes

1,619⁹⁹

175 psi **Cast Iron** Cylinders **Not Required Not Required**

Yes Yes

Yes Yes 3,649⁹⁹

Cast Iron Yes Cylinders Recoil and Yes **Electric Start**



Premium Models

Heavy Duty, L

7.5 HP 80 Gallon 230V

SKU **OUTSIDE BUY/EPO** ABAC7-2180V2FF

4,349⁹⁹

- Vertical 80 Gallon Tank
- Horsepower: 7.5 HP
- Power Supply (V/Ph): 230V/1

ABAC

- CFM @ Max. psi: 24
- Max. psi: 176









- **349**99 Vertical 120 Gallon Tank
- · Horsepower: 10 HP
- Power Supply (V/Ph): 230V/3 • CFM @ Max. psi: 32
- Max. psi: 176

Rotary Screw Compressors

- High Performance with Low Energy Consumption
- Low Noise and Vibration Levels

Yes

1.999⁹⁹

• Fully Integrated Aluminum Block

Rotary Screw Compressors are an Ideal Solution for Applications Where There is Continuous Demand for



10 HP 131 Gallon 150 psi Screw Compressor with Dryer SKU OUTSIDE BUY/EPO

ABAAS-10503TMD

• 208V-230V-460V/3PH

• 34.1 CFM

15 HP 131 Gallon 150 psi Screw Compressor with Dryer SKU **OUTSIDE BUY/EPO** ABAAS-15503TMD

Dependable Compressed Air 7.5 HP 131 Gallon 150 psi **Screw Compressor**

> **ABAAS-75501TM** 6,849⁹⁹

SKU OUTSIDE BUY/EPO

- 230V/1PH • 27.1 CFM





Premium Models Include: Low Oil Level Shut Off,

Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offioading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

IR COMPRESSORS

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-

Regulators/Filters/Drains

5 Stage Desiccant Filter/Dryer

SKU **543076 499**99 ARRC7612XL

• Includes: Gauge, Shut-Off Valve and (1) 1/2 Gallon of Desiccant

Lowers the Dew Point to -30°F



NAME	SKU	PART #	PRICE
Replacement Desiccant Silica Gel, 1 Quart	OSB/EPO	ARR34189	21.99

1/2" Electronic Drain

SKU **543065** ARR5804

· Automatically Drains Compressor Tanks, Receiver Tanks or Filters

Filter Regulator Lubricator (1/2")

· Cleans, Dries and Lubricates Air Supply

. Operating Pressure Range: 5 to 125 psi

- 110 Volt
- 6' Power Cord

SKU **543075**

ARRC33354

• 142 CFM

• 40 Micron Element



Regulator with Gauge (1/4")

SKU **543086** ARRR262G

· Adjustment Range is 5 to 125 psig

Rated for 25 SCFM



Air Regulator with Gauge (1/2")

SKU **543091** ARRR354G

· Adjustment Range is 5 to 125 psig

Rated for 100 SCFM



Filter/Regulator (1/2")

SKU **543071** ARRB754G

Extend the Life of

Your Air Tools!

- Operating Pressure Range 5 to 125 psi
- 40 Micron Element
- 3 Position Non-Rising Adjustment Knob



NAME	SKU	PART #	PRICE
Regulator with Gauge (3/8")	543088	ARRR353G	69.99

BelAire

5 HP 60 Gallon 230V Air **Compressor, Single Phase**

SKU OUTSIDE BUY/EPO IMC4916V

- 15.4 CFM @ 100 psi
- 165 psi Max. Pressure
- · Cast Iron Cylinders
- 2 Stage Pump
- No Start-Up Kit Required
- High Flow Belt Guard
- Warranty: 2 Year Factory



5 HP 80 Gallon 230V Air

Compressor, Single Phase

SKU OUTSIDE BUY/EPO IMC418V



- 18 CFM @ 100 psi
- 175 psi Max. Pressure Solid Cast Iron
- 2 Stage Pump · Magnetic Starter
- Included Fully Enclosed Belt Guard
- Warranty: 2 Year Factory



Champion®

- 100% Cast Iron Pump with Alloy Steel Reed Valves
- · Warranty: 1 Year Unit Parts and Labor, 2 Years Pump Parts and Labor

5 HP 80 Gallon RV Series VRV5-8

SKU **OUTSIDE BUY/EPO** CHCRV215AS01

- 230V/1ph
- 17.0 CFM @ 175 psi
- 3600 RPM Motor, No Starter Needed

5 HP 80 Gallon RV Series VRV5-8 with Starter SKU **OUTSIDE BUY/EPO CHCRV215AS07**

- 230V/1ph
- 16.5CFM @ 175 psi
- . 1800 RPM Motor with Magnetic Starter



CHAMPION

Refrigerated Dryers

• Removes Condensate and Vapor So Dry Compressed Air is Produced in a Continuous, Cost-Efficient Way

Cool 15 CFM

SKU **OUTSIDE BUY/EPO** ABACOOL15

84499

Cool 35 CFM

SKU OUTSIDE BUY/EPO ABACOOL35

Cool 25 CFM

SKU **OUTSIDE BUY/EPO** ABACOOL25



Mi-T-M

30 Gallon Air Compressor/Generator

SKU **OUTSIDE BUY/EPO** MTMAG2SM1430ME

- CFM @ 175 psi 15.7
- Max. AC Output: 4000 Watts
- Continuous with Compressor On Load 2300 Watts
- Continuous with Compressor Off Load 3500 Watts
- Receptacles 2 NEMA 5-20R, 1 NEMA L6-20R
- Displacement/Engine 420cc Mi-T-M OHV
- Compressor Two Stage, Cast Iron Pump





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

LIGHTING



Underhood Lights

1,500 Lumen LED

SKU **1414960** ATD80050A

- 25 Ft. Cord Remains Flexible in Extreme Cold
- Rubber Covered Telescoping Brackets For Use on Hoods from 47" to 75" Wide

2,000 Lumen LED Corded/Cordless

SKU **1414959** ATD80357

- 40" Light Bar Provides 2000 Lumens of Bright Light
- Hooks Extend 55" to 83" to Fit New SUVs and Light Trucks
- 25' Removable Cord Remains Flexible in Cold Weather
- 2 Modes: High-2000 Lumens/Low-1000 Lumens
- 5200 mAh Li-ion Battery Provides Up to 2 Hours (High), Up to 4 Hours (Low) Runtime

• 48 Lumens



STREMULIGHT

Cord Reel

50' Retractable Extension Cord Reel

SKU **1105991**

LEGFZ8140503 · Circuit Breaker with Reset

- **Button Prevents Breaker** Trip or Blown Fuses
- Oil-Resistant 14/3 AWG SJTOW Cord
- Lighted Triple Tap Outlet



Streamlights

Stinger LED with AC/DC

SKU **291368** STL75732

- Beam Distance: 322 Meters
- Four Lighting Modes: High,

Medium. I ow and Strobe

• 425 Lumens • Runtime: 10 Hours

SKU **291408**

Silver

SKU **291359** STL66121

• Runtime: 7.5 Hours

Stylus Pro with White LED

· Waterproof Construction with an Unbreakable Polycarbonate Lens Pocket Clip

SKU **291362** STL66122

Black

STL66118

Red

SKU **291358** STL66120

Pen Lights

STD

Cree LED Pen Light

- 3 Modes: Low (50 Lumens), High (150 Lumens) and Strobe
- 80 Meter Beam Distance
- Anodized Aluminum Body is Impact and Water Resistant
- Battery Runtime: 6 Hours (Low), 3 Hours (High)
- Comes with 2 AAA Batteries and Tactical Clip



SKU **592188** 32838

Black SKU **592184**

32835

Blue

SKU **592185** 32836

each

 $^1\text{Circana/U.S.}$ Retail Tracking Service, March 2, 2024 ^2See packaging for details $^3\text{Compared}$ to SYLVANIA BASIC

Silver SKU **592183** 32839

Green

SKU **592186** 32837



GreatLite

THE STITICKY











SYLVANIA

LIGHTING BRAND IN THE USA



#1 AFTERMARKET AUTOMOTIVE







LIFETIME LIMITED WARRANTY²

Superior optical engineering

Water resistant (IP67 or IP69K)

LIGHTBARS + PODS

SYLVANIA LED

8888 SYLVANIA For powersports or fog use only

5 YEAR LIMITED WARRANTY²

Performance, Longevity + Style

PART NUMBERS: 9003 | 9005 | 9006 | 9007 | 9012 | H1 | H7 | H8 | H9 |

SILVERSTAR ULTRA



FARTHEST DOWNROAD +



WHITER LIGHT³

SILVERSTAR



FARTHER DOWNROAD WHITER LIGHT³



XTRAVISION FARTHEST



DOWNROAD³

EXPERIENCE THE DIFFERENCE OF



NEW! SYLVANIA LED **SEALED BEAM LAMPS**

5 Year Limited Warranty² Direct replacement Engineered with OEM grade OSRAM LEDs

Available Part Numbers: H6024 | H6054





LIGHTING

Flashlights

OEM TOOLS

Rechargeable Multi-Head All-in-One Work Light Kit

SKU **765525** 24648

• Quick-Attachment Coupler Allows for Easy Accessory Transition Between 3 Interchangeable Heads

Comes with USB Charging Cord, AC Adapter, 180° Swivel Hook and (1) 18650 Rechargeable Battery



Work Lamp Attachment for 24648 Work Light Set

SKU **884377** 24648E



25982

- 3W COB LED, Super Bright White Lights: 400 Lumens
- 3.7V 2200 mAh Li-ion Battery
- Runtime: 3 Hrs. (Work Light), 9 Hrs. (Torch Light)
- Powerful Magnets on the Back and Swivel Base
- Includes: USB Cable for Recharging











2-in-1 Rechargeable Pocket Light

SKU **081751 1999** 26029

• 2-in-1 Pocket Light: Super Bright COB LED Work Light with Integrated LED Flashlight

- Easy Hands-Free Operation with Magnetic Base and Magnetic Pocket Clip
- Max. Output (Work Light): 200 Lumens
- . Max. Output (Flashlight): 140 Lumens
- Max. Runtime: 3 Hrs.



500 Lumen Tactical LED Flashlight

SKU **1368622 94 99**



Beam Distance: 150 Meters

• IPX-5 Water Resistant





GreatNeck





E54 Cree 700 Lumens Tactical Flashlight

SKU **347200 59**99 EXPE54

· Water and Shock Resistant Aluminum Body

• No-Slip Grip Surface

• Beam Distance: 300 Meters









Charging Unit for **GreatLite** (1) 18650 Battery

SKU **347209** EXPE02

• (1) 18650 Battery Included



For Use with: **EXPE36-E02** and EXPE54

E36 Cree Rechargeable Flashlight Kit





Offer Good Through March 31, 2025

GreatLite













AIR TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.co

1/2" Impact Wrenches

Heavy Duty 1/2" **Composite Stubby Impact Wrench**

SKU **087596** 24418

- Torque: 900 Ft/Lb.
- Includes (7) 1/2" Short Impact Sockets Sizes: 13 mm to 19 mm
- · Custom Cut EVA Foam Storage Tray
- CFM: 4.0

WARRANTY: 1 Year



1/2" Extended Anvil **Impact Wrench**

SKU **1282755** KNGNC-42650

 \mathbf{m}_{7}

 \mathbf{m}_{7}

- 1200 Ft/Lb. Reverse Torque
- 200 to 800 Ft/Lb. of Torque



WARRANTY: 3 Years

1/2" Impact Wrench SKU **592249** KNGNC-42320

- Mighty Small, Mighty Powerful Air Impact Wrench
- Max. Reverse Torque: 700 Ft/Lb.
- 85 dBA Noise Level Exceeds **OSHA Standards** Ultra Lightweight
- at Less Than 3 Lb.
- Twin Hammer Mechanism



(IR) Ingersoll Rand

WARRANTY: 3 Years

1/2" **Impact Wrench**

SKU **970487** IRT231HA

- Torque: 590 Ft/Lb.
- Pressure-Fed Lubrication System
- In-Handle Exhaust **Directs Away** from User
- Industry Standard for 3 Decades
- Sound Pressure: 94 to 105 dBA

(IR) Ingersoll Rand 1/2" Super **Duty Air Impact**

Wrench with Extended Anvil SKU **604744** IRT231HA2

• Max. Torque: 590 Ft/Lb.



 Pressure-Fed Lubrication System



WARRANTY: 1 Year

(IR) Ingersoll Rand

1,200 Ft/Lb. Impact **Wrench with Patent Oil Filled Anvil**

KNGNC-4255QHB **244** 99 SKU **1105334**



- · Longer Periods of Peak Power
- Patented Greaseable Anvil

• 85 dBA at 90 psi



WARRANTY: 3 Years

1/2" Air **Impact** Wrench Classic

SKU **495316** IRT231C



- Torque: 600 Ft/Lb.
- · Pressure-Fed Lubrication
- Adjustable Power Regulator
- 1/2" Square Drive

WARRANTY: 1 Year

WARRANTY: 1 Year 1/2" Thundergun Ingersoll Rand

Street Legal **Impact Wrench** SKU 495318

IRT232TGSL

• Torque: 625 Ft/Lb. • 10,000 RPM for Removal is



WARRANTY: 1 Year

1/2" Ouiet **Impact Wrench**

SKU **738489**

IRT2135QXPA • Torque: 780 Ft/Lb.

 Light, Quiet and Powerful Impact

• Twin Hammer Mechanism · Weighs Only 4 Lb.

WARRANTY: 1 Year

(IR) Ingersoll Rand

(IR) Ingersoll Rand (IR) Ingersoll Rand 1/2" Titanium **Air Impact Wrench** SKU **695134**

IRT2235TIMAX

• Torque: 1,350 Ft/Lb. • Reverse Torque: 930 Ft/Lb.

Twin Hammer Impact

Mechanism Lightweight



WARRANTY: 1 Year

M7

(IR) Ingersoll Rand 1/2" Titanium Air Impact Wrench with **Extended Anvil**

SKU **738490** IRT2235TIMAX2

• Torque: 1,350 Ft/Lb

- Max. Reverse Torque: 930 Lb.
- 8,500 Free Speed RPM
- Titanium Hammercase

WARRANTY: 1 Year

3/8" Impact Wrenches



- Feather Touch Trigger Forward/Reverse



3/8" Mini Air **Impact Wrench**

SKU 1125881 KNGNC-3612Q

17499

- Maximum Reverse Torque Can Reach Up to 350 Ft/Lb. in 5 Seconds
- Low Noise Sound Level 85 dBA

WARRANTY: 3 Years



3/4" Impact Wrench


3/4" Composite **Impact Wrench**

SKII 477102 IRT2145QIMAX

- Max. Reverse Torque: 1.350 Ft/Lb.
- · Compact Design Fits Easily into Small Spaces
- Air Consumption CFM: 8.5 Compact and Lightweight (Only 7.4 Lb.)

WARRANTY: 1 Year





AIR TOOLS

OEM TOOLS

Air Sanders

2" Surface **Prep Air** Sander

SKU **094650** 25778

- Includes Quick Change "Twist Lock" Mandrel
- Free Speed: 20,000 RPM
- Average Air Consumption: 3.2 CFM
- Air Inlet Thread Size: 1/4" NPT

WARRANTY: 1 Year



24409

- Recommended Air Pressure: 90 psi
- Air Consumption: 1.7 CFM
- Strokes per Minute: 9,000 SPM
- Air Inlet Thread Size: 1/4" NPT • Lightweight: 1.50 Lb. (0.70 kg)
- Length: 10.6" (270 mm)
- Exhaust: Front

(IR) Ingersoll Rand

- · Enhanced Blade Guard Design and Trigger Safety Lock
- Includes: Reciprocating Air Saw, 2 Hex Key Wrenches, 2 Saw Blades and 2 Blade Guards



OEM TOOLS

SKU **970475** IRTIR311A

(IR) Ingersoll Rand

 Dual Action Pad Motion Reduces Swirl





SKU **970479** IRTIR315

- Twin Piston Design for Smooth Operation
- 3,000 Strokes per Minute



WARRANTY: 1 Year

Heavy Duty Mini Surface Prep Kit

SKU **087620** 24417

- 2" and 3" Heavy Duty Mini Air
- Surface Prep Sander • (1) 2" Backer Pad and
- (1) 3" Backer Pad • (2) 2" and (2) 3" Medium
- Grit Surface Prep Discs • (2) 2" and (2) 3" Coarse Surface Prep Discs
- (2) 2" and (2) 3" Sander Discs
- Blow Mold Case

WARRANTY: 1 Year



1/4" Die Grinders

Mini Air Die Grinder

SKU **751631** 24404

- Air Consumption: 2.4 CFM
- Free Speed: 25,000 RPM
- Recommended Air Pressure: 90 psi

WARRANTY: 1 Year




1/4" Air Die Grinder



- Free Speed: 22,000 RPM
- Pressure: 90 psi
- Exhaust: Rear 360°

SKU **802212 29⁹⁹** REG. \$49.99 24406



- Recommended Air

WARRANTY: 1 Year

Offer Good Through March 31, 2025


Extended Air Die Grinder SKU **802216** 24408



- Free Speed: 23,000 RPM
- Recommended Air Pressure: 90 psi



WARRANTY: 1 Year



SKU **802211** 24405

- Air Consumption: 3.4 CFM · Free Speed:
- 25.000 RPM • Recommended Air
- Pressure: 90 psi



1/4" Mini Angle Die Grinder and Surface Prep Kit

SKU **94648** 25777

(IR) Ingersoll Rand

- Air Consumption: 4 CFM
- Free Speed: 20,000 RPM
- . Grinding and Cleaning All-in-One Kit
- · Comes in a Heavy Duty Plastic Tray

WARRANTY: 1 Year





OEM TOOLS

1" Impact Wrench

1" Impact Wrench with Extended Anvil

SKU **970474** IRTIR285B6

- Reverse Torque: 1,770 Ft/Lb.
- 6" Anvil for Better Truck Wheel Nut Accessibility
- Hi-Efficiency Motor





Air Drill

3/8" Quiet Reversible Air Drill SKU **1189089 KNG0E-833**

· Sound Level: 83 dBA

- Ergonomic Rubber Grip
- Variable Speed Trigger
- Aluminum Body Convenient Forward/Reverse Control Lever

• Free Speed: 1,800 RPM





AIR TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

1/4" Air Ratchets

1/4" Super Duty Air Impact Ratchet

SKU **850508** 24415

Impact Mechanism Adds Power and Prevents Kickback

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- Sealed Head Ratchet Housing Prolongs Tool Life
- Compact and Lightweight
- Most Power-to-Weight Ratio
- Rear Air Exhaust: 360° Adjustable

WARRANTY: 1 Year



 m_7

1/4" Drive Industrial **Air Ratchet**

SKU **466593** 25763

- . Max. Torque: 18 Ft/Lb.
- Free Speed: 240 RPM
- Average Air Consumption: 3.0 CFM
- Recommended Air Pressure: 90 psi



OEM TOOLS

3/8" Air Ratchets



3/8" Air Ratchet SKU **970485** IRTIR107XPA

• Max. Torque: 54 Ft/Lb.

 Advanced Head Design • 360° Adjustable Exhaust



3/8" Air **Ratchet Wrench**

Composite

SKU **662908** KNGNE-343

• Max. Reverse Torque: 75 Ft/Lb. • Forward Working Torque:

10 to 55 Ft/Lb. • Free Speed: 160 RPM

(IR) Ingersoll Rand

WARRANTY: 3 Years

3/8" Super Duty Air Impact Ratchet

WARRANTY: 1 Year

SKU **8500**55 24416

- . Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM • CFM: 3.1 @ 90 psi
- Length: 6.5" Sealed Head Ratchet Housing Prolongs Tool Life
- Compact and Lightweight
- Most Power-to-Weight Ratio

(IR) Ingersoll Rand

• Rear Air Exhaust

WARRANTY: 1 Year



OEM TOOLS

OEM TOOLS

Air Hammers

Standard Duty Air Hammer

SKU **1392327 IRT117**

- 2,000 Blows per Minute
- . Heat-Treated Piston and an Alloyed Steel Barrel



WARRANTY: 1 Year

1210 Super Duty Air Hammer

SKU **478945** IRT1210



. Built-In Power Regulator and Trigger Control

 Easy to Control with an Throttle



WARRANTY: 1 Year

Cut-Off Tools

Air Reciprocating Saw SKU **970481**

IRTIR429

• Designed for Cutting Intricate Shapes

• Cuts Flat and Curved Surfaces

Comes with 6 High Speed Steel **Cutting Blades** 3" Air **Cut-Off Tool** SKU **466590**

25760

REG. \$39.99

- Air Inlet Thread Size: 1/4" NPT
- Free Speed: 22,000 RPM

 Recommended Air Pressure: 90 psi



WARRANTY: 1 Year Offer Good Through March 31, 2025

Inflators

Digital Tire Inflator

SKU **802198 69**99 24412

· Easy-to-Read Backlit LCD Display

- 4 Units of Measure (psi, Bar, KPa, kgf)
- Measuring Range: 0 to 175 psi (0 - 12 Bar)

• Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi

• High Air Flow Saves the

Technician Time · Includes: 2 AAA Batteries



OEM TOOLS

Dial Tire Inflator

SKU **301772** 24380

Clear and Easy-to-Read

80 mm 180 psi Gauge

• 3-In-1 Function: Inflate. **Deflate and Measure** Tire Pressure

 Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks



OEM TOOLS

3.5" Digital Tire **Inflator with Hose**

SKU **1268419**

WARRANTY: 1 Year

AST3018

- 21" Stainless Braided Hose Dual AAA Battery
- Powered Design
- Backlit LCD Digital Read-Out
- Includes **Batteries**



Astro

MILTON INDUSTRIES, INC. Inflator **Gauge. Dual Head Chuck Tire Inflator Gauge** SKU **OUTSIDE BUY/EPO** MILS506

• Heavy Duty Construction Provides for Long Life Even Under Heavy Use and Extreme Conditions

- · Gauge and Valve Cartridges are Replaceable
- Equipped with Magnifying Lens for Full View of Scale



For Outside Buy/EPO,

IR TOOL ACCESSORIES

Impact Sockets and Extensions

1/2" Drive Impact **Extension Set**

SKU **1340235** SUN2500



• Set Includes: 1/2" Dr. 3", 5", 10" and 15" Impact Extensions



33 mm 1" Drive Budd **Style Wheel Socket**

SKU **466569** 25528

• 1" Drive 33 mm Budd Wheel Socket for Mack. Midliner. Volvo. White and Other Import Trucks with Dual Rear Wheels





1-1/2" Hex x 13/16" **Square Deep 1" Drive Budd Style Wheel Socket**

SKU **466570** 25529

• For Budd Wheel 1-1/2" Hex with 13/16" Inside Square





Sockets

- 3/8" Impact 6 Pt. High Quality Impact Sockets
 - SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

Posi-Grip No Slip™ Design Provides Superior Gripping Power for Maximum Torque Chrome Moly Steel Construction for Strength and Durability

12 Piece **Shallow (SAE)** SKU **391191**

25589 **29**99

12 Piece **Shallow (Metric)** SKU **391190** 25587

Deep (SAE) SKU **442193** 25590 **39**99

12 Piece

12 Piece Deep (Metric)

OEM TOOLS

SKU **464314** 25588

3999



- 1/2" Impact 6 Pt. High Quality Impact Sockets
- **Sockets**
- SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"
 Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

OEM TOOLS

11 Piece **Shallow (SAE)** SKU **391195**

25593

10 Piece **Shallow (Metric)**

SKU **391192** 25591

2999





11 Piece Deep (SAE)

SKU **391196** 25594

10 Piece Deep (Metric)

OEM TOOLS

OEM TOOLS

SKU **391194** 25592

3999



Impact Adapters

5 Piece Adapter and Universal Joint Set (3/8" and 1/2")

SKU **965864** 24226

- Chrome Moly Steel Construction
- Includes: 3/8" Drive Universal Joint, 3/8" Drive (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4"(M) Adapter



Air Blow Gun

5 Piece Interchangeable Tip Air Blow Gun

SKU **338823** 24439

• Includes 4 Interchangeable Tips: 100 mm (4"), 140 mm (5.5"), 320 mm (12.5") and a Turbo Wide Angle Nozzle

· Quick Change Coupling Makes it Easy to Change Tips

- Wide Angle Nozzle for High Volume
- Variable Trigger to Control Volume and Tip Pressure
- 1/4" NPT Air Inlet

High Flow Couplers

High Flow Coupler and Plug Kits

- Ideal for HVLP Spray Guns and High Torque Impact Wrenches
- Delivers the Highest Air Volume with the Lowest Pressure Drop

MORE

FLOW*

14 Piece 1/4" Body, 1/4" NPT

SKU **757091** 26134

OEM TOOLS



7 Piece 1/4" Body. 1/4" NPT

SKU **757040** 26132



*When Paired Together, OEMTOOLS High Flow Couplers and Plugs Deliver Up to 70% More Flow than Conventional Couplers

AIR TOOL ACCESSORIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Hoses and Hose Reels

50' Nitrile Rubber

- Lays Flat Under Pressure for Easy Maneuverability and Safety
- Meets PFAS-Free Regulations
- Resists Abrasions and Kinks
- UV Protective Material
- · Excellent Resistance to Grease, Oil and Weather



3/811

SKU OUTSIDE BUY/EPO LIN72N3850

• 1/4" NPT Brass Fittings

LINCOLN

SKU **OUTSIDE BUY/EPO**

• 1/2" NPT Brass Fittings

SKU OUTSIDE BUY/EPO

LIN72N1250

1/2"

100ⁱ **Wall Mount Air Hose Reel**

SKU **291343** 25970

• Comes with 18" Leader Hose

OEM TOOLS

- . Mounts Solid or with Swivel Action Solid Steel Frame



LINCOLN

3/8" x 50" **Air Hose Reel**

SKU **900815** 25979

. Smooth Automatic Retracting Spring Coil • 50' Hose

OEM TOOLS

• 3/8" NPT Fittings

Max. Pressure:



国人家交通国际

50' Premium Hybrid

- Lightweight Design for Ease of Use and Enhanced Portability
- Kink Resistant with All-Weather Flexibility (-40 to 150 Degrees F)

Conditions (-40° to 150°F)

• 300 psi Working Pressure

Extending Life of Hose Solid Brass MNPT Ends

1/2" x 4' Air Hose

SKU **347221**

24421

SKU **347224** 24424

3/8"

SKU OUTSIDE BUY/EPO LIN72H3850

3/8" x 50' Hybrid Polymer Air Hose with Reel

• 1/4" NPT Brass Fittings

• 1/2" NPT Brass Fittings

LIN72H1250

For Outside Buy/EPO, Call 901-300-4878

Value Series Air

- · Retractable Delivery Hose
- Durable Heavy Gauge Steel Construction
- Slotted Mounting Base for Easy Installation



Hose Reel

1/2" x 50¹ SKU **972285** LIN83754



3/8" x 50' Air **Hose Reel**

SKU OUTSIDE BUY/EPO

LEGL8250FZ

• Extreme All-Weather Flexibility, Even in Subzero Temperatures (-40° to 140°F)

• Won't Kink Under Pressure



For Outside Buy/EPO, Call 901-300-4878

• 3/8" Swivel MNPT x 3/8" MNPT

Air Piping

MaxLine Compressed Air Piping System 3/4" Master Kit

• Heavy Duty Polymer Hose Material Redefines

Flexibility - Stays Flexible Under All Weather

Holds No Memory - Kink Resistant Under Pressure

. Bend Restriction for Reducing Wear and Tear and

SKU **360593** RAPM7500

Aluminum Core: Holds Any Bent Shape!

- Heavier Duty Components for Longer Air Runs in Larger Buildings
- 3 Air Outlets, (1) 3/4" NPT Straight Fitting, 2 Tees, 20 Clips and 100' of 3/4" HDPE Tubing



1/2" Tubing Master Kit

SKU **360485** RAP90500

· Easily Install Behind Walls of New Construction or on **Existing Shop Walls**

• Includes: 2 Air Outlet Kits, 1 Compressor Manifold Kit, 100' Nylon Tubing and Tubing Cutter



3/4" MaxLine Outlet Kit SKU OUTSIDE BUY/EPO **RAPM7510**

5999

• 3/4" Outlet Kit for MaxLine Compressed Air System

For Outside Buy/EPO, Call 901-300-4878

See More RapidAir® Products on AutoZonePro.com

Air Chuck

OEM TOOLS

Dual Foot Air Chuck with Comfort Grip Handle

SKU **802201** 24413


- Comfortable Screwdriver Style Handle
- 30° Reverse Angle Chuck Can Be Used on Outside Tires
- . Tilt Lock Feature Locks onto the Valve





· Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas





AIR TOOL ACCESSORIES

Surface Prep

2" Twist-to-Lock Surface **Prep Discs (50 Pack)** with Cookie Jar

Coarse SKU 1146029 SHA13088

Assorted

SKU **1168677**

Medium SKU 1146030 SHA13089

7999

REG. 79.99

SHA13087 • Includes: Coarse, Medium and Fine Offer Good Through March 31, 2025



2" Surface Prep Discs (25 Pack)

• Twist-Lock Style



SKU 1330684 22517

(0.79 each)

Medium SKU 1335806

22516

19⁹⁹ (0.79 each)



3" Surface Prep Discs (25 Pack)

• Twist-Lock Style

Coarse

SKU 1335795 22518

3499 (1.39 each)



SHARK

3499 (1.39 each)





OEM TOOLS

Twist-Lock Disc Holders

SKU 1368617 SHA13012

• 2" Holder (Single)

SKU **094911** SHA323T2

• 2" Holder (2 Pack)

SKU **094916** SHA333T2

• 3" Holder (2 Pack)



SKU **094912** SHA323TB

• 2" and 3" Holder Set

2" Purple Strip Disc with Twist-Lock (5 Pack)

SKU **298097** SHA16206

- Long-Life Silicon Carbide for Paint and Coating Removal
- Pack of 5 Discs



2" Twist-Lock Mini Flap Discs **Assorted Grits (6 Pack)**

SKU **306275** SHA13056

- Outlasts Mini Grinding Discs by 3 Times
- Includes: 2 Each of 40, 60 and 80 Grit





Ideal for Hard-to-Reach Surfaces and Lasts Longer than Most Abrasive Discs

Finger Discs (10 Pack)

- Long Life Discs with Type "R" Style Backing • Improved Surface Contact
- Over Wire Brushes · Great for Rust.
- Surface Contamination and Oxide Removal from Metals







Finger Discs								
SKU Part # Color Size Grit Qty Price								
OSB/EPO	SHA13345	Green	1"	50G	10	79.99		
1362005	SHA13347	Yellow	1"	80G	10	79.99		
OSB/EPO	SHA13349	Gray	1"	120G	10	79.99		
OSB/EPO	SHA13359	Gray	2"	120G	10	99.99		
1362011	SHA13361	Green	3"	50G	10	164.99		
1362013	SHA13363	Yellow	3"	80G	10	164.99		
1362001	SHA13365	Gray	3"	120G	10	164.99		

For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

Twist-to-Lock Green Zirconia Mini Grinding Discs



3"

SHA12619





Cut-Off Accessories

Mandrel Set for Cut-Off Tools (2 Pack)

SKU **094907** SHA32





10 Piece Cut-Off **Wheel Set with Mandrel**

SKU **1400046 14 99** 26528

· Capable of Cutting Fiberglass, Plastic, Iron, Steel and Other Ferrous Metals

Quantity: (10) 3" x 1/16" Cut-Off Wheels with 3/8" Arbor. 46 Grit

Max. RPM: 20,400



3" Aluminum Cutting Wheels (10 Pack)

SKU **306331** SHA13178PK2

• Silicon Carbide Grain

 Includes: (10) 3" x 1/16" x 3/8" Cut-Off Wheels

· Works on 3" Die Grinders



204009

3" x 1/16" x 3/8" **Reinforced Cut-Off Wheels (25 Pack)**

25

SKU **306273** SHA25E5PK5

80

49.99

- · For Use with Pneumatic Cut-Off Tools
- Max. RPM: 25,000
- Includes: 25 Discs







Professional OEMTOOLS®

20V Max* Li-ion

Heavy Duty 1/2" Impact Wrench SKU **818594**

24481

- Speed: 0 to 2,200 RPM and 0 to 2,900 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Tightening Torque: 260 Ft/Lb.
- Weight: 8 Lb.
- Battery Light Indicators
- . Charge Time: 2 Hrs.
- Includes: 4.0Ah Li-ion Rechargeable Battery with Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion

1/2" Brushless Impact Wrench

SKU **592251** 24486

- Variable Speed: 0 to 2,600 RPM and 0 to 3.000 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Tightening Torque: 260 Ft/Lb. Charge Time: 2 Hrs.
- Weight: 9.28 Lb.
- Includes: Rechargeable 4.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion

1/2" Brushless Hammer Drill

SKU **593469** 24485

- Variable Speed: 0-600 RPM and 0-2000 RPM
- . Max. Torque: 310 In/Lb.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Charge Time: 1 Hour
- Includes: Rechargeable 2.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case

20V Max* Li-ion

Cordless Angle Grinder SKU **598786** 24492

- Speed: 0 to 10.000 RPM
- Max. Disc Diameter: 4-1/2"
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- · Charge Time: 2 Hrs.
- Includes: Grinding Disc, Assist Handle, Rechargeable 4.0Ah Li-ion Rechargeable Battery and Charging Station



20V Max* Li-ion **Reciprocating Saw**

SKU **592353**

REG. \$99.99

- Variable Speed: 0 to 3,000 RPM
- Overall Length: 14-1/4"
- Includes: High-Quality, Multi-Purpose Bi-Metal Reciprocating Saw Blade, Rechargeable 2.0Ah Li-ion Battery and Charging



All Professional OEMTOOLS 20V Power Tools Work with:

Battery Charger SKU **824778** 27333B

 Replacement Part for OEMTOOLS Heavy Duty 1/2" 2VSR Cordless 20V Li-ion Drill



Replacement Batteries

2.0Ah

SKU **824777** 27333A

4.0Ah SKU **824772** 27314AM

*With respect to 20V Max, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18V.

Corded OEMTOOLS®

Oscillating Tool

SKU **592331** 24495

- Includes: 3-1/2" Semi-Circle Wood Saw Blade, 2" Rigid Scraper, 1-1/4" Wood Plunge Blade, Standard Sanding Pad and (3) 60/80/120 Grit Sandpapers and 6 Ft. Power Cord
- Variable Speed: 11,000 to 20,000 OPM
- Power: 2.3 Amps
- Overall Length: 14-1/2"
- . Power Cord Length: 6 Ft.

OEM TOOLS



March 31, 2025

- 7" Variable Speed Polisher SKU **592258** 24496
- No-Load Speed: 1000 to 3000 RPM
- Power: 11 Amps
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- · Power Cord Length: 6 Ft.
- Includes: Sanding Paper, Sanding Pad, Terry Bonnet, Wool Bonnet and Foam Piece



6" Bench Grinder with Lamp

SKU **412598** 80058

- Solid, Heavy Duty Construction for Shaping and Sharpening Hardened Steel
- 6" Wheels with Tool Rests • Tool Rests Adjust to 45° or
- 90° Position · Includes: Coarse and Fine 6" Grinder Wheels. Goose Neck Lamp, Adjustable Eye **Guards and Spark Breakers**







SKU **112398** SHA2017

 Economical, Long Lasting Ahrasive Wheels



14" Chop Saw

SKU **1228718** 24723



- Steel and Pipe • 15 Amp Motor for Powerful **Cutting Action**
- Spindle Lock Makes Wheel
- Changes Quick and Easy Accepts Standard 14" Cutoff Discs
- . Includes: Cutting Blade and 6 Ft. Power Cord



POWER TOOLS

OEMTOOLS®

24660

20V Max* Li-ion 3/8" Cordless Drill SKU **052383**



- . Chuck Size: 1/2" Keyless Jacob's Chuck
- No-Load Variable 2 Speed Gear Box: 0 to 350 RPM and 0 to 1.150 RPM
- Max. Torque: 220 In/Lb.
- Max. Drilling Capacity: 5/16" (Metal) and 3/4" (Wood)
- Keyless, Auto Spindle Lock Chuck Size: 3/8"
- Clutch: 16 + 1 Torque Clutch Setting
- Electric Brake
- Forward and Reverse Switch
- Battery Charge and Capacity Indicator Lights
- . Charge Time: 4 to 6 Hrs.
- Includes: 1.5Ah Li-ion Rechargeable Battery and Battery Charger



20v MAX

20V Max* Li-ion

3/8" Cordless Impact Wrench

SKU **052379** 24661



- · Variable Speed:
- 0 to 2,400 RPM and 0 to 3,000 IPM
- Max. Torque: 200 Ft/Lb. (Forward) and 240 Ft/Lb. (Reverse) Battery: 1.5Ah Li-ion
- Electric Brake
- · Battery Charge and Capacity Indicator Lights
- . Charge Time: 3 to 5 Hrs.
- Includes:

1.5Ah Li-ion Rechargeable **Battery and Diagnostic Fast Battery Charger**

STORE STOCKED

20v MAX

20V Max* Li-ion

1/2" Cordless **Impact Wrench**

SKU **052380** 24670

- Anvil:
- 1/2" Square Drive Speed: 0 to 2,200 RPM: 0 to 2,700 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Max. Tightening Torque: 240 Ft/Lb.
- Battery: 2.0Ah Li-ion
- Weight: 6.5 Lb.
- Charge Time: 5 to 7 Hrs.
- · Includes: 2.0Ah Li-ion Rechargeable Battery, Li-ion Battery Charger



OEM TOOLS

STORE STOCKED

and Charger

Available

20V Max* Li-ion Individual Batteries Battery 1.5 Amps SKU **029415** 24660A

. Charges in 4 to 6 Hrs



20V Max* Li-ion **Battery 2.0 Amps**

SKU **1392334** 24670-36

. Charges in 4 to 6 Hrs.



20V Max* Li-ion

STORE STOCKED

Battery Charger SKU **029418** 24660B



4-1/2" Compact Angle Grinder

24663

SKU **052382 1255**

- Motor: 6 Amp
- Voltage: 120V, 60 Hz
- Speed: 10,500 RPM
- Interchangeable Handle for Left or Right Hand Use
- Heavy Duty, Cast Aluminum
- Gear Head for Strength and Durability
- 6 Ft. Power Cord
- Includes: Grinding Wheel, Spanner Wrench





Heavy Duty 1/2" **Impact Wrench** SKU **052388**

24666

- Input Power: 8.5 Amp
- Voltage: 120V, 60 Hz
- 1/2" Square Drive with Hog Ring Retainer
- No-Load Speed: 0 to 2,200 RPM and 0 to 3,000 IPM
- Replaceable Carbon Brushes
- 8 Ft. Power Cord





SKU **052384 37**99 24664

- Input Power: 1.2 Amp
- Voltage: 120V, 60 Hz
- No-Load Speed: 10,000 to 35,000 RPM
- Collet Capacity: 1/8" to 3/32"
- Spindle Lock for Easy Bit and Accessory Change
- 6 Ft. Power Cord
- Includes: Grinding Stones, Wheels, Brush, Sanding Bands and Disc, plus Grinding, Cloth and Cut-Off Wheels







Flexible Shaft Rotary Tool Extension

SKU **003483 71** 99 24657

• Easily Attaches to Many Popular Rotary Tools



STORE STOCKED /

12V Max** Li-ion

Power Ratchet SKU **1069064**

24685

- Max. Torque: 35 Ft./Lb
- Max. Manual Torque: 96 Ft./Lb.
- No-Load Speed: 230 RPM
- Ergonomic Grip with Low-Profile Head for Work in Tight Spaces
- Features Integrated Worklight for Hard-to-See Spots
- Includes: 2Ah Li-ion Removable Battery and Charger





Dual Temp Heat Gun

SKU **052387** 24665



- Input Power: 10 Amp
- Voltage: 120V, 60 Hz
- . Temperature Settings: 482°F/842°F
- Trigger:
- 3 Position Rocker . Hanging Loop for Storage
- 6 Ft. Power Cord









**With respect to 12V Max, Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8V.

POWER TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Power Tool Accessories

33 Piece Impact Rated

Driving Bit Set SKU **750443** 25960

- Designed to Withstand High **Torque Applications**
- Reduces Wear, Stripping and Cam-Out
- Includes: Magnetic Impact Rated Bit Adapter



6 Piece Bi-Metal Hole Saw Set SKU **547011** 24378 **REG. \$24.99**

- Includes: Sizes: 7/8", 1", 1-1/8", 1-1/4" and 1-1/2" (22 mm, 25 mm, 29 mm, 32 mm and 38 mm)
- Slotted Saw Allows for Easier Plug Removal Durable Enamel Finish
- **Protects Against Corrosion** Bi-Metal Construction for Increased Wear Resistance

Offer Good Through March 31, 2025



OEM TOOLS



Multi-Purpose Drill Powered Pump

SKU **526513 94 99** 24503

• Works with a Corded or Cordless Drill to Transfer the Following Liquids: Fresh Water, Sea Water, Organic Solvents, Motor Oil, Heating Oil, Insecticides and Liquid Fertilizers





4-1/2" x 1/16" x 7/8" Cut Off Wheel Pack of 6

SKU 1485031 26510PK

- 4 1/2" Wheel Diameter
- 1/16" Wheel Thickness
- 7/8" Arbor Diameter
- · Will Evenly Cut Through Fiberglass, Plastic and Steel
- · Arbor Diameter Fits Most Drills





SHA12734

- Type 27 Aluminum Oxide **Grinding Wheels**
- Arbor: 7/8"
- Diameter: 4.5 by 1/4 Hubless, 24 Grit
- Pack Contains 3 Wheels



Bench Grinder, **Vise and Drill Press Stand**

SKU **943120 129 99** 24643

· Heavy Duty Steel **Construction Features** Large Base to Prevent Walking or Wobbling During Operation and is Pre-Drilled for Mounting

• Top/Plate Dimensions: 13.8"(L) x 9.8"(W) x 0.2"(H)

 Overall Dimensions: 13.8"(L) x 9.8"(W) x 37.4"(H)

> **Multiple Mounting** Configurations Fit Many Bench Grinders, Pipe Benders, Vises and Drill Presses



OEM TOOLS

Mechanics Set

SKU **533204 | 24974**



999 REG. \$2,056.51

Includes 156 of the Most Common Tools in Tool Cart

• SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More









Offer Good While Supplies Last Through March 31, 2025

Cart Style and Color May Vary

Technicians Set

2,24999 REG. \$2,791.22



• SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change, Wheel Service and More











AZG0125

Cart Style and Color May Vary

Floor Jacks

3 Ton Long/Low Signature **Service Jack**

SKU **1407611** 24868

- Extra Long and Low Profile is Great for Low Clearance Vehicles, Pickups and SUVs
- Padded Jack Handle and Saddle Pad to Prevent Vehicle Damage
- . Dual Pump Design for Quicker Lifting
- Nylon Casters to Protect Sealed Floor Surfaces and Dealer Showrooms
- Min. Height: 3-3/8"
- Max. Height: 24-1/4"
- Length: 31-3/8"
- Weight: 100.3 Lb.





Dual Pump Design for Quicker Lifting



Long Reach Low Profile



Nylon Casters Protect Floor Surfaces

2-1/2 Ton Aluminum/Steel **Hybrid Floor Jack**

SKU **1417557** 24869



- Provides the Benefit of Strength Along with Light Weight
- Padded Jack Handle and Saddle Pad to Prevent Damage to Vehicle
- Dual Pump Design for Quicker Lifting
- Nylon Casters to Protect Sealed Floor Surfaces and Dealer Showrooms
- Min. Height: 3-1/2"
- Max. Height: 19-1/4"
- Length: 25-1/2"
- Weight: 58.2 Lb.





Dual Pump Design for Quicker Lifting



Low Profile



Nylon Casters Protect Floor Surfaces

BUY ANY FLOOR JACK BELOW -**GET THESE**

VALUE: \$99.99

6 Ton Jack Stands (Pair) 24853

With Purchase of: 24791, 24837 or 24838



Offer Good While **Supplies Last Through** March 31, 2025









All OEMTOOLS® Jacks on this page include overload and bypass safety valves and meet ASME PASE 2014 Safety Standards.

OEM TOOLS

JACKS & HYDRAULICS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Jack Stands

3 Ton Jack Stands (Pair)

SKU **757122** 24852

- Min. Height: 11
- Max. Height: 16-1/2"

6 Ton Jack Stands (Pair) SKU **757050**

24853

• Min. Height: 15.75"

• Max. Height: 23.7"



22 Ton Heavy Duty Axle Stands (Pair)

SKU **757098 24854**

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement

4 Ton Ratcheting Jack Stand (Pair)

SKU **1142454** VIK55040

- Min. Height: 14"
- Max. Height: 21"
- Width: 8.44

6 Ton Ratcheting Jack Stand (Pair) SKU **OUTSIDE BUY/ÉPO**

VIK55060 • Min. Height: 15.75"

- Max. Height: 24.38"
- Width: 11'



For Outside Buy/EPO, Call 901-300-4878

Air Hydraulic Jacks

20 Ton Air Hydraulic Bottle Jack

SKU **544795** 24850

- Can Be Operated with Air or Manually
- Height: 10.25" to 20.1" • Extension Screw
- Adjustment: 3.15"

OEM TOOLS



22 Ton Air Hydraulic Truck Jack

SKU **544796** 24851

- Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles
- Ram Travel: 4-15/16"
- Extension Screw Adjustment: 4"
- Min. Height: 8-3/4'
- Max. Height: 17-11/16"

Hydraulic Jacks Built for Performance and Ease of Use

Wheel Dollies

Mechanical Vehicle Position Dollies

• Easily Lift and Move Vehicles Up to 6,000 Lb.

• 1,500 Lb. Capacity Each



Set of 4 Dollies with Storage **Cradle** SKU 1414391

69000

REG. \$564.97 When You Buy the Set

OEM TOOLS

Set of 2 Dollies

SKU 1089031 24793

24999



Hydraulic Vehicle Position Dollies

- Easily Lift and Move Vehicles Up to 6.000 Lb.
- 1,500 Lb. Capacity Each



Set of 4 Dollies with Storage **Cradle**

SKU **696485** 68986

REG. \$664.97 When You Buy the Set

Set of 2 Dollies SKU **298098** 24855TW0



Vehicle Position Dolly Cradle

SKU **544800**

• Neatly Secure and Store Up to 4 Vehicle Car Dolly Jacks



AZG0125

· Universal Joint Technology



4 Ton Floor Jack

4 Ton Heavy Duty Floor Jack

SKU **954207** AFF400SS

- High Grade U-Cup Seals and High Pressure Plunger for Maximum Performance
- Heavy Duty Pump, Ram and Cylinders are Precision Machined and Inspected
- Rear Mounted Swivel Casters
- Pinned and Padded Saddle
- Twin Hydraulic System Flanged Side Plates
- Meets ASME 2014 Standards























23-3/4" (W) x 4-3/4" (H)

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Engine Stands

1.250 Lb. Engine Stand

SKU **462493** 24829

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- Extra Wide 4 Wheel Base Provides Added Stability
- 360° Rotation
- Lock Pin Locks Engine into Position



Heavy Duty 1,000 Lb. **Engine Stand**

SKU **757115** 24839

- Adjustable Mounting Arms to Fit Most **Engine Configurations**
- Locking Head Plate with 360° Engine Rotation
- Tubular Steel Construction
 Base: 32-1/2" (L) x 30-3/4" (W)
- Height: 37-3/8"
- Weight: 41.9 Lb.



1,100 Lb. Rotating Engine Stand

24798

sku **1125862 2/1099**

- · Adjustable Mounting Arms to Fit Most **Engine Configurations**
- Locking Head Plate with 360° Engine Rotation Heavy Duty Worm Gear for Effortless Rotation
- Tubular Steel Construction
- · Folding Legs for Easy Storage
- · Base:

41-1/4" (L) x 27-1/8" (W)


· Weight: 102.5 Lb.



Ranger

1 Ton Folding **Engine Stand**

SKU **544804** 24834



OEM TOOLS

. Sturdy, Wide-Base Design to Prevent Tipping Under Load



Shop Cranes

6,000 Lb. Heavy Duty Engine Crane

SKU **1267948** AFF3584

· Reinforced Leg Assemblies for Added Strength and Durability

- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton • Rear of Crane: 61.5" Tall
- x 33" Wide . Distance Between Front of Legs: Retracted 23", Extended 28.5"
- · Built-In Safety Overload to Protect the Unit from Being Used Beyond its Rated Capacity



2 Ton Folding **Shop Crane**

SKU OUTSIDE BUY/EPO RANRSC2TF

· Heavy Duty Hydraulic Folding Engine Hoist with 2 Ton Capacity Ram is Perfect for Shops That Have Limited Space but Still Need the Pure Lifting Convenience of a Crane

• Front Casters Include a Safety Brake to Prevent Movement



For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

2 Ton Folding **Shop Crane**

SKU **544801** 24830

49999

• Foldable Design Makes for Convenient Easy Storage

• 6 Solid Steel Caster Wheels Add Mobility

 Fully Adjustable 4 Position Boom



OEM TOOLS

Lift Accessories

Universal Engine Lift Plate 1,000 Lb. Capacity

SKU **662861** 24867

• Corrosion Resistant, Gold Iridite Zinc Plating

- Tough, All Steel Construction
- Fits Most V Style 6 and 8 Cylinder Engines with 2 or 4 Barrel Intake Manifolds
- Mounting Hardware Not Included

Floor Jack Crossbeam

SKU **544803** 24833

- Compatible with Most Floor Jacks with a 1-1/8" Diameter Saddle Stud
- Saddles Adjust from 23" to 32" on Center
- Min. Width Capacity: 3,000 Lb.
- Max. Width Capacity: 4.000 Lb.



OEM TOOLS **Bed Lifter**

SKU **OUTSIDE BUY/EPO** STK35885

. Designed to Lift Truck Beds Safely and Easily

. Lifting Brackets Adjusts to Evenly Distribute Weight





STECK

Price does not include vehicle

For Outside Buy/EPO, Call 901-300-4878

Engine Support

3 Point Engine Support Bar

24951

- . Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles Width Expands from 34-1/2" to 61"
- (2) 14" Adjustable Hook Screws

1,100 Lb. Engine Support SKU **512946**

24950

- 2 Screw Adjusters for Precise Positioning Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability
- 1.100 Lb. Capacity



• (2) 38" Braided Steel Cables

• 700 Lb. Capacity

OEM TOOLS

& Astro

OEM TOOLS

Engine Transverse Bar with Support Arm

SKU **662856** AST5820

• Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles

CL Challenger Lifts

- Support Arm Provides Three-Point Support for Off-Center Loads
- Includes: 1/8" Braided STEEL Cables and 14" Adjustable Hooks
- · Capacity: 700 Lb.
- Weight: 21 Lb.



3/4 Ton Engine Leveler

SKU **544802 49**99

- 4 Point Mounting System Provides Maximum Control
- 3 Chain Positions to Accommodate Different **Engine Configurations**
- Durable Steel Construction
- . Smooth Operating Worm Drive Shaft for Easy Level Adjustment
- · Rated Capacity: 1,500 Lb.

High Reach Stands

• Provides Added Support During Installation/Removal of Automotive Components

Compact Design for Use in Limited Workspaces

Durable Heavy Gauge Steel Construction

OEM TOOLS 1.500 Lb. **High Reach**

Jack Stand SKU **757043** 24848

119⁹⁹

- Min. Height: 55"
- Max. Height: 78"



14999

- Foot Pedal Pump Saves Time Adjusting Load
- Min. Height: 55"
- Max. Height: 78"



179⁹⁹

- · Adjustment Pin Securely Supports Load in 5 Positions
- Min. Height: 49"
- Max. Height:



1,650 Lb. Foot **Operated High Reach Jack Stand** SKU **OUTSIDE BUY/EPO RANRJS1TF**

19999

- Base Dimensions: 12"
- Min. Height: 54-1/2"
- Max. Height: 80-1/2"



Ranger 2 Ton High **Tripod Jack Stand** SKU OUTSIDE BUY/EPO **RANRJS2TH**

19999

- Perfect for Holding Drive Train or Exhaust Components in Position
- Min. Height: 55"
- Max. Height: 87"

4,500 Lb.

EV Battery and

Powertrain Lift Table

SKU OUTSIDE BUY/EPO

BendPak.

Powertrain Lifts

EV Lift Table SKU **OUTSIDE BUY/EPO CHLBT3300**

- 3,300 Lb. Lift Capacity
- Scissor-Style Lifting
- Hydraulic Cylinder and 115V Plug
- Pendant Controlled Operation
- Max. Reachable Height: 76.5'
- Complies with ASME PASE-2019
- 8" Clearance Under Base Plate for Battery Removal
- Extending, Adjusting and Tilting Top Plate for Larger Batteries



5,099⁹⁹

· Air Assist Foot Pump with 9' Extension Provides Hands-Free Operation

· Safety Latches at 30%, 50% and 80% of Max. Height

• 8" Diameter Swivel Casters for Easy Maneuverability

 Rear Wheels Can Be Locked to Prevent Rolling

 Table Top Height from 33" to 77"





- BENEVS4500 11,499⁹⁹ Full-Rise Battery Powered Mobile
- Scissor Lift Table Remote Control Operation
- DC Electric Power System with **Onboard Charging**
- Full-Length Utility Trays



2,200 Lb. Lifting Table, Air/Hydraulic with Adapters SKU **OUTSIDE BUY/EPO**

 Designed for Removing/Replacing Battery Packs of Electric Vehicles as well as the Engine, Transmission, Drive Axle, Fuel Tank, Suspension and Sub-Frames of Traditional Vehicles

- · Large Base Frame Ensures Better Stability and Reliability
- Max. Lift: 70-1/16'

CEA-MS10KIT

- Min. Height: 22-7/16"
- Platform Length: 51-3/8" to 58-1/4"
- Platform Width: 33-1/8'



2,640 Lb. Lifting Table, Electric/ **Hydraulic** with Adapters SKU **OUTSIDE BUY/EPO** CEA-MS12MKIT 6,499⁹⁹

0

CUTTING EDGE

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

LIGNMEN

Ask About Special Pricing on Additional Multi-Lifts and Package Deals, Call 901-300-4878

SAVE OVER \$2,049



SAVE OVER \$3,799



Even Delivery in 40 Continental United States & Specifications Subject to Change without Nation as Liability & Equipment Lead Times of

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

For Outside Buy/EPO, Call 901-300-4878

Customer Responsible For Offloading, Liftgate Service Available.

ALIGNMENT

Aligners

Geoliner® 770 AC400 Clamps and VIN Reader

SKU **OUTSIDE BUY/EPO** HOFEEWA752BV3

- · Lightweight, 3-Camera System Folds to a Compact Size with a Low Center of Gravity, Taking Up Less Floor Space in the Shop and Easily Maneuverable When Needed
- Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single, Fast-Action Adjustment Knob
- Automatic Height Tracking to Provide Optimum Placement of its Advanced XD Targets and Cameras for More Speed and More Accuracy on Every Alignment
- Diagnostic Alignment with "Compensate Warn Alert" Intervention Gets it Right the First Time
- Video Speed Cameras Constantly Monitor Alignments, Providing Information at Every Step
- Unique Camera Beam Design Fits Through a Standard Doorway and Protects Cameras
- Next Generation UI Optimized for the High Volume User

 Highly Accurate and Reliable
- XD Camera Technology



HOFMANN®

Geoliner® 609 **Alignment System**



14,399⁹⁹

- Groundbreaking User Interface Provides Instant Access to Critical Tasks
- No Calibrations Required
- . Designed for a Connected World
- Small Footprint



WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up

WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up

Geoliner® 660 Imaging Wheel Aligner SKU OUTSIDE BUY/EPO 22,49999

 Advanced XD Cameras and Sophisticated Monitoring Algorithms Exclusive Dimensioning and Productivity Features

· Patented EZ-TOE - Turn the Front Wheels and Access Difficult Adjustment Points While Still Displaying Centered Toe Readings

· Features Easy-Rolling Casters, Storage for All Attachments and a Fully Enclosed Printer Compartment

 Includes AC200 Clamps, Brake Pedal Depressor, Color Ink-Jet Printer and Steering Wheel Holder

1 Year Motor and Parts, 6 Months Labor,

3 Years Circuit Boards, Pods and Electronics

WARRANTY:

ALIGNER INCLUDES:

Manufacturer's Set-Up



Geoliner® 678 Wheel Alignment System with AC400 and VIN

SKU OUTSIDE BUY/EPO HOFA715TBV3

• Easy to Use Interface - 3 Levels of Intervention ("Compensate - Warn - Alert") with Corrective Actions Just One Click Away

• Help Videos - View Detailed Videos of How to Make Needed Adjustments to Complete Even the Most Complex Tasks

· Cross-Diagonal Measurements Identify Frame or Structural Damage (Saving Time)

 Rolling Radius Identifies Mismatched Tire Sizes to Prevent Vehicle Pulling and Drive Train Damage

• Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single Fast-Action Adjustment Knob

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

<u>ALIGNMENT</u>

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300

Aligners CWA 6500 Wheel Aligner

SKU **OUTSIDE BUY/EPO** AMM8006500

25**,599**9

- . Comes with Both Self-Centering Clamp and Exclusive Tire Gripping Adapters to Ensure Both Accurate Reading and Fast Operation
- Multiple Compensation Modes to Make Getting Readings on Heavy Vehicles Easy without Having to Roll Vehicle Excessively Far
- Two Wheel Alignment Mode for Setting Total Tow on Large Trucks, No Rear Targets Required
- Standard VIN Scanner for Time Savings and Ease of Vehicle Selection
- Mobile Cabinet Supports Using Aligner in Multiple Bays

ALIGNER INCLUDES: Manufacturer's Set-Up and Training

WARRANTY:

1 Year Parts, 6 Months Labor, 30 Days Wheel Clamps



SKU **OUTSIDE BUY/EPO** ROTR1085

22,34999

- Mobile Tablet Operation
- · Wi-Fi Ready

CEMB A

- Easy-to-Use Software
- Tower-Free System On Rack Test Drive
- Program
- · Easy-to-Read Results
- Quick Locking Wheel Clamps
- Patented Targets Fixed Cameras



ALIGNER INCLUDES: Manufacturer's Set-Up

3 Years Parts and 1 Year Labor

Complete Wheel Alignment System SKU OUTSIDE BUY/EPO

CMBDWA1100CWAS

· Portable Wheel Stands with Integral Turn Plates on All Four Stands Align All Vehicles

- Easy to Learn, Easy to Use Software with Advanced Features and Complete Specs
- Stands Weight Limit: 10,000 Lb. or 2,500 Lb. per Stand
 • Includes: Stands, Roller and Plates
- 12" to 24.5" Clamping Range
- ARGOS Inspired Software and Design
- Wi-Fi Antenna • Ergonomic Design

Wheel Alignment System SKU **OUTSIDE BUY/EPO CMBDWA1100**

Alignment System Only

ALIGNER INCLUDES:

Manufacturer's Set-Up and Training

WARRANTY: 2 Years Parts, 1 Year Labor

DWA3500 3D High Definition Wheel Alignment System

SKU OUTSIDE BUY/EPO CMBDWA3500

REG. \$20.349.99

3D HD Camera Technology

Portable Cabinet/Tower Moves Bay-to-Bay

 Adjustable Camera Height Follows Alignment Rack

 Complete 4-Wheel Alignment System

• Includes: 24" Monitor, Color Printer, Compact Wheel Targets and User-Friendly Software

FREE 1-Year Spec Update and **Shop Alignment Banner**

ALIGNER INCLUDES:

Manufacturer's Set-Up and Training

WARRANTY: 2 Years Parts, 1 Year Labor Offer Good Through March 31, 2025





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Alignment Accessories

Steel Turn Plates SKU **OUTSIDE BUY/EPO QSP25-140**

Call for Price

- Capacity: 4.500 Lb. per Plate
- Dimensions: 14" x 14" x 1.5'



Stainless Steel Turn Plates

SKU OUTSIDE BUY/EPO **QSP25-129**

Call for Price



Rear Slip Plate Add-On Kit

SKU OUTSIDE BUY/EPO **QSPDB-6000**

Call for Price

- (2) 59-1/2" x 20" Full Floating Rear Slip Plates
- Simple Installation On Most General Service Lifts
- Length Options: 173", 186' to 196" and 200" to 205"
- Turn Plates Not Included



Steering Wheel Holder and Pedal Depressor Kit

SKU **802195** 24231





- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



OEM TOOLS

ALIGNMENT

Alignment Lifts

12,000 Lb. Scissor Alignment Lift SKU OUTSIDE BUY/EPO

HOFR709APKG

• Open Front Design Provides Easy Access to Alignment Service and Calibration Areas

- 24" Wide Runways Provide Easy Drive-On for Large Vehicles
- Dual Engaging Twin Interlocking Mechanical Safety Racks with Pneumatic Release
- 95 Second Lifting Time and 45 Second Lowering Time
- 70" Lifting Height



WARRANTY: 1 Year Parts and Labor



HOFMANN'

14,000 Lb. 4 Post Alignment Lift

SKU OUTSIDE BUY/EPO FORCRA14



- Max. Rise: 80-3/4"
- Max. Wheelbase: 182-1/2"
- 4 Wheel Alignment from 88" to 157"
- . Long Lasting, High Performance Cable and Sheave System



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line

WARRANTY. 1 Year Parts and Labor



BendPak.

FORWARDLIFT

15.000 Lb. 4 Post Open Front **Alignment Rack Package - Ext. Length**

SKU OUTSIDE BUY/EPO CHLAR4115XAO

• Max. Wheelbase: 210"

• Improved 4-Wheel Alignment Wheelbase with Longer Rear Slip Plates

- Removable Lock without Dropping the Column
- Enclosed Column with No Outside Lubrication
- Improved Column and Cross Beam Design
- Increased Drive Through Clearance
- 26" Wide Runways
- 78" Rise Height

WARRANTY:

2 Year Parts, 1 Year Labor

INCLUDES: Air Line Kit. Slip Plates. Turn Plates and Two Rolling Jacks

CL Challenger Lifts

4 Post Alignment Lift Combo

SKU OUTSIDE BUY/EPO BEN14LSXCOMB1

• 14,000 Lb. Capacity

 Overall Length: 241"

 Runway Width: 20"



WARRANTY:

1 Year Parts and Labor

INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

14,000 Lb. Scissor Alignment **Lift Package**

SKU OUTSIDE BUY/EPO AMM8KSC14KITP

42,99999

- Max. Service Wheelbase: 198"
- Max. 4 Wheel Alignment Wheelbase: 160"
- Max. 2 Wheel Alignment Wheelbase: 178"
- . Ceiling Height Required: 12'
- Overall Length: 260"
- Overall Width: 91-1/2"
- . Lifting Height: 74"



INCLUDES: 2 HD Rolling Jacks, 2 SS Turn Plates, 2 Roll Back Bars and 1 Airline Kit

1 Year Parts and

15,000 Lb. 4 Post Open Front Ext. **Alignment Lift Pkg**

SKU OUTSIDE BUY/EPO AMM8K4P15XKITP

*37,549*⁹⁹

- Max. 4 Wheel Alignment Wheelbase: 164-1/2"
- . Max. 2 Wheel Alignment Wheelbase: 209'
- Ceiling Height Required: 12' Raised Height: 75"
- Overall Length: 287-1/2"
- Overall Width:

Front 143" to Rear 137-1/2"



INCLUDES: 2 HD Rolling Jacks, 2 SS Turn Plates, 2 Roll Back Bars and 1 Airline Kit

1 Year Parts and 6 Months Labor





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

Four Post Lifts

28,999⁹⁹

CK-14KACX-IWA iDEAL Alignment Lift & Wheel Aligner Combo Bundle Kit

SKU: 1429041

- High Performance Commercial Alignment Lift
- Durable, High Quality Cable Lift System
- Extended Rise Height
- 'Bolt-On' Runway Alignment Kit
- 18 Locking Height Positions
- 20" Wide Runways
- Slack Cable Safety Devices
- · Self-Chocking Approach Ramps W/ Nylon Rollers
- Wide Scope High Resolution 3D Industrial **Grade Cameras**
- .01 Degrees Alignment Accuracy
- Wireless Internet Support

5,99999

7,09999

LT-PT2500AH-X

Lift Tables

2,500lbs CAPACITY SKU 1410263

- Provides Safe & **Efficient Method to** Remove & Install Heavy Powertrain
- Innovative, High **Quality Portable** Scissor Lift Design
- Full Operation Air **System Hand Controls**

LT-PT3300DC-X

3,300lbs CAPACITY

• Provides Safe & Efficient

Install Heavy Powertrain

Innovative, High Quality

• Full Electrical Operation • 12vdc Battery Operation W/ Integrated 110v Battery Charger

Portable Scissor Lift Design

Method To Remove &

SKU 1412412

Component



Combo Bundle Kit = (1) FP14KAC-X Alignment Lift (2) RAJ-7K-H Bridge Jacks & (1) IWA-60-2000T-K 3D iPRO Wheel Aligner

Storage Lifts

FP8K-DX-XLT 8,000lbs CAPACITY

SKU 426415

- Extended Lift Height & Length
- Cable Driven Lifting System
- Single Point Manual Lock Release
- · Slack Cable Safety
- Steel Approach Ramps
- Adjustable Locking Postitions
- · Fits in Large Residential



4,54999



10,000lbs CAPACITY

SKU 1404546

- Ideal For Express Tire & Wheel Service
- Surface Mount Install Configuration
- Integrated Outer Frame & Ramps Provide Drive-On & Off Clearance For Wide Vehicles
- Latch Release Handles On Each Side Of Lift



Single Post

SC-2K-UTV-X

iDEAL Single Column, UTV & Mov Storage/ Service Lift sки **1413367**

- 2,000 lbs Capacity
- Multi-Purpose Single Column **Dual Platform Lift Design**
- Ideal Storage Solution for Most Small to Mid-Sized ATVs, UTVs, Golf Carts, Riding

Two Post Lifts

iDEAL - TP10KAC-DX

10,000lbs CAPACITY SKU **942096**

- ALI Certified
- Bi-symmtric Arms Overall Height: 144"
- Overall Width: 145-1/2"
- Bi-Symmetric Lift Arms
 Low Profile Swing Arm Design
- 3 Stage Front Arms Adjustable Height Swivel
- Pads
- Stackable Height Adapters



4,79999

4,39999

TP11KC-DX 11,000lbs CAPACITY SKU **426140**

- Direct "Pull" Cylinders
- Overall Height: 145" Overall Width: 145-1/2"
- 3 Stage Front Arms.
- Low Profile Arms
- Rubber Door Guards
- Spin Up Pads with stackable drop in Height Adapters



3,49999

TP9KACX

9,000lbs CAPACITY SKU **426138**


- Asymmetric Arms
- Overall Height: 143"
- Overall Width: 138" · Spin Up Pads with
- stackable drop-in height adapters



Wheel Service

Semi-Automatic Tire Changer

SKU **426755**





WB-953

HighPerformance Wheel Balancer

- Wheel Weight Capacity: 150 lbs





SKU **426803** Max Wheel Diameter: 39"

• Rim Width: 1.5" - 20" • Rim Diameter: 10" - 24"

Lawnmowers & Zero Turns



Price Does Not Include Vehicle, Equipment as Shown

3,39999

TP9KFX 9,000lbs CAPACITY SKU **426106**

- Symmetric Arms
- Overall Height: 112"
- · Overall Width: 134.5" Spin Up Pads with
- Stackable drop-in height adapters



DON'T FORGET THESE ACCESSORIES!



PWB-1600 SKU **1284169**

569°°



ки **426447** 119999



8G DRAIN SKU **426733**

179°9

Coats Lifts

10,000 Lb. 2 Post Lift with

3 Stage 2n1 Arms SKU **OUTSIDE BUY/EPO**

AMM4TV21NSR1

5,64999

- 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning
- Includes Door Bumper Guards and Lifting Adapters
- Premium U.S. Made Power Unit
- Overall Height: 138" or 148"

WARRANTY: 1 Year Parts, 6 Months Labor



12,000 Lb. 2 Post Lift with **3 Stage Symmetric Straight Arms**

SKU **OUTSIDE BUY/EPO** AMM4T212SSR1

10,249⁹⁹

- Includes: Door Bumper Guards and Lifting Adapters
- Overall Width: 137-1/8"
- Overall Height: 158-7/8" or 154-7/8"
- · Color: Red

12,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms SKU OUTSIDE BUY/EPO

AMM4T212NSR1 10,249⁹⁹

WARRANTY: 1 Year Parts, 6 Months Labor





BEFORE PLACING YOUR AUTOMOTIVE LIFT ORDER:

Please verify minimum ceiling height, concrete requirements and bay size. See page 2 for delivery information or

quality lifts

WARRANTY:

6 Months Parts and Labor

Call 901-300-4878.

Challenger Lifts

10,000 Lb. 2 Post New Offset **Arm Design Lift**

SKU OUTSIDE BUY/EPO CHLVLE10

Versymmetric 3-Stage Offset Front Arms

- Lifts Versymmetric
- Rubber Door Guards
- Color: Red or Blue

Versymmetric® Technology



INCLUDES: Telescoping Footpads

14,000 Lb. 4 Post Lift

SKU OUTSIDE BUY/EPO

WARRANTY. 1 Year Parts and Labor


10.000 Lb. 2-Post **Versymmetric® Adjustable Lift**

SKU OUTSIDE BUY/EPO CHLCL10AV3

Versymmetric 3-Stage Front, 3-Stage Rear Arms with Swept Arm Design

- **Adjustable Height and Width** • 3 Adjustable Widths and 2 Adjustable Heights
- Can Be Set Up to Lift Most EVs
- Arm Reach: Front Min. 20", Max. 42'
- Rear Min. 37-5/8", Max. 60"
- Height: 12' Minimum
- Width: 14' Recommended
- Power: 208-230V, 1pH, 30 Amps

Versymmetric® Technology



INCLUDES: Telescoping Footpads



CL Challenger Lifts

WARRANTY: 2 Years Parts and 1 Year Labor

SKU OUTSIDE BUY/EPO

7.500 Lb.

CHLRJ75

Rolling Jack

UPGRADE YOUR QUALITY LIFT Double Telescoping Foot Pads (4 Pack)

SKU **OUTSIDE BUŸ/EPO CHLB2270PK4**

• 10,000 Lb. Footpads

Quality Lifts

CHLEQ10

· 3-Stage Front,

· Ceiling Height

Required: 12

Rubber Door

Black Only

Guards

Color:

2-Stage Rear Arms

Lifts Symmetrically

or Asymmetrically

10,000 Lb. 2 Post Lift

SKU OUTSIDE BUY/EPO

• Fits Quality 10,000 Lb. 2 Post Lifts

INCLUDES: (4) 3" Stack Adapters

Single Pad Features Frame Engaging Ears

(2) 6" Stack Adapters SKÚ OUTSIDE BUY/ĒPO CHL10313

• Upgrade for CHLEQ10 Lift

12,000 Lb. 2 Post **Heavy Duty Lift Screw-Style Footpad**

SKU **OUTSIDE BUY/EPO** CHLB12162S-12

- Fits Challenger and Quality 12,000 Lb. Heavy Duty 2 Post Lifts
- Single Pad Features Frame Engaging Ears



Optional Equipment

Air Line Kit

12' x 24' • Rise Height: 78'

CHL4P14EFX

• 20" Wide Runways

• 182.5" Wheelbase

. Minimum Bay Size:

SKU OUTSIDE BUY/EPO CHL40230E

WARRANTY: 1 Year Parts and Labor **Rolling Jacks Sold Separately**



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878



FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48



10,000 Lb. I10 2 Post Lift SKU OUTSIDE BUY/EPO FORI10

- . Smooth Lifting and Long Life with Forward's **Direct Pull Cylinders**
- Spot-Rite[™] 3-Stage Front Arms
- 76-1/4" Rise
- Low Profile Oversized Pad with 3.5" and 5" Extensions

INCLUDES: **Truck Adapters**

WARRANTY: 1 Year Parts and Labor



12,000 Lb. I12 2 Post Lift

SKU OUTSIDE BUY/EPO FORI12N300BL

10,749⁹⁹

- 4 Robust 3-Stage Arms with Reach Range from 27-3/4" to 59"
- Includes: 1-3/4", 3-1/2" and 5" Adapter Extenders
- Low Profile 4-3/4" Adapter
- . Min. Ceiling Height: 167'
- 77-1/2" Rise

INCLUDES: **Truck Adapters** WARRANTY: 1 Year Parts and Labor



15,000 Lb. DP15N001BL 2 Post Lift - Blue

SKU OUTSIDE BUY/EPO FORDP15N001BL

- 175" Tall
- Single Point Lock Release Design
- Direct Pull Lifting -Smooth Operating, Low Maintenance Technology



INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor

14,000 Lb. CR14L 4 Post Lift

SKU OUTSIDE BUY/EPO FORCR14L

- Heavy Duty Hydraulic Cylinder
- Single Point Latch Release System
- 78-3/4" Rise
- 18 Lock Positions
- Accommodates 182-1/2" Wheelbase Vehicles
- High Performance Cable and Sheave System

Internal Air Line Kit

SKU OUTSIDE BUY/EPO ROTFC5760-14

74999



WORKS WITH

7,000 Lb. Rolling Jack SKU OUTSIDE BUY/EPO

FORRRJ70G

Optional Fauipment



Two 7,000 Lb. Rolling Jacks SKU OUTSIDE BUY/EPO FORRRJ70GB0G0

Optional Equipment

Offer Valid Only with Purchase of Forward 4 Post Lift

Rotary Lifts

10,000 Lb. 2-Post Asymmetric Lift with **AV Arms - Blue**

SKU OUTSIDE BUY/EPO ROTSPOA10AVBL

• Easy Spotting and Positioning

- Highest Capacity Low-Profile Lift Available

 Comes Standard with Adjustable Round, Truck and Stackable Adapter Extensions

- Overall Width: 11' 5-1/2"
- Overall Height: 11' 11-1/2"
- Arm Reach: Front: Min. 18-1/2" - Max. 41", Rear: Min. 27-5/8" -Max. 58-1/4"
- Max Rise: 81-1/2"
- · Drive-Thru Clearance: 95-1/4"
- Min. Bay Size: 12' x 24'



12,000 Lb. 2 Post Lift

SKU OUTSIDE BUY/EPO ROTSP012

. 3 Stage Front and Rear Arms

. Thread Up Truck Adapters and Stackable Extensions - (4) 3.5" and (4) 5"



WARRANTY: 1 Year Parts and Labor

Shown with Additional Accessories

14,000 Lb. 4 Post Lift

SKU **OUTSIDE BUY/EPO** ROTSM14L

· Filter/Regulator/Lubricator Included to Extend the Life of Lift and Tools

· Max. Wheel Base: 182"

• 78" Rise

· Long Lasting Cables and Sheaves

Rolling Jacks Sold Separately

Internal Air Line Kit

SKU **OUTSIDE BUY/EPO** ROTFC5760-14



74999

WARRANTY: 1 Year Parts and Labor

WORKS WITH

7,000 Lb. Rolling Jack SKU OUTSIDE BUY/EPO

ROTRJ700





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

BendPak® Lifts

10,000 Lb. 2 Post Lifts

- Bi-Metric[™] Reversible Triple Telescoping Swing Arms
- Low-Pro[™] Swing Arms



• 145" Height, 135" to 145" Width, 69" Rise



• 168" Height, 135" to 145" Width, 69" Rise

• 24" Bolt-On Extension for Increased Vehicle Height Clearance

WARRANTY: 1 Year Parts and Labor

· Automatic Arm Restraints

 Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configurations

SKU OUTSIDE BUY/EPO **BEN10APX**

• 157" Height, 135" to 145" Width, 75.5" Rise

SKU OUTSIDE BUY/EPO **BEN10APX-181**

- 181" Height, 135" to 145" Width, 75.5" Rise
- 24" Bolt-On Extension for Increased Vehicle Height Clearance



BendPak.

12,000 Lb. 2-Post BiMetric Lift

SKU OUTSIDE BUY/EPO **BEN12APX**

11,399⁹⁹

- · Adaptable Design: Symmetric or Asymmetric
- Automatic Swing Arm Restraint System
- Includes 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters

INCLUDES: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters



BEN10AP

16,000 Lb. 2-Post Lift SKU OUTSIDE BUY/EPO

• Telescoping Arms Accommodate a Wide Variety of Vehicle Chassis

• Dual Direct-Drive Hydraulic Cylinders for Smoother Operation and Less Maintenance

BEN16AP

 Includes 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters with Column-Mounted Racks

INCLUDES: 4 Frame Cradle Pads, 4 Medium and **4 Tall Stacking Adapters**



10,000 Lb. Low-Rise Lift

SKU **OUTSIDE BUY/EPO** BENLR-10000

- Lifting Cap. (Front): 5,000 Lb. (Rear): 5,000 Lb.
- Dual Voltage Motor: 115/208-230 VAC/ 50/60 Hz/1 Ph
- Lift Height: 15" to 22.75" Lift Height + Blocks: 31.5" Overall • Length: 82.65"



6,000 Lb. Low-Rise Pad Lift

SKU OUTSIDE BUY/EPO BENLR-60

• Max. Height: 23"

 Overall Width: 70 Overall Lenath: 82"

BENLR-60P

Portable

- Max. Height: 23"
- Overall Width: 70-1/2"

SKU OUTSIDE BUY/EPO

. Overall Length: 82"

Lifts Up to 26" with Optional 3" Blocks

WARRANTY: 1 Year Parts and Labor



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

BendPak® Lifts

14,000 Lb. 4 Post Lift

SKU **OUTSIDE BUY/EPO BENHDS14**

- Overall Width: 130"
- Overall Length: 241"
- Max. Rise: 70"
- Motor: 220 VAC/1 Ph

14.000 Lb. Extended/ **Limo Style**

BEN5174009

BENRJ7W

SKU **OUTŠIDE BUY/EPO BENHDS14X**

Air Line Kit SKU **OUTSIDE BUY/EPO**

Shown with Optional Equipment **Rolling Jacks Sold Separately** WARRANTY: 1 Year Parts and Labor

9.000 Lb. 4 Post Lift

SKU OUTSIDE BUY/EPO 5,649⁹⁹ BENHD-9

• Overall Width: 110.25" Overall Length: 174"





Air Line Kit SKU OUTSIDE BUY/EPO

BEN5174009 12499

Shown with Optional Equipment **Rolling Jacks Sold Separately**

WARRANTY: 1 Year Parts and Labor

BendPak.

BendPak

WORKS WITH

7,000 Lb. Capacity **Rolling Bridge Jack** SKU **OUTSIDE BUY/EPO**

8,699⁹⁹



Optional Fauipment

DANNMAR

WORKS WITH

4,500 Lb. Capacity **Rolling Bridge Jack** SKU **OUTSIDE BUY/EPO** BENRJ45W



Optional Fauipment

Dannmar Lifts

10,000 Lb. 2 Post Lift **Asymmetric**

SKU OUTSIDE BUY/EPO DAND2-10A

REG. \$5,349.99

- Overall Height: 145"
- Overall Width: 143.5¹ • Max. Lifting Height (Top Lock): 78.5
- Power Unit: 220 VAC/60 Hz/Single Phase

10,000 Lb. 2 Post **Lift - Symmetric**

SKU OUTSIDE BUY/EPO DAND2-10C

REG. \$5,299.99

12,000 Lb. Heavy Duty 2 Post **Symmetric Lift with Triple-Telescoping Low Arms**

SKU OUTSIDE BUY/EPO DAND2-12C

WARRANTY: 1 Year Parts

REG. \$8.099.99

Offers Good Through March 31, 2025, While Supplies Last

For Outside Buy/EPO, Call 901-300-4878

Parking Lift

7,000 Lb. High Rise -**Wide Car 4 Post Lift**

SKU **OUTSIDE BUY/EPO BENHD-7W**

• Max. Rise: 82"

• Overall Width: 110.25"

Overall Length: 200.5" Drive-Thru Clearance: 86.5"





5,749⁹⁹



Customer Responsible For Offloading.

Mid-Rise Lifts

BendPak

6,000 Lb. Portable Mid-Rise Lift SKU **OUTSIDE BUY/EPO BENMD-6XP**

- . Portable, Easy to Move from Bay to Bay
- Adjustable Arms



Power Unit Plugs into 110V Outlet

CL Challenger Lifts

6,000 Lb. Capacity **Mid-Rise Scissor Lift**

SKU **OUTSIDE BUY/EPO** CHLMR6

- 6 Safety Lock Positions
- . Standard High and Low Adapters
- · Sliding/Rotating Arm Design Reaches Pick-Up Points on a Wider Range of Vehicles
- · Zerk Fittings on Pivot Points for Serviceability



CL Challenger Lifts

QUICKJACK

10,000 Lb. Short Rise Lift SKU OUTSIDE BUY/EPO

CHLSRM10

- Raised Height: 22"
- Includes: (4) 2 Position Adapter Blocks



WARRANTY: 1 Year Parts and Labor

MaxJax Lift

MaxJax M7K

Truck Adapters

SKU **OUTSIDE BUY/EPO** MJXM7K

- Lifting Height: 48"
- Clear Undercar Access
- Portability

WARRANTY.

- · Stow to Go in Less
- Than 15 Minutes



1 Year Parts and Labor

Motorcycle Lift

Air Hydraulic Motorcycle Lift 1,000 Lb. Capacity

SKU **662742** 24859

999 REG. \$1,299.99

Our Lift Compares to Top Brand Motorcycle Lifts in Every Way

- 86.5" x 26.75" Platform Deck with 25.5" Long Removable Loading Ramp
- Built-In Casters and Adjustable Stabilizers
- Durable 12 Gauge, Powder Coated Diamond Plate Deck
- Air/Hydraulic Lift System Allows Use with Shop Air or as a Manual Lift

Offer Good Through March 31, 2025

 Tie Down Rings on Deck for Added Stability



MAXJAX

QuickJack™ Lifts

You get it all.

· Complete Package Includes: 2 Jack Frame Assemblies, (2) 150" Hydraulic Hoses, (2) 14" Aux. Hoses, 2 Quick-Mount Handles, (4) 1.5" x 3" x 4" Rubber Lifting Blocks, (4) 3" x 3" x 4" Rubber Lifting Blocks.

1 Mini Hydraulic Power Unit with Pendant Control



7,000 Lb. Portable Car Lift System - Extended SKU OUTSIDE BUY/EPO

QJK7000TLX

• Capacity: 7,000 Lb. (3,175 kg)

- Lowered Height: 3.5" (89 mm)
- Maximum Height: 24.5" (622 mm)
- Max. Lift Point Spread: 66" (1,676 mm)
- Min. Lift Point Spread:
- 43" (1,092 mm) • Frame Length: 76" (1,930 mm)
- Frame Width: 12.5" (318 mm)
- Frame Weight: 103 Lb. (47 kg)
- Total Shipping Weight: 304 Lb. (138 kg)



12V DC Options

Available

QuickJack™ SUV and Light Truck Adapters

SKU **862288** RAN5150561

- Fits BL-5000 and BL-7000 Series
- Set of 12 Pieces Includes: 4 Low Profile Round Polyurethane Contact Pads, 4 Sliding Receivers That Accommodate the Round Polyurethane Contact Pads and (4) 3" Stackable Adapters





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Tire Maintenance Access)

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878


AUTUMUTIVE L	ПБ		and Ordering Instructions, Call 901-300-4878
Lift Pads	Fits Models	Replaces	Challenger Lifts Challenger Lifts
Forward/Eagle/Gemini/ Worth/American Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137807 SHA51663 74 99	I-DP9, DP09A2, DP09A, DP07A, DP97A, DP7A, Eagle and Otther Texas Style 2 Post Lifts	OEM# 994105, 991234, 991222 and LP603	Challenger Electric Vehicle Footpad SKU OUTSIDE BUY/EPO 67499 CHLTFPK • Sold in Set of 4 • Designed Specifically to Work on Electric Vehicles • Fits most Challenger 2-Post Lifts • For Use with All 10K, 12K, and 16K 2-Post Lifts • For Use with EV1020, EV1220, EW1020 and EW1220 In-Ground Lifts Truck Adapter Set for 10,000 Lb.
Challenger Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137812 99 99 SHA51661	20000, 21000, 26000, 27000, 28000, 30000, 31000, 33000, 36000, 37000, 39000	0EM# J0K01D, LP602	and 12,000 Lb. 2 Post Lifts SKU OUTSIDE BUY/EPO 489 99 CHL10315 • Stack Adapter Extension Kit Includes: (4) 3" Stack Extensions, (2) 6" Stack Extensions and 2 Organizer Racks with Hardware GM Wide Frame Footpads (Pair)
Rubber Round Slip-on Lift Pad SKU OUTSIDE BUY/EPO 9999 CHLB2208 For Outside Buy/EPO,	Challenger CL10, E10, Q10, VS10 and Ammco AC21NS	N/A	SKU OUTSIDE BUY/EPO CHLB2280PR • Fits 2008 and Up Challenger Lifts CL10V3, E10, LE10, VLE10, SA10, CLFP9, E12, CL12 and EV1020 Models • Works on 2019 GMC Sierra and Chevrolet Silverado Trucks • Drop-In Design Makes Switching Simple and Quick • Telescoping Feature Provides Simple Access to Lift Points
Call 901-300-4878			For Outside Buy/EPO, Call 901-300-4878
Challenger Octagon Shaped Urethane Snap-On Lift Pads (Set of 4) SKU 1137804 SHA51674 54 99	CL10V3, E10, LE10, VLE10, SA10, CLFP9 and EV1020	0EM# A1140HX	Rubber 2 Post Lift Pad/Slip Over (Set of 4) SKU 954179 BEN5700227 • Heat and Cold Resistant • Highly Resistant to Gouging • Oil and Solvent Resistant • Will Not Scratch the Vehicle BendPak Lift Pad Assembly/ 35 mm Pin (Set of 4) SKU 1053947 BEN5215753 • Works with Any BendPak 2 Post Lift • Thick Rubber Construction • Textured Surface for Extra Grab • Will Not Scratch the Vehicle
Rotary Square Bolt Style Lift Pads (Set of 4) SKU 1137817 SHA51667	SP09, SP0A9, SP010, SP0A10, SP012, SI29, SL19, SL210	OEM# FJ6213, BH-7536-92P, BH7542-73 and LP609	Tear Resistant
BendPak Square Slip-On Lift Pads (Set of 4) SKU 1137805 SHA51666 11999	MX10AC, MXACX, X10CX, MX10C, XPR-9S, XPR-9S-LP, XPR-9DS, XPR-10S, XPR-10S-168, XPR-10AS-LP, XPR-10AS-LP, XPR-10AS-168, XPR-12FDL, XPR-12CL, XPR-15CL, XPR-12CL-192, XPR-12CL-192, XPR-15CL-192, XPR-15CL-192, XPR-18CL-192, RJ6, RJ6000, RJ4500	OEM# 5715-365 and LP608	Cradle Pads • Tactile Rubber Pad Reduces Slippage and Protects the Finish • Made for Heavy Duty Commercial-Grade Trucks • Installs Easily to BendPak 2 Post Lift Arms • Sturdy Steel Construction Frame Cradle Pads 35 mm Pin (Set of 4) SKU 954221 BEN5215754 199 Wide Frame Cradle Pads 60 mm (Set of 2) SKU 979067 BEN5215848 214 214

[•] Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary
• Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

BendPak.

BendPak's **Pro-Series**offers the ultimate shop
upgrade, featuring a
10AP Series lift, adapter
package, and air-electic
workstation. These units
are built for professionals,
designed to meet the
needs of today's highvolume service centers.





Ranger SELECT

Now available from Ranger,

Ranger Select provides the same
commercial-grade wheel service
equipment with *included* set up and
training. Expert technicians ensure
precise installation, calibration, and
testing for optimal performance.
With a focus on efficiency and
durability, we minimize downtime
and keep your equipment running
at its best.



*FREE SHIPPING to direct shipping points within the 48 contiguous United States only.

BendPak.

Coats Combos

RC-45E and 885 Tire **Service Combo**

SKU **OUTSIDE BUY/EPO** AMMCOMB05

• External Rim Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10.5")

• Tire Changer Allows Inflation from 0 to 60 psi

with a Built-In Pressure Limiter



Placement Auto Start Hood

• 110V





AMM8560994901	\$5,649.99
AMM800885	\$4,499.99
Regular Price	\$10,149.98
COMBO PRICE	\$9,899.99
SAVINGS	\$249.99

RC-55E and 1300 Series **Tire Service Combo**

SKU **OUTSIDE BUY/EPO** AMMCOMB02

• RC-55E Features an External Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10-1/2")

• RC-55E Drive System: 1 HP Electric Motor

 Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter

• 1300 Series Wheel Balancer is Powered by Direct Drive

 Static-On-Screen® Display Identifies Any Excess Residual Static Imbalance

· Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement

AMM8560995001

AMM80013002D

Regular Price

COMBO PRICE

SAVINGS







AMM8560995001

DON'T FORGET THESE ACCESSORIES

. Works with Coats Wheel Balancers Listed on This Page



Adjustable Pin Plate Set 2_1/4999 SKU OUTSIDE BUY/EPO | AMM85610104



\$7,699.99

\$5,949.99

\$349.99

\$13.649.98

\$13,299.99

40 mm Light Truck Cone 1/10 99 SKU OUTSIDE BUY/EPO I AMM8113277C

Customize Your Own Combo, Call for Special Pricing 901-300-4878

Rotary Combo R146P and R155 Tire Service Combo SKU OUTSIDE BUY/EPO ROTCOMB04 • Includes: R146P Tire Changer and R155 Balancer High Quality Swing Arm Changer and Pro 3D Wheel Balancer at an Economical Price • Changer Offers 26" Outside and 28.5" Inside Clamping with Tire Diameters Up to 46" PLUS91SA Helper Arm Not Installed Prior to Delivery • Balancer Features Automatic Program, Linked Keyboard, Internal Data Gauge, and Simple Visual Display • Inside Clamping: 12 to 28.5" • Outside Clamping: 10 to 26' • 115V, Single Phase • Rim Diameter: 10" to 30" • Rim Width: 1.5" to 22" ROTR146P 115V, Single Phase • 8 Piece Collet ROTR146P \$8,549.99 Kit Included R0TR155 **ROTR155** \$7,999.99 Regular Price \$16,549.98 **INCLUDES:** Setup and Training **COMBO PRICE** \$15,649.99 \$899,99 SAVINGS WARRANTY: 3 Years Parts and 1 Year Labor





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

CEMB Combo

EZ10 and SM825EV0PA Swing Arm Tire Changer Combo

SKU **OUTSIDE BUY/EPO** CMBCOMB03

Tire Changer Clamping Range of 13" to 24"
Max. Tire Diameter 44" and

- Max. Tire Width 15"
- · Powerful and Adjustable Bead **Breaker Shovel** • Dual Clamping Cylinders and
- Semi-Automatic Swing Arm • 3D Wheel Measurement
- Automatic Approach and Auto Adaptive Mode to Save **Balancing Time**
- Electromagnetic Brake

with Sonar

- 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use
- Direct Measures Input Feature Eliminates Selection of Balancing Modes
- · Guided Weight Placement, ALU, Hidden Spoke Modes

On-Site Training Included WARRANTY: 2 Years Parts and 1 Year Labor



CMBEZ10	\$4,599.99
CMBSM825EVOPA	\$6,199.99
Regular Price	\$10,799.98
COMBO PRICE	\$10,099.99
CAVINCE	¢enn nn



Ranger Combos

RANCOMB01

R980XR and DST-2420 Tire Service Combo SKU **OUTSIDE BUY/EPO**

• Includes: R980XR NEXTGEN™ Swing-Arm 30" Tire Changer and the DST-2420 Dynamic Wheel Balancer

 R980XR External Rim Clamping Capacity: 9" to 28", Internal Clamping 10" to 30"

 3-Position RimGuard™ Wheel Clamps

• DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result within Hundredths of an Ounce

INCLUDES: 74³⁸ Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll

RANR980XR	\$4,099.99
RANDST2420	\$2,999.99
Regular Price	\$7,099.98
COMBO PRICE	\$6,899.99
SAVINGS	\$199.99



WARRANTY: 1 Year Parts and Labor

R980AT and DST30P Tire Service Combo

SKU OUTSIDE BUY/EPO RANCOMB05

• Inflation Pressure Regulator/Limiter

• Bead Tool/Tire Iron

· Automatic Braking · Black and Silver

Powder-Coated Surface Helps Eliminate Corrosion and Staining of Expensive Wheels

 Low-Profile Design for Increased Clearance of Close-Proximity Calipers or Brake Components

RANR980AT

RANDST-30P

Regular Price **COMBO PRICE**

SAVINGS



Ranger



Please verify minimum air pressure and CFM along with voltage and phase. See page 2 for delivery information or *Call 901-300-4878*.



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878


FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

Tire Changers

Maxx 50 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX50E

- Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

 110V Electric Operation, Plug In Almost Anywhere
- 6" to 24" Steel Clamps Standard
- Nylon Duckhead Standard



Maxx 50 **Tire Changer, Air** SKU **OUTSIDE BUY/EPO** AMM800MAXX50A

WARRANTY: 3 Years Parts and 6 Months Labor

Maxx 70 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX70

- · Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- 110V Electric Operation, Plug in Almost Anywhere
- Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter
- 6" to 24" Steel Clamps Standard
- Steel and Nylon Duckheads Standard



Tire Changer, Air SKU OUTSIDE BUY/EPO AMM800MAXX70A

Maxx 70 Tire Changer, 220V, 2 HP SKU OUTSIDE BUY/EPO AMM800MAXX70220

WARRANTY: 3 Years Parts and 6 Months Labor

Maxx 80 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX80

- Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- · Dual Control, Hand or Foot Operated Bead Loosener System
- 110V Electric Operation, Plug in Almost Anywhere
- 6" to 24" Steel Clamps and Zinc Plated 6" to 24" Grip Max 2.0 Clamps with Dual Soft Compound Inserts
 • Expanded Capacity to 16" Wheel
- Width and Up to 50" Total Diameter
- Steel and Nylon Duckheads Standard
- . No-Index Tabletop for High Efficiency Use Includes Storage Cabinet

Maxx 80 Tire Changer, Air

SKU OUTSIDE BUY/EPO

AMM800MAXX80A



Maxx 80 Tire Changer, 220V, 2 HP SKU OUTSIDE BUY/EPO AMM800MX80220

WARRANTY: 3 Years Parts and 6 Months Labor

Coats Wheel Balancers

1600A 3D Wheel Balancer

SKU **OUTSIDE BUY/EPO** AMM80016003D

- Powered by Direct Drive
- Max. Tire Diameter: 44'
- Premium Quicknut · Behind-the-Spoke Balancing
- 8 Piece Collet Kit



WARRANTY: 3 Year Parts and 6 Months Labor

1500A 3D **Wheel Balancer** SKU **OUTSIDE BUY/EPO**

AMM80015003D

- Powered by Direct Drive Max. Tire Diameter: 44"
- Behind-the-Spoke Mode
- Premium Quicknut • 8 Piece Collet Kit
- Automatic 3-D Data Entry
- 220V, 1 Phase



WARRANTY: 3 Year Parts and 6 Months Labor

CEMB Wheel Balancer

(CEMB

Automatic Wheel Balancer with Monitor

CMBER65 · Auto-Data Entry of Distance, Diameter and Width

SKU OUTSIDE BUY/EPO

- · Laser Pointer for Weight Placement
- 17" Monitor with Intuitive Software
- · Auto-Approach Positions Wheel at Correction Point
- · On-Site Training Included



WARRANTY: 2 Years Parts and 1 Year Labor



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Ranger

R76ATR Tilt-Back Tire Changer with Assist Tower

SKU OUTSIDE BUY/EPO **RANR76ATR**

6,199⁹⁹

- Motor: 3 HP/220V
- Alloy and Nylon Mount and **Demount Heads**
- External Rim Clamping Capacity: 9" to 28'
- Power Assist Tower Right Side
- Available in 110V or 220V Power Option



R980AT RimGuard™ **Swing-Arm and Assist Tower Tire Changer** SKU OUTSIDE BUY/EPO RANR980AT

- Motor: 3 HP/220V
- · Internal Rim Clamping Capacity: 10" to 30'
- External Rim Clamping Capacity: 9" to 28"

 • Max. Tire Diameter: 50"
- Power Assist Tower Left Side
- Available in 110V or 220V Power Option



R980XR NextGen™ **Swing-Arm Tire Changer** SKU **OUTSIDE BUY/EPO** RANR980XR

4,09999

- Motor: 3 HP/220V
- Drive System Type: Electric/Air Adjustable RimGuard™ Wheel Clamps
- · External Rim Clamping Capacity: 9" to 28'
- Internal Rim Clamping
- Capacity: 10" to 30" Max. Tire Diameter: 50" (1,270 mm)
- · Bead Seating System: Turbo Blast/Bead Seating



DST30P Direct Drive Wheel Balancer

SKU OUTSIDE BUY/EPO **RANDST-30P**

- Ergonomic Control Board and Easy-to-Read LED Display
- Dynamic, Static and Performance Alloy Settings
- · Automatic Rolling Wheel Parameter Setting
- Low RPM Balancing Speed
- Automatic Braking
- Wheel Width Capacity: 1.2" to 20"
- Quick-Release Hub Nut
- Max. Wheel Diameter: 8" to 30"

INCLUDES: 7438 Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll



LS43B Wheel Balancer

SKU OUTSIDE BUY/EPO RANLS43B

- Included Cones: 3 Standard, 1 Truck
- Cycle Time: 6 Seconds (Avg.)
- Balancing Modes: Dynamic/Static/3-Alloy
- Max. Tire Diameter: 43" (1,100 mm)
- Max. Tire Weight: 145 Lb. (65 kg)
- Wheel Diameter Capacity: 12" to 26" (304 mm to 660 mm)
 Wheel Width Capacity: 4" to 15" (102 mm to 381 mm)

INCLUDES: 7438 Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll



User Set-Up Required

WARRANTY: 1 Year Parts and Labor

Do you work on Trucks, Vans, or SUVs? DON'T FORGET THIS ACCESSORY

40 mm Truck Cone Kit

SKII OUTSIDE BUY/EPO I RAN5150032

Works with Ranger Wheel Balancers Listed on This Page



Hofmann

Monty® 3550EM Tire Changer with smartSpeed™ SKU **OÚTSIDE BUY/EPO** HOFEEWH747B

 smartSpeed™ Technology Automatically Controls Turntable Speed and Torque to Minimize Tire and Wheel Damage

• Push-Button Controlled Mount/Demount Head Pneumatically Lowers and Locks into Position. Automatically Indexing Away from the Wheel to Prevent Contact and Damage

• Fast and Ergonomic Pneumatic Vertical Arm Automatically Re-Positions the Mounting Head to Minimize Wheel Damage

• High Capacity Tire Changer Allows for Broadest Tire and Wheel **Assembly Coverage**

- Clamping Range: Inside 12" to 28" Outside 12" to 26'
- . Max. Tire Diameter: 47"
- Max. Tire Width: 17"


WARRANTY: 1 Year Parts and 6 Months Labor



HOFMANN

Geodyna® 7600P with **Laser and Power Clamp**

SKU OUTSIDE BUY/EPO



- with Constant Force Smart Sonar[™] Delivers Automatic,
- Non-Contact Rim Width



Manatec

MANATEC USA

DL-65 DSP C Wheel Balancer SKU **OUTSIDE BUY/EPO**

MANDL65-DSPC

- . Static and Dynamic Balancing
- · Automatic Start with Wheel Guard Closure
- Unbalance Recalculation
- Self-Calibration
- 7 Modes of Alloy Wheel Functions
- Normal and
- Fine Measurement • Motor Power: 0.35 HP
- · Maximum Wheel





WARRANTY: 1 Year Parts



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

ateq

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

TPMS Tools

VT37 TPMS Sensor Activation and Programming Tool

SKU **1343925** ATEVT37-0000

- Search TPMS Sensor Replacement Part Numbers
- Test Keyfob Signal Strength/Battery Status
- Install and Service TPMS Retrofit Kits

Includes 2 Years Software Updates and 1 Year Warranty







- Save. Manage and Edit Customer Jobs and Reports on the Cloud
- Program and Clone 20+ Aftermarket Sensor Brands
- Export and Send Complete Customer Reports via Email
- TPMS Sensor and Service Kit Image Library for Easy Reference
- ID Match Functionality to Troubleshoot and Repair TPM Systems
- Tire Management: Tread Reading, Wheel Inspection, Tire Registration

Built-In HD Camera for Accurate Vehicle and Wheel Inspection

Includes 8 Bluetooth Sensors

VALUE: \$479.92

Includes 1 Year Software Updates and 1 Year Warranty



VT47 TPMS Programming Tool SKU **OUTSIDE BUY/EPO** ATESM47-12SC

- TPMS Sensor Part Number Look-Up (OE and Aftermarket)
- Change Placard Values When Swapping Tire Sizes
- . Includes: 12 Dual Band Sensors with Both Metal and Rubber Valve Stems

Includes 12 Dual Band Sensors

ALUE: \$299.88

Includes 5 Years Software Updates and 1 Year Warranty



VT57 TPMS and Tire Management Tool SKU **OUTSIDE BUY/EPO** ATESM57-20SC

- All-New Updated User Interface
- Touch-Screen Capability
- Includes: 20 Sensors Dual Band Sensors with Both Rubber and Metal Valve Stems

Includes 20 Dual Band Sensors

VALUE: \$499.80

Includes 5 Years Software Updates and 1 Year Warranty



Dual Band TPMS Sensor

SKU **OUTSIDE BUY/EPO** SIMSM-1SC

- Dual Band TPMS
- Aluminum and Rubber Valve Included
- 98% Coverage Tested and Validated in USA
- Live Tech Support



ONE>

Bluetooth Pre-Programmed Sensors SKU **OUTSIDE BUY/EPO**

- SIMSM-BLE • Tesla, OE Like
- Future Proof, OE Like
- · Plug and Play
- Black Valve
- Live Tech Support



TPMS Tool Kit Assortment SKU **OUTSIDE BUY/EPO** XTS17-168

• Features All the Small TPMS Tools Necessary for

- **TPMS Service** • Includes: Valve Core Torque Tool, Grommet Removal Tool, Nut Torque Wrench with Sockets, T-10 Torque Tool and Grommet Removal Pick
- Comes in a High Quality Blow Mold Storage Case



For Outside Buy/EPO, Call 901-300-4878

FUNCTIONALITY	VT37	TS47	TS57	VT67
Reads, Diagnoses and Activates 100% of OE and Aftermarket Sensors, Including 2022 Coverage	V	V	V	V
VIN Barcode Scanner to Select Make, Model and Year			✓	V
Wi-Fi and Real-Time Updates Powered by Live Sensor™		V	✓	✓
Programs Aftermarket Sensors (Including EZ-Sensor® and All Leading Brands)	V	V	V	V
Secure Gateway (SGW) Ready for Stellantis Vehicles and Others				✓
Provides Direct (OBD, Auto, Manual) and Indirect TPMS Relearn Procedures	✓	V	✓	V
98.6% TPMS Reset Coverage, Including Bonus ECU Reset Coverage in <2 Min. (OBD Connectivity)		V	✓	V
ECU Unlock for Toyota, Scion and Lexus Models (Closed Loop)		V	✓	V
OE and Aftermarket TPMS Sensors and Service Kits Part Number Look-Up	✓	V	✓	✓
Save, Manage and Edit Customer Jobs and Reports on the Cloud				✓
Retrieves, Decodes and Clears TPMS DTCs		/	V	V
Tire Management, DOT, Tread Reading and More		/	~	· /

Wheel Stud Tools

8 Piece Wheel Stud Alignment Guide Kit

SKU **818715 41** 99 24233

• Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts

 Applications: Mercedes-Benz. BMW. Audi, VW, Porsche, Fiat and Dodge

· Sizes Included: 12 mm x 1.5. 12 mm x 1.25. 14 mm x 1.25 and 14 mm x 1.75



Wheel Stud Installers SKU **339123** 24234

· Works with Hubs, Rotors and

- Axles on Both Front and Rear Wheel Drive Vehicles · Prevents Damage to Lug Nut
- or New Stud Designed to Fit Studs Up to 14 mm or 9/16"



Truck Wheel **Stud Installer** SKU **339117**

24235

- Designed to Work on Truck Wheel Studs Up to 22 mm (7/8") in Diameter
- Ùse with an Impact Wrench or Ratchet



Wheel Stud

Installer Set







AZG0125

OEM TOOLS

CALL FOR PRICE

Tesla-ready & programmable for new vehicles with Bluetooth TPMS for smarter, more connected tires

Adjustable-Angle Sensor

15°-34° for a more secure fit for a broader range of vehicles.

MaxiTPMS® MX-Sensor BLE SKU 1366285 Part #300100

- Pre-programmed Bluetooth Low Energy TPMS sensors for Tesla 3/Y/S/X models
- Tesla-ready: Just Fit and Go
- Future-proof: programmable with Autel TPMS tools for the latest BLE-equipped vehicles

MaxiTPMS® TS508 WiFi Kits SKU 1328117 Part #700180

- · Update software directly from tool-enabled Wi-Fi
- Quick Mode & Advanced Mode Options
- Read/Activate/Relearn All Known Sensors
- Detect & Display TPMS System Faults
- Display Vehicle-Specific Relearn Procedures: Perform OBDII Relearns
- Placard Value Reset on Supported Vehicles
- •2 Programming Options: MX-Sensors Only
- FREE Software for lifetime of tool
- 4 1-Sensors & Metal Valve Included
- SKU 1413611 Part #700190

•20 1-Sensors Included



,15°-34°



AUTEL MAXITPMS

MaxiTPMS® 1-Sensor

SKU 317455 Part #1SENSOR

- Combined Frequency: 315MHz & 433MHz • Interchangeable Valve Stems (rubber included)
- Program to Replace 99% of OE Sensors
- Fast valve stem swap

MAXITPMS® 1-SENSORM SKU 1064478 Part #1SENSORM

· Same as 1-Sensor with Aluminum stem



MaxiTPMS®

MaxiTPMS®

Bulk pack of

100 1-Sensors

1-Sensor 240 Pack

•Bulk pack of 240 1-Sensors with Rubber Valves

1-Sensor 100 Pack

with Rubber Valves

SKU 1128315 Part #300070

SKU 1089240 Part #300050

MaxiTPMS 1-Sensor 20-Pack (R) SKU 370328 Part #300010

. Bulk pack of 20 1-Sensors with Rubber Valves

MaxiTPMS® 1-Sensor 20-Pack (M) SKU 1107286 Part #300060

. Bulk pack of 20 1-Sensors with Aluminum Valves



- MaxiTPMS® TS900 SKU 1337325 Part #TS900
 Activate, Read, and Relearn ALL known
 TPMS sensors, including Tesla OE sensors
- Program universal Autel 1-Sensors to replace 99% TPMS sensors
- Compatible with BLE TPMS sensors and Autel BLE Sensor for Tesla vehicles

Features Android 11 operating system and 64GB storage memory

All Systems Diagnostics with bi-directional controls, Active Tests & Special Functions

CALL FOR PRICE



MaxiSYS® MS906PR0-TS

- SKU 1207797 Part #MS906PROTS AutoVIN 2006+/AutoSCAN
- 21 Service Functions
- · Wi-Fi Software Updates
- Eligible for ADAS Software Upgrade
- · Advanced Coding & Adaptations

MaxiTPMS® ITS600PR01

SKU 1140847 Part #ITS600PR01
• Complete TPMS Service and Diagnostics Tablet

- 5.5 Inch Color Touchscreen/Android 9.0 OS
- · Activates, Reads and Relearns All Known Sensors
- On-Tool DOT Tire Registration
- 2 MX-Sensor Program Modes



USE TOGETHER TO CREATE A COMPLETE TPMS SYSTEM

anteA &

HEALTH REPORT

MaxiTPMS® TBE200

SKU 1129878 Part #TBE200

- Tire Tread and Brake Disc Wear Examiner
- · Laser-Enabled: No Need to Remove Tire
- 1.65" AMOLED Super Retina, Color Touchscreen Display
- Full Color Graphical Display Illustrates Wear
 Displays Recommendations for Tire and Brake Disc Replacement, 4-wheel Alignment and Tire Rotation
- 4-megapixel, 4 cm Macro Camera and 8-megapixel Zoomable Camera to Document Tire Damage

Inflators

Digital Tire Inflator SKU **802198**

24412

- · Easy-to-Read Backlit LCD Display
- . 4 Units of Measure (psi, Bar, KPa, kgf)
- Measuring Range: 0 to 175 psi (0 - 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive. +/-3.6 psi Greater Than 145 psi
- High Air Flow Saves the Technician Time
- · Includes: 2 AAA Batteries



OEM TOOLS

Dial Tire Inflator

SKU **301772** 24380



- · Clear and Easy-to-Read 80 mm 180 psi Gauge
- 3-In-1 Function: Inflate, Deflate and Measure Tire Pressure
- Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks

OEM TOOLS



OEM TOOLS

3.5" Digital Tire **Inflator with Hose**

SKU 1268419 AST3018

- 21" Stainless Braided Hose
- Dual AAA Battery Powered Design
- Backlit LCD Digital Read-Out
- Includes **Batteries**



MILTON MOUSTRIES INC **Inflator Gauge, Dual Head Chuck Tire Inflator Gauge**

SKU OUTSIDE BUY/EPO MILS506

. Heavy Duty Construction Provides for Long Life Even Under Heavy

- Use and Extreme Conditions • Gauge and Valve Cartridges are Replaceable
- Equipped with Magnifying Lens for Full View of Scale



For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

Bead Seater

5 Gallon Bead Seater

SKU **526505** 24449



- · Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires
- . Operates on Standard Shop Air; Max. 120 psi



Air Chuck


Dual Foot Air Chuck with Comfort Grip Handle

SKU **802201** 24413

- Comfortable Screwdriver Style Handle
- 30° Reverse Angle Chuck Can Be Used on Outside Tires
- · Tilt Lock Feature Locks onto the Valve

Air Chuck with Comfort Grip Handle SKU **802200** 24414





• Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas





Mount/Demount Heads	Fits	Models	OE Part Number		Fits	Models	OE Part Number
Red Nylon Mount/Demount Head SKU 1137811 2099	Hunter	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series	221-615-2-13	Nylon Mount/Demount Head without Hardware SKU 1125892	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433, 14024784
SKU 1137811 39 ⁹⁹ SHA35034	Accuturn	(Requires Adapter) 220A, All Other Models Require 102765 Adapter	SM102529	SKU 1125892 SHA35033	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784, ST0024335
	Ranger	R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter	5150523		John Bean	EHP System IVE, IV, III, IIE	2433, EAA 0247G20A
Nylon Mount/Demount					Snap On	All Models	2433, EAA 0247G20A
Tapered Hole Head with Hardware SKU 1137818 SHA38306 3999	Coats	5030, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7660, 7665, 50X, 60X, 70X, 80X, GTS, RC45, RC55, Maxx50, 70 and 80	8183061	Nylon Mount/Demount Head with Hardware SKU 1442589	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433
	Waxoo, 70 and ox	waxso, 70 and 00		TMRTC14024784 54 99	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784
	Baseline	BL200, BL300, BL400 and BL500	8183061		John Bean	EHP System IVE, IV, III, IIE	24335
Low Profile Mount/ Demount Head SKU 1125869 SHA35038 5999		Replacement for Coats 8184432. For use on Models RC100, RC150, RC200, 5030, 5035, 5040, 5045, 5050 Se-			Snap On	All Models	24335
THE RESERVE TO SERVE	Coats ries, 5060 Series, 5065 Series, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, BL200, BL300	ries, 5060 Series, 5065 Series, 6050, 6060, 6065, 7050,	s, 8184432	Nylon Mount/Demount Head with Round	All Tool	All Models	2008401
Nylon Mount/	Coats	5060, 50601, 5063, 5060AX, 5060EX and 9010A, 9010E,	8300843	Hole Kit SKU 1137815 9999 SHA35030	Coats	RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90	83008402, 83008403
Demount Head SKU 1125877 SHA35031 39 99	(Early)	9024E-PAX and Many RC Models	2000402		Corghi	All Rim Clamp	250309, 450310
	CEMB	2000402			Hofmor	Earlier Models Except 1550,	001 4010
	Hofmann	12SE, 22SE, 1510, 1610, S410 Not for Use on Hofmann 1550,1620 and 1625	8314813		Hofmann	1620 and 1625	8314813
	Other	Fits Many Hunter TCX Series, Fits Giuliano and SICE Machines	Various		Sice	M39, S40, S42, S43, S45, S408MAXI, S435, S436 and S436TC	8314813

Bead Lifting Tool

20" Bead Lifting Tool - 3 Pack

SKU **1142616 19**99

• For Use with Any Make of Tire Changer and Tire Combination

Curved End to Prevent Tire Damage

• Can Be Used for Both the Removal and Mounting of Tires

. Heat-Treated for High Strength and Durability

Rim Protectors OEM TOOLS

12 Pack Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head

SKU **1400044** TMRTI182963

• For Coats Stainless Steel Mount/

Demount Head Coats 8182961 (2 Pk.) RC1, 5, 10, 15, 20 8182963 (12 Pk.) Early 5060, 5030, 5040, 5050, 5060, 5065 5070, 6050, 6060, 6065, 7050, 7055, 7060 7065, 7655, 7660 and 7665



Hybrid Duckhead Tail - 2 Pack SKU **1442586**

AMM8560896102 • Designed to Float Across the Rim, Decreasing

- the Stretching of the Bead • Compatible with Hybrid Duckhead® Mount/
- Demount Tool (85608959)
- Compatible with All X-Series and RC Series That Have Hybrid Duckhead® Mount/Demount Tools





AZG0125



Non-Marring Lug Nut Sockets

1/2" Drive 17 mm **Mercedes-Benz® Flower Lug Bolt Impact Socket**

SKU **081308** 24469

· Designed Specifically for 17 mm. Convex "Flower" Shaped Mercedes Lug Bolts



OEM TOOLS

9 Piece Thin-Wall Wheel Protector Impact Socket Set

SKU **965856 74** 99 24224

• Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



Lug Nut Sockets Master Lug Nut Kit

SKU 1190208 68919

• Includes: 2 Socket Sets for Removing, Locking, Damaged and Undamaged Lug Nuts on Most Vehicles

 Ideal for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

. Easily Removes Locking Lug Nuts on Most Aftermarket Wheels

. Easily Removes Locking Lug Nuts on

• Thin-Wall Sockets Prevent Damaging

SKU **626107 79 99**

Most Aftermarket Wheels

. Hex-Head Design Fits Most Lug

Wheels and Lugs

24447



When You Buy the Kit

3 Piece Extra Thin-Wall Wheel **Nut Protector Impact Socket Set**

SKU **094646** 25583

• Blue - 17 mm/11/16", Gold - 19 mm/3/4" Red - 21 mm/13/16'

3 Piece Super Strength Wheel

Nut Impact Socket Set



1/2" Drive Non-Marring Lug Nut **Socket Set**

SKU OUTSIDE BUY/EPO 68945

- Services 17 mm, 19 mm, 21 mm and 22 mm Lug Nuts
- Non-Marring Sleeve Prevents Damage of Lug Nuts and Wheel Rims
- · CR-MO Steel Construction for Strength and Durability







Impact Wrench Not Included

For Outside Buy/EPO, Call 901-300-4878

REG. \$59.96

SAVE **OVER** When You Buy the Kit

Wrenches as well as 13/16" and 7/8" Sockets

16 Piece Locking Lug Master Key Set

4 Piece Deep Thin-Wall SAE and Metric Impact Flip Socket Set

SKU **965857**

• Includes: 3/4" to 13/16", 19 mm to 21 mm and 7/8" to 15/16" Sockets and 3" Extension



24227 • Blue - 17 mm/11/16" Gold - 19 mm/3/4 Red - 21 mm/13/16'

SKU **347212**





REG. \$39.99

Offer Good While Supplies Last Through March 31, 2025

5 Piece 1/2" Drive Flip Socket Set

SKU **1125891** 25555

24223

Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

- Durable CR-MO Flip Socket Set
- Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension



Torque Limiting Set

OEM TOOLS

Limiting Extension Set SKU **965858** 24220

5 Piece 1/2" Drive Torque

- Quick, Simple and Accurate
- · Helps Prevent Lug Stud/Nut Damage and Warped Rotors

• Includes 1/2" Drive Extensions: 65 Ft/Lb., 80 Ft/Lb., 100 Ft/Lb.,

120 Ft/Lb. and 140 Ft/Lb.

 Made with Flexible Chromoly Steel that Stops Turning When the Required Torque is Reached

· Comes in a Sturdy Blow Mold Case



Torque Wrenches

3/8" Drive 10-80 Ft/Lb.

25694

SKU **177722 5099**

1/2" Drive 10-150 Ft/Lb.

SKU **012651** 25689

1/2" Drive 25-250 Ft/Lb.

SKU **177715**





1/2" Drive Undercar Torque Wrench SKU **OUTSIDE BUY/EPO**

CEN97354A

• Unique One-Way Design Cannot Be Used as a Breaker Bar (thus Preventing Damage)

- High Contrast Laser Markings for Easier Reading
- Rubber Over-Mold Lock Ring for Better Grip
- Head and Handle Covers for Increased Durability
- Range: 25 to 250 Ft/Lb. (43.4 to 348.4 Nm)
- Length: 23.3"

For Outside Buy/EPO, Call 901-300-4878



OEM TOOLS



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Tire Service Tools

OEM TOOLS

2 Piece Tire Valve Core Tool Set

SKU **1209377** 22589

1299

- . Designed for Removal and Installation of Schrader Style Valve Cores
- Includes: 2" and 5" Tools
- Extra-Long 5" Tool for Hard-to-Reach Applications
- Tough Impact and Solvent-Resistant Acetate Handle



Spare Tire Removal Set SKU **749919** 24219

- 32" Reach Allows Access to Spare Tires Stored on the Undercarriage of Pickups, Vans and SUVs
- Includes: 6 Zinc-Plated Steel Attachments That Fit a Range of Vehicle Types, Hand Crank and Heavy Duty Nylon Pouch
- No Additional Tools Needed

Attachments Included

Catyon **Ouick Change Wheel Stud Cleaner Kit** SKU **666299**

6999 **CAL16**

- Kit Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



Tire Repair

Puncture Repair Set SKU OUTSIDE BUY/EPO XTS14-662

- Includes Puncture Repair Procedures Guide and 20" x 32" Shop Poster
- Enough Supplies to Provide More Than 70 Complete Repairs



For Outside Buy/EPO. Call 901-300-4878

Tire Repair Cabinet Assortment SKU **OUTŠIDE BUY/EPO**

OEM TOOLS

XTS14-603 • Deluxe Wall-Mount Cabinet

- · Loaded to Complete Over 110 Industry Standard Puncture Répairs
- All the Tools Plus XLIGHT Air Powered Vacuum Carbide Cutters and More





Euro-Paste (White) 6-1/2 Lb. Tub

SKU **OUTSIDE BUY/EPO** XTS14-700

- Very Slippery
- No Mixing or Water Required
- Dries Tacky
- Rust Inhibitors

Xotra



Mounting/Demounting Compound (2 Pack)

SKU **OUTSĪDE BUY/EPO** XTS14-708EPK

- Very Slippery
- No Mixing or Water Required
- Dries Tacky
- Rust Inhibitors
- Works Great with Low Pro. Run Flat and Alloy Wheel Applications
- . Mounting and Demounting Compounds to Prevent Damage to Tire Bead

For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS



Xotra

Xotra



For Outside Buy/EPO, Call 901-300-4878 11" Cotton Tire Swab (6 Pack)

SKU **666324** XTS14-378PK

- Professional Quality Tire Repair Tool
- Use to Spread Mount/Demount Lube on Bead of Tire



Xtra Slick Tire Bead Lube (2 Pack)

SKU **1281603** XTS14-753PMPK



- · Ready-to-Use Mounting and Demounting Compounds to Prevent Damage to Tire Bead
- Pre-Mixed



Xotra Seal

8 Oz. Vulcanizing **Cement (3 Pack)**

SKU **666342** XTS14-008PK

2499

- · Fast Drying
- Can Be Used with Heat Vulcanization



Tire Buffing Cone

SKU **1142704** 24479

- Tungsten Carbide Wheel for Fast and Effective Surface Preparation
- 3/8" Quick Disconnect Arbor
- Max. RPM: 5,000



OEM TOOLS

57 Piece Tire Repair Kit

SKU **213119** 26686

• Includes: T-Handle Plug Insert Tool, T-Handle Reaming Tool, Replacement Insert Needle, Long Nose Pliers, Hex Keys, 30 Repair Plugs,

Utility Knife, Lubricant, Valve Cores, Valve Caps, Valve Stems and a Valve Core Tool



Refill Plugs for Any OEMTOOLS® Tire Repair Kit

Repair Plug Refill Sets

• For Use with 26680, 26682, 26683 and 26686

30 Pack SKU **477063** 26684



100 Pack SKU **477176** 26685







OEM TOOLS



Heavy Duty Tire Spreader SKU OUTSIDE BUY/EPO 299 XTS14-987

 Simple and Durable Design Makes Tire Service Faster and Easier

 Height Adjustment for Stabilizing Low-Profile Tires
 Adjustable Range

For Outside Buy/EPO, Call 901-300-4878

 Adjustable Range to Handle All Passenger and Light Truck Tires



Xotra I

Test Tank

Lisle

Tire Tube Test Tank

SKU **291382** LIS19822

- 1933
- Tank Features Reinforcement Ribs for Extra Support
- Will Handle Passenger Tire Sizes to Wide Oval and Light Duty Truck Tires
- Dimensions: 31" (L) x 12" (W) x 12" (H)



6

CALL YOUR COMMERCIAL SALES MANAGER TO ORDER YOUR WHEEL WEIGHTS TODAY

Wheel Weight Kits

- Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative
- Premium Powder Coated Finish Resists Chips and Scratches Which Helps Prevent Damage and Corrosion to Wheels

Complete Wheel Weight Kit with Floor Rack

SKU **1392466 68953A**

- Includes 78 Boxes of Coated Clip-On Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE
- 25 Weights per Box • All Metal
- All Metal
 Floor Rack





Starter Kit with Stand SKU 1392467 68955A

LHFE Steel

MCFE Steel

PFE Steel

TFE Steel

ENFE Steel

FNFE Steel

IWFE Steel

REG. \$1,579.21

When You Buy the Kit

Includes: 4 Boxes and 2 Rolls of Adhesive
 Wheel Weights

• 3 Boxes of Strips, .25 Oz, .50 Oz. and 1.00 Oz.

Adhesive Wheel Weight

- 1 Box of .25 Oz. Strips, Black
- (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.
- Wheel Weight Dispenser Stand





OEM TOOLS









349⁹⁹ REG. \$467.93

SAVE \$117 OVER When You Buy the Kit

Wheel Weights Only

Complete Wheel Weight Kit, Weights Only

SKU **1392468 68954A**

- Includes 78 Boxes of Coated Clip-On Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE in the Most Popular Sizes
- 25 Weights per Box

ALFE Steel

LHFE Steel

MCFE Steel

PFE Steel

TFE Steel

ENFE Steel

FNFE Steel

IWFE Steel

599⁹⁹
REG. \$1,209.22

OEM TOOLS

SAVE \$609
When You Buy the Kit

Wheel Weight Starter Kit, Weights Only

SKU **1392326 68952**

- Includes: 18 Boxes of Coated Clip-On Wheel Weights
- ALFE, MCFE and PFE in the Most Popular Sizes
- 25 Weights per Box



129⁹⁹
REG. \$231.72
SAVE \$101

OVER When You Buy the Kit

Wheel Weight Starter Kit with Floor Rack Sku 1339729

OEMREPLENKITA

- Includes: 18 Boxes of Coated Clip-On Wheel Weights
 ALFE, MCFE and PFE in the
- Most Popular Sizes

 25 Weights per Box
- All Metal Floor Rack



Wheel Weight Tools Adhesive Wheel Weight Removal/Cutting Tool

SKU **1362016** 25096

REG. \$24.99



OEM TOOLS

- All-In-One Wheel Weight Tool for Removal Installation and **Cutting with Precision**
- Hammer End with Non-Marring Head Prevents Damage Sharp Cutting Edge to Trim Adhesive Wheel Weights
- Jaws Feature a Protected Surface for Non-Marring Removal of Adhesive Wheel Weights
- Anti-Slip Rubber Coated Handle



4 Piece Plastic Scraper Set

SKU **900802** 25513

- Will Not Scratch Paint
- · Great for Wheel Weight Removal



Adhesive Weights

OEM TOOLS

- 11	ONU	rait#	3126	Lype	Description	FIILE
	19304	23200*	.25 Oz.	40 Strips	12 Pieces per Strip, 480 Pieces per Box	<i>52.99</i>
	19312	23201*	.25 Oz.	10 Lb. Roll	640 Pieces per Box	63.99
	19294	23203*	.50 Oz.	24 Strips	10 Pieces per Strip, 240 Pieces per Box	63.99
	19310	23202*	.50 Oz.	10 Lb. Roll	320 Pieces per Box	74.99
	1339726	23214	1.00 Oz.	16 Strips	7 Pieces per Strip, 112 Pieces per Box	67.99
	1339728	23216	.25 Oz.	30 Strips	Black, 8 Pieces per Strip, 240 Pieces per Box	37.99



Wheel Weight Racks

Adhesive Wheel Weight Dispenser Stand

SKU **1363723** 23209

- · Easy Assembly
- Can Be Secured to Workshop Floors
- Holds 2 Rolls
- All Metal Construction





Metal Wheel Weight Floor Rack

SKU **1328027** PLM486-31280

- All Metal Construction
- 8 Shelves
- Includes Dividers



Clip-On Wheel Weights

- Easy to Apply and Remain Firmly in Place Once Installed
- Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative

Polymer Coated for the Best Appearance
and Exceptional Corrosion Resistance

• 1 Box of 25 Each

OEM TOOLS

STORE STOC	KED*		 Steel Weigl Compared
SKU	Part #	Profile	Price
1359082	23246	10 gm. IWFE	<i>3.99</i>
1359087	23248	15 gm. IWFE	<i>5.99</i>
1359077	23271	20 gm. IWFE	7.99
1359098	23273	25 gm. IWFE	9.99
1359089	23277	30 gm. IWFE	11.99
1359075	23283	35 gm. IWFE	13.99
1359040	23290	40 gm. IWFE	14.99
1359084	23294	45 gm. IWFE	16.99
1359043	23297	50 gm. IWFE	18.99
1417848	23301	55 gm. IWFE	20.99
1414943	23310	60 gm IWFE	<i>22.99</i>
382841	23217*	0.25 Oz. MCFE	9.99
382842	23219*	0.50 Oz. MCFE	10.99
382843	23220*	0.75 Oz. MCFE	11.99
382844	23221*	1.00 Oz. MCFE	13.99
382845	23227*	1.25 Oz. MCFE	17.99
382846	23230*	1.50 Oz. MCFE	17.99
1359096	23244	1.75 Oz. MCFE	20.99
1359053	23253	2.00 Oz. MCFE	21.99
1359056	23257	2.25 Oz. MCFE	23.99
1359052	23260	2.50 Oz. MCFE	<i>26.99</i>
1359095	23262	2.75 Oz. MCFE	28.99
1359036	23263	3.00 Oz. MCFE	31.99
382853	23218*	0.25 Oz. PFE	6.99
382919	23223*	0.50 Oz. PFE	8.99
382920	23224*	0.75 Oz. PFE	8.99
382921	23225*	1.00 Oz. PFE	10.99
382922	23226*	1.25 Oz. PFE	12.99
382923	23228*	1.50 Oz. PFE	14.99
382924	23229*	1.75 Oz. PFE	15.99
382925	23232*	2.00 Oz. PFE	16.99

SKU	Part #	Profile	Price			
1359093	23235	2.25 Oz. PFE	23.99			
1359086	23236	2.50 Oz. PFE	26.99			
1359058	23237	2.75 Oz. PFE	28.99			
1359069	23259	3.00 Oz. PFE	31.99			
1359038	23239	10 gm. FNFE	3.99			
1359073	23242	15 gm. FNFE	5.99			
1359092	23265	20 gm. FNFE	7.99			
1359068	23267	25 gm. FNFE	9.99			
1359071	23269	30 gm. FNFE	11.99			
1359063	23270	35 gm. FNFE	13.99			
1359083	23272	40 gm. FNFE	14.99			
1359057	23274	45 gm. FNFE	16.99			
1359094	23275	50 gm. FNFE	18.99			
1359070	23276	55 gm. FNFE	20.99			
1417552	23309	60 gm FNFE	22.99			
383021	23222*	0.25 Oz. ALFE	9.99			
383022	23231*	0.50 Oz. ALFE	10.99			
383023	23233*	0.75 Oz. ALFE	14.99			
383029	23234*	1.00 Oz. ALFE	15.99			
1359044	23243	1.25 Oz. ALFE	18.99			
1359078	23247	1.50 Oz. ALFE	19.99			
1359076	23249	1.75 Oz. ALFE	<i>20.99</i>			
1359037	23250	2.00 Oz. ALFE	21.99			
1359048	23252	2.25 Oz. ALFE	23.99			
1359074	23287	2.50 Oz. ALFE	26.99			
1359047	23289	2.75 Oz. ALFE	28.99			
1417555	23302	3.0 Oz. ALFE	31.99			
1359054	23238	0.25 Oz. TFE	9.99			
1359064	23241	0.50 Oz. TFE	10.99			
1359091	23255	0.75 Oz. TFE	12.99			
1359049	23256	1.00 Oz. TFE	14.99			
Wheel Weight Profile						

SKU	Part #	Profile	Price
1359039	23258	1.25 Oz. TFE	18.99
1359088	23261	1.50 Oz. TFE	19.99
1359080	23264	1.75 Oz. TFE	20.99
1359059	23266	2.00 Oz. TFE	21.99
1359060	23268	2.25 Oz. TFE	<i>23.99</i>
1359079	23284	2.50 Oz. TFE	26.99
1359066	23286	2.75 Oz. TFE	<i>28.99</i>
1359062	23288	3.00 Oz. TFE	31.99
1359097	23251	10 gm. ENFE	3.99
1359067	23254	15 gm. ENFE	5.99
1359081	23278	20 gm. ENFE	7.99
1359051	23279	25 gm. ENFE	9.99
1359045	23280	30 gm. ENFE	11.99
1359090	23282	35 gm. ENFE	13.99
1359061	23293	40 gm. ENFE	14.99
1359050	23296	45 gm. ENFE	16.99
1414944	23299	50 gm ENFE	18.99
1414942	23300	55 gm ENFE	20.99
1414945	23308	60 gm ENFE	22.99
1359055	23240	0.25 Oz. LHFE	9.99
1359085	23245	0.50 Oz. LHFE	10.99
1359042	23281	0.75 Oz. LHFE	12.99
1359072	23285	1.00 Oz. LHFE	14.99
1359065	23291	1.25 Oz. LHFE	18.99
1359041	23292	1.50 Oz. LHFE	19.99
1359046	23295	1.75 Oz. LHFE	20.99
1414947	23298	2.00 Oz. LHFE	21.99
1414946	23303	2.25 Oz. LHFE	23.99
1417553	23304	2.50 Oz. LHFE	<i>26.99</i>
1417556	23305	2.75 Oz. LHFE	28.99
1417554	23306	3.00 Oz. LHFE	31.99

















Brake Lathe Kit

PRO-CUT

Combination Bench Lathe Kit

SKU **OUTSIDE BUY/EPO** PCTB-17K

• Features Adapters and Accessories for All Passenger Vehicles and Light Trucks

· Resurfaces Brake Drums and Discs to Exceed OEM Specs for Surface Finish in 1 Pass

 Switch from Drums to Rotors in Seconds • Includes: Dust Collection System

and Side Work Table

On-Site Installation and Training Included







VALUE: \$1,099.99

Quick Chuck Kit PCT50-4250K

With Purchase of PCTB-17K

Offer Good While Supplies Last Through March 31, 2025

Lathe Kit with Trolley

PRO-CUT

On Car Brake Lathe for Car and Light Truck

SKU **OUTSIDE BUY/EPO** PCTX15-6ADP

15,29 REG. \$16.449.99

• Plug In, Variable Speed 48v DC Motor Performance Plus Cutting Head • New PFM 2.0 Electronics • Patented One Touch Lateral Run

Out (LRO) Compensation • Cross Platform Compatible Computer and Wiring Harness

• 6 LED On-Board Work Light

4 Wheel, 4 Axis, Adjustable Trolley

On-Site Installation and Training Included

Offer Good While

Supplies Last Through March 31, 2025

Performance Plus Cutting Tips

WARRANTY: 2 Year Parts and Labor

SKU **OUTSIDE BUY/EPO** PCT50-778

• Includes: 6 Tips with Screws

TEST DRIVE BEFORE YOU PURCHASE!

901-300-4878

Ranger[®]

RL-8500 Combination Brake Lathe with Bench and Standard Tooling

SKU OUTSIDE BUY/EPO RANRL8500

- Complete Kit Includes Lathe, Standard Adapters and Bench
- · Provides a Faster, More Accurate and Easier Resurfacing Capability Than Any Other Brake Lathe in Its Class
- Infinitely Variable Speed Controller Able to Turn Rotors and Drums
- · Quick-Change Adapter-Plus System with Built-In Springs Eliminates the Need for Conventional Bell Clamps and Cones
- Independent DC Servo Motors Control the Cross-Feed and Spindle-Feed Drives
- One-Cut Micro Finish
- 150 or 200 RPM Spindle

RL-8500XLT HD Combination Brake Lathe with Bench and Standard Tooling

SKU OUTSIDE BUY/EPO RANRL8500XLT

WARRANTY: 1 Year Parts and Labor

Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.



Shown with Optional Equipment. Accessories Not Included.

Ranger

Truck Adapter Package

SKU OUTSIDE BUY/EPO RAN5150161

· Super-Duty Truck Tooling Package Consists of an Upgraded 1-7/8" Arbor and a Wide Variety of Adapters

- 32 Piece Set Allows Expanded Coverage to Handle Anv
- Vehicle Up to 1 Ton Trucks
- Fits RL-8500 and RL-8500XLT





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

BRAKE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Brake Service Tools

2 Piece Steel Line Stopper Set

SKU **1331483 1999** 35057

- Seals Steel Lines Found on Fuel, Brake, AC, Power Steering, Transmission Cooling Lines and Banjo Lines
- Prevents Leaks and Contamination
- For Use with All Automotive Fluids
- Fits 3/8", 1/2", 5/16" and Banjo Lines



OEM TOOLS

8 Piece Brake Tool Set SKU **900827 REG. \$57.99** 27194

• Includes: Spring Compressor, Brake Spring Installer, Spring Removal Tool, Brake Retaining Spring Tool, Brake Spring Pliers, 2 Brake Adjustment Spoons and Mini Adjustment Spoon

Offer Good Through March 31, 2025



Brake Cylinder Retainer Remover

SKU **265111** 25268

· Expands and Holds Special Retainer So the Brake Cylinder May Be Removed

• Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



SKU **312538** 24518

• Prevents Kinking or Premature Failure of Brake Hose

Keeps Calipers Up and Out of the Way When Servicing Suspension Components, Brakes, etc.

 Hi-Vis Green Powder Coat So You Won't Misplace Them or Leave Them Attached to the Vehicle

8 Piece Manual Brake Gauge Set SKU **191672** 25266

• Color Coded Brake Gauge Identifies Thickness Levels for Brake Lining Inspection

 Includes Sizes: Red: 2, 3 mm, Yellow: 4, 5, 6 mm, Green: 8, 10, 12 mm

 Red Indicates Must Be Serviced: Yellow Indicates Should Be Serviced; Green Indicates Good



OEM TOOLS

OEM TOOLS

OEM TOOLS

OEM TOOLS

Brake Caliper Brush

SKU **250125 1 99** 25435

• Slim Design for Cleaning Brake Calipers and Other Brake Hardware



SKU **390889** 25179

Central TOOLS, Inc.

OEM TOOLS

- Lightweight for Easy Handling
- . Makes Left, Right and Offset Bends Up to 90°

Degrees Marked for Accuracy

• Use with 1/4", 5/16" and 3/8" (4, 6 and 8 mm) Diameter of Mild Steel and Soft Tube Material



OEM TOOLS

1/2" Drive Impact Driver Set SKU **1142387**

22561

· Easily Break Free Rusted, Corroded and Frozen Screws

 Includes: Impact Driver. Bit Adapter, 8 Impact Bits and Sturdy Blow Mold Case



Rotor/Drum Caliper Kit

SKU **186504** CEN3K301

- Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors 8" to 13"
- Range 0 to 6" Digital Caliper Included



Electronic Digital Rotor Gage

SKU 1330687 **CEN3M431**

- Easy to See Digital Readout
- Long Arms for All Rotors
- Interchangeable Flat and Pointed Anvils



Disc Brake Rotor Micrometer

SKU **607071** 25367

5099

- .001" Accuracy, .0005" Reading Large LCD Display with
- SAE or Metric Reading
- Manual Power Off/On
- Range: 5.5"/140 mm
- · Easy Glide Action
- Hardened Measurement Surface



Carbide Lathe Inserts









Central TOOLS, Inc

SKU	Part Number	Quantity	Application	Description	OEM Part No.	Price
262385	SHA0626	6 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-6	19.99
262386	SHA06210	10 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-10	29.99
262389	SHA06810	10 Pack	Accu-turn/ Bosch	Use on Accu-Turn, Bosch On-The-Car Brake Lathe Models 8700, 8750 and 8800	433796, 878051, 080-80000-68	49.99
262388	SHA1046	6 Pack	Ammco	Postive Rake Cutting Bits for Ammco Models 3850, 4000, 7000 and 7500 as well as Twin Cutter and 9381 Facing Set	906918-6	49.99
543384	SHA069-10	10 Pack	Pro-Cut	Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes for Ford. RJ West PFM 9.2, FM900, PFM 9.2DRO Warthog and 9.2DRO	50-742	<i>59.99</i>
262382	SHA40710	10 Pack	FMC	Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/ Drum Lathes	90488, W139, D139	54.99
262409	SHA80210	10 Pack	Kwik Way	Use On All Kwik-Way and Snap-On SDL, DL, 850 Disc Lathes, Rotunda, Snap-On On-The-Car YA180, YA 281 Bench Lathes	109-1092-23, 109-1092-45, BTK10A	74.99
300786	SHA408-10	10 Pack	FMC/Ranger/ Accu-turn	Ranger RL8500 and RL8500XLT Disc and Drum Cutting Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes	45016	79.99
262383	SHA06010	10 Pack	Accu-turn	Use on Models: 7700, 8920, 8922, 8944, 8989, 8990, 8991, 8993, 8995 and 8997 Brake Lathes. 3 Cutting Edges	433796	54.99
1142331	SHA065-10	10 Pack	Hunter	Use on Rotor Models: BL500, 501 and 505 Hunter Lathes	221-639-3	84.99

Silencer Bands

Large Solid Rotor Silencer Band (9")

SKU **262396** SHA94

SHA70B

SHA930



Small Solid Rotor Silencer Band (6")

SKU **262393** SHA96

Silencer Clamp SKU **388821**



Ammco Style Disc Silencer **Band with Steel Weights**

SKU **262392** SHA69



Ammco Style 1-3/4" Drum Silencer Band

SKU **262390** SHA80B



AZG0125

Ammco Style Large Disc Band with Steel Weights SKU **262397**



See AutoZonePro.com for More Applications

BRAKE SERVICE

Brake Bleeding Tools

OEM TOOLS

Vacuum Pump Tester, Power Steering and Brake Bleeder Kit

SKU **1103570** 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing Pump with Vacuum

Gauge and Accessories



1 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

SKU **1282750 47**99 22505

- Convenient Single-Person Operation
- · Effective for Use on Disc/Drum Brakes and Clutches
- Auto-Refill Kit to Simplify the Master Cylinder Refill
- Uses a Standard Workshop Air Supply

OEM TOOLS



OEM TOOLS

Universal Fluid Dispensing Bottle

SKU **568477 39**99 24443

- Refill the Master Cylinder During Vacuum or Manual Hydraulic Brake or Clutch Bleeding and Flushing
- Mounts Securely to Master Cylinder and Clamps

PH02003

Capacity: 50 Oz.



VALUE: \$9.99

OEM TOOLS

Brake Bleeder Wrench (8 and 10 mm)

25317

With Purchase of: 24443

Offer Good While Supplies Last Through March 31, 2025

2 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

SKU **1361989** 22506

REG. \$69.99

- For Use on Brakes and Hydraulic Clutches
- Convenient Single-Person Operation
- Uses Standard Workshop Air Supply
- Includes: Auto-Refill Kit to Simplify the Master Cylinder Refill and Adapters to Fit Most US and Domestic Vehicles
- Standard and ABS Brake Systems



SKU **459112** PH02104-B

- · Easily Bleeds ABS
- · Removes Trapped Air
- Attachments to Fit All Vehicles



V-12 Economy Professional **Reverse Brake and Clutch Bleeder**

SKU **289898**

• Bleed the Brakes on Any Vehicle in 10 Minutes or Less, Including ABS

· Save Time and Money on Good Parts Not Properly Bled



Offer Good While Supplies Last Through March 31, 2025

1.3 Quart Vacuum Brake Bleeder

SKU **459166 MITMV6870**

- 1.3 Quart Reservoir
- · Applications: Brake Bleeding, Hydraulic Clutch Bleeding
- Universal Bleed Screw Adapter Fits Most Common Sizes
- Includes Two Replacement Bleed Screw Adapters





Silverline Elite Test Kit

SKU **988888** MITMV8500

- Provides Either Vacuum or Pressure with Equal Precision and Convenience
- Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More
- Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests



Mituvac...



Brake Bleeding Kit SKU **604208** MITMV6830

- Compressed Air Operation
- 1.9 Quart Capacity
- · Swivel Air Inlet with Quick Disconnect



mityvac:

Pressure Brake Bleeding System

SKU **383099** MITMV6840

- Large 1.2 Gallon Capacity Dispenser
- Includes 7 Master Cylinder Adapters That Connect to Most U.S., Asian and European Cars and Light Trucks
- Pressure Gauge Indicates Dispensing Pressure
- Utilizes Push-to-Connect, Quick-Change Adapters



2.5 L Pressure Brake Bleed Kit mituvac:

SKU **1361996 MITMV7840**




- Pressure Control System Safely Maintains Output Pressure Between 20 and 25 psi
- Includes 7 Master Cylinder Adapters That Connect to Most Domestic and Import Cars and Light Trucks
- Conveniently Located On/Off and Flow Control Valve



5 Piece Brake Bleeder Wrench Set

SKU **1442597** VIMBB500

- Includes: 7 mm to 11 mm
- True Size Hex Openings for Tight Fit
- Satin Chrome Plated High Alloy Steel
- Angles are Designed to Access Bleeder Screws without Removing the Wheel



<u>Brake</u> Service

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Disc Brake Tools

OEM TOOLS

18 Piece Disc Brake Caliper Set SKU **94798**

27113

- Includes Caliper Adapters from 1-3/16" to 2-1/2" - Some Specifically to Service Nissan, Saab and Honda Models
- . Includes Right and Left Hand Caliper **Rotation Tools**
- Left Hand Thread is Useful When Working on 2004-2007 Ford Freestyle, 500, 2008 Taurus and Taurus X Models
- Rust Resistant Finish



37 Piece Disc Brake Service Kit SKU **1125858** 25107

• Includes: Disc Brake Caliper Tool Set, Pad Spreader, Brake Caliper Brush, 8 Brake Caliper Hangers, 3 Bleeder Wrenches and One-Man Brake Bleeder Kit





lisle

Pneumatic Brake Caliper Tool Set

SKU 1053954 🥠 MSC43050

- Durable Non-Impact Single Piston Shaft
- O-Ring Protected Shaft to Maintain Proper Pressure
- Magnetic Base to Secure Press Adapters
- 15 Piece Press Adapter Set



Mastercool.

Dual Piston Press SKU **900811**

• Designed to Press-In Single and **Dual Piston Brake Calipers**

 Universal Application on Cars, Light and Heavy Trucks

· Rugged Design for Longer Tool Life



Dual Speedy Pad Spreader

SKU **291420** LIS25750

. Compresses Dual Brake Pistons Simultaneously

· Makes Dual Piston Pad Replacement a Simple Job



lisle



LIS24300

• Compresses Disc Brake Pistons in Seconds

 Makes Brake Pad Replacement Easier



lisle

Quick Quad Pad Spreader SKU **080553**

25741

LIS29100

• A Quick Way to Spread Brake Pads and Compress Disc Brake Pistons for Pad Replacement on Single, Double and Quad Piston Calipers

• Simultaneously Compress All 4 Pistons on **Quad Piston Applications**

• Can Be Used While Caliper is on the Vehicle or Hanging Free

Brake Caliper Press (Standard Size)

SKU **954224** LNG279

- Size Range is 1.7" to 3"
- . Works on Various Single, Dual and Quad Piston Calipers
- 360° Ratchet Swing Allows Access at Any Angle

Brake Caliper Press (Small Size)

SKU 1400043 **LNG277**

• Size Range is 1" to 2.25"



Brake Caliper Piston Rewind Tool

SKU 1368620

REG. \$54.99

• Includes a Standard Two-Pin Adapter Compatible with Any Piston Adapter

• Includes a Fully Adjustable 3/8" Drive 2 and 3 Pin Adapter Tool That Fits Most Vehicles

 Powerful Internal Spring to Apply Stable Pressure to the Caliper Piston



Offer Good While Supplies Last Through March 31, 2025

Brake Hub Resurfacing Tool

SKU **013590** 24686

- · Quickly Remove Rust on Lug Studs and Rotors on the Hub Assembly
- · Use with Drill for a Quick and Easy Job
- Fits All Passenger Cars, Light Trucks and SUVs
- Includes 4 Pads



VALUE: \$19.99

Large Replacement Pads - 5 Pack 65688

· Replacement Brake Hub Resurfacing Pads for 24686 Includes (5) 2" Pads

With Purchase of: 24686 Offer Good Through March 31, 2025



2 and 3 Pin Brake Rewind Tool SKU **13592 94 99**

24693

2 Fully Adjustable to Fit Thousands of Vehicles

. No Need for Multiple Tools


3/8" Drive Adapters





3 Pin Side

2 Pin Side



BRAKE SERVICE

Sprayers

Red Powder Coated Aluminum Sprayer

SKU **186463** MSMB8000PL

- 16 Oz. Capacity
- . Not for Use with Chlorinated Solvents
- Pressurize Up to 200 psi

Complete Repair Kit for B8000PL

SKU **186467 29**99 MSMBK50



Red Powder Coated Steel Sprayer

SKU **186459** MSMA1000R

- 32 Oz. Capacity
- Not for Use with Water-Based Products
- Pressurize Up to 200 psi



Repair Kit SKU **186465** MSMK10

Used for MSMA1000R

- Includes All Parts That Can Be Replaced
- All Chemical Resistant Seals





OEM TOOLS

Filler Cap Assembly SKU **186466**

MSMP156

- For Model "A" Sprayers
- Hand Removable

Hones and Stones

Rotor Flex-Hone®

64 99 each

Lowers Harmonic Vibrations

Ideal for New and Resurfaced Rotors and Flywheels

SKU **341310** BRMRMFH240Z25 BRMRMFH120Z25

Medium SKU **341298** **Coarse** SKU **341314**

BRMRMFH60Z25



Adjustable Disc Brake or Small Engine Hone

SKU **850067 7799**

Motorcraft and Toyota DOT 3)

25269

with Fluid

SKU **531707** 25030

• Includes 3 Medium (220) Grit 3/4" Stones



Brake Fluid Tester - DOT 3, DOT 4, DOT 5.1

Built-In LED Light to Ensure Tips are in Proper Contact

• Easily, Quickly and Precisely Checks the Water Content of 8 Types of Polyglycol-Based Brake Fluids (DOT 3,

DOT 4, DOT 5.1, ACDelco DOT 3, Pennzoil, Prestone,



OEM TOOLS

Brake Fluid Testers

Brake Strip + 100 Ct. Coolant Strip Double Ended with Customer Cards

SKU 1089037 PH03006-PLUS

- Double Ended Test Strips for Brake Fluid and Coolant
- Use on DOT 3 or 4 Brake Fluid
- Compatible with All Coolant Colors
- Includes: 100 Double Ended Strips and 100 Rating Scale Cards


Double Ended Brake Fluid + Coolant Test Strips, 100 Ct.

SKU **666577** PH03001-PLUS



• Checks Moisture Content in Any Brake Fluid

Electronic Brake Fluid Tester



· Automatic Shut-Off

SKU **191687** 25267

. Calibrated for DOT 4 Fluid

• 1 AAA Battery Included





OEM TOOLS

BrakeStrip Brake Fluid Copper Test Kit

SKU **289905** PH03006

- Everything Needed to Test Brake Fluid
- Know within 60 Seconds if it's Time for a Change
- Includes: 1 Tube of 100 Test Strips and 100 Color Pop **Rating Cards**







Fluid Exchanger

Premium Brake Fluid Exchange System

SKU 1407509 MVC500-8100

3,47999

- Includes Brake Adapter Kit
- Pressure and Vacuum Assist
- Portable Operates on 12 Volt DC
- Complete Brake System Exchange in 10 Minutes
- · Adjustable Pressure Regulator Controls Operating Pressure
- · Performs Brake Flush Using Pressure and Vacuum Simultaneously



Brake Service Tool

Heavy Duty Hub Drum and Rotor Puller Kit 13099

SKU **1125878** 25106

Use with Impact Wrench to Remove Hubs, **Drums and Brake Rotors**

- Includes 3 Hub Adapters for Use with Most
- Common Hub Sizes and Types

 Jaw Spread Up to 12-3/4" with 5" Reach • Durable Forged Frame Rated to 7 Tons of
- Pulling Force for the Toughest Jobs • Drum and Rotor Pulling Arms Feature with Raised Stops for Use with Ratchet Straps (Not Included)
- · Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces
- Includes: Sturdy Blow Mold Case



HEAVY DUI

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-

Scan Tools



TEXA Diagnostic Kits

- World Class US-Based Support, with the Most Complete Vehicle Coverage
- Lifetime Repair or Replacement Equipment Warranty with Current Software Subscription
- Continual Updates on All Makes and Models with Current Software Subscription
- Fast, Powerful Hardware for Maximum Shop Efficiency
- Wiring Diagrams, Repair Procedures, Dashboards, Advanced Resets, Activations and More

Axone Light Truck Diagnostic Kit SKU **OUTSIDE BUY/EPO TEXAXLTHDTRK**

- Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles
- Includes: AXONE NEMO LIGHT, Suitable for a Large Range Of Environments and the TXT Multihub



Axone Plus Truck Diagnostic Kit SKU **OUTSIDE BUY/EPO TEXAXPLHDTRK**

- · Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles
- Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments and the TXT Multihub



Axone Plus Master Fleet Package for Truck/OHW/Car

SKU OUTSIDE BUY/EPO **TEXAXPLMFP**

- Provides Advanced Diagnostics and OE-Level Coverage for Diverse Fleets Including Car, Truck, Agriculture and Construction Equipment
- . Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments, the TXT Multihub and the Off-Highway Essential Cable Case



For Outside Buy/EPO, Call 901-300-4878

Smoke Leak Detector

Dual Evap Smoke Machine* SKU OUTSIDE BUY/EPO 1,64999

- For Evap, Turbo/Intake and Heavy Duty Truck Testing*
- For Evap and High Pressure Diagnostic Testing
- Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air and Inert Gases
- Accessories Include: Smoke Hose, Block Off Caps, Exhaust Cone, Schrader Valve Remover/Installer, Evap Service Port Adapter Hose, Smoke Illuminating Flashlight, Smoke Producing Fluid and Bladder



* Heavy Duty Truck Testing Requires MSC43062 Adapter Kit, Not Included (Sold Separately)

Cooling System

Heavy Duty Cooling Kit

Mastercool:

SKU **954231** MSC43306

Mastercool.

- Includes Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case
- For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems
- Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks



Recovery Machine

Fully-Automatic Heavy Duty R134a Refrigerant Management System

SKU **1407805 CPSMXHD**

· For Commercial and **Heavy Duty Applications**

• 6 CFM Dual-Stage Vacuum Pump

Compressor

 Comes Standard with a 50 Lb. Tank: Upgradeable to 90 Lb.

· Wi-Fi and Bluetooth **Fnabled**



HEAVY DUTY

Specialty Tools

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece

SKU **004112** 25031

- For Series 11 and 13 Engines
- · Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines;

1 Straight and (1) 90° Tool for 16 mm Fuel Lines



Heavy Duty U-Joint Puller

SKU **041474** 24538

 Easily Removes Seized U-Joint Cups on Most Class 7 and 8 Trucks

12499

- · Safely Disassemble Drivelines without Hammering or Heating Components
- Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups
- Bearing Cup Outside Diameter: 1.5" to 2.2"



Automatic Slack Adjuster Release Tool and Wrench

SKU **1207889** 25252

- 5/16" Double Square Ratchet Has an Angled Head to Give Extra Clearance for Hands
- Side-Mounted Forward/ Reverse Lever for Easy Operation
- Speeds Up Installation on Meritor® Heavy **Duty Truck Brake Slack** Adjusters to Simplify Brake Service



SKU **1361998 124 99** 27090

- For Removal of Brake Anchor Pins and Bushings on 16-1/2" S-Cam Trailer and Tractor Q Brake Systems
- No Need to Remove the Hub or Dust Shield
- Rigid C-Frame with 10 Ton Capacity
- · Manufactured from High Grade Steel for Strength and Durability
- Manual, No Hydraulics Required



Heavy Duty Wheel and Tire Service

Heavy Duty Truck Tire Changer SKU OUTSIDE BUY/EPO **ROTR511**

- · Designed to Fit Trucks, Buses, Agriculture **Applications and Super Single Tires**
- Handle Wheels from 10" to 26", 12" to 28", 14" to 30'
- Locking System Suitable for Reverse Rims
 Quick Locking Wheel Centering Adapter
- Full Range of Bead Clamps and Adapter
- · Easy Roller Bead-Breaking Feature
- Max. Tire Diameter: 45"
- 220V, 1Ph

INCLUDES: Set Up and Training



WARRANTY: 3 Years Parts and Labor

Heavy Duty Wheel Balancer

SKU **OUTSIDE BUY/EPO ROTR540**

- . Designed to Fit Commercial Truck, Light Truck and Passenger Vehicles
- Balance Compact Cars to HD Trucks
- · Auto Stop on Top for Weight Position
- Auto Entry of Distance and Diameter
- Integrated Wheel Lift Up to 441 Lb. • Max. Rim Diameter: 30'
- Max. Tire Diameter: 51"

INCLUDES: Set Up and Training

WARRANTY: 3 Years Parts and Labor



Coats® CHD-6330 Heavy Duty Tire Changer SKU **OUTSIDE BUY/EPO 20.499**⁹⁹ AMM8006330

- Motor: 2 HP
- . Max. Tire Diameter: 63"
- Rim Diameter: 13" to 27"
- · 4-Jaw Chuck Allows for Fast and Easy Clamping of Virtually All Rim Styles
- Features Portable Control Station · Solid, Single Piece Frame for
- Added Capacity and Dependability

INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor

Coats® 6450-3D Heavy Duty Balancer SKU OUTSIDE BUY/EPO

AMM64503DKT1P

Kit Includes Wheel Lift Plus Lug and Hub Centered Budd Style Adapters

 Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations

- Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds Off of a Typical 22.5" Spin
- · Designed for High Volume Balancing, the Perfect Machine for Delivery Vehicles and **Tractor Trailers**
- Max. Tire Diameter: 52"
- Max. Tire Weight: 500 Lb.

INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Low Profile Oil Drains

17 Gallon Low Profile Truck Drain

SKU **526486** LIN3665

• 6' Hose Extends from the Bottom of the Reservoir and Can Be Connected to a Pump to Evacuate Fluid from the Drain



Truck Tire Tools

Tubeless Truck Tire Iron SKU **394384**

KTL34645

Includes: 1 Tire Iron

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37"
- Stock Diameter: 3/4"





E 4 Ken-Tool[®]

 Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager

HEAVY DUTY

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

Heavy Duty Lifts

56,000 Lb. Mobile Lift System/Set of 4

SKU **OUTSIDE BUY/EPO** CHLCLHM-140-4

- 110 Volt Charging System
- Completely Wireless System
- Adjustable Wheel Carriage Adapts from 5" to 24.5"
- Integrated Touch-Screen Control Console at Each Column Allows Operation from Any Unit
- 14,000 Lb. Capacity per Column

Includes: Batteries, Fluids and Factory Training



27,000 Lb. Heavy Duty Truck Lift

SKU OUTSIDE BUY/EPO **BENHDS27**

- · Runways Include Rail-Kit for Optional Accessories
- Runways Adjust for Different Tread Widths
- Electric/Hydraulic Power System
- · Fully Enclosed Lifting Cables, Safety Locks and Sheaves
- Pneumatic Push-Button Safety Release
- Length: 297'

WARRANTY: 1 Year Parts and Labor



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

Lifting Equipment

6,000 Lb. Heavy Duty **Engine Crane**

SKU 1267948 AFF3584

1,39999

- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton
- · Rear of Crane: 61.5" Tall and 33" Wide
- Distance Between Front of Leas: Retracted 23" Extended 28.5"



35 Ton Air Hydraulic Axle Jack

SKU **954200** AFF536

- Unique Motor Design Advances Ram to Load Faster
- · Air Assisted Lowering and Dual Return Springs Provide Controlled and Easy Descent
- Safety Overload System Prevents Jack from Being Used Beyond its Rated Capacity
- Corrosion Resistant Aluminum and Nylon Composite Air Motor



4,400 Lb. Transmission Jack

1,899999 SKU **954183** AFF3180A

- Heavy Duty with a Rated Capacity of Over 2 Tons
- Rugged Industrial Grade 4" Casters
- Fully Adjustable Saddle
- Extra-Long 32" Handle
- Safety Chain Included
- 8.5" Low Height
- Convenient Side Tray to Store Small Tools and Parts



10 Ton Air/Hydraulic Service Jack SKU **OUTSIDE BUY/EPO** 1.94999

AFF3135 • Large, Rugged 4-1/2" Front Wheels and

- 2-3/4" Rear Casters • Can Be Operated Manually When Shop Air is Not Available
- Foot-Operated Pump for Quick Lifting Efficiency

OEM TOOLS

- Automatic Overload Safety Valves
- . Chassis Length: 61"
- Low Height: 7 • Width: 18"



Locknut Sockets

7 Piece Wheel Bearing Locknut Set

SKU **1207886** 37385

- Includes: 55 mm 6PT, 2-3/8" 6R, 2-3/8" 6PT, 2-1/2" 6R, 2-1/2" 6PT, 2-9/16" 6R and 2-3/4" 6R
- · Comes with Standard Hex (6PT) and Rounded (6R) Hex Sockets to Fit Many Applications
- For Use with 1/2" Square Drive Ratchet, Breaker Bar or Torque Wrench



• 35 mm, 38 mm, 41 mm and 1-1/2" Sockets Feature a Dual Socket Design with a Hex to Remove the Lug Nut and an Internal Square Drive to Remove the Inside Wheel

- 38 mm, 41 mm and 1-1/2" Sockets Each Have a 13/16" Internal Square
- 35 mm Socket Has a 11/16" Internal Square
- For Use with 1" Drive Ratchet, Breaker Bar, **Torque Wrench and Impact Wrench**

Offer Good While Supplies Last Through March 31, 2025

Truck Axle Wheel Bearing Sockets

- 3/4" Square Drive
- Constructed with High-Grade Steel for Strength

4", 6 Pt.

SKU **466541**

25482

4-1/8", 6 Pt.

SKU **265085**

2-9/16". 8 Pt.

SKU **466534** 25473

4-3/8". 8 Pt.

SKU **466543** 25485

Heavy Duty Stands

22 Ton Heavy Duty Axle Stands (Pair)

SKU **757098** 24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement



Small

SKU **344322** 25231

• Range: 4-1/8" to 4-5/8" (104 to 118 mm)

Medium

SKU **344323**

25232

• Range: 4-5/8" to 5-1/4" (118 to 134 mm)

Heavy Duty Truck Oil Filter Wrenches

Large SKU **344324 21 99** 25233

• Range: 5-1/4" to 5-3/4" (134 to 142 mm)



• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.













BendPak.



OEM TOOLS















OEM TOOLS



- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- Constructed with 16 G Steel Frame
- Lift Latch Drawer Pulls







72" 16 Drawer Rolling Cabinet with Stainless Steel Top – GreenSKU **126793**5

HOM72RSPRCSG **1,799**⁹⁹

• $72"(W) \times 24"(D) \times 40"(H)$



54" 10 Drawer Rolling Cabinet with Stainless Steel Top – Blue SKU 1343816 HOM54RSCABSBL

1,799⁹⁹

• 54.5"(W) x 24"(D) x 40.375"(H)



72" 3 Drawer Hutch – BlackSKU **OUTSIDE BUY/EPO HOM72RSPHUTBK**

1,599⁹⁹

• 71.5"(W) x 23.5"(D) x 24.375"(H)

72" 16 Drawer Roller Cabinet – Black

SKU OUTSIDE BUY/EPO HOM72RSPRCBBK

2,479⁹⁹

• 72"(W) x 24"(D) x 39.25"(H)



54" Top Hutch – Blue SKU **1343820 HOM54RSPHUTBL**

1.099⁹⁹

• 54"(W) x 23.5"(D) x 24.375"(H)

54" 10 Drawer Rolling Cabinet – Blue

SKU 1442581 Hom54RSPCABBL

1.69999

• 54.5"(W) x 24"(D) x 40.375"(H)



72" 12 Drawer Top Chest – Blue

SKU OUTSIDE BUY/EPO HOM72RSPCHSTOBL

1.69999

• 72"(W) x 23.5"(D) x 21.375"(H)

72" 16 Drawer Roller Cabinet – BlueSku **OUTSIDE BUY/EPO**

H0M72RSPRCBBL **2.419**⁹⁹

• 72"(W) × 24"(D) × 39.25"(H)



54" 8 Drawer Top Chest – BlackSKU OUTSIDE BUY/EPO
HOM54RSCHSTBK

1.199°

• 54"(W) x 23.5"(D) x 21.375"(H)

54" 10 Drawer Rolling Cabinet – Black

SKU OUTSIDE BUY/EPO HOM54RSPCABBK

1,69999

• 54.5"(W) x 24"(D) x 40.375"(H)



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Office in Continuous Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4



- 24" Deep Drawers
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- 100/200 Lb. Drawer Capacity
 Constructed with 16 G Steel Frame
 - Lift Latch Drawer Pulls











35" 7 Drawer Flip-Top **Service Cart - White**

SKU **1343819**

НОМ35FTSCWH **899**99

• 31"(W) x 22.5"(D) x 38.875"(H)



41" Top Hutch - Orange SKU **OUTSIDE BUY/EPO** HOM41RSPHUTO

84999

• 40.75"(W) x 23.5"(D) x 24.375"(H)

41" 9 Drawer Rolling Cabinet - Orange

SKU OUTSIDE BUY/EPO HOM41RSPRCO

1,24999

• 41"(W) x 24"(D) x 39"(H)



35" Professional 4 Drawer Flip Top Service Cart - Red

SKU 1343822 **599**99 HOM35PSCR

• 35"(W) x 20.5"(D) x 39.375"(H)



35" 4 Drawer **Slide Top** Cart - Blue

SKU **1343821** HOM35STCBL

59999

• 35"(W) x 20.625"(D) x 42"(H)



34" Professional 3 Drawer Service Cart - Black

SKU **1267944** HOM34PSCBK **649**99

• 34.5"(W) x 16.75"(D) x 39.38"(H)



SKU **1343817 399**⁹⁹ **HOM32PSCBL**

• 31.5"(W) x 17.5"(D) x 35.625"(H)



Professional Plastic Service Cart

SKU **1414408**

НОМРРО6032031 24999

- Four 4"× 1" Swivel Casters
- Load Capacity Up to 300 Lb.
- Tray-to-Tray Distance of 16.1" for Maximum Storage





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

44" 8 Drawer Power Service Cart - Grav

SKU 1282738 HOMRSPR044G

- . Top Till Includes Full-Extension Gas Struts and a Lockable Security Compartment with an Additional Power Strip to Store and Charge Phones, Laptops and Other Devices
- Equipped with High Security Locking System to Keep Valuables Safe and Secure
- 40.5"(W) x 23.9"(D) x 40.2"(H)

Features 4 Electric Outlets and 2 USB Ports to Efficiently Charge, Store and **Organize Power Tools in One Place**



Homak 54" 7 Drawer Rolling Workstation - Blue SKU OUTSIDE BUY/EPO HOM54RWSBL 1,264⁹⁹ Durable Stainless Steel Work Surface · Power Tool Drawer with Power Strip Includes 4 Electric Outlets and 2 USB Ports • Four (4) 5×2 inch Casters with a Weight Capacity of 520 Lb. Each: 2 Swivel Locking THE and 2 Fixed • $57.5"(W) \times 29"(D) \times 41"(H)$ For Outside Buy/EPO, Call 901-300-4878

72" 31 Drawer Professional Chest and Cabinet Set

SKU **662880** 24741

Total Loading Canacity: 4.750 Lb.

When you buy the combo

Casters Rated to 880 Lb. Each

- Overall Dimensions: 72"(W) x 24"(D) x 67"(H)
- Storage Space: 52,299 Cubic Inches
- Drawer Space: 13,906 Sq. Inches



Part #	Description	Dimensions	Storage Space	Price
24740	72" 15 Drawer Professional Chest	72"(W) x 24"(D) x 26"(H)	23,076 Cu. In.	\$2,299.99
24739	72" 16 Drawer Professional Cabinet	72"(W) x 24"(D) x 41"(H)	29,223 Cu. In.	\$2,599.99
	Regular Price			\$4,899.98
24741	COMBO PRICE			\$4,599.99
	SAVINGS			\$299.99

72" 15 Drawer **Professional Chest**

SKU **666312** 24740

72" 16 Drawer **Professional Cabinet**

SKU **662767** 24739

OEM TOOLS 57" 22 Drawer Professional Combo

SKU **662893** 24738

Total Loading Capacity: 2,697 Lb.

Vhen vou buv

Casters Rated to 880 Lb. Each

- Overall Dimensions: 57"(W) x 24"(D) x 66.5"(H)
- Storage Space: 41,466 Cubic Inches
- Drawer Space: 13,404 Sq. Inches



Part #	Description	Dimensions	Storage Space	Price
24737	57" 10 Drawer Professional Chest	57"(W) x 24"(D) x 26"(H)	18,938 Cu. In.	\$1,699.99
24736	57" 12 Drawer Professional Cabinet	57"(W) x 24"(D) x 40.5"(H)	22,528 Cu. In.	\$2,099.99
	Regular Price			\$3,799.98
24738	COMBO PRICE			\$3,599.99
	SAVINGS			\$199.99

57" 10 Drawer **Professional Chest**

SKU **666333** 24737

57" 12 Drawer **Professional Cabinet**

SKU **666300** 24736

36" Slide Top 3 Drawer Tool Cart - Green

SKU **666298** 24731

699 REG. \$749.99

- Constructed with a 19 Gauge Steel Shell and 21 Gauge Steel Drawers

 • Full Length Anodized Aluminum Drawer Pull
- 30"(W) x 18"(D) x 2.9"(H)

Offer Good Through March 31, 2025

 Shallow Drawer Dimensions: Deep Drawer Dimensions: 30"(W) x 18"(D) x 6.1"(H) • Overall Dimensions: 36"(W) x 21"(D) x 46"(H)



Service Cart with Locking Lid and Drawer

SKU **512948** 24961

159 REG. \$249.99

- Total Load Capacity: 350 Lb.
- Drawer Loading Capacity of 75 Lb.
- Easy to Maneuver with 4 Swivel Casters: 2 Standard and 2 Locking
- Stays Securely in Place with 2 Locking Casters
- Durable Powder Coated Finish
- Raise-and-Release Safety Drawer Latches to Prevent Drawer from Drifting Open
- Dimensions: 36"(H) x 18"(D) x 30"(L)

Offer Good Through March 31, 2025





Customer Responsible For Offloading, Liftgate Service Available.

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

72" Stainless Steel 11 Drawer Cabinet and Upper Cabinet

SKU 1168659 0EM24615

Features:

- · Dimensions: 72"(W) x 18"(D) x 71.5"(H)
- Upper Cabinet is 12"(H) x 18"(D)
- Drawer Liners Included





18" Tall Pegboard

Heavy Duty Casters



Full Extension 100 Lb. Capacity Slides

OEM TOOLS



PVC Coated

VALUE: \$159.99

Service Cart with Locking Lid and Drawer 24961



With Purchase of: **0EM24615**

Offer Good While Supplies Last Through March 31, 2025

Steel Workbenches

- Black Powder Coat Finish
- Engineered for Quick Assembly
- Built-In Leg Levelers

59" Steel Workbench

SKU 1392321 HOMGW00550150

. Weight Capacity: 880 Lb.



79" Steel Workbench with **3 Drawers and Wood Top** SKU **1392314**

HOMGS00579030

• 1.5" Wood Work Surface with Top Mat

. Weight Capacity: 440 Lb.



59" Steel Workbench with 2 Drawers

SKU **1392318** HOMGW00550170

- High Security Tubular Lock System
- Ball-Bearing Drawer Slides
- . Weight Capacity: 1100 Lb.



79" Steel Workbench with 3 Drawers

SKU **1392331** HOMGW00550160

- High Security Tubular Lock System
- Ball-Bearing Drawer Slides
- . Weight Capacity: 1100 Lb.




Tear Down Tray

VIKING Adjustable Mobile Work Table

200 Lb. Capacity SKU **1485038**

VIK52200

- Adjustable Tray
- Heavy Duty 2" Rubber Composite Swivel Casters
- Multiple Storage Slots, Trays and Insert Grooves Keeps Tools and Parts Organized and Within Reach
- 1" Drawer with Roller Bearing Slides Offer Additional Storage Capacity





Tools Not Included

Field Boxes

XL Field Box

- · 4 Locking Options for Security
- Compression Fit Lid with Rubber Gasket for Water and Dust Resistance
- Internal Dimensions: 12-5/8"(L) x 6-5/8"(W) x 8"(H)
- Manufactured with Impact, Abrasion and Crack **Resistant Copolymer Plastics**
- Food Safe and Resistant to Most Acids and Solvents

Olive Drab Green SKU 989218

12710

Black SKU 1392313 12700

XL Field Box with Lift Out Storage Tray

. Lift-Out Tray with 8 Compartments

Olive Drab Green SKU **989216** 12712

Black 12701

SKU 1392328

White SKU 1392312 12721



SHEFFIELD

Gear Bag



All-Purpose Gear Bag SKU OUTSIDE BUY/EPO **CLC1111**

7499

- Perfect for Carrying Power Tools, Extension Cords, etc.
- Outside Pockets Hold Small Tools or Accessories
- · Abrasion-Resistant Rubber Feet
- · Reinforced Padded Carrying Handles for Comfortable Carrying
- Dimensions: 24"(L) x 12"(W) x 12"(H)



For Outside Buy/EPO, Call 901-300-4878

TOOL ORGANIZATION

2 Post Socket Trays

6 Piece Socket Tray Sets

- Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)

 • SAE Socket Range: 1/8" to 5/8" (1/4" Drive),
- 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)
 Includes: 6 Trays 1/4", 3/8" and 1/2" Drive
- in Both Metric and SAE



Tools Not Included

SAVE







SKU **949573** 22233

SAVE REG. \$33.99

Metric

Black and Orange SKU **1142583** 22418

SAE REG. \$33.99

Offers Good Through March 31, 2025

Gray and Red SKU **477209** 22413 SAF

REG. \$33.99

SAVE

3 Piece **Socket Travs**

• Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive



Black SKU **749937** 22211

OEM TOOLS



Magnetic Socket Tray Sets

3 Piece Magnetic **Socket Tray Set Metric or SAE**

SAE



 Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive in Metric or SAE

Blue (Metric)

SKU **1149155** 22486

Red (SAE) SKU 1149183 22484



Metric

SKU 1149156 22487

Black (Metric)

Green (SAE) SKU **1149165** 22485



Metric



OEM TOOLS

6 Piece Magnetic Socket Tray Set - Metric and SAE

• Includes: 6 Trays - 1/4", 3/8" and 1/2" Drive in Both Metric and SAE



Black and Red

SKU 1485048

22488

22460

9999















Blue and Green

22461





Blue and Red



SKU 1331485 22489



- SAE 1/4" Tray Holds 2 Sets of Sockets 1/8" to 5/8"
 - 3/8" Tray Holds 2 Sets of Sockets 3/8" to 7/8"

OEM TOOLS

• 1/2" Tray Holds 1 Set of Sockets 3/8" to 1-1/4"

- METRIC 1/4" Tray Holds 2 Sets of Sockets 4 mm to 14 mm
 - 3/8" Tray Holds 2 Sets of Sockets 6 mm to 20 mm
 - 1/2" Tray Holds 1 Set of Sockets 10 mm to 27 mm

OEM TOOLS

4 1

Tools Not Included


OEM TOOLS

Pro Socket Organizers

Magnetic Socket Trav SKU **082922** 🦪 22389

• Store Up to 36 Total Sockets -1/4", 3/8" and 1/2" Drive

• Removable Back Panel Allows Magnets to Adhere to Any Magnetic Surface



Magnetic Socket Organizers

Portable Magnetic Socket Organizers

- Holds Up to 28 Sockets
- · Powerful Magnets Hold Sockets Securely and Attach Organizer to Any Magnetic Surface
- Low-Profile Design Fits Most Toolbox Drawers

3/8" Drive SKU **1442590** 23117

1/2" Drive SKU **1414403** 23118



Tools Not Included

Tool Holder


Magnetic Tool Holder SKU **749848**

22212





- 18" Rail with 16 Sliding Clips
- · Multipurpose Clips Hold a Variety of Tools · Great for Screwdrivers, Ratchets, Wrenches, Pliers and Other Small Tools
- Powerful Magnet for Secure Hold
- Foam Shield to Protect Paint Finishes




TOOL ORGANIZATION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Flexi-Trays

3 Piece Set





 Withstands Motor Oil and Non-Corrosive Fluids

· Anti-Static, Silicone Material Protects Work Surfaces from Damage and Scratching





Organizers

16 Piece **Pliers Holder**

SKU **765589** 22215

13⁹⁹

- 16 Extra-Wide Spaces for Pliers with Rubber Grips
- Vinyl Coating for Lasting Dependability
- Dimensions: 14.0" (L) x 5.2" (W) x 2.5" (H)






Tools Not Included

OEM TOOLS **Drawer Organizer Tray**

SKU **749932** 22213

- Rolled Bottom Edges Allow Easy Removal of Small Parts
- Low-Profile Fits in Shallow Toolbox Drawers
- 10-Compartment Tray
- Stackable Design
- · Dimensions: 16" (L) x 11" (W) x 1.5"(H)



Magnetic Trays

4 Piece Magnetic Foldable Trav

SKU **1207890** 26052

- Collapsible Tray Expands from 3/4" to 2" Deep
- . Holds Up to 2 Lb.
- Multiple Color Set Keeps You Organized
- Dimensions: 4-1/2" x 4-1/2"





Tools Not Included

OEM TOOLS

Magnetic Bit Holders

4 Piece Magnetic Hex Bit Travs SKU **1284964**

24142

· Each Tray Holds 36 Hex Bits

. Coated Magnetic Trays Adhere to Most Metal Surfaces



OEM TOOLS

OEM TOOLS

OEM TOOLS

Magnetic **Trays**

- · Trays Stick to Most Metal Surfaces
- Ideal for Holding Small Parts and Tools
- Heavy Duty Stainless Steel

5" x 9"

SKU **965834** 25117C

 2 Powerful Magnets with Protective Rubber Coating to Resist Scratching



10" x 11"

SKU **965835** 25119

• 4 Powerful Magnets with Protective **Rubber Coating** to Resist Scratching



Tools Not Included

Paper Towel Holder

Magnetic Paper Towel Holder

SKU **280376** 24952

· Adjusts to Fit Different Size Rolls

 3 Rubber-Faced Magnets Won't Scratch **Metal Surfaces**



Towel Roll Not Included

Wrench Organizers

4 Piece Magnetic Wrench Rails

- Holds 40 Wrenches
- Includes: 4 Rails
- Rail Dimensions: 16.6" (L) x 1.9" (H)

Green SKU **749850**

22217 **21**⁹⁹ **Black** SKU **765514** 22219



2 Piece Wrench Organizing Rails - Black SKU **213161**

22218

· Holds 35 Wrenches Slotted Design Will Fit a Variety of

Wrench Types and Sizes • Rail Dimensions: 23.4" (L) x 1.0" (H)



Magnetic Wrench Organizer

SKU **662782** 22177

. Organize Up to 12 Wrenches

 Strong Magnets Will Hold Organizer Upright at Full Capacity

Non-Marring Foam Backing

 Durable Coated Steel Construction



Pro Magnetic Wrench Organizer (Black)

SKU **213098** 22176



• Non-Marring Foam Backing

Durable Coated Steel Construction

Magnetic Wrench Holder and Organizer

• Holds 10 SAE or Metric Wrenches

• Magnetic Base Attaches to Your Tool Box, Tool Chest, Cart or Metallic Peg Board

• 9-1/4" (L) x 1-1/4" (W) x 2" (D)

Green SKU 1331491 22512 **18**99





Shop Presses

10 Ton Hydraulic Benchtop Shop Press

SKU **666327 499**99 25088

- Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813)
- Double Speed Pump Greatly Reduces Set-Up and Press Time
- Movable Press Head for Added Flexibility in Working Position
- · Liquid Filled Pressure Gauge

VALUE: \$114.99

Shop Press Pin Set

With Purchase of: 25088

SKU **544794 | 24813** Works with 0EMT00LS 24811, 24812, 25087 and 25088

• Includes: Set of 8 Press Pins, 2-20 Ton Capacity, with Ram Adapter

Offer Good While Supplies Last Through March 31, 2025





20 Ton Air Hydraulic Shop Press

SKU **662928** 25087

- · Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813)
- · Air/Hydraulic Pump Provides Added Versatility
- Double Speed Pump Greatly Reduces Set-Up and Press Time
- Movable Press Head for Flexibility of Working Positions
- . Liquid Filled Pressure Gauge for Accurate Pressure Readings Durable Powder Coated
- Steel Frame Includes Press Blocks



20 Ton Shop Press SKU **300134** 24810

- Stronger Compared to Similar Lighter Weight Shop Presses on the Market
- · Includes Press Plates
- Remove and Install Bearings. Gears, U-Joints, Bushings, **Ball Joints and Pulleys**
- Multi-Position Bed for Work Height Adjustment
- Max. Height: 31.5
- Max. Width: 21.75'

Super Heavy Duty





OEM TOOLS

Manually Adjustable Table

30 Ton Super Duty Shop Press SKU **954213**

• Shatter Resistant Polycarbonate Shield Provides Maximum Protection Against Shrapnel and Debris

- Includes: 2 Piece Press Plate Set and 10 Piece Press Pin Adapter Set
- Glycerin Filled Gauge Accurately Shows Pressing Force

AFF852ASD

- Double Pump Air Motor for Faster Speeds
- 7 Position Bed Height Configuration

50 Ton Super Duty Shop Press SKU **954201** AFF854ASD



OEM TOOLS

Bearing Separators

5 Ton Bar-Type Puller/Bearing Separator Set

SKU **347218** 27236

- Separator Tools are Used with Bar Puller and Legs for a Wide Variety of **Pulling Jobs**
- . Set Includes: 2" and 3" Bearing Splitters, 4 Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw



Bearing Splitter 1/4" to 15/16"

SKU **514005** 27231



- 15/16"
- Minimum Spread: 1/4" Thread of Tapped Holes in Adapter: 5/16" to 18"
- Distance Between Adjusting Screws: 1-11/16"

Bearing Splitter 1/2" to 4-5/8" SKU **514006 59**99 27232

Press Support

Universal Press Support

SKU **804487** 24809

· Will Make Your Shop Press Safe

- and Easy to Use Supports in 3 Points to Ensure
- Safe Support without Any Wobbling Numerous Holes on Main Block and
- Swivel Element for Easy Set-Up
- Swivel Element and Removable/Height Adjustable Anvil Bolts Allow Adjustment to Individual Requirements
- Dimensions: 7-3/4" (W) x 9-3/4" (L) x 1-1/2" (H)

Vises

OEM TOOLS

4.5" Light Duty Bench **Vise with Swivel Base**

SKU **751645** 24216

• Clamping Strength: 100 Lb.



OEM TOOLS 4" Heavy **Duty Bench Vise** with Swivel Base

SKU **751643** 24217

. Clamping Strength: 200 Lb.



OEM TOOLS 6" Heavy Duty **Bench Vise with Swivel Base** SKU **751654**

OEM TOOLS

24218

- · Polished Replaceable Steel Jaws Polished Anvil, Permanent Pipe Jaws
- Full 360° Swivel Base
- Clamping Strength: 300 Lb.



6-1/2" Professional Ken-Tool **Workshop Vise**

SKU **394648** KTL64065

- Jaw Width: 6-1/2"
- Jaw Opening: 9" Replaceable, Reversible Jaws





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Aqueous Parts Washers

OEMTOOLS® aqueous parts washers give you all the cleaning power of a solvent parts washer but use cleaning solutions that are non-toxic and biodegradable. (These washers are not compatible with solvent based solutions.)

OEM TOOLS

Parts Washers • Works with Safe Water-Based Cleaning Solutions Only (Not for Use with Solvents)

• 325 GPH Pump

• Includes a Drain Shelf

• Fully Flexible Nozzle

. Tank is Made of Powder-Coated 20 Gauge Steel for Durability and Rust Resistance

3.5 Gallon Bench Top

SKU **300128** 24800

• Dimensions: 18" (L) x 13-1/2" (W) x 9" (H)



20 Gallon Mobile

SKU **750449** 24805

• 4" Casters for Maneuverability • Drain Tray with 2.9 Gallon

Collection Reservoir • Dimensions: 38" (L) x 21.5" (W) x 37" (H)



20 Gallon SKU **300117** 24801

Small Parts Tray

• Dimensions: 31" (L) x 21" (W) x 34.5" (H)



40 Gallon

SKU 300118 24803

Small Parts Tray

Dimensions

44.75" (L) x 20.5" (W) x 35" (H)



Pneumatic Heated Parts Washer Cabinet

SKU **1330681** 24677

• Uses Compressed Air to Spray Heated

Cleaner for Maximum Cleaning Effectiveness • Fully Enclosed Chamber Keeps Cleaning Solution and Debris Contained

Thermostat Controlled Heating Element Heats Cleaning Solution Up to 140°F (60°C)

• Fluorescent Lighting Inside Cabinet Illuminates Work Area

• Built-In Vent Fan Improves Visibility Inside Chamber While Cleaning

Built-In Air Pressure Regulator and Gauge

 Adjustable Leveling Pads for Added Stability on Uneven Floors

 Holds Up to 3.5 Gallons of Cleaning Solution



4 Gallon Mobile Parts Washer SKU **546660** 24804

- Lid Has Positive Seal and Latches for Mobility
- 4 GPM Pump
- Dimensions: 26" (L) x 18" (W) x 9.5" (H)



Portable Bucket-Top Parts Washer

SKU **003759** 24816

• Fits Most Standard 5 Gallon Buckets

• Includes: Submersible Pump, 40" Hose and Flow-Through Brush

· Pumping Rate: 1 GPM



mc. 63

Biological Parts Washers

Ocean Sunset 3.0 Pack SKU OUTSIDE BUY/EPO

SRIPAF0000623 3,349°9

- 26 Gal. Tank Capacity · Environmentally Friendly
- and Solvent Free Soak Sink for Cleaning of
- **Heavy Soiled Parts** Multi-Stage Heater
- Sealed Lid
- Includes: (5) 5 Gallon Containers of Bluesolution and 4 Tablets



BRM

Gravity X2 Mobile Pack SKU **OUTSIDE BUY/EPO** SRIPAF0000717

- 10 Gal. Tank Capacity
- . Heating Speed of 15 Minutes
- Regulated to 100°F
- Easy to Move Around
- Environmentally Friendly and Solvent Free

- Containers of Bluesolution and 4 Tablets

LINCOLN



BlueTablets SRBT SKU **1485037**

SRIOFOMBT1100

- Simple Small Tablets
- Convenient
- · Qty: 4 Tablets



SKU 1485035 SRIPFOL2P-100

· Designed for Industrial Cleaning

- Concentrated Cleaning Solution for Biological Parts Cleaning
- Water Based
- ECO friendly



Washer Accessories

Straight Handle Flow Thru Parts Washer Brush



- Made with Synthetic Filaments to Resist Solvent Cleaners
- Works with Most Popular Recirculating Parts Washers
- For Use in Either Petroleum-Based or Water **Based Solutions**

Parts Washer Brush without Tube

SKU **1368624 BRMPWANT**

Air Operated Sprayer

SKU **222507** LIN5983




- . Max. Operating Pressure: 150 psi · Can Be Used with Solvents or **Detergent Solutions**



Abrasive Blasting

Bench Top Abrasive Blast Cabinet

SKU **300119** 24815



- · Fits on the End of
- Any Bench or Cabinet . Overall Height: 19.3"
- Exterior Width: 19.3" . Work Area: 3.18 Cubic Ft.
- Includes: 10 Replaceable Window Underlays





SHARK 25 Lb. Glass **Bead Blasting Media**

Ideal for Many Uses

 Removes Surface Rust · Paint and **Body Applications**

Coarse

SKU **010136** SHA13077

Medium

SKU **010139** SHA13078



Spray Wash Cabinets

- · Heavy Duty Steel Construction
- Removable Parts Tree
- Brass Nozzles
- Heavy Duty **Rubber Casters**
- Stainless Oil Skimmer
- Removable Tank Screen

Each Cabinet Includes: 20 Lb. Aluma-Klean Soap Bucket

\$129.99



Ranger

Aluma-Klean **Soap Bucket**

20 Lb.

SKU **751966** RAN5155096



50 Lb. SKU 1442593 RAN5155100

SKU	Part #	Product	Tank Capacity	Load Capacity	Price
OUTSIDE BUY/EPO	RANRS500DS	Stainless Steel	50 Gallon	500 Lb. Load	10,799.99
OUTSIDE BUY/EPO	RANRS750DS	Stainless Steel Truck	53 Gallon	1,000 Lb. Load	11,499.99
OUTSIDE BUY/EPO	RANRS500D	Professional	50 Gallon	500 Lb. Load	7,399.99
OUTSIDE BUY/EPO	RANRS750D	Truck	53 Gallon	1,000 Lb. Load	7,899.99



Solvent-Free

Heavy Duty

Degreaser

SKU **227558**

WWSHD-5G

Designed to Effectively

Cleaning Solution

Concentrate (5 Gallons)

Replace Hazardous Solvent in **Water-Based Parts Washers**

· Quickly Removes Grease, Oil,

Carbon and Grime While Safe

WATER WORKS

Customer Responsible For Offloading, Liftgate Service Available. For Outside Buy/EPO, Call 901-300-4878







All-in-One Cleaning Concept

The Toucan Pack is an all-in-one mobile cart that distributes and recycles Fibercan+® Absorbent. Clean up oils, coolant, solvents and water while saving money by reusing the absorbent up to eight times.

Effective

Instant absorption safely dries floors. Leaves no greasy film and eliminates dust.



Economical

Ideal for small and large clean ups. Absorbs up to 8 times more spills than traditional sawdust and granules.



Efficient

Cart includes tools. sifting tray, Fibercan+ Absorbent and space for mats, gloves, etc.

8 Times More Savings

Traditional Absorbents



Consumption





Toucan Pack® SKU **OUTSIDE BUY/EPO** SRIPFPAF00015

• Includes: Mobile Cart, (1) 20 Lb. Bag of Fibercan+ Absorbent, Easy to Reach Collection Tray, Ergonomic Sifting System, Broom, Dust Pan and Tool Holder

Fibercan+ **Absorbent** SKU **1414395** SRIOPEAFIC001

• 20 Lb. Bag



Scan for video

Pipe Bender

BB-2 Pipe Bender with 302 Die Package SKU OUTSIDE BUY/EPO **BENBB2**

10,349⁹⁹

- . Knee Control and Depth-of-Bend Degree Plate for Manual **Bending Operations**
- Includes: BB-2 Tooling Package, Quick Release Bending and Finishing Dies, High-Speed Clampless Swager and Internal Expander

1302 Automatic with 302 Die Package

SKU **OUTSIDE BUY/EPO** BEN1302BAS302



BendPak.



Large 3" Die Package -**Optional**

SKU OUTSIDE BUY/EPO BEN300-1

1,43999

 Optional Die Package Extends the Bending Capabilities of Your BendPak Pipe Bender

For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

SAVE

Drill Press

15" 16 Speed Floor Drill **Press**

SKU **082857** 24992

449 REG. \$499.99

- Drilling Depth: 3-5/16" 16 Speed Spindle:
- 240 to 3,200 RPM • Dimensions:
- 15" x 25-1/3" x 63-1/3" Distance from Spindle to Table: 27"
- Distance from Spindle to Base: 47'

Offer Good While **Supplies Last Through** March 31, 2025

SYMTECH



Shop Vacuums

8 Gallon Wet/ **Dry Vacuum**

SKU **750618** BIG55271

BigVac

- Positive Lock on Hose System Eliminates Unexpected Disconnections
- . Swiveling Casters for Ease of Movement in All Directions
- 5.5 HP Peak Motor



Air Blow and Suction Gun

SKU **1168663** 26038



- One-Touch Button That Changes the **Gun from Blow to Suction**
- Standard Shop Vacuum Power for Quick and Easy Clean Up
- Lightweight Gun



Through March 31, 2025



Headlight Aimer

Headlight **Aiming System** SKU **OUTSIDE**

BUY/EPO SYMHBA5



 Laser Floor Slope Measurement (Accurate, Precise and Easy to Achieve)

 Photosensor Positioning

> For Outside Buy/EPO, Call 901-300-4878

Key Programmer

Smart Pro Lite Vehicle Key Programmer

SKU **1414393**



KABSMARTPROLT

- Includes: OBDII Cable, Main Cable, Charger and Hard Body Case
- Wi-Fi and Bluetooth Connectivity
- 75% Vehicles in Operation Coverage
- Compatible with the ADC245 Smart Aerial Plus+ and MyKeysPro (MKP)
- No Need to Purchase Tokens, Software or Standard UTP
- Free Updates for 1 Year
- Only Works with Ilco Remotes and Keys, Not Compatible with Other Brands



Key Machines

- Includes Three Functions: Copy by Original, Decode and Cut by Code
- Fast Key Search Enter Make/Model/Year and the Software Guides You Through the Process
- US Based Tech Support Available

Futura Auto Electric Key Machine

SKU **1267953 KABFUTURAAUTO**

4,64999

- . User Friendly Software with Step-By-Step Instructions
- Multiple Language Support Step-By-Step Calibration
- Automatic Tip Detection for Tip Gauged Keys



Futura Pro Electric Key Machine SKU **1267950**

KABFUTURAPRO 10,649⁹⁹

• Two Cutting Stations - One for Edge and One for Laser and Dimple Keys



Popular Remote Assortment Kits

35 Piece **Most Popular**

SKU **1267947** KAB0221-35

100 Piece **Most Popular** SKU **1267939** KAB0221-100

35 Piece Most **Popular Late Model**

SKU **1267965** KAB0221-35LM

for Remote Kit







Pressure Washers

3100 psi 2.2GPM Gas Cold Water **Pressure Washer**

SKU OUTSIDE BUY/EPO CHM100780

· Onboard Storage for the High Pressure, Hose, Trigger Gun and Spray Wand

 High-Performance Annovi Reverberi Axial Cam Pump **Provides Consistent** Cleaning for Everyday Jobs

• Includes: 5 Quick-Connect Nozzles, Storage Strap, High Pressure Hose (25'), Trigger Gun, Detergent Hose, Oil Funnel, Spray Wand and Engine Oil

WARRANTY: 2 Years Limited



Electric Pressure Washer SKU OUTSIDE BUY/EPO MTMCW3004SME1

5,049⁹⁹

- Diesel or Kerosene Fired Burner
- Fuel Consumption: 1.3gph
 3000 psi, 3.9 GPM
- 8.0 HP, 230V
- · Includes: Quick Connect Nozzles – 0°. 15°, 25° and 40°, 50' x 3/8" High Pressure Hose, Insulated Trigger Gun, Adjustable Pressure Insulated Dual Lance and 35' Power Cord

WARRANTY: 1 Year Electric Motor and 7 Year General Pump

Mi-T-M



Wall Mount Electric Pressure Washer SKU OUTSIDE BUY/EPO MTMCAW20040ME1

3,549⁹⁹

- Pump Accepts Incoming Water Up to 165°F
- 2000 psi, 3.9 GPM
- 6.0 HP, 230V
- Includes: Quick Connect Nozzles - 0° 15°, 25° and 40°, 50' x 3/8" Hose and 36" Adjustable Pressure Dual Lance

WARRANTY: 1 Year **Electric Washers and** 7 Year General Pump





(%) IPC

Hot Water Pressure Washers

HSE 1400 psi Hot Water Pressure Washer

SKU **OUTSIDE BUY/EPO** MTMHSE14000M11

- · Diesel or Kerosene Fired Burner
- 1400 psi, 2.0 GPM
- 1.5 HP, 120V
- Includes: 50' x 3/8" Wire Braided Hose, Adjustable Pressure Insulated Dual Lance with 15° Fixed and Detergent Nozzle



HSE 1500 psi Hot Water Pressure Washer

SKU OUTSIDE BUY/EPO MTMHSE15020MM

- Diesel or Kerosene Fired Burner
- Fuel Consumption: 1.2aph
- 1500 psi, 2.0 GPM
- Temperature Rise: 150°F (66°C); Max. Outlet Temperature: 200°F (93°C)
- Includes: Quick Connect Nozzles 0°. 15°. 25° and 40°, 50' x 3/8" Wire Braided Hose and Adjustable Pressure Insulated Dual Lance



Floor Scrubbers

Battery Powered 14" Floor Scrubber

SKU **OUTSIDE BUY/EPO** IPCCT15

4.674

- Height-Adjustable Handle
- Removable Recovery Tank
- 1.5 Hour Run Time Includes: Lithium Battery, Charger

and Brush

Cleaner/Degreaser 1 Quart **Bottle (6 Pack)**

SKU **OUTSIDE BÚY/EPO 84** 99 IPCT80451

Battery Powered 20" Floor Scrubber

SKU OUTSIDE BUY/EPO IPCCT50

4,91499

- 13 Gallon Tank Capacity
- 2.5 Hour Run Time
- For Up to 10 Bay Shop
- Includes: Self-Leveling Brush Head and Cast Aluminum Squeegee Assembly, 2 AGM Maintenance

Free Batteries and Charger



· High Performance Concentrated Formula Quickly Cuts through Grease, Oil and Tough Carbon Soils

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO Call 901-300-4878

Dual Fuel Powered Generator

7500 Watt Portable Gasoline Generator SKU **OUTSIDE BUY/EPO**

CHM201182

- Gasoline Starting Watts: 9375 • Gasoline Running Watts: 7500
- Outlets: GFCI 120V Duplex (5-20R). (2) 120/240V (L14-30R). 120/240V
- (14-50R) Wireless Remote Start
- Free Lifetime Technical Support



WARRANTY: 3 Years Limited

CARB Compliant

SHOP OWNERS, WE LOAN SPECIALTY TOOLS FOR SPECIAL JOBS!

AUTOZONE® LOAN-A-TOOL® **PROGRAM**

Over 90 Specialty Tools for Loan or Sale

We offer the most complete selection of tools for a variety of jobs, from steering and suspension, air conditioning, engine repair and more.

The best part is Loan-A-Tool® products are free to use! Leave a deposit at the store when you pick up the tool. When you're through just bring it back within 90 days, and we'll refund the deposit, or keep the tool.

See your Commercial Sales Manager for a complete list of loaner tools.



Ford Triton Spark Plug



Flush Kit

PAINT & BODY

Dent Repair

Adjustable Bumper Stand SKU **OUTSIDE BUY/EPO**

. Holds Any Plastic Bumper Cover without Touching the Painted Surface

- Cover Can Be Rotated 90° to Ensure Proper Paint Coverage
- 5 Locking Positions
- Protective Rubber Boots Keep Critical Areas Free of Overspray
- 4 Industrial Grade Casters with 2 Locking for Zero Movement



3-Shelf Parts Cart SKU OUTSIDE BUY/EPO ATD6569

- 3 Adjustable Shelves and Support Arms Provide Mobile Parts Storage
- Weight Capacity per Shelf: Bottom and Middle Shelf: 99 Lb., Top Shelf: 66 Lb.
- 6 S-Hooks
- (4) 4" Polyurethane Casters (2 Locking)



For Outside Buy/EPO, Call 901-300-4878

Dent Puller

Slide Hammer Dent Puller Set

SKU **265148** 25922

• 12 Lb. Hammer, Slide Hammer Shaft, Slide Hammer Handle, Slide Hammer Adapter, Deep Hook, Short Hook, Door Edge Tool, Claw. Straight Driver. Hook and Chain. Sheet Metal Screw and Holder, Nose Piece with Screw

• Comes in a Blow Mold Case

Uni-Vac™ Vacuum **PDR Pulling Tool**

SKU 1485044 HSADTK-7700



- Pull Dents on Painted Panels without Glue
- Portable, No Compressed Air Required
- 3", 4" and 5" Rubber Suction Cups





Cal-Yan

OEM TOOLS

• Chrome Plated 28" Steel Bar

• Rubber-Sleeved Hammer Spool

Windshield Tool

18" Professional Windshield Knife

SKU **480782**

CAL53100

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle

Door Tools

Door Spring Tool

SKU **447118** 25336

Install Door Hinge Springs Designed for GM Cars and Light Trucks

SAVE



5 Piece Door Panel and Trim Remover Set

SKU **989263** REG. \$45.99

• Comprised of 3 Door Panels and 2 Trim Tools Textured, Comfortable Grips with Thumb Stop

and Hanging Hole

Offer Good Through March 31, 2025

6 Piece Door Panel and Trim Removal Set

SKU **003868**

REG. \$59.99 • Includes: V-Notch Clip Remover, U-Notch Clip Remover, 2 Door Panel Removal Tools, C-Type Clip Removal Tool and Handle Clip Removal Tool Offer Good Through March 31, 2025

Door Hinge Adjuster

SKU **447144**

- Adiusts Door Hinge Position on Most Vehicles
- 2-Head Adapter Works with Large and Small Latches
- . Excellent Grip for Ease of Use
- · Provides Leverage to Get the Job Done

Body Repair

Fast Action Body Repair Kit

• Includes: Hydraulic Pump, Hydraulic Ram, 4 Extension Rods, a Rubber Ball Foot and a Duckbill Hydraulic Spreader

- Features a Faster Double-Action Hydraulic Pump
- . Includes: Blow Mold Case

4 Ton

SKU **301327** 24820

10 Ton SKU **301328** 24821



3 Piece

OEM TOOLS **Body Seam Splitter Set** SKU **265129**

25337

- Includes: Straight, 30° Offset and 90° Angle Seam Splitters
- Tough Chrome Vanadium Steel
- GoThru® Shafts
- Shock Dampening Grip



H&S

Hood Props

Telescopic Hood Support

SKU **420337** 24211

- · Simple Turn Locks and Unlocks the Support in Place
- Rubber End Caps Protect Vehicle's Finish
- 21" When Closed and Almost 48" When Fully Extended
- Compact and Easy to Store, Easy to Use



OEM TOOLS

Universal **Lift Support** Clamp

SKU 191671 25307

2999

· Securely Holds Weak Lift Supports in the Extended Position to Allow Access to the **Engine Compartment** or Luggage Area



Headlight Tools

Headlamp/Taillight **Removal Tool Set** SKU 1485047

HSAUNI-7800

· Features Two Lever Arms and Two Feeler **Locator Strips**

- Allows Removal of Modules Without Breaking Off Tabs
- · Won't Scratch Surface Paint
- · Allows for Quick Removal and Snap-In Replacement



Trim Tools

Air Bag Release Tool for GM

SKU **191678**

1099 • Fits Most GM Cars, Minivans and Light Trucks • Tips are Tapered to Make Removal Easier



Trim Fastener and Molding Remover Set SKU **900801**


25314

• Includes: 5 Tools for Easy Removal of Fasteners, Molding, Wheel Hubs and More



SKU **004111** 25084

- Prv Dashboard Parts and Vents without Damaging Interior
- Clean Crevices and Joints in Small Electronics
- Disassemble Key Fobs and Other Remotes
- Evenly Smooth Epoxy and Adhesives



AZG0125

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

WELDING & CUTTING

Welding

Spot Welder 120V


SKU **814396** 24819

• Convenient 120V AC Input Power

Spot Welds Uncoated Mild Steel Including Galvanized and Stainless

• Output Current: 13.5A

Rated Duty Cycle: 50% @ 1.5kVA





Stick Welder 110V (70 Amp)

SKU **814387** 24818

REG. \$149.99

• DC Inverter Powered for Improved **Efficiency and Control**

Lightweight and Portable

Welds Mild Steel, Stainless and Cast Iron





Offer Good While Supplies Last Through March 31, 2025

OEM TOOLS

Flux Core Welder 110V (70 Amp)

SKU **814197 9499** 24817

• Rated Duty Cycle: 20% @ 70 Amps

Adjustable Wire Feed Speed

High and Low Output Settings

• Includes: Welding Gun and Cable, Ground Cable with Clamp, Chipping Hammer/Brush, 1 Spool of .035" Flux Core Wire and Protective Face Shield with Welding Lens



MIG and Flux-Core Welder (130 Amp) SKU **OUTSIDE BUY/EPO HSAHSW-6213**

· Features Wire Speed and Power Settings by Material/Wire Thickness

 Rated Duty Cycle: 20% @ 130 Amps · Includes: Inverter, Power Supply, Torch, Earth Clamp, Gas Regulator, Spool of .030" FluxCore Wire and Spool of .030" MIG Wire

For Outside Buy/EPO. Call 901-300-4878



3-in-1

OEM TOOLS

OEM TOOLS

Multi-MIG Welder 140A Synergic with Opt. TIG, Stick, Spool Gun

SKU **OUTSIDE BUY/EPO** HSAHSW-6215

• 140A Synergic with Opt. TIG, Stick, Spool Gun

Output Power 140 Amps at 35% Duty-Cycle

• Large 7" LCD Display and Touch Pad Select • Compact High-Efficiency Inverter Design

Aluminum Spool Gun Ready

• #15 Mig Gun 10 Ft. and Earth Clamp Cable 10 Ft.

• Includes: Multi-MIG Welder, SMART MIG. TIG, Stick and Spool Gun

Multi-MIG Welder 200A Synergic with Opt. TIG, Stick, Spool Gun SKU **OUTSIDE BUY/EPÓ**

HSAHSW-6222

• 200A Synergic with Opt. TIG, Stick and Spool Gun

• Output Power: 200 Amps at 35% Duty-Cycle • Large 7" LCD Display and Touch Pad Select

• Includes: Multi-MIG Welder, SMART MIG, TIG, Stick and Spool Gun

200A Multi MIG Synergic. TIG & Stick Welder (115-230VAC) SKU **OUTSIDE BUY/EPO**

• Welds MIG, DG TIG & Stick up to 3/8" Mild Steel 115V or 230V

• High-Powered Inverter CSA/UL Rated 200A @ 35% DC

HSAHSW-6420

• 16 Program LCD Synergic Input • Includes: Welder, 3-Guns, Earth Clamp Cable, Foot Pedal, 115V Adapter, Gas Regulator, Wire and TIG Kit. AL Spool Gun Ready



HSAHSW-6215

VALUE: \$214.99

Welding Cart with Cylinder Support SKU **OUTSIDE BUY/EPO** HSAHSW-7000

• Works with Plasma Cutters HSW-6213, HSW-6215, HSW-6222, HSW-6420 and HSW-6422

With Purchase of:

HSAHSW-6215, HSAHSW-6222 or HSAHSW-6420

Offer Good While Supplies Last Through March 31, 2025

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Plasma Cutter

40A Plasma Cutter (115-230VAC) SKU OUTSIDE BUY/EPO

HSAHSW-6004

• Genuine Cut 1/2" and Severance Cut 1" Mild Steel 115V or 230V

· High-Powered Inverter CSA/UL Rated 40A @ 50% DC

• LCD Display Output Power, Air Pressure, Grid or Standard Cut

• Includes: Plasma with Regulator-Filter, 48 Gun, Earth Clamp Cable, 115V Adapter and Spare Contact Drag Tips and Electrodes

For Outside Buy/EPO, Call 901-300-4878



OEM TOOLS

OEM TOOLS

OEM TOOLS

SAVE

WELDING & CUTTING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Mechanics

SKU **804655**

Adjustable Flame

Safety Lock When

Butane Not Included

Professional

Not in Use

Lights Upside Down

Auto Ignition, Refillable

24353

Butane Mini Torch

Welding Helmets

Auto Darkening Welding Helmet

SKU **1089051 HSAHSW-7030**

- · Large Visibility Auto Darkening Lens (4.5" x 5.25")
- Adjustable Grind/Weld, 9 to 13 DIN, Sensitivity and Delay
- Solar Cell and Lithium Battery Power Spare Inner and
- Outer Protective Lenses



with Grinding Function SKU **347233** 24358

• TIG Rated Variable Shade 9-13

- Variable Sensitivity and Delay Controls
- 2 Independent Arc Sensors

Welding Accessories

Welder's Combo Pack

• Includes: Heavy Duty Welding Gloves,

Quilted Welder's Skull Cap and Oxy-Acetylene Lighter

- Grinding Function
- · Lens Darkening is 1/25,000
- · Battery Powered with Solar Assist
- Includes Replacement Cover Lenses
- Viewing Area: 3.62" x 1.65"

SKU **459159**

SHA14526



OEM TOOLS Auto **Darkening Welding Helmet**

SKU **362974** 24357

- TIG Rated Variable Shade 9 to 13
- Viewing Area: 3.54" x 1.37"
- · Battery Powered with Solar Assist
- Includes Replacement Cover Lenses



JACKSON **Premium Welding Helmet - Gray Matter**

SKU **1400038** JAS47102

- 6.24 Sq. Inch Viewing Area
- Auto Darkening Filter Meets 1/1/1/1 Optical Clarity Standard, the Highest in the Industry
- · Powered By Solar Technology and (1) CR2032 Lithium Battery

Premium TIG/MIG

Also Suitable for MIG

Wing Thumb and 6" Split

Leather Extended Cuff · Kevlar-Stitched for Extra Durability Used for Maximum Dexterity and Protection • 14" Glove Length

• Premium Glove for TIG Welding;

Welding Gloves

SKU **1137810**

HSAHSW-9007



1485

Soldering

Butane Torch

SKU **1189064** 20910

- Butane Flow Regulator for Flame Adjustment
- **Dual Flame Mode for Controlled** or Continuous Flame Output Safety Feature Allows User to

Butane Not Included



Mechanics Butane Torch

SKU **802236** 24354

· Heavy Duty Piezo Ignition with Strong Flame



Butane Not Included

SKU **420338** 24355

OEM TOOLS

ogix



3-in-1 Butane Soldering Iron Kit

· Cable Free



OEM TOOLS Professional 3-in-1 **Butane Micro Torch Kit**

SKU **420339**

24356 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air

- Blower without Iron Tip Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base
- Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
- Power Range: 30W to 125W



Butane Not Included

Professional Soldering Gun Kit

SKU **1362003**

REG. \$49.99

- Includes: Heavy Duty 230/150-Watt Soldering Gun, General Purpose Soldering Tip, Plastic Cutting Tip and 0.5 Oz. (14g) Rosin Core Solder
- Reaches Max. Temperature of 937°F at Low Power
- Reaches Max. Temperature of 1400°F at High Power
- 120V, 150/230W, 60 Hz



Through March 31, 2025

Mini-Ductor

Mini-Ductor II SKU **OUTSIDE BUY/EPO** IDIMD-700

- Ergonomic Cylinder
- No-Slip Grenade Grip
- LED Illumination
- Push Button Activation
- Operates on 120 Volts/1000 Watts of Power
- Includes: Pre-Formed Coil, U-Form Coil, Bearing Buddy Coil and Carrying Case

For Outside Buy/EPO, Call 901-300-4878





- 110 Volts
- 1,000 Watts





Consumables





	SKU	Part #	Wire	Diameter	Weight	Price
	459164	SHA12003	MIG Solid Wire E70S6	.030	11 Lb.	49.99
	459175	SHA12008	Flux Core Welding Wire	.030	2 Lb.	34.99
	459180	SHA12009	Flux Core Welding Wire	.035	2 Lb.	32.99

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

SHARK

Combo Wrench Sets

RingStop® Reversible **Ratcheting Wrench Set**

- Patented RingStop® Design Makes One-Hand Use Easy
- Posi-Grip No-Slip[®] Design
- Jaw is 15° Offset
- . Made with Chrome Vanadium Steel



Go Thru Ratcheting Head







VALUE: \$21.99

22979

With Purchase of 23989

Offers Good While Supplies Last Through March 31, 2025

SAVE

VALUE: \$29.99

12 Piece Go Thru Socket Set (Metric) 22978

With Purchase of 23988

Flex Head Flare Nut Wrench Set 5 Piece (SAE)

SKU **749849** 22063

• 1/4" x 5/16", 3/8" x 7/16" 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



6 Piece (Metric) SKU **749930** 22064

• 9 mm x 11 mm, 10 mm x 12 mm, 13 mm x 14 mm, 15 mm x 17 mm, 16 mm x 18 mm, 19 mm x 21 mm

With Purchase of 22063 or 22064

VALUE: \$9.99

Offer Good While Supplies Last Through March 31, 2025

8 Piece Go Thru Socket Set (SAE)

Combo Wrench Sets

14 Piece (SAE)

SKU **802222**

REG. \$119.99 23993

• 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1", 1-1/16" and 1-1/8"

Offer Good Through March 31, 2025

16 Piece (Metric)

SKU **802224** 23994

• 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 and 22 mm



10 Piece Combination Wrench Set (Metric)

SKU **127920** 22995

- Includes: 10 to 19 mm
- Posi-Grip No-Slip® Design Provides Off-Corner Loading for Greater Torque with More Socket-to-Fastener Contact
- . Marked on All 4 Sides for Easy Identification



JUMBO WRENCHES

Jumbo wrenches are made of high quality drop forged steel and are precision machined to prevent fastener damage.

Individual Jumbo Wrenches Available on AZTOOL1.COM



SKU	Part #	Metric or SAE	Size	Price
338830	22100	SAE	1-1/16", 1-1/8", 1-1/4", 1-5/16",1-3/8" and 1-7/16"	<i>89.99</i>
338833	22101	SAE	1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"	119.99
338852 22120 Metric		Metric	21 mm, 22 mm, 24 mm, 25 mm, 27 mm, 29 mm, 30 mm and 32 mm	74.99
338858 22121 M		Metric	33 mm, 34 mm, 35 mm, 36 mm, 40 mm, 42 mm, 46 mm, 50 mm	139.99

Box End Offset 15° for Work in Tight Spaces

Sets Include Roll-Up Storage Bag

Continuous Curve Design Reduces Spreading, Slippage and Fastener Damage

SKU	Part #	SAE Size	Price
338859	22102	1-1/16"	15.99
338864	22103	1-1/8"	17.99
338866	22104	1-1/4"	19.99
338868	22105	1-5/16"	21.99
338877	22106	1-3/8"	23.99
338890	22107	1-7/16"	25.99
338896	22108	1-1/2"	27.99
338898	22109	1-5/8"	29.99
338903	22110	1-3/4"	31.99
338935	22111	1-7/8"	34.99



OEM TOOLS

Ratcheting Combination Wrenches

16 Piece 12 Pt. Ratcheting **Combination Wrench Set (Metric)**

SKU **213125 189 99** KDT9416

- Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 and 24 mm
- Ratcheting Box End Requires Only 5° to Move Fasteners
- 12 Point Design Providing More Positions to Engage the Fastener

GEARWRENCH



Wrench Extender

Wrench Extender SKU **1368628**

22656

- Safely Provides Extra Leverage to Loosen Rusted Bolts. Jammed Fasteners or Over-Tightened Nuts
- · Great for Use on Those Hard to Reach Fasteners







GreatNeck

Ratcheting Screwdriver

Pivot-Grip Ratcheting Screwdriver

SKU **004103 91 99** 22557





- Pivoting Handle Provides Ergonomic **Gripping Positions** Forward and Reverse Ratcheting
- . Magnetic Bit Shaft for a Secure Fit
- Overall Length: 10"
- Internal Bit Cartridge for Convenient Storage
- Includes: 6 Bits: Phillips (#1, #2), Slotted (4 mm, 6 mm) and Robinson (#1, #2)



Internal Bit Storage Pivoting Handle Rotates from Straight-Grip to Pistol-Grip

OEM TOOLS

OEM TOOLS

Screwdrivers

19 Piece Screwdriver Set

SKU **1142325 20***99* 73775





- 3/16" x 8" (Cabinet Tip), 1/4" x 1.5" (Stubby), 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 8"

 • Phillips: #0 x 1.5", #0 x 2.5", #1 x 3", #2 x 1.5" (Stubby), #2 x 4", #2 x 8", #3 x 6", #4 x 8"
- Offset: 3/16" x #1, 1/4" x #2
- . Magnetic Tips Hold Fasteners in Place
- Square Shafts Can Be Used with Wrench for More Torque
- Hexagon Shaped Handles Prevent Roll Off
- Color Coded Fluting Defines Driver Type




Impact Resistant Acetate Handle (Fluted for Better Grip)



Long Reach Screwdrivers

• High Performance Hex Shaped Shaft for More Torque and Less Flex

• Precision Machined and Sand Blasted Tips That Reduce Cam-Out





Extra Long Blades for Hard to Reach and Recessed Fasteners in Tight Spaces

8 Piece Mechanics **Screwdriver Set**

FEG. \$69.99





M TOOLS



SKU **802208**

23999

- Sizes Marked for Easy Identification, Designed to Fit Securely in a Cabinet or Tool Box Features a Hard Chrome[™] Finish, an Easy-to-Clean Smooth Satin Finish That Won't Show Prints and
- **Keeps Rust Away** · Custom Cut of the Tool is a Hi-Vis Green Making it
- Visible if a Tool is Missing Slotted: 1/4" x 1-1/2", 3/16" x 3", 1/4" x 4",
- 5/16" x 6" and 3/8" x 8'

Offer Good Through March 31, 2025



Star Screwdrivers

GreatNeck 5 Piece Star Screwdriver Set

SKU **1142630** 73721

• Star (T10 x 4", T15 x 4", T20 x 4", T25 x 5", T30 x 6")



GEARWRENCH

7 Piece Torx® Dual Material Screwdriver Set

SKU **OUTSIDE BUY/EPO** KDT80071H



- Torx® Sizes Included: T10, T15, T20, T25, T27, T30, T40
- "Speed Zone" Handle Design for Faster Rotation in Low-Torque Applications
- Non-Slip Black Oxide Tip for More Secure Fit in Fastener
- 6" Laser Etched Blades with Part Number and Size for Quick Identification



For Outside Buy/EPO, Call 901-300-4878

Hex Key Sets

27 Piece Star and Hex Key Set (Metric and SAE)

SKU **1209375** 24299



- Extra Long Arm for Accessing Hard-to-Reach Spots
- Each Tool is Color Coded and Marked with Sizes for Easy Identification
- SAE and Metric Hex Keys Have Ball-End Design for Reaching at Angles Up to 25°



- Manganese Phosphate Finish Resists Corrosion
- 25° Entry Angle for Better Work Near Obstructions
- Long Arms Provide for Increased Torque and Extra Reach

35 Piece SAE, Metric and Star SKU **1168819**

24249



26 Piece SAE and Metric SKU **1168833**

24248



Gasket Scraper Set

3 Piece Gasket Scraper Set SKU **1069069**

26501 • Includes: 3/4", 1" and 1-1/2" Gasket Scrapers



9 Piece Magnetic Long Arm Hex Key Set Long - SAE SKU **978109** REG. \$27.99

• Includes SAE Sizes: 1/16", 5/64", 3/32", 1/8", 5/32" 3/16", 1/4", 5/16" and 3/8" Color Coded Red - SAE Magnetic Tips Hold Fasteners in Place and Prevents Them from Slipping







AZG0125

Offer Good Through March 31, 2025

10 mm Socket Set

10 Piece 10 mm Master Socket Set (Metric)

SKU **1267951 999** 22463

- Magnetic Impact Sockets are Constructed with Chrome Molybdenum for Strength and Durability
- Includes: (5) 1/4" Drive Sockets and (5) 3/8" Drive Sockets

OEM TOOLS 10 mm If You Know, You Know

Mechanics Set

64 Piece 1/4" Drive Metric Set

SKU **020788** 23997

- Shallow Sockets, 6 Pt: 4 to 15 mm
 Ratchet Screwdriver
- Deep Sockets, 6 Pt: 4 to 15 mm
- Drive Wobble Straight Extension
- . Bit Extension Bars: 6" and 10"
- FOĀM
- Universal Joint

OEM TOOLS

(Style May Vary)

- Ratchet
- 28 Bits




Ratchet and Socket Set

OEM TOOLS

26 Piece 1/2" Drive Ratchet and Socket Set SKU **591154**

qq99 23995

• Includes: (21) 6 Pt. Metric and SAE Sockets (1) 1/2" Dr. Extension Bar 3" (1) 1/2" Dr. Extension Bar L6 (1) 1/2" Swivel U-Joint (1) 1/2" Dr. Regular Ratchet



Universal Joints

1/4" Drive

SKU **081225** 22520

1/2" Drive SKU **081227**

3/8" Drive SKU **081226**



Socket Adapters

3 Piece Low-Profile Adapter Set

SKU **818570** 22535

 CR-V Steel for Strength Get into Tighter Spaces

· Includes:

1/4" F x 3/8" M. 3/8" F x 1/2" M, and 1/2" F x 3/4" M

Adapters

 Hard Chrome[™] Finish is Easy to Clean and Will Keep Away Rust



HARD CHROME"FINISH OEM TOOLS

940	rart#	Drive	Price
81228	22530	1/2" F x 3/4" M	14.99
81229	22531	1/2" F x 3/8" M	10.99
81230	22532	3/8" F x 1/2" M	7.99
81232	22533	3/8" F x 1/4" M	6.99
81233	22534	1/4" F x 3/8" M	7.99

Socket Sets

10 Piece (SAE)

SKU **127786**

• 3/16" to 9/16"

22952

22522

Posi-Grip No-Slip®

22521

W/Y

• Off Corner Loading for Greater Torque

12 Piece (Metric)

SKU **127836**

• 5 mm to 15 mm

22950

- . Knurling Position for Best Finger Gripping
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head

10 Piece Deep (SAE) 12 Piece Deep (Metric)

22951

SKU **127772**

• 5 to 15 mm

. Deep Marking for Easy Identification





• Includes: 3/16" to 9/16"

12 Piece 1/4" Deep (Metric) SKU **850510**

23986

· Includes: 5 mm to 15 mm



OEM TOOLS

FOAM

10" Width x 4" Depth



3/8" Drive Socket Sets

1/4" Drive Socket Sets

11 Piece (SAE)

SKU **127798** 22956

12 Piece (Metric)

• 1/4" to 7/8"

SKU **127794**

22954

• 8 mm to 19 mm

SKU **127803**

22957

• 1/4" to 7/8'

SKU **1414402**

• 3/16" to 9/16"

22953A

11 Piece Deep (SAE) 12 Piece Deep (Metric) SKU **127797**

22955

• 8 mm to 19 mm



12 Piece 3/8" Deep Socket Set (Metric) SKU **103402 2199**

23981

Includes: 8 mm to 19 mm



10" Width x 7" Depth



1/2" Drive Socket Sets

11 Piece (SAE) SKU **127812** 22960

• 1/2" to 1-1/8"

10 Piece (Metric)

SKU **127807** 22958

• 10 mm to 19 mm

SKU **127846**

22961

• 1/2" to 1-1/8"

11 Piece Deep (SAE) 10 Piece Deep (Metric)

SKU **127809** 22959

• 10 mm to 19 mm

24 Piece 3/8" Dr. Socket Set (Metric) SKU **127868** 22963

• Includes: 8-19 mm (Deep) and 8-19 mm (Shallow)

22 Piece 3/8" Drive **Socket Set (SAE)** SKU **127869**


22962 Includes: 1/4" to 7/8" (Deep); 1/4" to 7/8" (Shallow)





Ratchets

- 36 Teeth with 10° Arc Motion for Precision and Strength
- Reversing Lever Allows a Forward and Reverse in One-Hand Action
- . Sealed to Keep Dirt and Debris Out of Head
- . Compact Head Designed to Get into Tight Spaces



SKU	Part #	Type	Drive	Length	Price
081298	22900	Standard	1/4"	4-1/4"	18.99
177728	22911	Standard	3/8"	8"	34.99
177768	22920	Standard	1/2"	10"	43.99
177702	22910	Stubby	3/8"	4"	<i>33.99</i>
081301	22901	Flexible	1/4"	6"	29.99
177730	22912	Flexible	3/8"	11-1/2"	42.99
177769	22921	Flexible	1/2"	17-1/2"	45.99

HARD CHROME™FINISH O=MTOOLS

Extensions

OEM TOOLS

- · Chamfered Ends for Positive **Engagement with Drive Tools**
- Knurled Shank for Easy Fingertip Turning
- Milled Ends Provide a Solid Connection

SKU	Part #	Drive	Length	Price
081213	22481	1/4"	4"	<i>5.99</i>
081215	22482	1/4"	6"	7.99
081218	22483	1/4"	11"	9.99
081219	22490	3/8"	1-3/4"	9.99
081220	22491	3/8"	4"	10.99
306326	22492	3/8"	6"	<i>8.99</i>
306287	22494	3/8"	10"	11.99
081212	22480	1/2"	2"	3.99
081221	22500	1/2"	3"	9.99
081223	22501	1/2"	6"	11.99
081224	22502	1/2"	10"	18.99

Flex Head Breaker Bars

- · Special Alloy Steel, Heat-Treated to Provide Durability
- 180° Flex Head Provides Leverage at Desired Angle for Hard-to-Reach Applications

Part # Drive Length Price 081302 22913 3/8" 11-9/16" 19.99 1/2" 750437 22923 24" 29.99



10 Piece Magnetic Long Triple

Sizes Included: (1/4" Drive) M4, M5, M6;

(3/8" Drive) M8, M9, M10, M12, M14;

Square Bit Socket Set

(1/2" Drive) M16, M18

Socket Length: 3.93'

SKU **1313567**

23907

Impact Driver

1/2" Drive Impact Driver Set

SKU **1142387**

22561 · Easily Break Free Rusted,

- Corroded and Frozen Screws . Includes: Impact Driver, Bit Adapter,
- 8 Impact Bits and Sturdy Blow Mold Case

Pocket Screwdrivers

6 Way Pen Screwdriver, 4 Pack SKU **1368633** 22537

- 6 Precision Drivers in One Handy, Pocket Size Tool
- 2 Double End Phillips and Slotted Screwdriver Bits • #0 and 1/8", #1 and 5/32" Double End Bits
- · Perfect for Small Parts and Assembly Tasks







5 mm





5/32 #1

Triple Square Bit Sets

- Use on European Vehicles Like BMW, Mercedes, VW, Audi and Porsche
- · Heat-Treated Alloy Steel Bits to Reduce Premature Wear

OEM TOOLS

- Reinforced Chrome Vanadium Steel Sockets to Increase Turning Power
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treatment to Prevent Rust and Corrosion
- Meets and Exceeds ANSI Standards

OEM TOOLS

OEM TOOLS

10 Piece Extra Long XZN Triple Square Spline Bit Socket Set

SKU **1368626** 23519

REG. \$44.99

- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper-Proof) M14, M16, M18
- Socket Length: 3.93'











9 Piece Triple Square Bit Set

SKU **191052** 25953

1999

- 1/4" Drive: M4, M5 and M6 (Length: 37 mm)
- 3/8" Drive: M8, M10 and M12 (Length: 48 mm)
- 1/2" Drive Tamper-Proof: M14, M16 and M18 (Length: 55 mm)





Offer Good Through March 31, 2025

10 Piece Triple Square Bit Socket Set

SKU **1368630 7999** 22711

- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper-Proof) M14, M16, M18
- . Comes Enclosed in Blow Mold Case for Easy Identification and Storage



10 Piece Magnetic Triple Square Bit Socket Set

SKU **1368615** 23906



- Powerful Magnetic Bits to Prevent the Loss of Nuts, Bolts and Fasteners
- . Comes Enclosed in Blow Mold Case for Easy Identification and Storage
- Sizes Included: (1/4" Drive) M4, M5, M6; (3/8" Drive) M8, M9, M10, M12, M14; (1/2" Drive) M16, M18



- . Constructed for Professionals with Superior Materials for Increased Torque and Hardness
- Heat-Treated S2 Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets for Durability and Improved Finish
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treated to Prevent Rust and Corrosion



Hex Sets

12 Piece Magnetic (SAE)

SKU **1282759** 23900

REG. \$34.99

• 1/4" Drive: 1/16", 5/64", 3/32", 7/64" and 1/8"

• 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"

12 Piece Magnetic (Metric)

SKU **1282804** 23901

REG. \$34.99

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm and 5.5 mm

• 3/8" Drive 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

12 Piece Magnetic Long (SAE)

SKU **1282807** 23902

🕶 REG. \$44.99

• 1/4" Drive: 1/16", 5/64", 3/32", 7/64", 1/8" • 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

12 Piece Magnetic Long (Metric)

SKU **1282737** 23903

REG. \$44.99


• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

Offers Good While Supplies Last Through March 31, 2025







12 Piece Long (Metric)

and 3/8'

SKU **1282757** 23538

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

12 Piece Long (SAE)

• 1/4" Drive: 1/16", 5/64"

3/32", 7/64" and 1/8"

• 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"

SKU **1282747**

23563

• 3/8" Drive: 5.5 mm, 6 mm 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

SAVE

REG. \$34.99

REG. \$34.99

SAVE

32 Piece Hex Bit Socket Set (SAE and Metric)

SKU **1282740** 22989

SAE

- 1/4" Drive: 1/8", 5/32", 3/16", 7/32" and 1/4"
- 3/8" Drive: 9/32", 5/16", 3/8", 7/16" and 1/2"
- 1/2" Drive: 9/16", 5/8", 11/16" and 3/4"

Metric

- 1/4" Drive: 2, 2.5, 3, 4, 5, 5.5 and 6 mm
- 3/8" Drive: 7, 8, 9, 10 and 12 mm
- 1/2" Drive: 14, 15, 17 and 19 mm







26 Piece Master Hex Bit Set

23990

SKU **802219**

• Includes: 1/4" Drive Sizes: 1/8" to 7/32" and 2.5 to 5 mm, 3/8" Drive Sizes: 1/4" to 11/32" and 6 to 9 mm, 1/2" Drive Sizes: 3/8" to 5/8" and 10 to 19 mm



S2

STEEL

1/2" Drive Hex Bit Set (Metric) SKU **OUTSIDE BUY/EPO**

25417

• Sizes: 12, 14 and 17 mm . Use on Transmission and Differential Drain Plugs

For Outside Buy/EPO, Call 901-300-4878



7 Piece Hex Bit Set (SAE)

SKU **127904** STEEL 22982

S2

STEEL

FOĀM

• 3/8" Drive: 5/16" and 3/8" • 1/2" Drive: 7/16",

1/2", 9/16", 5/8" and 3/4"



S2 STEEL

STEEL

1/2" Drive Metric Hex Bit **Socket Set (7 Piece)**

SKU **1168830** 22998

• Includes: 13, 14, 15, 17, 19, 21 and 22 mm



9 Piece Hex Bit Set (Metric)

SKU **127903** 22983





. Knurling Position is Optimized for Best Finger Gripping Position



1/2" Drive SAE Hex Bit Socket Set (6 Piece)

22999





• Includes 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"

 Tempered Chrome Vanadium Steel with a Plated Finish for Long Life



12 Piece Hex Bit Set (SAE)

SKU **127905** 22984








S2

STEEL



Position



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Multi-Drive Sets

35 Piece Multi-Drive Star Socket Set

SKU **802217** / 099 23991

• 1/4" Drive Star: T10, T15, T20, T25, T27 and T30

• 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30

1/4" Drive Female Star: E4. E5. E6. E7 and E8

• 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55

• 3/8" Drive Star: T40, T45, T47, T50 and T55

• 3/8" Drive Female Star: E10, E12, E14 and E16

• 1/2" Drive Star: T60 and T70

• 1/2" Drive Female Star: E18



44 Piece Multi-Drive Star and Bit Socket Set

SKU **802206** 23992









OEM TOOLS

• 1/4" Bit Holder

• 1/4" Hex Drive Tamper-Proof Star Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30

• 1/4" Hex Drive Star: T10, T15, T20, T25, T27 and T30

• 3/8" Drive Star: T40, T45, T47, T50, T55 and T60

• 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm

• 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

• 3/8" Drive Phillips: #1, #2 and #3

• 3/8" Drive Slotted: 3/16", 1/4" and 5/16"



Star Sets

13 Piece Tamper-Proof

SKU **1282735** 22710

• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50 and T55


• 1/2" Drive: T60

13 Piece Star Bit Socket Set

SKU **1282806** 22977

19 REG. \$24.99

REG. \$24.99



• 3/8" Drive: T40, T45, T47, T50 and T55

• 1/2" Drive: T60

Offers Good While Supplies Last Through March 31, 2025

35 Piece Master Star Bit Set

SKU **466622** 25951

• 1/4" Drive Star: T8 to T30

• 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30

1/4" Drive Female Star: E4, E5, E6, E7 and E8
3/8" Drive Star: T40, T45, T47, T50 and T55

• 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55

• 3/8" Drive Female Star: E10, E12, E14 and E16

• 1/2" Drive Star: T60




SAVE



13 Piece Magnetic SKU **1267957**

23904



• 3/8" Drive: T40, T45, T47, T50, T55 and T60



Extra Long SKU **1282758** 23680

13 Piece



OEM TOOLS

T27 and T30

• 3/8" Drive: T40, T45 T47, T50, T55 and T60





SKU OUTSIDE BUY/EPO 23905

REG. \$44.99 • 1/4" Drive: T8, T10, T15

T20, T25 T27 and T30 • 3/8" Drive:

T40, T45, T47, T50, T55 and











Ratchet Not Included

For Outside Buy/EPO. Call 901-300-4878

Offers Good While Supplies Last Through March 31, 2025

11 Piece Tamper-Proof Star Set

SKU **127872** 22972

REG. \$25.99



• Knurling Position is Optimized for Best Finger Gripping Position

Black Oxide Finish Indicates Star Drivers

Offer Good While Supplies Last Through March 31, 2025



12 Piece Tamper-Proof Star Set

SKU **127870 299** 22971





• Knurling Position is Optimized for Best Finger Gripping Position -- Go Ahead and Put On Serious Torque, it Won't Slip

Black Oxide Finish Indicates Star Drivers

 Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head

. Makes Fastener Engagement Quick and Smooth



Stubby Star Drive Sets

13 Piece SKU **447157** 24293



• 1/4" Drive: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T47 and T50



13 Piece Tamper-Proof SKU **447156**

24294



• 1/4" Drive: T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T47H and T50H







Locking Pliers

- For Clamping and Gripping in Tight Spaces
 Constructed with Heat-Treated Alloy Steel
- Precision-Machined Jaws Feature Hardened Teeth to Provide a Sure Grip from Any Angle
- Instant Locking and Release Mechanism for Improved Control
- · Nickel Chrome Plated to Resist Rust

7 Piece Locking Pliers Set

SKU **012622** 23987

• Sizes: 4", 5", 7", 10" Curved Jaw and 4", 6", 9" Long Nose





15" Width x 10" Depth



-					
	SKU	Part #	Туре	Size	Price
	81256	22635	Curved Jaw	4"	7.99
	81261	22638		7"	12.99
	81263	22640		10"	18.99
	81260	22637	Long Noos	6-1/2"	9.99
	81262	22639	Long Nose	9"	12.99
	81267	22642	Chain	19"	19.99

Extended Reach Pliers OEM TOOLS 11" Long Reach Long TECKERDY **Nose Pliers** · Constructed with Durable Heat-Treated Alloy Steel Precision-Machined Jaws Provide Improved Grip • TecReady Grip Handles Reduce User Fatique · Nickel Chrome Plated to Resist Rust **Straight** SKU **081249** 22621 45° SKU **081250** 22622 **Duck Bill** SKU **213108** (Color May Vary) 22644

Diagonal Pliers

6-1/2" High Leverage Diagonal Pliers

SKU **081240** 22614

· High Leverage Design for Gripping, Bending and **Cutting Tasks**



OEM TOOLS

OEM TOOLS

TECREADY

GreatNeck

Bolt Cutters

OEM TOOLS

8" Mini Bolt Cutter SKU **479080**

22609

- · Designed for Heavy Duty Wire, Bolt,
- Nail and Rivet Cutting 8" Mini Bolt Cutter Features Induction Hardened Cutting
- Blades Rated at Over





Bolt Cutters

- Forged S2 Steel Construction for Cutting Power
- . Hardened Cutting Edge for Long Life
- Ergonomic Comfort Grip Handles
- Limited Lifetime Warranty



24¹¹

SKU **025213** BC24

SKU **965828 BC30**

SKU **965827 BC36**

OEM TOOLS

OEM TOOLS 2 Piece 13" Long **Nose Pliers Set** SKU **213127** 22632

• Includes: 45° and Straight **Extended Reach Pliers**

X-Type Pliers

REG. \$39.98 SAVE \$9 When You Buy the Set

13" Long Nose Pliers

· Serrated Jaws for Precision Gripping

Straight SKU **213135**

Q99

45°

SKU **213117** 22634

Mechanic's Pliers

- · Precision-Machined Jaws Provide Improved Grip
- TecReady Grip Handles Reduce User Fatique
- · Nickel Chrome Plated to Resist Rust

Diagonal **Pliers**

 High Leverage Design for Gripping, Bending and Cutting Tasks

Groove Joint Pliers

 Adjustable Jaw Provides **Gripping Power for Turning** Irregularly Shaped Objects, Nuts and Bolts

Linesman **Pliers**

 Designed for Gripping Twisting, Bending and **Cutting Wire and Cable**

Long Nose Pliers with Side Cutter

 For Powerful Gripping and Cutting in Hard-to-Reach Spaces

SKU	Part #	Type	Size	Price
081241	22615	Diagonal	7-1/2"	17.99
081245	22617		6"	16.99
081246	22618		8"	18.99
081247	22619	Groove Joint	10"	19.99
081248	22620		12"	21.99
081252	22624		16"	24.99
081243	22616	Linesman	8"	18.99
081237	22612	Long Nose Pliers with Side Cutter	6"	16.99
081239	22613		8"	18.99

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

22633

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con



Pry Bars

3 Piece Light Duty Smoothing/Prying Kit

SKU **004111** 25084

· Pry Dashboard Parts and Vents without Damaging Interior

· Clean Crevices and Joints in Small Electronics . Disassemble Key Fobs and Other Remotes

 Evenly Smooth Époxy and Adhesives



OEM TOOLS

3 Piece **OEM** TOOLS **Prv Bar Set** SKU **626114** 24433 • Lengths Included: 12", 18" and 24' • 3 Sided Handle for Secure Grip and Comfort · Solvent Resistant and Easy to Clean

Dead Blow Hammers

3 Piece Dead OEM TOOLS **Blow Hammer Set**

SKU **900804** FEG. \$32.99

- Soft Rubber Handles for Non-Slip Grip
- Steel Shot Filled for More Force
- Non-Spark Material Used



36" Prv Bar

SKU **695126** 24435

- Unique Ergonomically Designed 3-Sided Handle for Secure Grip and Comfort
- Handles Made with Hardened Resin That is Solvent Resistant and Easy-to-Clean
- · Forged and Hardened 5/8 In. Square Stock for Incredible Strength

Adiustable Wrenches



- · Made with Special Alloy Steel, Heat-Treated
- Deep Marking for Easy Identification
- · Nickel Chrome Plated Steel Won't Rust
- Flat Profile is Comfortable in Hands



SKU	Part #	Size	Price
081268	22650	4"	9.99
081269	22651	6"	11.99
081271	22652	8"	13.99
081273	22653	10"	15.99
081274	22654	12"	17.99
081297	22655	15"	21.99

Pipe Wrench



- · Precision Milled Moveable Jaws
- · Perfectly Balanced



SKU	Part #	Material	Size	Price
965845	APW14	Aluminum	14"	29.99
965848	APW18		18"	<i>59.99</i>
972768	APW24		24"	59.99
965847	APW36		36"	69.99
965846	PW24	Steel	24"	44.99

Pick-Up Tool

OEM TOOLS

OEM TOOLS

Heavy Duty Telescopic Magnetic Pick-Up Tool

SKU **231**205 25466

• Lifts Up to 3 Lb.

• Telescoping Handle



SHEFFIELD

OFM TOOLS

SHEFFIELD

Cutting Tools

Folding Lock Back® Utility Knife with Blade Dispenser

SKU **1022296** 25537

SKU **900802**

· Works Like a Chisel

. Will Not Scratch Paint

. Will Not Cause Sparks

· Can Be Used for Wheel

25513

• Includes: Blade Dispenser with 50 Blades

4 Piece Plastic Scraper Set

• Extra-Wide Handle for Increased Comfort and Leverage



OEM TOOLS



Utility Knife with Sheath SKU **1142419**

Premium Folding Lock Back®

12818

- 3-1/2" Stainless Steel and Hardwood Handle
- Patented Quick-Change Mechanism
- Accepts All Standard Utility Blades
- Includes: 1 Blade and Leather Sheath with Pocket Clip

10" Utility Scissors

25085



- · Super Hard Diamond-Like Carbon (DLC) Coating
- Stainless Steel Construction for Strength and Durability
- Bolt Lock Keeps Blades Secure
- Full Length Metal Frame Extends Through Handle for Added Strength



Scraper Kit

Weight Removal

SKU **1282744** 69004

- . Includes: 2 Packs of Razor Blades (200) and 1 Razor Blade Scraper
- · Perfect for Removing Paint and Decals




Moab Auto Emergency Folding Pocket Knife SKU **1142700**

12870



- One-Handed Opening Mechanism
- Liner Lock • Pocket Clip
- · Glass Breaker
- 4.5 Oz.
- Lifetime Warranty · Belt Cutter







Precision Driver Sets for Electronics and Applications in Tight Spaces

Magnetic Tips to Secure Fasteners

7 Piece Metric Nut Driver Set

• Includes: 3.0, 3.5, 4.0, 4.5, 5, 5.5 and 6.0 mm

7 Piece Metric Hex Driver Set

SKU **1282731** REG. \$29.99 22563

• Includes: 0.7, 0.9, 1.3, 1.5, 2.0, 2.5 and 3.0 mm

Offers Good Through March 31, 2025

6 Piece Precision Screwdriver Set · Constructed with Durable Chrome Vanadium Steel


Star Screwdriver Set SKU **003763** 22559

 Set Includes: T5. T6. T7. T8. T9 and T10

Screwdriver Set SKU **003751** 22560

· Slotted Screwdrivers: (1.4, 2, 2.4 and 3 mm)

 Phillips Screwdrivers: (#0 and #1)



OEM TOOLS





8 Piece Combination Hook and Pick Set

SKU **1168660** 68913

Set Includes: 4 Pc. 8" Hook and Pick Set with Acetate Handle and 4 Pc. 6" Mini Hook and Pick Set with Cushion Grip



6 Piece 8" Hook and Pick Set


SKU **1207883 16**99 26545

. Set Includes: 1 Hook Pick, 1 Complex Pick, (1) 90° Pick, 1 Combination Pick, 1 Double Angle Pick, 1 Straight Pick



8 Piece 10" Cushion TOOLS **Hook and Pick Set**

SKU **1207881** 26526



Safety Wire Pliers

Reversible Wire Twister Pliers

Offer Good Through March 31, 2025

Includes: 10 Meter x 0.5 mm Wire

- . Heavy Duty Construction with Automatic Spring Return
- · Reversible Action for Left and Right Twists
- Locking Jaws for Superior Wire Twisting
- Forged High Carbon Diamond Grooved Jaws to Cut and Grip Stainless Wire



SKU 1282746 22663 **99**99

SKU **1362002** 22662

69⁹⁹

OEM TOOLS



611 SKU **1282736** 22661

REG. \$59.99 March 31, 2025

Offer Good Through

Hack Saw and Blade Packs

Professional Hack Saw

SKU **1142352** 74007

- Includes (1) 12" 24 TPI Bi-Material Blade
- High Tension Blade Prevents Twisting to Ensure Straight, Fast Cut
- · Ergonomic Comfort Grip on Front Frame and Handle Provides Two-Handed Control

12" Hacksaw Blade (10 Pack)

SKU **1142562 1 99** 74014

Bi-Metal Hacksaw Blades Assorted (10 Pack)

SKU **1142672 15**99 74016

· Includes: 18 TPI (x3), 24 TPI (x4) and 32 TPI (x3)

Specialty Wrenches

Adjustable Gland Nut Wrench

- For Hydraulic Cylinders with Gland Nuts
- Reversible Design



Range: 1" to 3.75"

SKU **1207900**

- Pin Size: 7/32" and 1/4"

• Drive: 1/2"





SKU **1340231** 27397

- Range: 2" to 6"
- Pin Šize: 1/4" and 5/16"
- Drive: 3/4"

Nut Drivers

7 Piece Professional Nut Driver Set

- · Chrome Vanadium Steel for Strength and Durability Highest Quality Acetate Handle Stands Up to Abuse
- · Color Coded for Easy Identification

Metric

SKU **949001** ND71

• Sizes: 6, 7, 8, 9, 10, 11 and 12 mm

SAE

SKU **949002** ND72

• Sizes: 3/16", 1/4", 5/16",

11/32", 3/8", 7/16" and 1/2"



27398

GreatNeck

THREAD REPAIR

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Ford Triton Repair Kits

Ford Triton 2 Valve Cylinder Repair Set

SKU **1268421** CAL38900

- Quality Foolproof Repair System That is Cost-Effective and Fast
- High-Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail
- Application: 1996 to 2003 Ford 4.6L, 5.4L and 6.8L Engines



Ford 2 Valve Insert

SKU **1268420 34** 99 CAL389-100

• Designed to Aid in Repairing 1996-2003 Two Valve Ford Modular Cylinder Heads

al-Yan

High Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail



Ford Triton 3 Valve Set

SKU **343388** CAL39300

. Application: 2004 to 2008 Ford 4.6 and 5.4 3 Valve Engines with Spark Plugs That are M16 x 1.5

· Includes 8 Inserts



M₁₆ x 1.5 **3 Valve Insert**

SKU **396658** CAL393-100

• Note: this is NOT the Replacement Insert for the Triton 2 Valve Kit



Ford Triton Spark Plug and Electrode Repair Set

SKU **1268418** CAL39500

• Extracts the Broken Porcelain or Seized Sleeves from Broken Spark Plugs in 2003 to Current Ford Triton Engines



FIX-A-THRED

Ford Triton Plug-Saver® Kit

SKU **094873** FIX98140T

- Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines
- Repairs Worn, Damaged Threads
- Includes: Self Cutting Tap, Tool and 8 Inserts in a Sturdy Case



Inserts (Pack of 8)

SKU **110263** FIX98149P

FIX-A-THRED

Broken Spark Plug Remover Ford Triton 3 Valve

SKU **489173** LIS65600

• Includes a Unique Porcelain Pusher Tool and a Tapered Left-Hand Thread Remover for Removing the Broken Spark Plug without Leaving the Porcelain in the Engine Cylinder



Oxygen Sensor Thread Repair

Oxygen Sensor Thread Repair Kit

SKU 010134 FIX38189-1

- No Need to Replace Exhaust Manifold
- Pilot Nose Tap Provided



Wheel Stud Cleaner

Callan

Ouick Change Wheel Stud Cleaner Kit

SKU **666299** CAL16

- Kit Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



Head Bolt Thread Repair

FIX-A-THRED

Metric Head Bolt Thread Repair Kit

SKU **010131** FIX35119S

- · Extended Reach for Deep Threads
- Longer Length (33 x 1.5 mm) Inserts for Maximum Thread Engagement
- · Applications: Cadillac, Honda, Toyota and Other Imports That Use M11 x 1.5 **Head Bolts**

Specialized Design for

a Secure Universal Grip



Nut Busting Bolt Extractors

Nut Busting Bolt Extractor Socket Sets

- · High Visibility Markings for Fast, Easy Socket Selection
- Chrome-Molybdenum Steel Construction for Maximum Durability
- 3/8" Drive





9 Piece (SAE)

SKU **751720** 22968

Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4'



AZG0125

OEM TOOLS

9 Piece (Metric)

SKU **751718 24** 99 22967

 Includes: 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 16 mm, 17 mm and 19 mm





'HREAD REPAIR

Spiral Bolt Extractor Sets

- . Made of High-Quality Chrome Molybdenum Steel for Durability
- · Grips and Removes a Wide Range of Stubborn Fasteners
- 3/8" Drive



Bites into Rusted. Rounded and **Painted Over Nuts** and Bolts

Drill Not Included



Specialized Spiral Design for a Secure Universal Grip on **Nuts and Bolts**

3/8" Drive 18 Piece **Impact Extractor Set**

SKU **1361992 1999**

• Sizes Include: 7 mm, 5/16" (8 mm), 9 mm, 3/8", 10 mm, 7/16" (11 mm), 12 mm, 1/2", 3 mm, 14 mm, 9/16", 5/8" (16 mm), 17 mm, 11/16", 3/4" (19 mm), 1/4" Hex Adapter and Knockout Pin



5 Piece Spiral Type Deep Extractor Set on Aluminum Rail SKU **OUTSIDE BUY/EPO** 3899 22993

- · Specialized Spiral Design for a Secure Universal Grip
- · Chrome Vanadium Steel Construction for Maximum Durability
- Sizes: 3/8" (10 mm), 7/16" (11 mm), 1/2" (13 mm), 9/16" (14 mm) and 5/8" (16 mm)



For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS **10 Piece Spiral Type Bolt Extractor Set** on Aluminum Rail

SKII **081788** 22988

REG. \$49.99

- Sizes: 5/16" (8 mm), 3/8", 10 mm, 7/16" (11 mm), 13 mm, 11/16", 1/2" (13 mm), 9/16" (14 mm), 3/4" (19 mm) and 5/8" (16 mm)
- 3/8" Drive



Offer Good Through March 31, 2025

Drain Plug Repair

Drain Plug Repair Kit

SKU **818569** CAL38400

- Designed to Repair Aluminum Oil Pans with Damaged Drain Plug Threads, Size M12 x 1.75 Commonly Found in GM. Ford and Mazda Vehicles
- Includes: Drill, Counter Bore, Tap, Driver, Guide and (5) 12 mm Inserts
- Allows Use of OEM Plug Instead of an Oversize Replacement



Oil Pan Rethreading Kit

SKU **751709** LIS58850

• Oil Pan Plug Rethreading Kit Works on Steel or Aluminum Pans 1/2", 12 mm and 14 mm Threads





Calyan

Axle Spindle Thread Repair

OEM TOOLS

OEM TOOLS

SAVE

Axle Spindle Threading Set SKU **1103645**

- Used to Clean or Repair Axle Threads
- Set Comes with a Special Twist Shape That Provides Easier and Quicker Work
- Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50. M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar



Screw Extractor Bits

10 Piece Spiral Extractor and Drill Bit Combo Pack

SKU **099229** 24373

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4 and Ex-5
- Left Hand 135° Split Point Cobalt
- Drill Bit Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"
- · Pilot Point Starts on Contact and Eliminates Bit Walking
- Comes in a Vinvl Pouch



6 Piece Spiral Flute Screw Extractors Set

SKU **099277** 24374

- Extractors: Ex-1. Ex-2. Ex-3, Ex-4, Ex-5 and Ex-6
- Comes in a Vinyl Pouch



4 Piece Damaged Screw Extractor Set

25158

- Used to Quickly Remove Stripped, Broken and Painted Over Screws
- · Will Work with Phillips, Flathead, Hex and Other Common Screws



35 Piece Master Screw Extractor/Drill Bit Set

SKU **099258** 24377

Reg. \$99.99

· Spiral and Multi-Spline Extractors for Removing the Toughest Bolts and Screws from 3/32" to 15/16"

- 135° Split Point Left Hand Cobalt Drill Bits
- Comes in a Foam-Lined Metal Case



Offer Good Through March 31, 2025

SHOP SUPPLIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Consumables

Start-Up Kit (Dispenser and Product)

SKU **262544** SNGMFKP994376

1 Sian

· Kit Includes: 250 Seat Covers 250 Paper Floor Mats 500 Plastic Floor Mats 500 Parts Bags 100 Tire Bags 1 Metal Floor Rack



BONUS VALUE: \$64.99

Steering **Wheel Cover** SNGFBP994462

With Purchase of: SNGMFKP994376

Offer Good While Supplies Last Through March 31, 2025

Steering Wheel Cover (500/Box)

SNGMFBP994333 **74** 99 SKU **186485**

• Double-Band Design Ensures a Snug Fit and Easy Installation



Vehicle Not Included

Plastic Write On **Key Tag** (1,000 Count)

 Self Locking Plastic Key Tags Help Secure Keys



SNGMFBP993323



Yellow SKU **1125859**



Red SKU 1125868 SNGFBP993399

Plastic Floor Mats (500/Box)

SKU **186488** SNGMFGP994302

- Roll Size: 16.5" x 21"
- Comes in **Durable Self-**Dispensing Box



Paper Floor Mats (500/Box)

SKU 1151404 SNGM371LCA500

- Bright White Paper for Vibrant, Color Print
- Thank You Blue Imprinted LCA Image
- Plain Paper for Very Light Traffic Size Varies:
- 18.5" to 22" Standard Quality



Disposable Seat Cover

- 2-Laver Construction Keeps Cover in Place
- . Refill for Start-Up Kit

Premium (250/Roll) SNGMFGP994314 **119**99 SKU **262537**

• .7 Mil Thick with the Dimensions of 32" x 56" Dispensing Box

Value (500/Roll)

SKU 186487 SNGMFGP994315

• .5 Mil Thick with the Dimensions of 32" x 52



Adhesive Floor Mats (175/Roll)

SKU **262546 SNGMFBP993349**

1 99

· Self Adhesive, 3 mil Protective Film Keeps Carpet Protected



Work Ticket Holder (25/Box)

- Durable Brass Grommet Increases Strength
- Accommodates Most Pre-Printed and **Computer Generated Forms**

Clear

SKU **698887** SNGFBP993302

• 10.5" x 14.5" Clear Front and Back

Clear/Black

SKU 1142449 SNGFBP993303

• 11" x 13" Clear Front and Black Back



Parts Bag 11" x 17" (500/Case)

SKU **262541** SNGMFGP994330

4999

- · High Strength Protection
- Impervious to Most Shop Chemicals

Price Does Not Include Parts Shown

OEM TOOLS



Oil Change Labels

Thermal Oil Change Sticker Printer SKU **OUTSIDE BUY/EPO** SNGFKGX00106

Power Cord/Adapter, of 500 Generic Static Cling Labels



Static Cling Refill Kit SKU **291380**

SNGMFKG016501

- 2 Rolls of Labels
- 1 Replacement Ribbon • Fits Thermal Oil and Static Cling Printers

SLIP **Red Oil Can** Service Reminder Labels

SKU **1405960** SNGFB-P993345

Replacement Roll of 500 Lahels



Blue Wrench Service Reminder Labels

SKU 1407511 SNGFB-P993394

 Replacement Roll of 500 Labels



Hand Cleaner

World's Best Hand Cleaner

- Kit Includes: Wall-Mount Dispenser and 4,000 mL of Cherry Fragrance Cleaner
- All Natural, Concentrated, Solvent Free Cleansing Formula
- . Unique Skin Conditioning System Leaves Hands Feeling Smoother. While Fibril Scrubbers Deep Clean Even the Toughest Dirt
- Cherry Fragrance Leaves Hands Smelling Great
- 100% Biodegradable

Starter Kit with Dispenser

SKU **972773** 24292



4000 mL **Refill Bottle**

SKU **972772** 24291



Tumbler

OEM TOOLS

20 Oz. Stainless **Steel Double Wall Tumbler**

SKU **1392320** 26046

. Keeps Drinks Cold for 24 Hours and Hot for 6 Hours

 Lid Made from Durable **BPA-Free Plastic**



AZG0125

For Outside Buy/EPO, Call 901-300-4878

SHOP SUPPLIES

Creeper Seats

Workshop Seat and Step Stool SKU **1189077**

PREG. \$89.99 24904

 Combination Step Stool and Creeper Seat That Allows **Additional Maneuverability**

• Thick Padding Covered with Durable Vinyl Provides Comfort While Working

- Includes a Tool Tray for Organization and Convenience
- 4 Swivel Casters Made for All Terrain · Weight Capacity:
- 18"(L) x 16"(W) x 7"(H)



Sidekick Creeper Stool

SKU **1168662** 24987

- · Large Open Tray to Carry a Wide Range of Items with Additional Holster Caddies on the Side for Rapid Access to Most Used Items
- Slide Out Under Seat Drawer Can Be Used to Store and Organize Tools
- . Weight Capacity: 330 Lb.



OEM TOOLS

Heavy Duty Rolling Workbench and Creeper Seat SKU **1142423**

RQ99 24986

- Molded Seat and Frame Provide **Durable Support**
- · Removable Clip-In Trays for Storage and Easy Transport of Parts and Tools
- Trays Feature Screwdriver Storage Holes for Easy Organization
- . Weight Capacity: 300 Lb.



Cushioned Cushioned Cushioned **Creeper Seat** with **Tool Tray** SKU **757019**

24948

- Tool Tray Dimensions: 11-1/2" x 12-1/2'
- · Cushioned Seat
- 4 Swivel, Oil-Resistant Wheels

· Weight Capacity: 330 Lb.



Creepers

Mechanics Creepers with Headrest

- Made with HDPE Plastic and Molded for Comfort to Ensure a Quick
- and Accurate JobEasy to Handle, Lift and Store6 Swivel Casters Able to Maneuver All Terrain
- Casters are 3" in Diameter for **Additional Durability and Product Longevity**
- Weight Capacity: 350 Lb.

Offers Good Through March 31, 2025

SKU **1189063** 24909

REG. \$54.99

- Light Weight 13.2 Lb.
- 40"(L) x 19"(W)

36¹¹ SKU **1189084** 24977



- Light Weight 9 Lb.
- 36"(L) x 18"(W)

Creeper Seats

Workshop DEMITOOLS **Creeper Seat** with 2 Drawers - Blue

SKU **542531 299** 24996

- Padded Seat for Maximum Comfort
- 2 Sliding Drawers
- Can Holder for 3 Cans
- · Smooth Rolling Wheels

TRAXION
engineered products

. Weight Capacity: 280 Lb.



ProGear Race Seat. **Green/Black**

SKU OUTSIDE BUY/EPO TRX2-705



· Adjustable Seat Height: 13-1/2" to 17-1/2"

• Five Spoke Frame is **OSHA** Compliant



For Outside Buy/EPO, Call 901-300-4878

Professional 41" 6 Wheel Creeper

SKU **125749** 24970

- 3D Streamline Design for Shoulder Clearance
- 6 Heavy Duty TPU Casters
- Low Ground Clearance Allows for Greater Mobility
- · 4 Tool Storage Trays

. Weight Capacity: 300 Lb. **Topside Creepers**

Topside Creeper

SKU OUTSIDE BUY/EPO TRX3-100 *379⁹⁹*





Call 901-300-4878

NXT Topside Creeper SKU **OUTSIDE BUY/EPO**

TRX3-200

· Height Adjusts from 48' to 64"

• I-Base Design for More Flexible Positioning Around the Vehicle · Weight Capacity: 400 Lb.



For Outside Buv/EPO. See Specialty Tools on pages 34-40 Call 901-300-4878



OEM TOOLS

SHOP SUPPLIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com



Adjustable Height Stool

- Ideal for Shop or Garage Use Adjustable Height: 28" to 32-1/2"
- Durable, Vinyl-Padded Swivel Seat
- Backrest for Comfortable Support



Black (2 Pack) SKU **362969** 24911TW0 14<u>9</u>99

STECK



Green (2 Pack) SKU **758787** 24931TW0

OEM TOOLS



Work Stand

Black (2 Pack)

SKU **432326**

24910TW0

14999

Pro Step Adjustable Work Stand

SKU **222856** STK20350 • 500 Lb. Capacity

22-1/2" • 32' x 16'



Truck Tire Step

Truck Tire Step

SKU **418849** 24913B

- Fits Both Front and Rear 9" to 13" Wide Tires
- Powder Coat Finish
- Designed for SUVs, Motor Homes and Light Duty Trucks
- Heavily Textured Non-Slip Step for Safety
- · Adjustable Rubber Bumpers **Protect Your Wheels** and Ensure the Step is Sturdy and Level
- · Easy to Adjust
- . Weight Capacity: 300 Lb.







Fender Covers

Fender Cover

SKU **965832** 24900

- · Heavy Gauge Vinyl Wipes Clean
- 27" x 34"



Soft Fleece Fender Cover

SKU **751711 25**99 24899

- Soft Fleece Fender Cover to Prevent Paint Damage
- 2 Super Powerful Corner Magnets for Securing the Cover in Place
- . Magnets are Removable to Wash the Cover
- Large 42" x 24" Size for Cars, Trucks and SUVs



OEM TOOLS

Magnetic Nut Cups

Multicolor Magnetic Nut Cup Assortment (4 Pack)

SKU **1282743 20**99 68939



- . Holds Bolts, Nuts and Parts to Speed Up Work and Eliminate Misplacing Parts

 Coated Magnet Sticks to All
- Ferrous Metal Work Surfaces
- Includes:
- 1 Green Cup
- 1 Red Cup
- 1 Orange Cup
- 1 Blue Cup





SHOP SUPPLIES

Hardware and Service Parts

HARDWARE MACHINERY

MACHINERY.

96 Piece Mini Fuse Kit

SKU **271169** 68148

• Includes: Mini Fuses 3A to 30A



96 Piece ATO Fuse Assortment

SKU **271172 299** 68149

• Includes: ATO Fuses 3A to 30A





24 Piece Maxi **Fuse Assortment**

SKU **271152 24** 99 68146

· Includes: Maxi Fuses 20A to 100A



HARDWARE MACHINERY

200 Piece Spring Assortment

SKU **271195** 68140

• Includes: 20 Popular Sizes from 7/32" x 11/16" to 5/16" x 1-1/4" BAAAAAAB



Universal O-Ring Set 407 Piece (SAE)

SKU **546661** 68168 **19**99

from 1/8" to 2"



0()

SKU **546659** 68167

(Metric)

• Inside Diameters • Inside Diameters from 3 mm to 50 mm





₽vmamic

270 Piece A/C 0-Ring Kit

SKU **271196** 68141

· Contains 270 O-Rings in a Variety of SAE Sizes

 Great O-Ring Set for Most Automotive and Refrigerant Applications



Dynamic

110 Piece Copper **Washer Assortment**

SKU **271176** 68117

• Includes: Popular Sizes M6 to M16



ACHINERY.

115 Piece Master Brake Line **Fitting Assortment Kit**

SKU **082943**

- DOWDY-BLF-5 • 23 Brake Line Fitting Variations
- Tube Nuts, Union, Brake Line Adapters





230 Piece Domestic **Retainer Assortment Kit**

SKU 082940 DOWDY-6000U

6499

SUR!R.

• 23 Retainer Variations

· For Doors, Trim and Shrouds



555 Piece Stainless Cotter Pin Assortment

SKU **271183** 68121

· Includes: 6 Popular Sizes from 1/16" x 1" to 5/32" x 2-1/2"



500 Piece Aluminum Rivet Assortment

SKU **271150** 68109

Includes: 1/8" and 3/16" Rivets

1/4", 5/16" and 3/8" Long



Dynamic

Includes Sizes: 3/16" to 3/8"

80 Piece Vacuum

Cap Assortment

SKU **271197**



34 Piece Hose Clamp Assortment

SKU **271201** 68137

Includes Sizes: 5/8" to 1-1/4"



88 Piece Drain Plug and Gasket Assortment Kit

SKU 617724

DOWDY-DPA-6



 Most Popular 12 mm and 14 mm **Drain Plugs**



Dynamic 240 Piece **Master Drain**

Plug Gasket Assortment Kit SKU **606762**

DOWDY-DGK-240

Metal

- · 24 Drain Plug Gasket Variations
- Aluminum, Copper, Crush, Fold-Over, Nvlon. Rubber/



120 Piece Oil Drain Plug Gasket Assortment

SKU 1400041 SURDPG120

. Covers Most Domestic and Import Cars

- and Light Trucks
- 120 Total: 24 Variations (5 each), Incl. Copper, Metal Crush,

Nylon, Fiber and Rubber/Metal



76 Piece Oil Drain Plug Assortment SKU **662839**

SURDP454

• Includes: 76 Pieces with Corresponding

- Gaskets, 17 Direct Fit SKUs Includes: Labeled Case for
- Quick Identification and Organization
- Covers Most **Domestic** and Import Cars and Light Duty Trucks



SUR!R.

60 Piece Wheel Lug Nut

• 12 Lug Nut Variations

Assortment A SKU **082947**

DOWDY-WN-12 · Standard, Dome, Acorn Thread



Assortment B SKU **082948**

DOWDY-WN-12B 124⁹⁹

· Dome Acorn, Bulge, Flat-Capped. External Thread

Dynamic



Hanger Clamp Assortment

SKU **1284970** SURCL484



- Rubber Coating Reduces Chance of Corrosion and Other Damage
- Includes Clamp Sizes: 5/16" 1/4", 3/8", 1/2", 5/8" and 3/4"





SUR!R.

SAFETY & GLOVES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

First Aid Kits

First Aid Kits

- Meets ANSI Z308.1-2009 and OSHA Standards
- · Contains Essential Supplies for Light Injuries and Wounds
- Wall Mountable Plastic Box

10-Person First Aid Kit

SKU **1442580** SAS6010-10

25-Person First Aid Kit

SKU **1442584** SAS6025-25

50-Person First Aid Kit

SKU **1442588** SAS6050-50



100-Person First Aid Kit

SKU **765585** SAS609901

- Meets OSHA 1910.151(b)
- · Contains an Assortment of Supplies to Treat Small to Large Injuries
- Includes Dressings, Antiseptics, Burn Treatment **Products and Personal** Protective Devices
- Wall Mountable Metal Box

Safeguard Employees and Jobsites Through **Injury Preparation** with Multi-Functional **First Aid Kits**

lisle



Safety Supplies

Hi Vis Knit Beanie - Orange

SKU **687972** SAS692-1711

- One Size Fits All
- . Comfortable and Warm
- 100% Knit Polyester
- ANSI/ISEA 107 Compliant
- · Reflective Knit Stripe



Hot Sleeve

LIS18700

SKU **291321**

- · Protects Arms from Burns While Working Around the Engine
- Made of Durable, Heat-Resistant Kevlar
- Double Wall Construction for Added Heat Protection



Face Shield Clear SKU **972271**

SAS5140

- · Impact-Resistant Polycarbonate Shield
- Curved Lens Design

SAS

- Ratcheting Headpiece
- Meets ANSI Z87.1–2015



Ear Plugs

Foam Ear Plugs

SKU **526953** SAS6100

- Noise Reduction Rating: 31
- 200 Individually Packaged Pairs
- Pre-Shaped Foam Earplugs





Evewash Stations

Emergency 9 Gallon Evewash Station Wall Mount Gravity Fed

SKU **912344**

- 20.15" x 16.5" x 9.5"
- · Includes: Mounting Bracket, Inspection Tag, Tamper Resistant Tie and Preservative

Evewash Concentrate Solution

SAS5136-01

• For Use with 9 Gallon **Eyewash Station**



SKU 1142715 TEXA

Sanitizing

Air2 San Ozone Sanitizing System SKU OUTSIDE BUY/EPO

TEXG16050

• FDA Approved for Use

- Fully Automatic Sanitization Process
- 0₃ to 0₂ Reconversion at the End of the Procedure



For Outside Buy/EPO, Call 901-300-4878

SAS5134-00

- Compliance ANSI Z358.1-2014
- Portable Unit Measures

#SAS5134-00



Bottle Eyewash Station

SKU **094904** SAS5132

• Includes: (2) 16 Oz. Eye Irrigate Solution Bottles Does Not Meet ANSI Z358.1


16 Oz. Eyewash **Irrigate Refill**

SKU **977588** SAS5130

• For Use with Evewash Station SAS5132

Back Belts

Deluxe Back Support Belt



• 4 Plastic Stays for Flexible, Contoured Support

· Tapered Design Allows a Full Range of Body Motion While Maintaining Proper Support

Small SKU 803153 | SAS7161

Large SKU 803161 | SAS7163

X-Large SKU OSB/EPO | SAS7164

XX-Large SKU **803152** I **SAS7165**

ŚAŚ



For Outside Buv/EPO. Call 901-300-4878

SAFETY & GLOVES

Safety Glasses

LED Safety Glasses

SKU **555987** 26039

- · High-Impact Resistant Lens Protects Eyes
- Flexible, Lightweight and Padded Frames
- Meets ANSI Z87.1
- Includes: (8) LR41 Batteries



LED Safety Glasses (3 Pack)

SKU **592265** 26017PK3

NSX Turbo Safety Glasses

- High-Impact Polycarbonate Lens
- Safety Eyewear That Also Provides 99.9% UV Protection
- Scratch-Resistant Coating
- Single Lens Design
- Lightweight Wrap-Around Lens • ANSI/ISEA Z87.1-2015 Compliant





Amber SKU **462984** SAS5332PK

• Box of 12

Smoke

SKU **462983**

SAS5331PK SAS5330PK

Box of 12

Clear SKU **301767**

• Box of 12

STORE STOCKED

Advantage X300 Series Safety Glasses - Amber (12 Pack)

SKU **1149164** JASS70711PK REG. \$34.99

- Lightweight, Comfortable and Affordable
- Lens Features an Anti-Scratch Hard Coating
- Made Using Virgin, Unitary Polycarbonate Lenses
- 99.9% UV Protection
- Ideal for Construction, Shop and General Eye Protection Applications

OEM TOOLS

Offer Good Through March 31, 2025





OEM TOOLS

Multifocal Safety Reading Glasses

26025

- Eye Protection and Multifocal Reading Glasses
- High Impact, Anti-Scratch Lenses Protect Your Eyes
- Fully Adjustable Temples for Comfort and Fit
- ANSI/ISEA Z87.1-2015 Compliant

+2.5+1.5SKU **752076** SKU **752078**

+3.0+2.0

26023

SKU **752077** SKU **752086** 26024 26026



Frame Provide a Custom Fit

Detection Liaht

UV Leak Detection Light and Glasses

SKU **213144** 24516

- . Compact UV Leak Detection Pen Light
- Yellow Lens Protective Glasses Enhance Visibility of Leaks
- · Can Be Used with All Types of UV Leak Detection Dves
- Includes: 2 AAA Batteries





LOW PROFILE FLOOR JACKS

- Padded Jack Handle Helps Prevents Scratches and Dents to the Vehicle When Pumping Jack
- Overload and Bypass Safety Valves Prevent Use Over the Rated Capacity
- Industrial Strength Powder Coat Finish Precision-Welded Steel Construction
- Meets or Exceeds ASME PASE-2019 Safety Standard



LOW -

PROFILE

3 Ton Long/Low **Signature Service Jack**

SKU **1407611** 24868



Dual Piston Hydraulic









Nylon Casters Protect Floor Surfaces

2-1/2 Ton Aluminum/Steel **Hybrid Floor Jack**

SKU 1417557 24869



Dual Piston Hydraulic System for Quicker Lifting



Low Profile



PADDED

HANDLE

Nylon Casters Protect Floor Surfaces



System for Quicker Lifting



Low Profile

Raven Gloves



- 7 mil Powder-Free Latex-Free Nitrile
- Superior Puncture and Abrasion Resistance
- Ambidextrous Textured Grip
- Beaded Cuff

Find In Store, Right Now **19**99 per box

STORE STOCKED /////

Medium SKU 435079 | 66517

Large SKU 244622 | 66518

XL SKU 244617 | 66519



Buy More, Save More

2 Boxes of 100 Each 3799 per box

Medium SKU 547964 | SAS66517-2PK **Large SKU 547965 | SAS66518-2PK**

XL SKU 547966 | SAS66519-2PK

XXL SKU **547963 | SAS66520-2PK**

5 Boxes of 100 Each **89** 99 18.00 per box

Medium SKU **1189346 | SAS66517-5PK**

Large SKU 1189328 | SAS66518-5PK XL SKU 1189339 | SAS66519-5PK

XXL SKU 1442587 | SAS66520-5PK

10 Boxes of 100 Each 169 99 17.00 per box

Medium SKU 1190191 | SAS66517CS

Large SKU 265052 | SAS66518CS

XL SKU 265053 | SAS66519CS XXL SKU 1330682 | SAS66520CS

Astro-Grip Gloves

5TRO-GRIP

- 7 mil Powder-Free Exam Grade Nitrile
- Exceptional Chemical and Puncture Resistance
- New Embossed Cube Grip

Find In Store, Right Now **9** 99 per box

STORE STOCKED ////

Medium SKU 823166 | 66472 **Large SKU 823167 | 66473**

XL SKU 823168 | 66474





Buy More, Save More

2 Boxes of 100 Each 4799 24.00 per box

Medium SKU 1330679 | SAS66472-2PK

Large SKU 1330676 | SAS66473-2PK XL SKU **1331500 | SAS66474-2PK**

2XL SKU 1331496 | SAS66475-2PK

5 Boxes of 100 Each 114 99 23.00 per box

Medium SKU 1330686 | SAS66472-5PK

Large SKU **1331480 | SAS66473-5PK**

XL SKU **1331488 | SAS66474-5PK**

2XL SKU 1331487 | SAS66475-5PK

10 Boxes of 100 Each **219**⁹⁹_{22.00 per box}

Medium SKU 1330697 | SAS66472CS

Large SKU 1331497 | SAS66473CS

XL SKU **1331489 | SAS66474CS**

2XL SKU 1331494 | SAS66475CS

Derma-Tuff Gloves



DERMA-TUFF

2 Boxes of 120 Each 28 99 14.49 ner hox

OEM TOOLS

XL SKU 1189352 | SAS66584-2PK

Compared to 100 Count Box

120/BOX

• Powder-Free Exam Grade Nitrile, 6 mil

· Textured for Enhanced Grip

· Outstanding Strength, Wear and Dexterity



5 Boxes of 120 Each **71** 99 14.39 per box

Large SKU 1189330 | SAS66583-2PK Large SKU 1189350 | SAS66583-5PK

XL SKU 1189331 I SAS66584-5PK

10 Boxes of 120 Each 139 99 per box

Large SKU 1189326 | SAS66583CS

XL SKU 1189347 | SAS66584CS

Glove Dispenser

Magnetic Glove Dispenser

SKU **765562** 24945

Supplies

- · Attaches to Any Magnetic Surface for Convenient Glove Storage
- Self-Adjusting Spring Sides Hold Various Box Sizes
- 4 Powerful Magnets Provide 8 Lb. Load Capacity





MX Pro

- . Excellent Dexterity and Flexibility for Intricate Work
- Outstanding Gripping Power
- · Great Protection Against Blisters, Cuts and Abrasions
- · Stretch Top for Great Flexibility and Ease of Movement
- Hook-and-Loop Closure
- Machine Washable



Large SKU 1142346 | SAS6653 XL SKU 1368618 | SAS6654

XXL SKU 1142418 | SAS6655

Nitrile Palm Knit Glove



• Liquid Dipped 100% Nitrile Palm Coat

16 Gauge Seamless Nylon Shell

Knit Back Helps Keep Hands





AZG0125

Large SKU 250887 | SAS6401909 XL SKU 250888 | SAS6401910 XXL SKU 250890 | SAS6401911





2025 Jan-Mar

Hablamos Español Call 901-300-4878

GREAT FINANCING PROGRAMS*

UNISOURCE 800-404-6792 | NEWLANE 267-768-3228 | PEAC 856-505-4450 | LCA 248-743-5125

1 LEASING COMPANIES

- Leases are handled by four companies
- · Customer must:
 - Select equipment
 - Complete credit application
 - Receive approval from leasing company
- Once the transaction is approved and documents are signed by customer:
 - Customer invoice is funded by leasing company
 - Equipment order is placed









30-60-90

- AutoZone® credit account in existence for 6 months
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- . No NSF checks within 6 months
- No credit holds within 6 months
- · Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$15 K
- Minimum equipment cost = \$1 K (sales tax included)

3 EXTENDED TERMS

- AutoZone® credit account in existence for 1 year
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$25 K
- Minimum equipment cost by term:
 - 6 months \$3 K
 - 9 months \$6 K
 - 12 months \$8 K or greater (financial statement may be required)
- * Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods. Free overnight shipping available to continental U.S. for qualifying VDP orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

©2025 GreatNeckTools, Inc. Certain content provided by and is the property of AutoZone Parts, Inc. All rights reserved. AutoZone, AutoZone & Design, Loan A Tool, Duralast, Duralast Gold, Duralast Proven Tough and Duralast ProPower are registered marks of AutoZone IP LLC or one of its affiliates. All other marks are the property of their respective holders. iPhone® and iPad® are registered trademarks of Apple Inc., Android® is a trademark of Google Inc., STP® is a registered trademark of the Energizer Auto, Inc., and Bluetooth® SiG, Inc. Items requiring freight shipping cannot be delivered outside of the continental United States. For shipping cost to Alaska or Hawaii, please contact Commercial Sales Manager. Ad prices cannot be combined with any other offer. Offers may vary by market. Offers valid while quantities last. Items may not be available at all locations at all times. We reserve the right to limit quantities and to correct pricing errors. Some new items might not be available at the time of print deadline. Prices valid only during sales catalog effective dates. All photographic, clerical, typographical and printing errors are subject to correction. Images shown may not be actual product but represent products or sets which include product. We reserve the right to substitute a like item or an item of greater value on any promotional offer in this publication. Store stock items may be purchased at any local AutoZone store or through your AutoZone Commercial Sales Manager. Bonus items are fulfilled while supplies last and may ship separately. Bonus items may be replaced with like items of the same or greater value.

AZG0125 | SKU 1391457 \$2.99