Tool & Equipment QUARTERLY




2024 APR-JUN

Call 901-300-4878



DEDICATED TO HELPING YOUR BUSINESS RUN BETTER



The AutoZone® Tool and Equipment Team is here to ensure our customers are always satisfied. As our customer, you can expect fast, personalized and professional service. Our customer service associates have over 200 years of combined experience in the tool and equipment industry.

Call AutoZone® Tool & Equipment at 901-300-4878 for Questions Concerning:

- Equipment Selection Product Availability
- Product Delivery
- Technical Support
- Service After the Sale Ordering Capital Equipment

Call Your AutoZone® Commercial Sales Manager or Go to AutoZonePro.com

- To Place Orders for Parts, Tools and Equipment
- For Questions Related to Parts and Vehicle Accessories
- For Commercial Credit, Lease or Financing Information

Businesses can take advantage of IRS S-179 tax credits on equipment purchases. Contact your CPA for details.

FREE OVERNIGHT SHIPPING -



Free overnight shipping available to continental U.S. for qualifying orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

IMPORTANT INFORMATION ABOUT RECEIVING YOUR FREIGHT ORDER

The freight company will call 24 hours prior to delivery. It is important to take or return their calls to schedule delivery. Most items are shipped freight prepaid. Limited access, residential, carrier surcharges, redelivery and storage fees are not included.

OFFLOADING? Do you need:







- Items shipped via flatbed and most lifts will require a forklift.
- · Palletized items including most capital equipment and tool storage require a liftgate or forklift.
- Drivers will not allow you to break down pallets and offload by hand.
- Inside delivery is not available. Product will be dropped as close as safely possible. Make sure your location is accessible to the truck and driver.
- DO NOT SIGN until you have inspected the freight and confirmed carton/ pallet count.
- Refuse shipment and/or notate any discrepancies or possible hidden damage on the bill of lading.
- DO NOT ACCEPT OR SIGN FOR DAMAGED ITEMS. Accepting and signing for a damaged or short shipment without notation releases the carrier and distributor from any claim or responsibility.
- Contact us at 901-300-4878 immediately with any questions or problems with delivery.
- For hidden minor or cosmetic damage, we may at our discretion, choose to send replacement parts.

ASK BEFORE YOU RETURN

Many of the Tool and Equipment products are covered by the manufacturer's warranty and will be serviced and repaired in the field.

Note: Most manufacturers require you to register your products with them before receiving support or service. IF YOU HAVE OUESTIONS ABOUT WARRANTY OR RETURNS CALL 901-300-4878.

AUTOZONE® STORE MANAGERS AND COMMERCIAL SALES MANAGERS

Call Your Tool & Equipment Team at 901-300-4878 for Questions Regarding:

- Product Ordering and Availability
 Assisting Customers with Price Quotes
 Service After the Sale
 Help with Outside Buy/EPO Orders
 - Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

To place orders or for pricing contact your AutoZone® Commercial Sales Manager. For product information, availability and product support, *call 901-300-4878*.

TOOLS AND EQUIPMENT IN THIS ISSUE:

Advanced Driver Systems (ADAS). 26-27 Air Compressors 70-71 Air Conditioning 14-24 Air Hoses & Reels 76 Air Tools & Accessories 72-77 Alignment 86-89 Automotive Lifts 90-97, 116 Battery Service 9, 66-69 Brake Lathes 109 Brake Service 109-113 Chassis & Suspension 58-62 Cooling System 43-45 Creepers & Seats 142-143	Engine Service. .53-57 Engine Stands & Cranes. .84-85 Evaporative Coolers .10-11 Exhaust Tubing Bender .126 Fans .11-13 Fluid Handling .38-42 Generators .127 Gloves .129, 146-147 Grease Guns .37 Hand Tools .5-8, 130-138 Hardware Kits .23, 46, 144 Heating & Cooling .10-13 Heavy Duty .114-116	Motorcycle Lifts 94 Oil Change 32-36, 116 Paint & Body 117 Parts Washers 125-126 Power Tools & Accessories 78-80 Pressure Washers 127 Pullers 47, 49, 52-55, 59-62, 66, 113, 115, 117, 124 Ratchets 133 Regulators, Filters, Drains 71 Rivet Tools 51	Shop Presses 124 Shop Supplies 141-144 Specialty Tools 46-52, 115-116 Surface Prep 73, 77 Technician Sets 80 Thread Repair 139-140 Tire Service 98-108, 115 Tool Organization 122-123 Tool Storage 8, 118-121 TPMS Tools 104-105 Tubing 76 Vacuum Pumps 16-17 Welding & Cutting 128-129
-	Heavy Duty	Rivet Tools	•

BRANDS IN THIS ISSUE:

ABAC
Air Movement Solutions

NEW ITEMS & DEALS

PORTACOOL

Offers Good While Supplies Last Through June 30, 2024

See More

on Pages 58-62



 Cooling: 2,00 Sq. Ft.



See More **HEATING & COOLING** on Pages 10-13











Works with Most Transmission Jacks

Foam Rubber Pads Protect Tank



Complete Wheel Weight Kit with Floor Rack

SKU 1392466 68953

· Includes: 66 Boxes of Coated Clip on Wheel Weights and All Metal Floor Rack

25 Weights Per Box

• Eco Conscious Steel

Complete Wheel Weight Program **Available**

See More WHEEL WEIGHTS on Pages 107-108



CHASSIS & SUSPENSION

ALFE Steel LHFE Steel **MCFE** Steel PFF Steel TFF Steel ENFE Steel **FNFE** Steel **IWFE** Stee

OEM TOOLS

REG. \$1.283.33

When You Buy the Kit

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878



With Purchase of:

PWPPPROKIT01

Offer Good While Supplies Last



OEM TOOLS **Manual Fluid Extractor 2.1 Gallons** (8.4 Qts.) SKU **666877** VALUE: 24936 Reservoir with Hand Operated **Manual Fluid** Pump to Tackle **Extractor** Big Jobs and Filler (7 Oz./ .21 Qt./ 200 mL) 24985 See More **FLUID** With Purchase of: 24936 **HANDLING Offer Good While**

on Pages 38-42

Duralast top 10 tools



- 3 drawer blow mold case design each drawer organized by drive size for optimum storage
- NEW case design features storage on top opening
- 5 Degree arc swing provided with 72 tooth ratchets in each drive size

Duralast 16PC Ratcheting Wrench Set **SKU** 570927





- 72-tooth ratcheting box-ends need only a 5° arc swing to turn fastener
- Feature off corner loading to prevent the rounding
- · Box-end provides additional leverage and less likelihood of slipping when used on hard-toremove fasteners

Duralast

9PC Triple Square Bit Set SKU 1077622





- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- · Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage
- Full polished chrome finish socket easily wipes clean of oil and dirt

Duralast 17PC Master **Accessory Set SKU** 569379



Duralast

20PC Universal Pass-Thru Set Metric/SAE

SKU 569724



Duralast

1/2" Drive Torque Wrench 50-250 ft-lbs

SKU 1146659





- Forged Alloy Steel extension bar, universal joint, and adapter heat treated for superior strength
- Universal joints pivot on 2 axis's which allows for 360° rotation
- Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive
- Universal Design Sockets can work on 6 Different Fastener types, 6PT, 12PT, E-Torx, Square, 6PT Partially Rounded, & Spline
- 72-tooth ratchet provides 5 degrees of ratcheting arc
- · Quick release button on head of ratchet allows for easy release of sockets and accessories
- Factory calibrated to +/- 4% accuracy in clockwise direction
- 50 to 250 ft-lb range perfect for lug nut applications
- Twist collar locks torque setting in place and handle twists to easily set desired torque

Duralast 10PC 1/2" Drive **Deep Metric Impact Sockets** SKU 914180





- Forged Chrome Molybdenum Alloy Steel for strength and durability in
- Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast 3/8" Drive 100 **Position Ratchet SKU** 565717



- 100 position Dual-Pawl design allows for a fine 3.6 degree swing arc
- Chrome finish provides corrosion resistance and added durability
- Low profile head design

Duralast 9PC E-Torx Socket Set **SKU** 565199



- · Designed for use with External Torx (6-point star) shaped fasteners
- (4) 3/8"-Drive External Torx Bit Sockets: E-10, E-12, E-14, E-16
- (5) 1/4"-Drive External Torx Bit Sockets: È-4, E-5, E-6, E-7, E-8

Duralast 14PC Torx® Bit Socket & Gimbal **Ratchet Set** SKU 569692



- Set offers a wide variety of 1/4" & 3/8" drive tamper-proof torx bit sockets, an adapter, and 72 tooth gimbal ratchet
- Flex design provides pivoting action to give you greater access where ratchets and wrenches cannot

AZG0224

Duralast Tools for the PROS

Duralast

6PC Flex-Head Ratcheting Wrench Set

MM SKU 569808 SAE SKU 569818



- 72-tooth ratcheting box-ends need only a 5° arc swing to turn fastener
- Feature off corner loading to prevent the rounding of fasteners
- Head flexes into multiple positions to increase access to hard to reach fasteners

Duralast 6PC Ratcheting Wrench Set

MM SKU 569779 SAE SKU 570921



- 72-tooth ratcheting box-ends need only a 5° arc swing to turn fastener
- Feature off corner loading to prevent the rounding of fasteners
- Full-polished chrome finish easily wipes clean of oil and dirt

Duralast

1/4" Drive 100 Position Flex Head Ratchet SKU 565715

3/8" Drive 100 Position Flex Head Ratchet SKU 565718



22⁹⁹

27⁹⁹

- 100 Position Dual-Pawl design allows for a fine 3.6 degree swing arc
- Head flexes into 6 positions to increase access to hard to reach fasteners
- Low profile head design

Duralast

7PC Impact Hex Bit Socket Set

MM SKU 1077628 SAE SKU 1077626

2799 SAE

26⁹⁹



- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement onto fasteners
- High visibility size markings laser etched into sockets

Duralast 5PC Impact Adapter Set



- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement onto fasteners
- Meets or exceeds ASME standards

Duralast

1/2" Drive Sealed Head Ratchet 100T SKU 565721



2399

- 100 position Dual-Pawl design allows for a fine 3.6 degree swing arc
- Chrome finish provides corrosion resistance and added durability
- Low profile head design

Duralast

4PC Impact Flip Socket & Extension Kit

SKU 1077627





- Sockets fit 6 most common lug nut sizes
- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use

Duralast

180PC 1/4", 3/8", 1/2" Drive Tool Set

SKU 52378

124⁹⁹



Duralast

9PC 1/2" Drive Deep SAE Impact Sockets SKU 569664



- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast

3/8" Drive Electronic Torque Wrench SKU 1227964

11999



- Torque accuracy of +/- 2% Clockwise / +/- 3% Counter Clockwise
- 72 tooth reversible, ratcheting head allows for access in tight spaces (5 degrees of ratcheting arc)
- Every tool included has been designed to increase access, durability, and strength
- 5 degree arc swing provided with the 72 tooth Ratchets
- Sockets feature chamfered lead ins

Duralast tools

Duralast 17" Pry Bar

SKU 1219649



Duralast 25" Pry Bar

SKU 1219650

- Steel striking cap designed for hammer striking, with shanks that extend thru the handle to the steel striking cap
- Angled tip gives increased leverage and access to confined areas
- Ergonomic dual material handle provides a secure, comfortable grip

Duralast

10PC 3/8" Thin Wall Impact Socket Set

MM SKU 1227805 | SAE SKU 1227807





- Thin wall design is 20% slimmer than standard 3/8 drive impact sockets
- 1/4" Hex x 3/8" Drive Adapter allows for use on 1/4" Hex Impact Drivers
- Chromium Molybdenum steel for strength and durability in impact use

Duralast

6PC Folding Nutdriver

MM SKU 1077623 | SAE SKU 1077630





- · Offers all applications of a standard nut driver, but in a compact size
- Alloy steel shaft with a nickel chrome plated finish
- · Anodized aluminum caddie with black finish

Duralast 1/4" Drive 90T Encapsulated Ratchet

SKU 1227963





Duralast 3/8" Drive 90T Encapsulated Ratchet

SKU 1227962



- Hybrid Shield Technology Alloy steel core shielded with tough, glass-filled nylon
- Glass-filled nylon helps protect against temperature, chemicals, and corrosive
- 90 tooth design provides more precise ratcheting with only 4 degrees ratcheting arc

Duralast 3/8" Drive Torque Wrench

SKU 914017



- Factory calibrated to +/- 4% clockwise accuracy in the upper 80% of torque range
- · Quick release button on head of ratchet allows for easy release of sockets and accessories
- Chamfered square drive lead-in helps provide fast and easy placement of sockets and accessories onto drive

Duralast

1/2" Drive **Extendable Breaker**

Bar 11"-17"



- Extendable handle provides greater access for hard to reach areas and greater leverage
- Chamfered square drive lead-in helps provide easy placement of sockets onto drive

Duralast

4PC Triple Square Bit Socket Set

SKU 582086



AZG0224

- Extra Long Shank Design for access to hard-to-reach triple square fasteners (such as seat bolts)
- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Full polished chrome finish socket easily wipes clean

NEW Duralast tool storage

Duralast 42 in. 4-Drawer 3999 Top Chest, Blue SKU 1354163

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- Built-in power strip (4 outlets & 2 USB ports)
- 7,668 cubic inches of storage
- 400 lb. total weight capacity
- Combine with 1354168 (sold separately)
- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers
- 5"x2" heavy-duty casters to support up to 1,200 lbs.
- 10,532 cubic inches of storage
- 800 lb. total weight capacity
- Combine with 1354163 (sold separately)

Duralast

30 in. 5-Drawer Mechanic's Cart **BLUE SKU** 1354167 **BLACK SKU** 1354164



- High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 15,000 cubic inches of storage
- 700 lb. total weight capacity

Duralast

30 in. 4-Drawer **Technician Cart BLUE SKU** 1354165 **BLACK SKU** 1354166



- High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 12,600 cubic inches of storage
- 580 lb. total weight capacity

SPECIAL DEALS

Duralast

1/4", 3/8", 1/2" Drive 435PC Mechanics Tool Set

SKU 1089589



42 in. 9-Drawer

SKU 1354168

Tool Cabinet. Blue

- Features 237 Chrome Sockets, 51 Wrenches, 42 Impact Sockets, 6 ratchets & more!
- The most tools for your money, all guaranteed for life

Duralast

1/4", 3/8", 1/2" Drive 335PC Mechanics Tool Set



- Features 210 Chrome Sockets, 41 Wrenches, 3 Ratchets & more!
- The most tools for your money, all guaranteed for life

Duralast 10PC 1/4", 3/8" Drive 16MM Socket Set 10MM Socket Set

SKU 582151



- The Duralast 10pc 10mm socket set takes the need of the 10mm socket, and provides a solution for any application
- · Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast

12PC 3/8", 1/2" Drive **Brake Caliper Socket Set**



- Full range of torx and hex bit sockets to remove and install brake pads on disc brake calipers of almost any vehicle
- · Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage
- Full polished chrome finish socket easily wipes clean of oil and dirt

Duralast 36PC Master Bit Socket Set **SKU** 569654



- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Full polished chrome finish socket easily wipes clean of oil and dirt
- Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage

Duralast LIFT EQUIPMENT & BATTERY CHARGERS









- 3 ton capacity
- Dual piston pump with universal release
- High lift height

Duralast2.5 Ton Aluminum Steel Jack SKU 979807

- 2.5 ton capacity
- Aluminum design for lightweight
- Dual pump piston with universal release for controlled loads

Duralast 6 Ton Jack Stands SKU 234799 6499

- Full welded heavy gauge steel base
- Large Cast iron ratchet pawls for secure locking
- Multiple height positions

Duralast

2.5 ton stands

250 Amp 12 Volt Battery Charger SKU 1277303

- The DL-250D is compatible with 12-volt standard, lithium, AGM, gel, and deep-cycle batteries
- The 250-amp engine start is strong enough to jump start cars, SUVs, trucks, and boats
- Manual operation controlled by 135-minute timer and manual rate selection knob
- Built-in ammeter lets you monitor the complete charging process



Duralast

80 Amp 12 Volt Battery Charger SKU 1249429 109⁹⁹



- Powerful 80-amp jump start is strong enough to jump start motorcycles, cars, and boats
- 20-amp boost mode quickly brings deeply discharged batteries back to life
- Automatically adjusts the amperage rate (6-amp 2-amp) during charging and maintaining
- Fully automatic with multi-stage charging, bad battery detection, float mode monitoring, and reverse hook-up protection

AZG0224

Raise Productivity



Unique high efficiency propeller design is guiet and delivers airflow over long distances.

High quality and economical evaporative coolers for every size bay. Keep your technicians cool and comfortable.



3100 CFM **Evaporative Cooler**

SKU **213184** 23968

- 1/5 HP 3 Speed Motor
- Water Capacity: 10.3 Gallons
- . Cooling Area: 950 Sq. Ft.
- Dimensions: 37" x 17" x 25"
- Weight: 39 Lb.
- GFCl Plug for Safe Outdoor Use



5300 CFM **Evaporative Cooler**

SKU **213172** 23969

- 1/3 HP 3 Speed Motor
- · Water Capacity: 14.6 Gallons
- . Cooling Area: 1,600 Sq. Ft.
- Dimensions: 45" x 17" x 28"
- · Weight: 56 Lb.
- GFCI Plug for Safe Outdoor Use



COOL BOSS[™]

Superior Design, Next Level Performance



Featuring industry leading tank capacity, the **CoolBlast** Series keeps you cooler, longer - without being tethered to a hose.

HVLS SERIES

CLBCB11HVLS **3,364**99 SKU Outside Buy

- 11.5 ft. Fan Diameter
- 148,321 CFM

INDUSTRIAL CEILING FANS

CLBCB16HVLS **4.044**99 SKU Outside Buy

- 16.5 ft. Fan Diameter
- 360,210 CFM

CLBCB20HVLS 4,99999

CLBCB24HVLS **5.199**99

SKU Outside Buy

SKU Outside Buy • 24 ft. Fan Diameter 524,422 CFM

- · 20 ft. Fan Diameter
- 448,496 CFM

CoolBreeze SERIES

CLBCB-12SL 1,24999 SKU 1360694

- 15 Gal. Capacity
- 1,850 CFM

CLBCB-14SL 1,46999 SKU Outside Buy

- 15.6 Gal. Capacity
- 2,715 CFM

CLBCB-26SL 1,80999

- SKU Outside Buy 50 Gal. Capacity
- 7.115 CFM



CoolBlast SERIES

CLBCB-16L 2,144⁹⁹

- SKU 1275460
- 60 Gal. Capacity
- 5,845 CFM

CLBCB-28L **2,984**99 SKU 1275461

- 80 Gal. Capacity
- 10,645 CFM

CLBCB-36L **4,139**99 SKU 1275465

- 115 Gal. Capacity
- 14.890 CFM



© 2024 CoolBoss. All rights reserved. CoolBoss is a registered trademark of BendPak



Customer Responsible For Offloading, Liftgate Service Available.

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Oscillating Wall Mount Fans

- Powerful 3-Speed Motor
- Easy to Assemble and Wall Mountable

· Oscillating Function Provides Effective Air Circulation

OEM TOOLS

24" Indoor Fan

SKU **592383 0EM24883**

• CFM: 6500

24" Outdoor Fan SKU **949553**

- **0EM24893** CFM: 6800
- IP44 Water Resistance Rating **OSCILLATING**

30" Indoor Fan

SKU **592385 0EM24884**

• CFM: 9500

30" Outdoor Fan

SKU **949582 0EM24894**

- CFM: 7200
- IP44 Water Resistance Rating



Cord

SKU **688197**

0EM24871

• CFM: 4500

20¹¹

30¹¹



Oscillating Pedestal Fans

• 5 Aluminum Blades

• 6' UL Listed Power



OEM TOOLS

OSCILLATING



Floor Fan

OEM TOOLS

20" High Velocity Floor Fan

SKU **688200** OEM24870

• 20" High Velocity Floor Fan Provides 4500 CFM

- Precision-Balanced Aluminum Fan Blades and Energy-Efficient Motor Optimize Airflow Output
- 3 Speed Motor Allows Operator to Control Airflow Volume
- 5' UL Listed Cord



OEM TOOLS

Barrel Fan

42" Direct Drive Barrel Fan

SKU **344969** OEM24879

• CFM: 12.718

- 2-Speed, Direct Drive Motor Allows Control of Airflow Volume
- 3 Aerodynamic Aluminum Blades Produce Optimal Airflow Output



PEAK COOLING, INTELLIGENT **CONTROL**

- Powered by Portacool CoolSync[™] Digital Display with Wi-Fi
- Our High-Velocity Cooler Reaches Up to 60 Feet
- Redesigned Motor **Reduces Noise**
- Automatic Shut-Off and Alerts
- Efficient Media Absorbency **Saves Water and Reduces** Cost with Eco-Friendly Media
- Tough-Coat Textured Housing **Extends Cooler Lifespan**
- Built-in Handle, Lightweight **Housing and Durable Casters**



PRCA05001A1

Apex 500

SKU 1392317 PRCA05001A1

1,24999 · Cooling: 500 Sq. Ft.

Apex 700

SKU 1392315 PRCA07001A1

· Cooling: 700 Sq. Ft.



PRCA12001A1

Apex 1200

SKU **1392332** PRCA12001A1

2,54999 · Cooling: 1,200 Sq. Ft.

Apex 2000 SKU 1392329 PRCA20001A1

· Cooling: 2,000 Sq. Ft.

PORTACOOL



PRCA65001A1

Apex 4000

SKU 1392335 PRCA40001A1

• Cooling: 4,000 Sq. Ft.

Apex 6500

SKU **1392341** PRCA65001A1

• Cooling: 6,500 Sq. Ft.

Industrial Fans



AIR MOVEMENT SOLUTIONS

More Air, Less Noise Means Improved Comfort and Productivity

- Output: 43,000 CFM
- 43.4 DB
- 110V

AirMobile 59" Fan SKU OUTSIDE BUY/EPO AMS81011300

Industrial Grade Casters



Diameters: 8' to 24'

AirFocus 59" **Variable Speed Fan** SKU **OUTSIDE BUY/EPO** AMS81011304

2,98999

Wall or Ceiling Mount

AirFocus 59" **Single Speed Fan** SKU OUTSIDE BUY/EPO AMS81011308

2,54999

. Wall or Ceiling Mount





ECO Fan 8º Kit

SKU **OUTSIDE BUY/EPO** HNT81011522-1P

• Powerful and Economical

· Direct-Drive Motor

• Whisper-Quiet Air Circulation

5,599°° **ECO Fans Available in**



SKU OUTSIDE BUY/EPO HNT81011517-1P

. Highest Performance and Versatility

Direct-Drive Motor

• Whisper-Quiet Air Circulation

Hunter

Titan Fans Available in Diameters: 14' to 24'

Hunter Fan Kits Include: Down Rod, HMI Controller and VFD Control Panel

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Hunter

Exhaust Hoses

Flarelock Hoses

• Made Exclusively for Cars and Small Trucks

End is Flared to Permit Connection of 2 or More Links at a Time

2.5" x 11'

SKU **977557**

ACSFLT250

3.5" x 11'

SKU **977589** ACSFLT350

4" x 11'

SKU **977590 229 99** ACSFLT400

3" x 11¹

SKU **977559** ACSFLT300

14999

2.5" Y-Assembly Kit with **F250 Adapter**

SKU **977549** ACSYA250

· Designed for Connecting a Single Hose to Vehicles with Dual **Exhaust System**

3" Y-Assembly Kit with F300 Adapter

SKU **977550** ACSYA300



G Crushproof Tubing Company

Door Port Adapters For 2.5" Hose (Rubber)

SKU **977551**

ACSDF25

• Rubber Garage Door Port Adapter

Designed for 2-1/2" ID

For 3" Hose (Aluminum) SKU **977552** ACSADF30

 Aluminum Port Allows Hose to be Vented Through the Door



For 4" Hose (Aluminum) SKU **977554**

ACSADF40

• Use on 1" Thick Doors

Bell Hose Adapters

 Designed for Easy Adapting to All Sorts of Tailpipes

Connects with Ball and Snap

2.5" Adapter

SKU **977544** ACSRA250 3" Adapter

SKU **977545** ACSRA300



2.5" Service Station Kit

SKU **977547** ACSDSS25

- · Includes:
- (2) Each 4' x 2-1/2" Hoses
- (1) Each 6' x 2-1/2" Hose
- (1) Each 2-1/2" Rubber "Y" Connector
- (2) Each -Straight Tailpipe Adapter, Hook and Chain
- (1) Each Splice Connector



3" Service Station Kit

SKU **977548** ACSDSS30

- Includes:
- (2) Each 4' x 3" Hoses
- (1) Each 6' x 3" Hose • (1) Each - 3" Rubber
- "Y" Connector
- (2) Each Straight Tailpipe Adapter, Hook and Chain
- (1) Each Splice Connector



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Blower Fans

300 CFM Blower Fan

SKU **1392323** MSC20300-A

11999

- 120 Volts, 60 Hz
- For Indoor or Outdoor Use
- 3-Speed Switch (High, Medium, Low)
- 4-Position Adjustment Feet
- 8.5 Ft. Cord Length

Heater Attachment for 300 CFM Blower

SKU **OUTSIDE BUY/EPO** MSC20300-HTR

- Converts Your 300 CFM Portable Blower Into a Heater for Your Garage or Work Space
- 1320 Watts, 5000 BTU
- Fits Many Popular Brands (300 CFM Only. Not for 1,200 CFM Fans.)



OEM TOOLS

1200 CFM Blower Fan

SKU **850066 0EM24878**

- 3-Speed Switch for Variable Output
- Features (2) 11 Amp Grounded Receptacles with Over Current Protection



Exhaust Extraction



Portable Exhaust Extraction System SKU OUTSIDE BUY/EPO **DOWEV5100**

- Works with Standard 3" Exhaust Hoses and "Y" Hose Adapters
- · Captures Fumes and Discharges Them Safely Up to 30' Away
- Mobile Base Makes it Easy to Position and Move Around the Shop
- Uses Standard 110V Current
- · Not for Use on Diesel
- Optional "Y" Hose Adapter Available for Dual-Exhaust Vehicles



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

▼ Mastercool'.

Shop Heaters



On-board air compressor



Burn No.2 to 90W and synthetics



Small footprint

Stop paying to have your waste oil hauled off! Save and burn it for FREE heat this winter.



Waste Oil Heater Complete Systems							
FURNACE	BTUs	HEATS UP TO	PART NO.				
EL-140	140,000	3,500 Sq. Ft.	ENL01140103				
EL-200	200,000	5,000 Sq. Ft.	ENL01200104				
EL-350	1350,000	8,500 Sq. Ft.	ENL01350104				

* Complete systems include waste oil furnace and 250 gallon tank, swing-away burner with built-in air compressor, low-fuel cutoff, draft gauge, drain valve and Class A flue kit. Not for sale in CA • energylogic...



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

=िलासन्त्रान श्रनसम्बद्धाः समामा





FREE Strainer Pan & Tank Gauge Included!

	Heater Model	BTUs	Heats up to	Part Number	Price
	XT1503	150,000	3,500 sq. ft.	LANKTI SOC	9,749.99
Thru-roof	X12063	200,000	5,000 sq. ft.	LANXT200C	10,099.99
chimney	X12503	250,000	8,500 sq. ft.	LANXT250C	12,949.99
	X73003	300,000	10,000 sq. ft.	LANKTHOOC	13,649.99



Value Package *Packages Include 215 Gallon Tank and 6" chimney kit.

For Outside Buy/EPO, Call 901-300-4878

Not For Sale in CA



SUNFIRE

120.000 BTU SF120 Dual Fuel **Radiant Shop Heater** MIUSA:

Zero Carbon Monoxide

Clean and Quiet

PRICE

Call For

- · Safe and Odorless
- Diesel/Kerosene
- 14 Gallon Tank • 15 Hour Run Times
- Up to 2,800 Sq. Ft.
- Easy Maintenance
- Thermostat Capability

SKU OUTSIDE BUY/EPO SFRSF120



Breeze Free and Dustless Experience

FOR MORE DETAILS ON RECOVERY MACHINES GO TO AZTOOL1.COM

Recovery Machines

Areas expanses 20



Mastercool World Class Quality"	Semi-Automatic R134a Recovery Machine SKU 1368632 MSC1100	Automatic R134a Recovery Machine SKU 1368636 MSC2100	Automatic R134a Hybrid Recovery Machine SKU 1368634 MSC3100	Automatic R1234yf Hybrid Recovery Machine SKU 1368616 MSC4100
Wi-Fi Capability	√	√	√	√
Refrigerant Database	Optional	√	√	✓
Built-In Tank Heater	✓	√	✓	✓
Vacuum Pump	3 CFM	6 CFM	6 CFM	6 CFM
Dust Cover	✓	✓	✓	✓
Hose Flushing			✓	✓
Built-In Refrigerant Identifier				✓
Automatic Oil Injection		✓		
E-Printing Capability	Optional	Optional	✓	✓
Price	<i>3,799</i> ⁹⁹	4,749 ⁹⁹	5,049 ⁹⁹	<i>6,549</i> ⁹⁹

ArcticPRO®



	Refrigerant 134a			Refrigerant 1234yf	
MAHLE	ACX-2150 R134a Recovery Machine SKU 213170 MSSACX2150	ACX-2180 R134a Recovery Machine SKU 213168 MSSACX2180	ACX-2180H R134a Hybrid Recovery Machine SKU 213203 MSSACX2180H	ACX-2250 R1234yf Recovery Machine SKU 213151 MSSACX2250	ACX-2280 R1234yf Recovery Machine SKU 1187032 MSSACX2280
Automatic Oil Drain	√	√	✓	✓	√
Automatic Air Purge	✓	✓	✓	✓	✓
Included Database	Optional	✓	✓	Optional	✓
Automatic Oil and Dye Injection	✓	✓			
Includes Refrigerant Identifier				√**	√ *
Phone Application	Optional	✓	✓	Optional	✓
Price	4,399 ⁹⁹	<i>5,099</i> 99	<i>5,099</i> 99	<i>6,349</i> ⁹⁹	7,249 ⁹⁹

On-Board Integrated Thermal Printer (Optional) *Integrated **Non-Integrated



CDS.	R134A SKU OSB CPSMSX134	R1234YF SKU 0SB CPSMSX1234	R134A/R1234YF SKU 0SB CPSMSX3030	Heavy Duty R134a SKU OSB CPSMXHD
Fully Automatic	✓	✓	✓	\checkmark
Onboard Oil Injection	✓			
High Capacity Oilless Compressor	✓	✓	✓	✓
Vehicle Database Included	✓	✓	✓	✓
10 Ft. Service Hoses	✓	✓	✓	18' Hose
Includes 2 Tanks and 2 Sets of Hoses			✓	
Wi-Fi and Bluetooth Enabled	✓	✓	✓	✓
Touch Screen	7" Hi-Res	7" Hi-Res	7" Hi-Res	7" Hi-Res
Includes Refrigerant Identifier		✓	✓	
Converts Between R134a and R1234yf in 10 Min.			✓	
Price	4,899 ⁹⁹	<i>6,349</i> 99	8,849 ⁹⁹	<i>6,949</i> 99

For Outside Buy/EPO, Call 901-300-4878

Recovery Machines



TEXA	750R R134a Recovery Machine SKU 1282745 TEXZ11450	760 R1234yf Recovery Machine SKU 1282756 TEXA17910	Dual Gas Recovery Machine SKU 1282809 TEXA17810
Automatic Oil Drain	✓	\checkmark	\checkmark
Automatic Oil and Dye Injection	✓		
10 in. Multi-Touch Display		✓	✓
R134a Management	✓		✓
R1234yf Management		✓	✓
Vehicle Capacity Database	✓	✓	✓
Software Update Over WiFi		✓	✓
Push-Pull Recovery	✓	✓	✓
Fully Automatic Operation	✓	✓	✓
Price	5,399 ⁹⁹	<i>8,749</i> 99	10,549 ⁹⁹



WARRANTY: 2 Years Parts and Labor



Description	Hybrid Ready R134A SKU 133973 3 H0FEEAC820B	Hybrid Ready R1234yf SKU 1335790 HOFEEAC830B	Eco Dual Gas A/C Service Station SKU 1335792 HOFEEAC800
Refrigerant Type	R134a	HF0-1234yf	R134a + HF01234yf
Refrigerant Tank	30 Lb.	30 Lb.	30 Lb. + 30 Lb.
Command Valves	Automatic	Automatic	Automatic
Display	5" Touch	5" Touch	7" Touch
Database	✓	✓	✓
Printer	✓	✓	✓
Status Light	✓	✓	✓
Hybrid Function	✓	✓	✓
Price	4,799 ⁹⁹	<i>6,399⁹⁹</i>	10,499 ⁹⁹

ROBINAIR.



1 Year Parts and Labor

Description	AC1234-4 Premier R1234yf SKU 1212384 R0BAC1234-4	AC1234-9 Connected R1234yf ACS SKU 1212383 R0BAC1234-9	34288NI Economy R134a SKU 221185 R0B34288NI	34788NI-H Premier R134a Refrigerant for Hybrid and Non-Hybrid Vehicles SKU 751572 R0B34788NI-H	34788NI Premier R134a Refrigerant SKU 751569 R0B34788NI	34998 Connected R134a ACS SKU 1212385 R0B34998
Operation	Automatic	Automatic	Semi-Automatic	AutomaticHybrid VehicleApplications	Automatic Auto Oil Injection	Automatic Auto Oil Injection
Display	4.3" LCD Display	10" Hi-Res Touch Screen	4.3" Full Color Display	4.3" Full Color Display	4.3" Full Color Display	10" Hi-Res Touch Screen
Printer	ROB30038 (optional)	Wireless Printing	ROB30038 (optional)	ROB30038 (optional)	ROB30038 (optional)	Wireless Printing
Bluetooth and Wi-Fi		✓				✓
Price	6,999°	7,899 ⁹⁹	4,299 ⁹⁹	5,199 ⁹⁹	5,199 ⁹⁹	6,499 ⁹⁹

AZG0224

A/C VACUUM PUMP KITS - BETTER VALUE FOR YOUR MONEY



Large Diameter **Dual Scale** Thermometer

REG. \$133.96

When You Buy the Kit



R134a and R1234yf **Spark-Free A/C Vacuum Pump Kit** SKU **1184368** 68951

• Includes: 6 CFM, 75 Micron, Spark-Free Single Stage Vacuum for Use with R134a or R1234yf, Extruded Aluminum Manifold Gauges, 72" Hoses with High Quality Manual Couplers, R1234yf Conversion Couplers that Convert R134a Manifold and Hoses to R1234yf, 1/2" ACME Right Hand to 1/2" ACME

Left Hand Tank Adapter, 1 /4" SAE x 1/2" ACME Hose to Vacuum Pump Adapter and R134a and R1234yf Can Tap

REG. \$419.98

OEM TOOLS

When You Buy the Kit

▼ Mastercool:

Filters/Maintenance Kits



CDS



MAHLE

SKU	Part Number	Brand	Fits	Price
522875	R0B34430	Robinair	17700A, 34450, 34700, 34134Z	102.99
414883	R0B34724	Robinair	34288, 34788, 34788NI, 34788NI-H, 34988, 347002, 341342	<i>96.49</i>
752703	R0B13172	Robinair	Maintenance Kit for Models Using 34724 Filter - Includes Oil	119.98
186483	CPSARXF5	CPS	FX and AR Series CPS Equipment	<i>89.99</i>
1149172	CPSFX3030X1	CPS	Includes FX Series Filter, Vacuum Pump Oil and Coupler O-Rings for FX134A	139.99
389222	MSC69788FLTPK	Mastercool	69788, 69789 and 69789-H	<i>209.99</i>
199681	MSCCOM1FLTRPK	Mastercool	Commander 4000 and 4000x	159.99
199675	MSCCOM2FLTRPK	Mastercool	Commander 1000, 2000 and 3000	199.99
207349	MSS268077600	Mahle	ACX1120H, ACX1150, ACX1150H and ACX2120H	119.99
207508	MSS3608273900	Mahle	ACX1280, ACX2150 and ACX2250	114.99
818739	RTI3608213300	Mahle	RHS980 and ACX1180	119.99

Portable Recovery Systems

R-134 Twin Turbo Complete Recovery Machine

SKU **OUTSIDE BUY/EPO** MSC69360

- Largest Volume Recovery Rate on the Market
- For Use with All Refrigerants Including R410A

 Injection Molded High Density Polyethylene Case for Maximum Durability Safety High Pressure

Switch Revolutionary Double Piston 0il-Less

Compressor



R1234yf Twin Turbo Complete Recovery Machine

SKU **OUTSIDE BUY/EPO** MSC69360-YF

- Revolutionary Double Piston Oil-Less Compressor

Largest Volume Recovery Rate on the Market
Includes: 30 Lb. DOT Tank, Sight Glass, R1234vf Low Side Coupler. Oil Drain Bottle and R1234vf Blue and Yellow Hoses



R134a/R1234yf Complete A/C Recovery Set

SKU OUTSIDE BŪY/EPO MSC69372

· Built with the Safest Spark-Free Components

- Includes All Hoses and Couplers Needed to Recover, Cleanse and Remove the Oil from R134a and R1234vf Automotive A/C Systems
- 30 Lb. DOT Tank for R134a and 30 Lb. DOT Tank for R1234yf Refrigerants Included with Each Unit (Refrigerant Sold Separately)
- 115V/60 Hz
- 1/2 HP Oil-Less Compressor
- Compatible Refrigerants: All CFCs, HCFCs and HFCs



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Vacuum Pumps

1.8 CFM Single Stage Vacuum Pump SKU **466312**

24500

Motor: 1/4 HP. 110V

- Ultimate Vacuum Rating: 100 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 6.7 Oz. (200 mL), Included
- Internal High Volume Cooling Fan for Extended Use



4 CFM Single Stage Vacuum Pump SKU **466305** 24501

- Motor: 1/3 HP. 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Single Stage Vacuum Pump

SKU **466306** 24502

- Motor: 1/2 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Spark-Free Vacuum Pump SKU **213133 259**99

- 24642 • Motor: Spark-Free 1/2 HP, 110V
- Ultimate Vacuum Rating: 75 Microns
- 3 Inlet Ports: 1/4" Flare, 1/2" ACME and 1/2" ACME LH
- Oil Capacity: 330 mL, Included
 Internal High Volume
- Cooling Fan for Extended Use
- Can Be Used with R1234vf Refrigerant



Black Series 1.8 CFM **Single Stage Vacuum Pump**

SKU **213153** MSC90059-BL **169**99

- 80 Microns
- 1/4 HP
- 110/120 V, 60 Hz
- T-Fitting 1/4" FL-M x 1/2 ACME-M



√ Mastercool:





1.8 CFM Deep Vacuum Pump SKU **1330695** MSC290059RCL

- 1.8 CFM Deep Vacuum Pump
- 1/4' and 1/2' Fittings
- For Use with Multiple Refrigerants





✓ Mastercool[®]

3 CFM Single Stage Vacuum Pump

SKU **1392324 214 99** MSC290062

- Large Fan Keeps Vacuum Pump Cooler and Extends Life
- 1/4" SAE and 1/2" ACME Port Access
- 110-120V, 60 Hz Voltage



6 CFM 2 Stage **Vacuum Pump**

SKU **OUTSIDE BUY/EPO** MSC900662V-BL

- 15 Microns
- 1/2 HP
- 110/220 V. 50/60 Hz
- Includes: 3 Inlet Ports: 1/4", 3/8" SAE, and 1/2" ACME





Spark-Free 6 CFM Vacuum 🕶 Mastercool 🕻 **Pump (Single Stage)** SKU OUTSIDE BUY/EPO

MSC90066BLSF

- 80 Microns
- 1/3 HP
- 110/120V. 60HZ
- T-Fitting 1/4" FL-M x 1/2 ACME-M





For Outside Buy/EPO, Call 901-300-4878

Air-Operated Vacuum Pump

SKU **544730** 24533

- Includes: 1/2" ACME (R134a) and R12 Connectors
- Air Pressure Range: 75 to 180 psi
- Air Consumption: 4.2 CFM @ 90 psi
- · Vacuum Capacity: 28.3" of Mercury @ 90 psi



Vacuum Pump Oil (8 Oz.)

ŠKU **363429** 24399

- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- · Compatible for Use in Pumps Made by Most Manufacturers







SKU **517580** CPSVP0Q12



- · Compatible with Most Pumps Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service
- and the Quality and Purity of the Vacuum Pump Oil That You Use







CDS.

Manifold Gauges

R1234yf Manifold Gauge and Hose Set

SKU **752518** 24559

- 3" Easy-To-Read Gauges with Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers



Dual Aluminum R134a/R1234yf Gauge Set SKU **1335797 159**⁹⁹ 25130

• Includes: 72" Hoses, Manual Couplers and Can Tap Valves with 1/2" ACME Fittings for Use with Both R134a and R1234yf Refrigerants



OEM TOOLS

OEM TOOLS

R134a Brass Manifold Gauge Set

SKU **752520** 24563

- High Quality Brass Body with Sight Glass
 Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" Hoses (3,000 psi Burst, 600 psi Working Pressure)
- . Snap Style Quick Couplers



R134a A/C Manifold Gauge and Hose Set

SKU **466319** 24527

- Easy-To-Read 2-3/4" Spring Dampened Gauges to Reduce Flutter
- Extruded Aluminum Manifold
- 72" Hoses with Manual Couplers



Deluxe R134a Gauge Set

SKU **1282751** MSC289772CL

- Solid Block Extruded Aluminum Manifold
- 72" Long Hoses with Manual Couplers
- . Gauge Guards for Protection



Dual R134a, R-12 Manifold Gauge Set

SKU 1335804 MSC293996PBCL

- Solid Block Extruded Aluminum Manifold
- 96" Long Hoses with Manual Couplers
- Gauge Guards for Protection
- Silicone Dampened Calibratable Gauges
- Extra Long Hose for Access to Heavy Duty Buses, Fleet and Refrigerated Trucks Systems



R134a Aluminum **Manifold Kit with Dve** Injector

SKU **290023** MSC89660UV

• Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



▼ Mastercool:

Dual R134a/R1234yf Brass Gauge Set SKU **1142631** MSC66661AYF

• 2-1/2" Silicone Dampened, Recalibrateable Gauges

• Extra Access Port for Vacuum Line

 R1234yf High and Low Side Quick Couplers R134a High and Low Side Economy Couplers 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter (2) 12 mm-M x 14 mm-F R1234yf Adapters Set of 3 - R134a Standard Hoses



R1234yf Aluminum Manifold Gauge Set

SKU **505065** MSC83272

- Ideal for Shops That Want to Wait to Invest in New AC Service Stations Adapted for R1234yf
- Contains Manifold, 3 Service Hoses, 2 Service Couplers LT/HT



Dual Aluminum R134a/R1234yf Gauge Set

SKU **1086254** MSC89661AYF

- Professional Extruded Aluminum Block
- 2-1/2" Silicone Dampened, Re-Calibrateable Gauges
- Free-Floating Piston Type Valves Reduce O-Ring Wear
- R1234vf High and Low Side Couplers with Extended Disconnect Protection Sleeve
- Standard Hoses, R134a Manual Couplers, R1234yf Couplers, 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter, (2) 12 mm-M x 14 mm-F R1234yf Adapters

OEM TOOLS



Can Taps

R134a Can Tap Valve

SKU **466315** 24524

• Connects ACME Threaded R134a Can to Yellow Manifold Gauge Charging Hose



OEM TOOLS

Refrigerant and **Oil Charge Side Can Tap** SKU **466313**

24523


• Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans Plier Type Grip with Positive Lock

• Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



4-Way Side Can Tap

SKU **11**03203 FJC6842



- Fits Cans with 2-7/8", 2-1/2" and 2" Diameter
- Includes: 1/2" ACME LH, 1/2" ACME, and 1/4" Flare Male Fitting with Check Valve
- Works with Self-Sealing or Puncture-Style Cans



R1234yf 1/2" ACME-LH Self-Sealing Can Tap

SKU **213178** 24553

✓ Mastercool∴

AIR CONDITIONING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Electronic Leak Detection

A/C Refrigerant Leak Detector

SKU **466307** 24510

Detects All Types of Halogenated Refrigerants

- Sensitive to 0.1 Oz. per Year Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost any Space
- Includes Spare Sensor Tip
- · Works with 1234yf



IntellaSense II Refrigerant Leak Detector

SKU **695639** MSC55900

279⁹⁹

- Detects: Combustible Gases, Hydrogen, Refrigerants (All CFCs, HCFCs and HFCs)
- Includes: Leak Test Vial and Replacement Filters in a Blow Mold Case
- Meets and Exceeds SAE J2791 and J2913
- · Works with 1234yf



Raptor Refrigerant Leak Detector

SKU **916550 239** 99 MSC56100

- Features 3 Sensitivity Levels and 5 Detection Levels
- Detects Leaks as Small as 1/10 Oz. per Year
- Detects All Refrigerants (CFC, HCFC, HFC)
- Flexible 16" Probe for Hard-To-Reach Areas
- · Works with 1234yf



Inspector 2-in-1 Electronic/UV Leak Detector

SKU **916553 289 99** MSC56200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) per Year
- Built-In Ultra-Bright UV Light at End of Probe Allowing Easy Access into Tight Areas
- Works with 1234yf



Manifold Gauge Repair

R1234vf 72" **Hose Set**

SKU **1142322** MSC83372

- Working Pressure: 800 psi
- Burst Pressure: 4,000 psi
- For Use with R1234vf
- Meets J2888, EPA, SAE and UL Standards
- Includes: 1 ea.

Blue/Red 72" 12 mm-M x 12 mm-M and Yellow 72" 12 mm Fitting x 1/2 x 16 ACME LH



▼ Mastercool<u>"</u>

96" R134a Red Hose

SKU **489152** MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



96" R134a Blue Hose

SKU **489151** MSC84961

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



Replacement **Gauge High Side** for A/C Manifold

SKU **481705** 24530

• Replacement High Side Gauge Fits OEMTOOLS® and Other Brands of A/C Manifolds Used to Service A/C Systems on Cars

• 1/8" NPTF Male Threads

· Reads 0 to 500 psi



OEM TOOLS

Replacement Gauge Low Side for A/C Manifold

SKU **481709** 24531

Reads 0 to 120 psi and 0 to 30" Hg

R134a Hose Set 72"

SKU **752516** 24558

• 72" R134a 3 Hose • Set Color Coded:

Red. Yellow and Blue



OEM TOOLS

1/4" Hose Set 72"

SKU **752515** 24557

• 72". 1/4" SAE 3 Hose Color Coded: Red. Yellow and Blue

A/C Manifold Upgrade Kit SKU 1043688

68903

 Includes: 3-in-1 Side Mount Can Tap Valve, R134a Manual Coupler Set. 1234yf Self Sealing Can Tap, 1/2" ACME Hose Set 72", R134a to



REG. \$148.95

When You Buy the Kit

OEM TOOLS

▼ Mastercool:

R1234yf Manifold/Hose **Adapter Assortment**

SKU **1142732** 25091

- 6 Common Adapters to Fit Manifolds, Hoses, Couplers and Vacuum Pumps
- Includes: 1/2" LH ACME Female x 1/4" Male Flare, 1/2" ACME Male x M12 x 1.5 Male, 1/2" ACME Female x M12 x 1.5 Female, 1/4" Male Flare x M12 x 1.5 Male, 1/2" LH ACME Female x M14 QDK, 1/2" LH ACME Male x 1/4" Female Flare
- · Includes Organizer Case with I.D. Labels



RI34a/RI2 Charging Hose Repair Kit

SKU **295557** MSC91334-A

. 50 Piece Assortment of Replacement Gaskets, 0-Rings, Depressors for Charging Hoses and Adapters





OEM TOOLS

▲ Mastercool∴



A/C Couplers

OEM TOOLS

R134a Manual **Coupler Set**

SKU **362980** 24396

- All Metal Construction for Extra Durability
- 6-Ball Coupler for Secure Grip
- · Includes: Adapter for Use with R12 Hoses




R134a High Side Manual Coupler

SKU **347267** 24395

R134a Low Side Manual Coupler

SKU **347266** 24394





Radiator Removal



Conversion Coupler Set R134a to R1234yf

SKU **752527** 24561

4999

- 1234yf Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to R1234yf
- Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter



OEM TOOLS

Manual R134a Safety Lock Coupler

- Suitable for Use On All R134a Systems
- Safety Lock Ensures that Hose Remains Connected **During Operation**
- . Meets All SAE, UL and **EPA** Requirements for Containment of Refrigerant

High-Side. 1/4" FL-M x 16 mm

SKU **695636** MSC82834-SLE

Low-Side. 3/8" FL-M x 13 mm

SKU **695637** MSC82934-SLE



SKU **110255** CPSQC134SET

· Latching Balls to Provide Superior Service

Cross Pin Valve Depressor and Safety Sleeve to Prevent Accidental Refrigerant Venting



▼ Mastercool:

R134a Extra **Long Coupler**

SKU **752517** 24556

- Used on BMW E60 (2003-2009 5
- Allows for A/C Service with No



SKU **850565** 24554

- · Male Low-Side R134a to Female 1/2" ACME
- · Attaches to Virgin Tank and Low-Side Service Coupler

R1234yf Low Side Tank Adapter Assembly SKU **1103204**

1099 25086

- . Used to Fill Refrigerant from R1234yf Cylinders
- Attaches to Virgin Tank and Low Side Service Coupler
- This Fitting Does Not Have a Valve Core or Valve Core Depressor

R1234vf Hose to **Vacuum Pump** Adapter Fitting 1/4" x 1/2"

SKU **600806** 24509

- · Connects 1234yf Hose to R134a Vacuum Pump
- 1/4" SAE x 1/2" ACME Female LH Thread

Valve Core Tools

No Gas Loss A/C Valve Core Remover/Installer SKU **466321**

24529

· Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant

Universal Valve Core Remover/Installer for R134a/R12

- · Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports
- Includes Blow Mold Case

SKU **1142576**

MSC58490

OEM TOOLS

▼ Mastercool:





. Kit Covers All R12 and R134a System Valve Cores for

Adapter 1/4"-M x 3/16"-F High Side GM/Ford, Adapter 1/4"-M x 1/8"-F High Side Ford and Blow Mold Case

Includes: Valve Assembly, R134a High Side 16 mm Connector,

R134a Low Side 13 mm Connector, 1/4" FL Swivel Connector.

Standard, JRA, Eaton and GM Large Bore

OEM TOOLS

A/C Valve **Core Tool** SKU **466314**

24555

1299

· Double Ended Valve Core Tool to Service Both Standard and Large Bore R134a and R12 Cores



Universal Valve Core Remover/Installer for R1234vf

SKU 1043686 MSC58490-YF

- Attaches to R1234yf Service Ports to Quickly and Easily Remove and Replace Valve Cores without the Loss of Refrigerant
- Ball Valve Design with Stainless Steel Ball Provides Smooth Movement and Durability
- Kit Covers 17 mm and 14 mm High and Low Side Service Ports
- Includes: Valve Assembly, High Side 17 mm Connector, Low Side 14 mm Connector, Standard Valve Core Shaft, GM Large Bore Valve Core Shaft and Eaton R134a/R1234yf High Side Valve Core



A/C Service Tools

A/C Condenser Fin Comb Straightener/Cleaner

SKU **466317** 24526

- · Clean and Straighten Condenser and **Evaporator Coils**
- Compact Design for Confined Spaces
- Includes: (6) Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch



Valve Core Tool Set (2 Piece)

SKU **1209377** 22589

· Designed for Removal and Installation of Schrader Style Valve Cores



A/C Clutch Holding Tool

SKU **1392339** 26550

- Holds Compressor Clutch in Place When Removing the Holding Bolt
- · Adjustable Pins to Fit Various Compressor Clutches
- · Compatible with Domestic and Import Vehicles



A/C Clutch Hub Puller and Installer

SKU **1103539** 37150

- · Features All the Tools Necessary to Remove and Install Pressed on A/C Clutch Hubs on Many Domestic and Import Vehicles
- Includes: Orifice Tube Extractor Tool Set



26 Piece Master Orifice Tube Assortment 24564

With Purchase of: 37150 Offer Good While Supplies



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

SpotGun® Jr.

SpotGun® Jr. Univ. Oil/UV Dve Kit for R134a/R1234YF - 1 Oz.

SKU **1368623** UVU390100

- · Works With Both R134A and R1234Yf Refrigerant Systems
- (4) Universal Oil Cartridges (1 Oz.)
- (2) ExtenDye[™] Cartridges (1 Oz.)
- (2) LeakGuard[™] OneShot Cartridges (1 Oz.)
- 2 Low-Side Service Adapter Hoses and R134A / R1234YF Couplers



SpotGun® Jr. Univ. Oil/UV Dye Kit for R134a/R1234YF -

1 Oz. with UV Lite SKU OUTSIDE BUY/EPO

UVU390200 · Works With Both R134A and R1234Yf

Refrigerant Systems Includes UV Phazer (AAA) UV Lite and UV

- **Enhancing Glasses**
- (4) Universal A/C Oil (1 Oz.)
- (2) ExtenDye™ Cartridges (1 Oz.)
 (2) LeakGuard™ OneShot Cartridges

For Outside Buy/EPO. Call 901-300-4878



A/C ExtenDye[™] Cartridge

- SAE J2297 Certified Super Concentrated **UV** Dye
- . Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and Decrease Friction
- Contains Antioxidant to Prolong Oil Life
- · Anti-Wear Additive for Better Wear
- Works with SpotGun® Jr. Injection System

A/C ExtenDye™ Cartridge 1 Oz. (4 Pack)

SKU **1362004** UVU399020A

5499



A/C ExtenDve™ Cartridge .25 Oz. (6 Pack)

ŠKU **1366836** UVU399006APK6

1/1 99



Universal PAG 46 Oil R1234yf -1 Oz. Cartridge (4 Pack)

SKU **OUTSÍDE BUY/EPO** UVU399046YFPK

OEM Approved

- Works with SpotGun® Jr. Injection System
- · Formulated to Work with R1234yf, R134a and Hybrid Safe
- Sealed Cartridge Assures Clean Oil Delivered to Vehicle A/C System
- · Injection System Measures the Correct Dosage



For Outside Buy/EPO, Call 901-300-4878

Universal PAG 46 Oil for R134a 1 Oz. Cartridge (12 Pack)

SKU 1363781 UVU399046PK12

SpotGun®

SpotGun® Univ. Oil/Dye Kit for R134a/R1234YF - 8 Oz. without UV Lite

SKU **OUTSIDE BUY/EPO** UVU490100

- Works With Both R134A and R1234Yf Refrigerant Systems
- (1) Universal Oil Cartridge (8 Oz.)
- (1) ExtenDye[™] Cartridge (8 Oz.) Service Maintenance Stickers

• 2 Low-Side Service Adapter Hoses and R134A / R1234YF Couplers



SpotGun® Univ. Oil/Dye Kit for R134a/R1234YF -8 Oz. with UV Lite

SKU OUTSIDE BUY/EPO UVU490200

- · Works With Both R134A and R1234Yf Refrigerant Systems
- (1) Universal Oil Cartridge (8 Oz.)
- (1) ExtenDye™ Cartridge (8 Oz.)
- UV Phazer[™] Black (AAA Batteries Included) UV Enhancing Glasses



For Outside Buy/EPO, Call 901-300-4878



A/C ExtenDye™ Cartridge - 8 Oz.

SKU **1392322** UVU499108A

- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier
- . Contains Antioxidant to Prolong Oil Life
- Fits Competitive Guns



Mastercool

Call 901-300-4878

Professional UV Leak Detection Kit with 12V/50W UV Light

SKU **290041** MSC53351

- 12 Volt/50 Watt UV Leak Detector
- 1 Oz. Coolant Dye, 1 Oz. Oil/ATF/Fuel Dye, Dye Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels



Universal **Concentrated Dve** Cartridge 1 Oz. (5 Pack)

SKU **505040** MSC53810-5

- 5 Pack of Dve for 53585 Leak Detector Kit
- 10 Applications per Bottle



✓ Mastercool

Diagnostic Work Light

The Most Innovative 3-in-1

13.4" Multi-Use Rechargeable Diagnostic Under-the-Hood Work Light

SKU **591153** 24609

on High

• 5 Hr. Run Time







Leak Detection Lights

UV Phazer Professional 395nm Leak Detection Light

- Adjustable Zoom Lens Allows for Focusing Light Intensity In a Smaller/Larger Area for Precision Viewing
- · Rechargeable Li-ion Battery

Black

SKU **OUTSIDE BUY/EPO** UVUEW40395

- High Output TrueUV Led Light
- Precise, True UV Wavelength and Bandwidth to Optimize the Fluorescence Of UV Dyes
- Max. Run Time: 4 Hrs.



NEO

SKU OUTSIDE BUY/EPO UVUEW50395

- The UV Dye Shines Brighter With the Phazer Neo Than Any Other UV Light
- Water Resistant
- Max. Run Time: 5 Hrs.

For Outside Buy/EPO, Call 901-300-4878



UV Leak Detection Light and Glasses

SKU **213144** 24516

- Compact UV Leak Detection Pen Light
- Can Be Used with All Types of UV Leak Detection Dyes
- Yellow Lens Protective Glasses Enhance Visibility of Leaks
- Includes: (2) AA Batteries

OEM TOOLS

Magnifying Glass with 5 LED and 1 UV Light

SKU **191688** 25465

- Compact Magnifier with 5 LED Lights and a Super Bright UV Light
- UV Light Detects Dves



OEM TOOLS

Refillable Injectors

OEM TOOLS

In-Line Dye and Oil Injector SKU **466322 20**99 24532

- Add Up to 2 Oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant
- 1/2" ACME Fittings to Fit Most R134a Systems
- Use with UVU499008A A/C ExtenDye[™] Bottle (8 Oz.)



OEM TOOLS R12 and R134a

Hand Turn Dye Injector

SKU **466320** 24528



- Iniects Dve or Oil into R12 or R134a Systems
- Refillable, Capacity: 2 Oz.
- Includes: R134a Quick Coupler
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



Pourable Dyes

A/C ExtenDye™ Bottle - 8 Oz.

SKU **1392333** UVU499008A

- SAE J2297 Certified Super Concentrated UV Dye
- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and **Decrease Friction**
- . Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance



R1234yf Hand Turn Oil and Dye Injector SKU **213158 24** 99

24517

- Easy to Operate Hand Turn Injection
- Durable Aluminum Construction with Laser Etched Filling Guide
- Includes R1234yf System Coupler
- 2 Oz. (60 mL) Capacity
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



OEM TOOLS

Refillable Universal Dye Injector for R1234yf

MSC53123-YF **149**99

- Heavy Duty Aluminum ConstructionInjects Dye or Oil into R1234yf Systems
- · Refillable, Any Dye or Oil Can be Used
- Easy Twist Injection System
- Precise Injection Control





• Pinpoint Leaks in Engine Oil, Transmission, Hydraulic, Power Steering, Gasoline and **Diesel Fuel Systems**



PAG 46 Oil with A/C ExtenDve™ 8 Oz. Bottle (4 Pack)

SKU **OUTSIDE BUY/EPÓ** UVU488046PBD4

PAG 100 Oil with A/C ExtenDye™ 8 Oz. Bottle (4 Pack) SKU **OUTSIDE BUY/EPO**

UVU488100PBD4

For Outside Buy/EPO, Call 901-300-4878



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Orifice Tube

26 Piece Master Orifice Tube Assortment

SKU **851868** 24564

- Covers Most Vehicles That Require Air **Conditioning Orifice Tubes**
- Includes: Chrysler (Orange, Purple T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow), Jeep (Green - White) and Volvo (Yellow)



A/C O-Ring Assortment **OEM** TOOLS

270 Piece A/C **O-Ring Kit**

SKU **271196** 68141

· Great O-Ring Set for Most Automotive and Refrigerant Applications



Kit Contains 270 O-Rings in a Variety of SAE Sizes





Digital Scales

Digital Refrigerant Scale (240 Lb. Capacity)

SKU **752521** 24560

REG. \$149.99

- High-Visibility .75" x 2.5" LCD Backlit Display • 3 Units of Measure: Kg/Oz./Lb.
- Automatic Shut-Off After 10 Minutes, Backlight Will Shut Off After 3 Minutes
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product in or Out of the Protective Case

Offer Good While Supplies Last Through June 30, 2024



- MSC98210-BL
- Includes Bluetooth Wireless Technology
- · Capacity: 243 Lb. • Accuracy: ≤±0.05% of Reading
- Resolution:
- 0.05 Lb./0.5 Oz./0.01 kg · Rugged, Non-Slip Platform







▼ Mastercool:

A/C Flush

A/C Flush Machine SKU OUTSIDE BUY/EPO

CPSAFM100

- · Air Operated 8' Hoses to Reach Any System
- Forward or Reverse Flush without Changing Hoses 2-1/2 Gallon Capacity Tank for
- Use on Cars and Buses Universal Couplers Allows Connection to Most Types of Connections
- Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter

For Outside Buy/EPO, Call 901-300-4878



A/C Supreme Flush, 1 Gallon Can SKU **436040**

CPSAFMSF

• Superior Flush Removes Particles Including Common Leak Sealants. That Can Damage Refrigerant Recovery Machines and A/C System Components



MASTERCLEANSE A/C Flush Machine SKU OUTSIDE BUY/EPO

MSC69900

- Designed to Flush All HVAC/R and Automotive Systems
- Pump Power: 0.4 HP; Flow Rate: 4 Gal/Min.
- · Stainless Steel Ball Valve Controls
- 1/4" SAE Connection
- Pump Equipped with Mechanical Seal and PTFE Gasket
- 110 VAC

For Outside Buy/EPO, Call 901-300-4878



Adapter Kit SKU **481575** MSC69925

- · Isolates A/C System Components for Closed Loop Flushing Flush Individual Components without Removing Them
- from the Vehicle
- . Install Adapters on A/C Line Ends to Allow Attachment of Flushing Equipment

▼ Mastercool.



A/C Flush Kit

SKU **1103579 1099** 37377

- Uses Shop Air to Pressurize the Solvent to Thoroughly Clean the System
- Simple, Effective and Easy to Use
- Attached Nozzle Directs the Solvent without Sprayback
- Includes: Canister, Hose, Blowgun, Rubber Tip and Cylinder
- Solvent Purchased Separately



A/C Flush Solvent

Bottle (32 Oz.) SKU **695650** MSC91049-32

2499

1 Gallon SKU **695653** MSC91049-128



Total A/C Ouick Flush Kit

SKU **695646** MSC91051

• Includes: 17 Oz. Pressurized A/C Flush, Hose and Rubber Tipped Blow Gun with Thumb Control

- Pressurized to 150 psi
- Non-Toxic
- · Self-Evaporating
- Single Use Disposable Cans







A/C Hose and Line Repair



Manual Style A/C Hose Crimper, Bench or Vise Mounted SKU **290028** MSC71550

- Manual Style A/C Hose Crimper
- Mount to Bench Using Holding Fixture or Place in Vise
- Includes: 71500 001 Yoke Assembly, 71550 - 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die Set - #6 (5/16"), 71500 - 8 Die Set - #8 (13/32"), 71500 - 10 Die Set - #10 (1/2"), 71500 - 12 Die Set - #12 (5/8"), and 71500-PB Custom Mold Box Carrying Case



Hand-Held Hydraulic Crimper Kit for A/C Hoses

SKU **OUTSIDE BUY/EPO** FJC2806

- Includes Complete Set of Dies
- For Hose Sizes: #6, #8, #10, #12 and Reduced **Barrier Hose Sizes**
- Hand-Held, Hydraulic Tool Ideal for Shop and Field Applications
- Custom-Molded **Protective Case**



For Outside Buy/EPO, Call 901-300-4878

Heavy Duty Ratcheting PARTONS **Hose Cutter**

SKU **466311** 24522

- Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts
- Ratcheting Action Makes it Faster and Easier to Use than Other Cutters
- · Cuts Rubber Hose and PVC Up to 1-1/2" OD
- · Wide Hooked Jaws Hold **Tubing Securely**



OEM TOOLS

Mastercool:

Thermometers

Thermal Imaging Camera

SKU **213193** 24552

- Temperature Range: -4°F to 1,202°F (-20°C to 650°C), Selectable Temperature (C or F)
- · Captures Thermal Images and Saves to MicroSD Card (Not Included)
- 3 Selectable Color Palettes
- 1.8" LCD Color Display
- . Includes Storage Pouch and Mini USB Cable







OEM TOOLS

Instant Read Pocket Thermometer (2 Pack)

SKU **213179** 24350-2

- Temperature Range: 0°F to 220°F
- . Comes in Protective Sheath with Pocket Clip
- Easy-To-Read 1" Dial Face

Infrared Thermometer with Target Laser

SKU **290019** MSC52224ASP

- Temperature Range: -58°F to 1022°F (-50°C to 550°C)
- Includes: Laser Thermometer, Analog Dial Thermometer in Storage Case
- · 4 Digit LCD Backlit Display with Auto Power-Off (After 15 Seconds)



AirSept® Line Repair

SAVE TIME & MONEY!

FIX or TERMINATE a Line in 5 MINUTES!

Line Terminator SAE (5 Pack)

SKU **504122 107**99 AIR76526

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear **Evaporators and Failed** System Components
- Include One Each: 5/16" 3/8",1/2", 5/8" and 3/4" SAE Kits



Line Terminator SAE/Metric (10 Pack)

SKU **504124** AIR76530

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16". 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm







UP TO 2,600 psi

OE-APPROVED REPAIR SOLUTION INSTALLS IN MINUTES, NO SPECIAL TOOLS, NO GLUE

Line Splice Straight SAE/Metric (10 Pack)

SKU **504103 284** 99 AIR76051

- Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm,
- 12 mm, 15 mm and 16 mm



Line Terminator Rear A/C Blockoff Kits

- · Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- . Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines



SKU	Part #	Size	Price
504149	AIR76502	3/8" Line	26.99
504146	AIR76501	1/2" Line	26.99
504150	AIR76503	5/16" Line	26.99
504152	AIR76504	5/8" Line	30.99
504154	AIR76505	3/4" Line	35.99
329221	AIR77508	8 mm OD Line	26.99
329219	AIR77510	10 mm OD Line	26.99
329231	AIR77515	15 mm OD Line	30.99
329230	AIR77516	16 mm OD Line	30.99

Line Splice Straight Repair Kit

- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough Automotive Applications
- . HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- . Burst Tested to 2,600 psi



SKU	Part #	Size	Price	
504140	AIR76003	5/16" Line	<i>35.99</i>	
504138	AIR76002	3/8" Line	35.99	
504136	AIR76001	1/2" Line	35.99	
504143	AIR76011	5/8" Line	44.99	
504132	AIR77008	8 mm Line	35.99	
504155	AIR77010	10 mm Line	35.99	

Smart Splice[™] Line to Hose

- Leak-Proof Line Splice[™] Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Also Works for Heater and Coolant Lines
- Install in 5 Minutes



SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	<i>35.99</i>
504128	AIR76702	3/8" Line to #6 Hose	<i>35.99</i>
504130	AIR76704	5/8" Line to #10 Hose	44.99
504131	AIR76705	3/4" Line to #12 Hose	44.99

/// ALLDATA Diagnostics®



YOUR ALL-IN-ONE SCAN TOOL SOLUTION WITH THE POWER OF ALLDATA BUILT IN

- + #1 OEM repair information is built in*
- + Coverage for domestic, European, and Asian vehicles
- Unlimited pre- and post-scans, no upfront equipment costs and free data updates
- Do quick vehicle scans on your phone and share scan reports

ALLDATA.com

SEE IT IN ACTION (888) 726-3211



* ALLDATA Diagnostics requires a subscription to ALLDATA Collision* or ALLDATA Repair* and ALLDATA Mobile*.

System requirements - Operating systems: Android (5.0 & up), Windows 10, iOS (iOS 13 & up, vehicle scans & reports only). Phone Operating Systems (vehicle scans & reports only): Android (5.0 & up), iOS (iOS 13 & up)

©2024 ALLDATA LLC. ALLDATA, Automotive Intelligence, ALLDATA Repair, ALLDATA Collision, ALLDATA Diagnostics, ALLDATA Shop Manager, ALLDATA Tech-Assist and ALLDATA Mobile are registered trademarks and ALLDATA Manage and ALLDATA Community are marks of ALLDATA LLC. AutoZone is a registered trademark of AutoZone IP LLC. All other marks are property of their respective owners.

TopDon ADAS

High-End Diagnostic Functionality and World-Class Support

- Foldable Calibration Frame That Offers Unmatched Portability and Convenience
- Compatible With Phoenix Diagnostic Scanner (Not Included)



TOPDON®

Phoenix ADAS Mobile Deluxe Package SKU OUTSIDE BUY/EPO **TPDPXADASDEL**

. Includes: All of the 24 LDW Targets, as well as AVM AS (Asian Rear 360 Surround View Camera), AVM EU (Europe Rear 360 Surround View Camera) and AVM AM (American Rear 360 Surround View Camera) Targets





Phoenix ADAS Mobile Max Package SKU **OUTSIDE BUY/EPO** *28,399*9

TPDPXADASMAX

• Includes: 24 LDW Targets, as well as the ADAS Rear Camera and AVM Panels (US, Euro and Asian); Doppler Simulator (LAC05-04); Radar Cone Target Configuration (LAM05-02) and Corner

Reflector (LAC05-03) · Also includes: Night Vision System (NVS), Lidar, Around View Monitoring (AVM), Rear Camera Warning (RCW), Lane Departure





TopDon

ArtiDiag800BT Mid-Level Diagnostic Powerhouse

SKU **1331502** TPDARTI800BT

Full System Diagnostics for 54 Makes

- AutoVin Technology
- Bluetooth VCI Communications
- Read Version Information
- · Reads and Graphs Live Data
- OBDII Functions

SKU **1340225 TPDNINJAPRO** Pin Reading and Key Learning Remote Control Learning

- · Deletes Keys
- All Keys Lost
- . Reads and Clears Fault Codes
- · Supports Wireless and Wired Dual Connectivity



1'OPDON®



Phoenix Smart Diagnostic System

SKU **1331482 TPDPXSMART**

- Android Based OE-Level Coverage
- 10.1" HD Touch Screen
- New TOPOLOGY Feature for Enhanced Diagnostics
- SmartLink VCI -Adds CanFD, DoIP, J2534, RP1210
- Codes/Data/Bi-Directional/Special Functions/ Coding/Programming
- Industry Leading US Based Tech Support



Phoenix Max Diagnostic System SKU **1331492**

TPDPXMAX

T-Ninja Pro Key Programming Via OBD2

- Includes A 4-Channel Oscilloscope
- Supports Cloud-Based Programming For 9+ Brands, Including: Mercedes-Benz, BMW, Audi, Volkswagen/Skoda/Seat, Porsche, Jaquar/Land Rover, Nissan, Subaru and Renault
- Supports 9V to 24V Vehicle Models, Configuring Both Passenger Cars and Heavy Trucks
- · Heavy-Duty Housing with IP65 Standards
- Auto VIN Technology Automatically Uses the Right Diagnostic Software After Identifying the Vehicle Through Its VIN

UltraDiag 2-in-1 Diagnostic Scanner and Key Programmer SKU **1368629 TPDULTRADIAG**

- Full-System Diagnostics
- 8 Reset Functions: Oil, Throttle Adaptation, EPB, Steering Angle, DPF Regeneration, ABS Bleeding, BMS and Airbag
- Key Programming Functions: Number of Keys, PIN Reading, Key Learning, Remote Control Learning, Delete Keys and All Keys Lost



Transponder & Remote Tester Tool

SKU OUTSIDE BUY/EPO **TPDT-DARTS**

- Allows Either USB or Battery Powered Function
- Supports Transponder Chips • Supports 100+ Transponder Chips
- · Can Connect Directly to Phones Via Bluetooth Connectivity
- Guide and a USB Type-C Cable



5" Thermal Imaging Camera Tablet SKU **OUTSIDE BUY/EPO** TPDTC003

- Superior Image Quality with an IR Resolution of 256 x 192
- . Highly Accurate Temperature Readings
- Expanded Capabilities with OTG Functionality
- Optimized Testing Range
- Unparalleled Accuracy with **Temperature Correction**





TEXA

IAGNOSTICS

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

TEXA ADAS

RCCS3 ADAS Kits with Axone Voice and Multihub VCI

- Dedicated 75" Monitor for Calibration Targets, Eliminating the Need for Physical Targets
- Ensures Optimal Performance for ADAS Calibration (Cameras, Radar Systems, LiDAR Sensors)
- Enhanced Camera Visibility for Accurate Target Detection During Calibration
- IDC-5 Software Guides Technicians Step-By-Step with Help Sheets for Each Vehicle
- Continuous Software Updates Offer New Vehicles, Panels and Essential Help Sheets to Ensure Extraordinary Coverage at Least 30% Higher Than the Other Solutions on the Market

To Setup a Demo Contact Your Commercial Sales Manager

Front Camera Kit SKU **OUTSIDE BUY/EPO TEXFCMHVC**

- This Kit is Designed for Shops Doing Only Front Camera Calibrations
- . Includes: TEXA RCCS3 ADAS Front Camera Kit, 75" Monitor, Axone Voice Tablet, Navigator TXT Multihub VCI, and a Rugged IP67 Case

Advanced Kit

SKU **OUTSIDE BUY/EPO TEXADVMHVC**

- Kit Includes: RCCS3 ADAS Advanced Kit, 75" Monitor, Axone Voice Tablet, Navigator TXT Multihub VCI and Target and Support Kit for HONDA/ACURA USA Perform Front Camera, 360 Camera, Video Camera,
- Doppler, Front and Blind Spot Calibration*







MaxiSYS® IA900WAT **Intelligent Wheel Alignment** with MSULTRA Tablet SKU 1281937 Part #IA900WAT

- Intelligent 4-Wheel Alignment System
- AutoVIN with Pre-Scan Health Check
- Alignment spec coverage from 1979 to current Cameras automatically track vehicle height on lift
- Includes 12.9-inch MSULTRA tablet
- Includes 24" touchscreen display

LIMITS DIAGNOSTICS + DIGITAL INSPECTION + ALIGNMENT + ADAS CALIBRATION

- Optional step by step guidance increasing workflow efficiency Illustrated alignment instructions, live readings, required tools, & adjustment locations
- Integrates with TPMS and tire tread depth tools
- Add-on LDW and All Systems ADAS Packages available





MaxiSYS® ADAS IA900WA with LDW Targets and MSULTRAADAS Tablet SKU 1337324 Part #IA900LDWT

- Frame capable of performing 4-Wheel alignment & ADAS calibration
- Includes ADAS Lane Departure Warning camera calibration targets
- Includes MaxiSYS ULTRAADAS wireless touchscreen tablet with Alignment and ADAS Calibration software
- Illustrated alignment instructions, live readings, required tools and adjustment locations display on a single screen

MaxiSYS® IA800 ADAS Lane Departure Warning with MS909 Tablet Package SKU 1208151 Part #LDW30

- · ADAS calibration frame with target board holder
- Includes IA800 optical positioning system for rapid vehicle to target positioning
- Includes LDW targets and patterns for Honda, Genesis, VW, Mercedes, Hvundai, Kia
- Includes LDW targets and patterns for Nissan, Infiniti, Mazda, Mitsubishi, Subaru, Toyota, Lexus





AZG0224

Multimeters and Test Kits

Power Probe III Professional Electrical Test Kit

SKU **1330691** PWPPPROKIT01

- · Supplies Power and Ground for Functional Component Testing
- CAT-IV 600V Hybrid Safe AC/DC Voltmeter
- Measures Resistance to 60M Ohms
- Measures Current from .001 Amps to 10 Amps

VALUE: \$119.99

Pro Solder 50 PWPPPPS50W

With Purchase of: PWPPPROKIT01

Offer Good While Supplies Last Through June 30, 2024



OWER PROBE

Power Probe IV with Case and Accessories

PWPPP401AS **299**99

- Supplies Power and Ground for Functional Component Testing
- · Digital Volt and Ohmmeter for Circuit Testing
- Large Color LCD Screen with Easy to Navigate User Menu
- AC-RMS, AC Peak-To-Peak, Frequency and Pulse Width for Signal Testing
- · Fuel Injector Tester for Easy Circuit Diagnosis
- PCM/ECM Driver Supplies Safe Voltage for Testing Circuits



High Power Butane Torch PWPPPBT

With Purchase of: PWPPP401AS

Offer Good While Supplies Last Through June 30, 2024





Power Probe III Circuit Tester

SKU OUTSIDE BUY/EPO PWPPP3CSRED

- Digital Voltmeter
- Continuity Tester
- 20' Jumper Lead Set
- Relay and Component Tester
- Removable Probe Tip Adapts to Any 4 mm Lead
- 2 Bright LED Lamps
- Quickly Supply Power and Ground to the Tip

For Outside Buy/EPO, Call 901-300-4878



Power Probe III with Case and Accessories

SKU **262523**

- PWPPP319FTC **179**99 • Relay and Component Tester
- Voltmeter and Continuity Tester
- · Carbon Fiber Design Housing
- Audio Tone
- 20' Jumper Lead
- Works on 12V to 24V Sources

Other Colors Available on AZTOOL1.com

Power Probe III with Lead Set

SKU **1330690** PWPPP3LS01

- · Supplies Power and Ground
- · Digital Voltmeter with Min/Max Voltage Capturing
- 4 mm Banana Jack
- 20 Ft. Power Lead



OWER PROBE

Power Probe IV Master Kit SKU **1330692** PWPPPKIT04

- Supply Power or Ground for Functional Component Testing
- Self-Resetting Thermal 8 Amp Circuit Breaker
- Multiple DC Volt Readings on the Same Display
- Quickly Determine if the Circuit is Open or is Shorted



Automotive Test Lead Kit

SKU 1105993 **ESI143**

- Includes: Flexible Silicon Back Probe Pins Great for Back Probing, Test Probes, Crocodile Clips, Shielded Alligator Clips
- . One Set of Interconnect Leads Extended Test Lead
- · Roll Up Storage Pouch to Keep Your Leads Organized





SKU **851885** ESI480A

- 43 Test Ranges, Auto-Ranging
- 10 Test Functions
- · Auto Power-Off, Data Hold
- Dual Fuse Protection
- 10 Meg/0hm Input Impedance



OEMTOOLS®

8 Piece Noid Light Set

SKU **1103589** 37161

- Features a See-Through Design to Check Electrical from the Wiring Harness to the Fuel Injectors
- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2



Vacuum and Fuel Pressure Test Kit

SKU **347234** 27264



- Accurately Test Vacuum and Low Pressure **Fuel Systems**
- 3-1/2" Compound Gauge with Protective Cover
- Include 2-1/2' Hose and (4) Fittings




Exhaust Back Pressure Tester/Gauge SKU 1103604

37263

 Used to Test Exhaust Back Pressure Through Oxygen Sensor Port



OEM TOOLS



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Mityvac[®]

Professional Compression Test Kit

SKU **972276** MITMV5530

999

Everything You Need to Perform Cylinder Compression Tests on Motorcycles, Marine and Small Engines and an Air-Hold Adapter for Performing **Valve Seal Repairs**

- Adapters Include: 10 mm, 12 mm, 14 mm and 18 mm
- · Extended Hoses for Hard-To-Reach Cylinders • Large 2-3/4"
- Easy-To-Read Gauge Quick Disconnect **Fittings**



Digital Gas Engine Compression Test Kit

SKU **383182** MITMV5532

- · Stores Maximum Compression Value for Up to 12 Cylinders
- 3 Minute Auto Shut-Off
- · Sealed, Grease and Oil-Resistant Gauge **Face Prevents Contamination** of Electronics

 Displays Values in psi. Bar and kPa



mituvac: **Fuel Pressure Test Kit**

SKU 988887 MITMV5546

Tests Fuel System Pressure to Diagnose Common Fuel System Problems Including Failing Fuel Pump, Faulty Pressure Regulator, Blocked Filter(s) and Pinched Fuel Line(s)

Contains 37 Adapters for Pressure Testing Most Vehicles

Tester with the Addition of Flow Meter Upgrade Kit



Ford 6 Liter Adapter SKU **972279**

- MITMVA5610 · Glow Plug Adapter -
- M14 x 1.25 • International VT365
- Ford Power Stroke,



Silverline Elite Test Kit

SKU **988888** MITMV8500

- · Provides Either Vacuum or Pressure with Equal Precision and Convenience
- · Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More
- Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests



Fuel Injection Cleaning Kit

SKU **972277** MITMV5565

- · Cleans Air Induction Systems Functions on Most Foreign and Domestic Applications
- Uses Shop Air

SURR

LANG

- · Quickly and Cleanly Removes Deposits from Injectors
- Carbon Deposits in the Intake Manifold and on Intake Valves
- Accessory for the MITMV5546 and MITMV5545



755

SUR&R^c

S-Hook Sprayer

SKU **1149152** SURS-TOOL

- Nozzle End Produces Fine Mist Spraying Action for Thorough Cleaning of the Air Intake
- Helps Improve Fuel Performance
- Removes Carbon Build-Up
- For Use with SURFIC203



Fuel Injection Cleaner Kit

SKU **1137808** SURFIC203

- · Provides Powerful, Thorough Cleaning of Fuel Injectors, Intake Valves and Fuel Passages
- . Makes Connections Quickly and Easily Using S.U.R.&R.'s **Exclusive Quick Connects**
- Holds Up to Eighteen Ounces of Canister Cleaning Solution · Cleans More Thoroughly Than Aerosol Methods
- · Easy to Connect and Use With Shop Air
- For Top Engine and Throttle Body Cleaning



Timing Light

Digital Tach Advance Timing Light SKŪ **666346**

ESI125

· Measures Ignition Spark

- Advance from 0° to 90° · 2 and 4 Stroke Tachometer Measures Engine Speed Up to 9.999 RPM
- Accurate Up to 9,000 RPM
- · Works with 12 Volt **Electrical Systems**




MOTORVAS

LANG

TU-113PB Fuel Injection Pressure Tester

SKU 1330689 LNGTU-113PB



TU-24A-PB Three Way Exhaust and Back Pressure Kit

SKU **1331498** LNGTU-24A-PB

Converters, Mufflers, Etc.



TU-550 Master **Fuel Injection Pressure Tester**

SKU **1330693** LNGTU-550

· Covers All Domestic and Foreign Platforms 1988 to Present

. Does Not Include Cis and TBI Adapters



Fuel System Cleaner

Carbon Clean 1000 SKU **OUTSIDE BUY/EPO**

1,95999 MVC500-0220 • Complete, Through the Rail, Fuel System

- **Decarbonizing Service**
- Fuel Rail Hookup Provides the Most Effective Results
- Online Application Guide

MVC400-0050PK6

- Unique Time Saving Adapter System
- · Cleans Fuel Injectors, Combustion Chamber and Intake Valves
- Works with MV5 (400-0050) Fuel System Cleaner

MV5 Press Gas/Petrol Fuel System Cleaner 17 Oz. 6 PK SKU OUTSIDE BUY/EPO

For Outside Buv/EPO. Call 901-300-4878



AZG0224

Smoke Leak Detectors

ReadySmoke™ Leak Detector

SKU **OUTSIDE BUY/EPO** RED95-0400

- · Pinpoint Intake, Exhaust and Other EVAP Leaks In Minutes
- Flow Meter Identifies Minute Leaks at and Below .010" in Diameter
- · Easy Fill Dipstick Style Fluid Port
- Includes: (2) 2 Oz. OEM-Approved Vapor Producing Fluid, EVAP Service Tool Kit, Halogen Inspection Light, Cap Plug Kit, Standard Cone Adapter and Storage Case





REDLINE

For Outside Buy/EPO, Call 901-300-4878

Smoke Pro Air™

SKU **OUTSIDE BUY/EPO** RED95-0075

- Ideal for Performing Diagnostics on the Evap Systems of Naturally-Aspirated Vehicles
- Features an Onboard Micro Air Compressor for Total Portability and Includes all Needed Accessories
- Uses OEM-Approved Fluid to Produce a Visual Vapor That is Free of Dyes and Contaminants

OEM TOOLS

• Detects Leaks as Small as 0.010" and Performs Air Leak Decay Test



For Outside Buy/EPO, Call 901-300-4878

Smoke Pro® Total-Tech®

SKU OUTSIDE BUY/EPO RED95-0003C

• Find ALL Types of Leaks

- Greatly Reduce Diagnostic Time
- One Simple Connection Diagnoses an Entire System in Seconds
- Eliminate Comebacks by Verifying that Leaks are Completely Repaired
- Includes Easy INTAKE™

Warranty: 2 Years For Outside Buy/EPO. Call 901-300-4878



REDLINE

Intake Inflatable Block Off Bladder for Use with **All Smoke Machines**

SKU **598274** 24536

- · Can Be Used with Any Brand of Smoke Machine or Diagnostic Leak Detector
- Conforms to Any Shape
- Intake/Exhaust: Square. Round, Oval or Rectangular
- Works with Most Automobiles and Light. Medium and Heavy **Duty Trucks**

Replacement Bladder Available

EasyConnect® Test Kit

SKU 1189091 RED96-0190

REDLINE

REDLINE

- Forms a Complete Seal for Effective Leak **Testing without Disturbing Other Components** Comes in a Compact and Durable Storage Case
- · Compatible with Any Smoke Machine
- . Includes: 4 Different Sized Adapters with 4 Add-On Components



Easy INTAKE™

SKU **696477** RED95-0082

- Compatible with Any Smoke Machine
- · Block Off Bladder Conforms to Any Shape Intake/Exhaust



Smoke Producing Fluid (8 Oz.)

SKU **802333** RED96-0039

- · Contains No Dye or Other Contaminants
- Works in Most EVAP Smoke Machines



EasvEVAP™ Universal Filler Neck Connector SKU **343405**

RED95-0030

· Compatible with Any Smoke Machine and Removes Cleanly from the Gas Cap

. Essential Tool for Late Model Cars with Fuel Tank Rollover Valves



MAXICHARGER™ ACELITE HOME

All Home Models

- · Compatible with all EV and Hybrid Plug-in Vehicles
- 25ft long Universal (J1772) Charging Cable · Contemporary Design, Dark Gray
- For residential use only
- Autel Charge app enables remote start, stop, monitoring and scheduling
- Specially designed for Indoor or Outdoor use
- Wi-Fi/Bluetooth/ Ethernet
- Three year limited warranty

Separate Holster

SKU 1232125 Part #ATDMC40AP14S

• Adjustable charging up to 40 Amps

- NEMA 14-50 Plug

SKU 1232124 Part #ATDMC40AP6S Adjustable charging up to 40 Amps • NEMA 6-50 Plug

SKU 1232126 Part #ATDMC50AHS Adjustable charging up to 50 Amps

. Hardwire Installation





LEVEL 2 EV & HYBRID SMART CHARGERS

In-Body Holster

SKU 1232128 Part #ATDMC40AP14I

- Adjustable charging up to 40 Amps
- NEMA 14-50 Plug

SKU 1235042

- Part #ATDMC40AP6I

 Adjustable charging up to 40 Amps
- NEMA 6-50 Plug

SKU 1232127 Part #ATDMC50AHI

- Adjustable charging up to 50 Amps
- Hardwire Installation

MAXICHARGER™

ACELITE COMMERCIAL

MONETIZE YOUR CHARGING SERVICES

SKU 1238021

- Part #ATDMCC50AHI · Compatible with all EV and Hybrid
- Plug-in Vehicles • 25ft long Universal (J1772) Charging Cable
- Hardwire Installation
- Adjustable charging up to 50 Amps
- · In-body holster
- For commercial use
- Specially designed for Indoor or Outdoor use
- Interactive LCD touchscreen
- RFID ReaderBluetooth, Wi-Fi, Ethernet, 4G
- . Three year limited warranty



CALL FOR PRICE

🕶 Mastercool:

Smoke Leak Detectors

Evap Diagnostic Smoke Machine

SKU **OUTSIDE BUY/EPO** MSC43060EV

Built-In Internal Compressor, Shop Air and Inert Gases

- · Large Easy to Read Pressure Decay Gauge 0-30" H20 (70 mbar)
- Flow Meter: 0 to 0.040" (0 to 1.0 mm)
- Input Pressure: Max. 100 psi (8.2 bar)
- Built-In Pressure Regulated At 0.5 psi for Safe Evap Testing Voltage: 12 VDC

For Outside Buv/EPO. Call 901-300-4878



Turbo/Intake Diagnostic Smoke Machine SKU **OUTSIDE BUY/ÉPO**

MSC43060TB

1,14999

- Multiple Options for Smoke Injection
- Includes: Built-In Large Easy to Read Pressure Decay Gauge 0 to 30 psi
- Internal Compressor, Shop Air and Inert Gases
- Output Pressure Can Be Regulated From 0 to 28 psi
- · Flow Meter: 0 to 0.040" (0 to 1.0 mm)
- Input Pressure: Max. 100 psi (8.2 bar)
- Voltage: 12 VDC



For Outside Buy/EPO. Call 901-300-4878

Reprogrammers

- The CarDAQ-Plus® 3 is the Next Generation Drew Technologies Universal Automotive Pass-Thru Device
- · CarDAQ is the Most OEM Validated and Compatible Device, Making it Truly Universal
- Supports OEM Right to Repair Applications and Full Pre-R2R **Applications** Works with Vehicle Security and Key Functions When Included in
- the OEM Application • The CarDAQ-Plus® 3 Has Future Technologies Such as FD-CAN
- and DOIP to Give the Device a Long Service Life 4 CAN Channels - Compatible with Chrysler/FCA Requirements

CarDAQ-Plus3 Kit

SKU OUTSIDE BUY/EPO DRWCDP3KIT

CarDAQ-Plus3 Bluetooth Kit

SKU OUTSIDE BUY/EPO **1,939**99 DRWCDP3BTKIT

· Includes Bluetooth Wireless Capability



Perform More Tasks in Your Shop - No Need to Send Vehicles Out for **Diagnostics, Reprogramming**

For Outside Buy/EPO,

CALL FOR PRICE

POWERED BY AUTEL DIAGNOST



MaxiSYS® MSULTRA

AutoLINK® AL329

Read/Erase Engine DTCs
 One-Touch I/M Readiness/

SKU 1092018 Part #MSULTRA

SKU 103946 Part #AL329

LED Indicator

- Split Screen Display / Topology Mapping
 5-in-1 VCMI, J2534, Waveform Generator, Oscilloscope
- Remote Expert-Ready Industry-leading coverage



MaxiSYS® MS919 SKU 1093326 Part #MS919

- Android 7.0 OS / Topology Mapping
- 5-in-1 VCMI, J2534, Waveform Generator, Oscilloscope
- Remote Expert-Ready Industry-leading coverage



MaxiSYS® MS909

- Android 7.0 OS / Topology Mapping
- Remote Expert-Ready Industry-leading coverage



MaxiDIAG® MD808P

- Trouble Codes



MaxiCheck® MX900 SKU 1369200 Part #MX900

1-Button Quick Image Capture and Video Recording

MaxiVIDEO® MV480 SKU 1137680 Part #MV480

MaxiVIDEO® MV460

• 3.5" Color LCD Display

SKU 1089243 Part #MV460

 Record/Playback Images and Videos • 4.1" Color LCD Display Dual Front and Side Cameras for Wider Viewing Angle

· Record/Playback Images and Videos

- Read & Erase Codes Bi-directional Active Tests and Special Functions
- 40+ Service Menu





Display Live & Freeze Frame Data

MaxiSYS® MS909CV SKII 1174556 Part #MS909CV

- For Class 1-8 Commercial Vehicles
- Topology Mapping on Select Models Battery Testing Software & B200 are Included
- **MaxiSYS®** MS906PRO SKU 1194622 Part #MS906PRO

AutoLINK® A529

• Read/Erase DTCs for Engine

Support All 10 OBDII Test Modes

Graph/Record & Playback Live Data

SKU 1050451 Part #AL529

- All system scan with ADAS identification
- Customizable Pre & Post scans
- Bi-directional Control Canability
- ADAS Calibration-capable (additional purchase required)



Includes Voltage Test Probes & OBDII Cable

AutoLINK® AL539

SKU 1039494 Part #AL539

Read & Erase Codes

Tests Starting, Circuit & Charging Systems

- IMMO and Key Programming Bundle
- Program IMMO & Keys for U.S., Asian and European Vehicles
- IM608Proll Tablet, XP400Pro, Wireless JVCI, IMKPA Key Programming Adapter Kit



MaxilM® KM100

- Advanced key and immobilizer 5.5-inch touchscreen tablet with 2 IKEYS
- Program Autel's IKEY universal keys as smart key replacement for more than 700 vehicles
- One-minute Key generation, Easy key button customization
- Includes Bluetooth-enabled VCI





Oil Drains

LINCOLN

18 Gallon **Rolling Oil Drain**

SKU **988882** LIN3601

- · All Steel Design Includes Reinforced Caster Supports
- 14" Telescoping Bowl: Range of 45" to 72"
- Preset Air Regulator (Up to 150 psi)

 Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids



LIN3639

• Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs

• Includes: Mercedes-Benz, BMW and VW Dipstick Tube Adapters and (6) Evacuation Wands of Varying Flexibility, Diameter and Lenath

 Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

. Min. Height: 60" • Max. Height: 74"

25 Gallon Used Fluid Evacuator SKU **543344**

LIN3637

25 Gallon Used Fluid Gravity Drain

SKU **543350** LIN3635

18 Gallon Rolling **Oil Drain** SKU **667005** 87042 **329**99

LINCOLN

· Pressurized Self-Evacuation Feature Requires Only Shop Air

 Funnel Capacity: 2.6 Gallons

• Funnel Diameter: 17'

• Min. Height: 44.5"

• Max. Height: 68.5"

Oil/Gas Filter Removal Cup Small

SURFC25 With Purchase of:

87042

Offer Good While Supplies Last Through June 30, 2024

21 Gallon Oil OFMITOOLS **Drain Vacuum and Extractor** SKU **546658** 24862

• Designed for the Collection of Used Fluids from Lift Mounted Vehicles or by **Evacuation Directly from Fluid Reservoirs** or Dipstick Tubes

 Funnel Diameter: 15'

 Funnel Extension Adapter: 22'

 Funnel Height Adjustment: 45" to 62"

 Includes 5 Extraction Tubes: (1) 7 mm x 35"; 6 mm x 29"; 6 mm x 23" 6 mm x 22" and 3/8" x 15"



18 Gallon Used Oil Drain

SKU **606546** LIN3518

32

LINCOLN

- Durable, High-Density Polyethylene Reservoir with Flat-Top Design to Hold Drain Filters, Tools, Nuts, Bolts, etc.
- Adjustable Drain Height: 40" to 77"
- Funnel Incorporates Splash Shield to Catch Overspray
- Optional Cam Lock Evacuation Kit



9 Gallon Upright

- Funnel Diameter: 17

OEM TOOLS

Includes: Tool Holder

Portable Oil Drain SKU **908386** 87032

- . Adjustable Drain Height: 32" to 62"
- Features Built-In Drain Valve and Evacuation Spout
- 4 Heavy Duty Casters for Easy Transport



18 Gallon

SKU **908388** 87031

• Adjustable Drain Height: 54" to 70"

• Funnel Diameter: 18"

• Features Built-In Drain Valve

• 4 Heavy Duty Casters for Easy Transport

Includes: Tool Holder

OEM TOOLS **Upright Portable Oil Drain**

24861


OEM TOOLS

- and Evacuation Spout



OEM TOOLS 21 Gallon **Waste Oil Drain** SKU **544817**

- · Pressurized Self-Evacuation Feature Requires Only Shop Air
- Large Diameter Funnel Includes a Removable Filter Screen and Wide-Mouth Extension
- Funnel Diameter: 15"
- Funnel Extension Diameter: 22"
- Funnel Height Adjustment: 45" to 62"



Used Fluid Drain

26 Gallon Used Fluid Drain

SKU 1392464 LIN3626

79999

- 18" (457 mm) Diameter Offset Funnel with Filter Screen
- Top-Mounted, Adjustable-Height 3/4" Male Camlock Connector
- Recessed Pockets for Tool Storage
 (2) 4" (102 mm) Ball-Bearing
- **Swivel Casters**
- Simple Height-Locking Handle
- Large Recessed Pocket for Used Filter Storage



LINCOLN

SHARK

Accessories

Prevents Splashing of Hot Oil

Oil Drain Splash Pads

- Keeps Work Areas Clean While Changing Transmission or Other Oils
- . Allows Hot Oil to Drain Through Porous Pad



22" Square SKU 1340219 SHA73851

1999

24⁹⁹





Drains Not Included. Not for Coolants or Fluids That Will be Recycled in the Vehicle

Super Transmission Drain Funnel

SKU **291377 LIS17902**

- . Extends the Catch Area of Any Lift Drain
- Fits the Ford E 40D
- Dimensions: 24" x 36"



Transmission Drain Pan

SKU **908383** 87035

- Flexible Plastic Construction Fits on Top of Funnels for Most Lift Drains
- . Built-In Screen to Catch Debris, Parts and Tools
- Dimensions: 22-3/4" (L) x 23-3/4" (W) x 4-3/4" (H)

OEM TOOLS



OEM TOOLS

Change Oil Your Own Way: Save with Featured Kits

Oil Change Service Kit SKU 1169110 | 68915

· Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 5 Quart Oil Dispenser, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses and 9 Gallon Upright Portable Oil Drain







When You Buy the Kit

Oil Change DIY Kit SKU 1169109 | 68914

• Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 5 Quart Oil Dispenser, Safety





Oil Change Lube Tech Kit SKU 1169108 | 68916

· Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 10L Öil Jug, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses, 18 Gallon Upright Portable Oil Drain and 10 Piece Metric Cap Wrench Set





Oil Filter Tools

OEM TOOLS **Swivel Oil Filter Wrench**

SKU **1125870** 87115

- Fits Oil Filters 4-3/4" to 5-3/4"
- 1" Wide Stainless Steel Band



Auto Fit Filter Pliers

SKU **1339727** 87164

OEM TOOLS

- Suitable for Filters with 2.4" to 5" Diameters
- Long Reach Slip Joint Design
- Precision Machined Jaw Non-Slip Comfort Grip



OEM TOOLS 3 Jaw Adiustable

Magnetic Oil Filter Wrench

SKU **908387** 1999 25101

- Oil Filter Diameter: 2.4" to 3.6" (60 mm to 93 mm)
- Secure Magnetic Attachment
- · Spring-Loaded Legs for a Secure Grip
- Includes 3/8" to 1/2" Drive Adapter



3 Jaw Adiustable **Filter Wrench**

SKU **1339734** 87160

- Works on a Variety of Vehicles
- Fits Oil Filters 2-1/2" to 4-1/2" (63.5 mm to 114 mm)
- Fits 3/8" Drive Ratchets and Extensions
- Perfect for Removing Hard to Reach Filters



OEM TOOLS

4 Piece Swivel Oil Filter Wrench Set

SKU **1105333** 87117

- Fits Oil Filters 2-3/8" to 2-7/8", 2-7/8" to 3-3/8", 3-3/8" to 3-3/4" and 3-3/4" to 4-3/8"
- Dimpled Band with 3 Sets of Grippers to Hold Filter Securely in Place
- 1" Wide Stainless Steel Band for a Strong Grip and Slip Resistance
- Rubber Cushioned TPR Grip for Comfort and Safety in Tight Places
- Includes OEMTOOLS 87111. 87112, 87113 and 87114

OEM TOOLS

4-in-1 Steel Oil **Filter Wrench**

SKU **1189097** 87116

4 Interchangeable **Swivel Bands**

- Size Range 2-3/8" to 4-3/8" (60.3 mm to 111.1 mm)
- (1) Swivel Handle with (4) Stainless Steel Bands
- Bands are Easily Removed and Installed





180° Swivel Joint Reaches Imnossible Places

OEM TOOLS

2 Detent Pins Help Quickly Remove and Install Bands



2-3/8" to 5" **Oil Filter Pliers**

SKU **757057** 25324

· Removes Stubborn Oil Filters from Gas or

- **Diesel Engines** · Long Reach Slip
- Joint Design Precision-Machined Jaw
- Non-Slip Comfort Grip
- 14" Length

Filter Pliers

SKU **548380** 25320

15⁹⁹

- 20° Jaw Bend for More Applications
- Jaw Teeth for Sure Grip • 12" Length

15" Chain Wrench

SKU **452624** 22659

3999

 Great for Stubborn Oil Filters

- · Designed for **Tight Spaces**
- . Capacity: 6" Diameter
- 15" I-Beam Handle



Heavy Duty Truck Oil Filters

- Extra Wide Band for Secure Grip
- 1/2" Drive Tools



SKU	Part #	Range	Price
344322	25231	4-1/8" to 4-5/8" (104 to 118 mm)	19.99
344323	25232	4-5/8" to 5-1/4" (118 to 134 mm)	19.99
344324	25233	5-1/4" to 5-3/4" (134 to 142 mm)	21.99

Oil Filter Plug for Cummins OEM TOOLS

SKU 1340221 87168

- Perfect Tool for Installing and Removing Oil Filters
- Compatible with Dodge 6.7 Diesel Engines
- Prevents Oil Leaks when Removing Oil Filters from Engines
- Hard Plastic Construction for Maximum Strength and Durability
- · Wide U-Shaped Handle for Added Grip and Control



OEM TOOLS

Filter Removal Cup

- Specifications: 6" x 6" x 6" (34 Oz. or 1 Liter), Volume Sufficient to Hold Typical Size Filters Commonly Used on Cars, SUVs, Light Duty Trucks and Vans
- Safely Holds Oils, Fuel (Gasoline, Diesel, Biofuels), Brake Fluid, Antifreeze and Other Hazardous Fluids



2 Pack SKU **1245617** SURFC5PK2

OVER \$21 (\$59.98 When Purchased Separately)

SILRER

Swivel-Gripper "No-Slip" Filter Wrench - 9 Pack SKU **1339725** LIS57160

• Includes: (2) 2.375" - 2.625" **Import Wrenches** (2) 2.875" - 3.250" **Small Wrenches** (3) 3.500" - 3.875" Standard Wrenches

(2) 4.125" - 4.500' Large Wrenches





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Cap Style Filter Wrenches

Toyota/Lexus Oil Filter Cap Wrench Set

SKU **383457** 25409

- Sizes: 64 mm, 73 mm and 74 mm
- Comes in Blow Mold Case

9 Piece Oil Filter Cap Wrench Set 27199

• Includes: (5) Chrome Plated Aluminum Wrenches (64.5 mm - 14 Flute Toyota, 64.5 mm - 14 Flute Toyota/Lexus, 88.8 mm -15 Flute Hyundai/Kia, 74.2 mm - 14 Flute European, 86.6 mm - 6 Flute European), (1) 63 mm to 83 mm Adjustable Filter Wrench for Universal Applications, (3) Forged Low Profile Oil Filter Sockets (27 mm, 32 mm and 36 mm) and 3/8" Drive Application Chart for Quick Reference



	000
)	@ @ @

OEM TOOLS

Make	SKU	Part #	Size	Price	
BMW/Volvo	255675	25453	86.6 mm – 16 Flutes	19.99	9))
Toyota/Lexus	255634	25451	64.5 mm – 14 Flutes	16.99	
Toyota/Lexus	1330677	87130	64 mm – 14 Flutes	16.99	1
Toyota/Lexus	1340227	87131	64.5 mm – 14 Flutes	17.99	
Mercedes-Benz Sprinter/VW/Audi Porsche/Mazda	1340230	87132	74.2 mm – 14 Flutes	15.99	
Mercedes-Benz VW/Audi	255669	25452	74.2 mm – 14 Flutes	15.99	*
Mazda/Ford	1340228	87133	75.6 mm – 14 Flutes	14.99	9
Chrysler	1340234	87134	84 mm – 14 Flutes	23.99	9
Volvo	1340237	87136	88.8 mm – 15 Flutes	21.99	
Land Rover	1340238	87137	90 mm – 15 Flutes	22.99	

10 Piece Metric Cap Wrench Set SKU **1189096 1199**


87151

· Painted for Rust Resistance

• Includes: 65/67 mm - 14 Flutes. 80 mm - 15 Flutes, 68 mm - 14 Flutes, 86 mm - 16 Flutes, 74/76 mm - 15 Flutes,

93 mm - 15 Flutes, 76 mm - 14 Flutes, 93 mm - 36 Flutes, 76 mm - 30 Flutes, 100 mm - 15 Flutes

· Comes in Blow Mold Case



Drain Plug Tools

14 Piece Drain Plug Socket Set

SKU **818568** 25374

• Designed for Both Foreign and Domestic Vehicles Including: BMW, Ford, Mazda, Mercedes-Benz, Nissan, Peugeot, Renault and More

· Ideal for Removal of Oil Drain Plugs from Manual Transmissions, Transfer Cases Differential Housings and More Includes Hex: 9, 10, 12, 14

and 17 mm; Square: 7, 8, 11, 13 mm, 5/16", 3/8" Female Square: 10 mm; Male Triangle: 10 mm; Tamper-Proof Triple Square: 16 mm

Oil Filter Plug For Cummins



OEM TOOLS

Oil Filter Sockets

7 Piece Oil Filter Removal Socket Set

27197

SKU **191682**

• 3/8" Drive


• Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge Cummins Fuel Filter: 30 mm for Korean Cars: 32 mm for GM. Saturn and SAAB:

Mold Case



35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra

· Comes in Blow



7 Piece Offset Oil Filter Cap Wrench Set

87165

SKU **1145990**

• 3/8" Drive Set Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, Saab; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM. Saturn and SAAB: 35/36 mm for Ford Diesel, Mini Cooper,

BMW and Mack; 38 mm for Vauxhall Vectra · Comes in Blow Mold Case



Filter Cap Not Included

3 Piece Low Profile Oil **Filter Socket Set**

Double Sided

SKU **020797**

• 3/8" Drive

25421

Oil Filter Socket

(32 mm and 36 mm)

. Applications: VW TDI (2011 to 2016),

Touareg and VR6 Motors (2009 to 2016);

Audi Q3 and S3 with 2.0 T Gas (2015 to

2016); Q7 (2007 to 2010) and A6 3.0T

(2014 to 2016); BMW 335d, X5 35d

8 Cylinder Engines (1994 to 2005);

Volvo Models (2007 to 2014); Chevy

Cobalt, Impala and Malibu with 2.2 and 2.4 Liter Engines (2007 to 2014); Porsche Models (2009 to 2016)

(2009 to 2011) and BMW 6 and

SKU **094803** 27204

- Includes: 27 mm, 32 mm and 36 mm
- 3/8" Drive



AZG0224

Offer Good While Supplies Last Through June 30, 2024 **Plastic Oil Drain Plug Removal Set**

SKU **1207894** 25098

With Purchase of: 25374

87168

• Used to Safely and Easily Remove Plastic Oil Drain Plugs on Late Model Ford, Volkswagen, BMW and Audi Cars

VALUE: \$14.99

- Adapters Feature a 3/8" Drive that Can Be Used with Ratchets, T-Handles, or Any Other 3/8" Square Head Tool
- Does Not Cause Damage to the Plug
- 3 Piece Set



32 mm

OEM TOOLS



No Spill Oil Funnels

Universal Direct Fit No Spill Oil Funnel Set SKU **824884 79**

87039 · Set Includes: Universal Oil Funnel, Chrysler (87019), Ford/Mazda (87020), GM (87021), Honda (87022),

Toyota/Lexus (87024), Subaru Adapter, Toyota/Lexus Adapter and 150° Extended Adapter (87027) and Storage Rack


- Funnel Screws Directly into Filler Neck
- . Threaded to Fit a Range of Import and Domestic Vehicles Older and Current Models
- Transparent Lower Chamber to Monitor Oil Flow
- Wide Passage for Rapid Refilling





Includes Wall Mount Bracket and Drip Tray





Description

Direct Fit Individual Funnels

Part #

87022



SKU

824890



and Suzuki

OEM TOOLS

Price

21.99

Filter Crusher

Industrial 10 Ton Oil Filter/Can Crusher SKU OUTSIDE BUY/EPO 1.8

RANRP20FC

• Reduces Used Oil Filters to 1/4 of the Original Size

- 20,000 Lb. Crushing Power
- 100% Air Operated for Minimal Maintenance
- Save on Disposal Costs and Storage Space Automatic Safety Door Stops Operation
- When Opened
- Pressure Regulator and Air Moisture Separator Come Standard
- Transparent Door for a Convenient View of the Crushing Process
- Welded Steel Plate Construction
- Exclusive X-Shape Bevel in Press Head Pre-Aligns Filters for Absolute Vertical Press

INCLUDES STAND

For Outside Buy/EPO, Call 901-300-4878



Ranger:

Oil Funnels

Oil and **Transmission Funnel**

SKU **547009** 87008

- · Both Straight and 45° Angle Screen to Prevent Trash from Entering Transmission
- Includes Screen and Dust Cap
- Length: 25'

OEM TOOLS

Fast-Clamp Universal Oil Funnel

SKU **825017** 87037

 Automatically Adjusts and Clamps to Filler Neck

 No Need to Hold Funnel in Place



Dispensers

8 Quart Dispenser Lid and Cap

SKU **080078** LIS19702

- Spout Cap and Lid to Keep Out Contaminants
- Many Large SUVs and Trucks Now Require More Oil

lisle

10 Quart Oil Juq

SKU **605325** 87018

· Safe for Automotive Oils and Fluids Convenient Carry and Pour Handles

Spill Proof Caps



OEM TOOLS

Flexible Spout Measuring Cans

- Designed for One-Hand Operation
- 14" Flexible Spout with Tapered Tip · Recessed Bottom Drains Fully and **Guards Against Punctures**
- Rolled-Edge Top Helps Prevent Spilling

5 Quart

SKU **298486** LING525

8 Quart

SKU **298473** LING528



LINCOLN

Drain Pans

OEM TOOLS

16 Quart Oil Drain Pan

- Heavy Duty Polyethylene Construction
- Features a Pour Spout and No-Splash Lip



Green

SKU **908389** 87034

Black

SKU 908382 87033

OEM TOOLS

Oil Drain Pan

SKU **568474**



and Small Engines

OEM TOOLS

4.7 Quart Clear Oil **Drain Pan**

SKU **568469** 87013

• Built-In Level Scale Lets You See Fluid Level



2.8 Quart Low-Profile

87017



Great for Motorcycles



Great for Transmission

(Fits 5 to 8 Gallon Drums)

87014

• Ribbed Drainage Channels

Bucket Not Included

4.5 Gallon **Black Oval Drain Pan** SKII 1142687 LIS17972

4.5 Gallon **Green Oval Drain Pan** SKII 1142342 LIS17982

We Now Offer Above Ground Storage Tanks



Call for More Information 901-300-4878

· Storage for Engine Oils, Gear Oils and Other Fresh Oils as well as Waste Fluids

Sizes Available from 25 to 4,000 Gallons. in Single and Double Wall



Small Drum Drain Basin

SKU **568471 25** 99

 Filter Gate to Catch Foreign Objects

Grease Guns

- · Cast Iron Pump Head for Added Strength and Durability
- Multiple Filling Options to Support Suction, Filler and Cartridge Loading
 Heavy Duty Follower Spring Allows Easy Priming and Efficient Pumping
- Precision Fit Plunger Prevents Grease Bypass and Resists Scoring
- **OEM** TOOLS



25725	87207	8	7206 87204	87201	87202	87203	87205
Mini Professional	Mini Pistol with Extension	Mini Lever Action	Lever Action Clear	Lever Action	Dual Pressure Lever Action	Pistol Grip with 18" Extension Hose	Pneumatic with 18" Extension Hose
SKU 417709 25725	SKU 1207892 87207	SKU 1207896 87206	SKU 1207899 87204	SKU 1362012 87201	SKU 1362007 87202	SKU 1207888 87203	SKU 1207901 87205
Comes with a 6" Extension and a 12" Flex Hose	• Includes 6" Extension • 2,900 Max. psi	• 4,000 Max. psi	Clear Barrel for Easy Grease Monitoring Includes 7" Extension 10,000 Max. psi	• Includes: 6" Steel Extension • 7,000 Max. psi	Includes: 6" Steel Extension Dual Pressure for Low and High Pressure Output 7,000 Max. psi for Increased Grease Filling Speeds	 Pistol Grip Handles Supports One Handed Operation 6,000 Max. psi 	• Includes 5.5" Extension • Air Operated for Continuous Lubrication Flow • 6,000 Max. psi
8 ⁹⁹	19 ⁹⁹	19 ⁹⁹	29 99 REG. \$39.99 Offer Good Through June 30, 2024	24 ⁹⁹	24 ⁹⁹	34 ⁹⁹	29 99 REG. \$39.99 Offer Good Through June 30, 2024

Grease Gun Accessories

7 Piece Grease Gun Accessory Kit

SKU **978118** _____99 25711

• Includes: Press-On 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-On 90° Coupler, Rubber Tip Nozzle, Needle Nozzle and 60° Coupler



Extension Hoses with Spring Guard

- Premium Grease Hoses for Manual and Air-Operated Grease Guns
- Spring Guard for Added Rigidity to Prevent Kinking
- Max. Working Pressure: 4,500 psi
- Burst Pressure: 12.000 psi
- Accessory Thread: 1/8" NPT

12¹¹

SKU **1207902** 87220

Q99

36¹¹

SKU 1207893 87222

18¹¹

SKU 1207887 87221



70 Piece Grease **Fitting Assortment**

SKU **577685** 25752

 70 Assorted Grease Fittings in 6 Popular



3 Piece Set (35 mm, 40 mm, 44 mm) **ATV/UTV Wheel Bearing Greasers**

SKU **1142593** 26043

REG. \$49.99

- Designed to Service Many ATV and UTV Wheel Bearings Without Removing the Wheelshaft
- Simply Remove the Wheel, Brake Caliper and Hub Insert Tool and Use Grease **Gun to Repack Bearings**

Offer Good Through June 30, 2024



SKU **1055505** 26540

· Quickly Flushes Out Old Grease and Repacks Bearings with New Grease

- Transparent, Impact Resistant Cup Allows User to Clearly See Grease Level
- Works on Bearings with up to 3-1/2" Outside Diameter



Universal Bearing Packer

SKU **1339731** 25081

Sizes

. Connects to Any Grease Gun

- Services Most Roller and Ball Bearings
- Forces Out the Old Grease and Evenly Injects Fresh Grease



LINCOLN

Lincoln

20V Li-ion PowerLuber Kit SKU **751676**

LIN1884

- Delivers Grease at Up to 10,000 psi
- Built-In LED Illuminates the Work Area
- Includes: Grease Gun, 2 Batteries, Charger and Case



12V Li-ion PowerLuber Kit

SKU **605324** LIN1264

- Li-ion Battery for Maximum Power and Efficiency
- Delivery at Up to 8,000 psi
- Built-In LED Illuminates
- **Dimly Lit Areas**



Fully Automatic Pneumatic Grease Gun

SKU **445386** LIN1162

• Fully Automatic, Continuous

- Operation • 30" High-Pressure Hose with Coupler and
- Attachment Clip Pump Ratio: 40:1 at 150 psi
- Max. Grease

Pressure: 6,000 psi



Super Pistol Grip SKU **445385**

LIN1134

- 18" Whip Hose
- Includes Rigid Pipe Variable Stroke Design
- 7,500 psi
- Filler Nipple/ Bleeder Valve



SKU **522903** LIN1147

• 3-Way Loading: By Cartridge, Bulk Load and Suction Load



FLUID HANDLING

Fluid Extractors

Manual Fluid Extractors

· Reservoir with Hand Operated Pump to Tackle Big Jobs



1.4 Gallons (5.6 Qts.) SKU **544744** 24389



2.1 Gallons (8.4 Qts.) SKU **666877** 24936

qq99



A MANUAL FLUID EXTRACTOR - GET THIS

2.5 Gallons (10 Qts.) SKU **547010** 24397 119⁹⁹

OEM TOOLS VALUE: \$14.99 Manual Fluid Extractor and Filler (7 Oz./.21 Qt./200 mL) With Purchase of: 24389, 24936 or 24397

Pneumatic/Manual Fluid Extractors

- Working psi: 85; Max. psi: 120
- Air Consumption: 6.5 CFM
- Single Piece Reservoir Structure Features a Leak Proof Bottom
- Overflow Shutoff Valve Prevents Fluid from Overflowing
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant and Power Steering Fluid
- Updated 41" Extended Dipstick Hose Adapters for a Longer Reach and Broader Applications



Change fluids quickly and easily anytime. No mess, no cleanup. Simply remove the dipstick and insert the tube.

1.5 Gallon (6.3 Qts.) SKU **666978** 24937 119⁹⁹



2.5 Gallon (10 Qts.) SKU **666881** 24938



Brake Bleeder Adapter Hose for Fluid Evacuators

SKU **568479** 24446

Offer Good While Supplies Last Through June 30, 2024

- Use With OEMTOOLS Fluid Evacuators, Converting Them into One-Person Vacuum Brake or Hydraulic Clutch **Bleeders**
- Universal Bleed Screw Adapter



All OEMTOOLS Fluid Extractors Include:













Fluid Evacuators

PneumatiVac Fluid Evacuator (2.3 Gallon)

SKU **497203 MITMV7300**

• Operates on

Compressed Air Independent Air



Fluid Evacuator Plus

SKU **497200** MITMV7201

- Evacuates or Dispenses at the Push of a Button
- Integrated 2.3 Gallon (8.8 Liter) Capacity Reservoir
- Durable, Chemical Resistant Polyethylene Construction
- Dipstick Tube Adapters Included



Fluid Evacuator (1.9 Gallon) SKU **594882**

MITMV7400

129⁹⁹

- Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir
- · Evacuates All Kinds of Fluids Including Engine Oil. Transmission Fluids, Gear Oil, Coolant, Brake Fluid and More



Fluid Extractors and Fillers

mityvac...

OEM TOOLS

OEM TOOLS

1.5 L Fluid **Extractor/Dispenser**

SKU **606541** MITMVA6852

- Simple Manual Syringe-Type Action Quickly and Cleanly Extracts or Dispenses Fluid
- Integrated Valve and Cap to Prevent Spills and Leaks Compact, Streamlined Design Allows
- Access into Tight Spaces
- Ideal for Evacuating or Topping Off Fluid Reservoirs
- Easy to Clean; Hose and Seals are Simple to Replace

OEM TOOLS **Manual Fluid Extractor and Filler** (7 Oz./.21 Qt/200 mL) SKU **666326** 24985

- Used to Extract and Refill Many Common Automotive Fluids, Including Brake Fluid
- Dual Scale Molded into Cylinder Body (Qt./mL)
- Includes Extension Tube for Accessing Hard-To-Reach Filler Necks and Reservoirs







- Ideal for Evacuating or Priming Diesel Fuel Systems
 2 Adapter Hoses: 10 mm Male to 3/8" or
- 5/16" Female Fuel System Connections
- 3 Male-To-Male Adapters: 10 mm Male to a Barbed, 3/8" or 5/16" Male Connection

For Outside Buy/EPO, Call 901-300-4878



Fluid Siphon Pump

SKU **568475 9099** 24863

- Transfer Fluids Easily Use to Transfer Gas, Water, Oil and Other Non-Corrosive Liquids
- Hose Reach: 6' with 1/2" Diameter



SKU **1125880** 25740

• Required Tool to Fill or Add Fluid to the 5R55W **Automatic Transmission**

mituvec_

• Used in Many Ford Vehicles (2003 - Newer) Same as Ford No. 307-437



Fluid Management

Manual ATF Filler System

SKU **526508** 24441

0099

- Complete System for Servicing Sealed Automatic Transmissions
- Includes Adapters to Fit Ford, BMW, Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes-Benz Transmissions
- · Reservoir Capacity: 3 Liters (3.1 Quarts) • The Fluid Dispensing Hose Features
- a Swivel Connector and Fluid Dispensing Shut-Off Valve Comes with Belt Attachment for Storing All of the Adapters on Dispenser
- Adapters Included: DSG M24 x 1.5, CVT M22 x 1.5, CVT M12 x 1.5, ATF M10 x 1.0, ATF 1/8 NPT - 27. ATF 04, ATF 03



ATF Refill Kit. 5 L

SKU **265092** MITMV6410A

- Fluid is Dispensed Under Pressure for Smooth Continual Flow
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Internal Pump Components are Sealed Against Exposure to Fluids
- Flow Control Valve is Conveniently Located Near Fluid Output
- Features Integrated Safety and Manual Pressure

Relief Valve



Universal Fluid

Dispensing System

SKU **265093** MITMV6400

- Large 1.2 Gallon (5 Liter) Fluid Capacity
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Pressure Gauge Indicates Fluid **Dispensing Pressure**
- Safety and Manual Pressure Relief Valve
- Vehicle Adapters



Pneumatic ATF Refill Kit, 10 L

SKU **1330680** MITMV7412

and ATF 02

• Utilizes Compressed "Shop-Air" to Produce Pressure



ATF Refill Adapters with Hose

SKU **1361999** MITMV7216A

25999



Evacuator/ Dispenser, 10 L


SKU **1228726** MITMV7110

· Isolated Flow Control and Pressure/Vacuum Switch Valves Provide Simple Functionality Control

 Redundant Pressure Control Systems Safely Maintain Peak Output Pressure Below 30 psi (2 Bar)



AZG0224















FLUID HANDLING

Lever Action Pumps

OEM TOOLS

Lever Action Hand Oil Pump

SKU **462495** 24381

- Oil Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, Heavy and Light Oils. Diesel and Kerosene
- Built-In 1-1/2' and 2" Bung for Use on 16 to 55 Gallon Drums with **Either Opening**
- Not for Gasoline or DEF



Lever Action Barrel Pump Polypropylene Stainless Steel Rod

SKU **688038 39**99 24472

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- · Not for Gasoline or DEF



OEM TOOLS

Lever Action Barrel Pump - Ryton® Stainless Steel Rod

SKU **688037** 24473

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Acids Including DEF
- Not for Gasoline



LINCOLN

SKU **970530** LIN1340

- Pumps Non-Corrosive Fluids, Not for Gasoline
- Telescoping Tube for 16 to 55 Gallon Drums
- Removable Allows for Threaded Hose Connection



Grease Pump

LINCOLN **Manual Gear Lube Dispenser** SKU **174166** LIN1293

- 5' Hose, 13" Pump Tube Fits 25 to 50 Lb. 5 Gallon Container
- · Delivers 1 Oz.



LINCOLN

Rotary Pumps

OEM TOOLS

Rotary Barrel Pump SKU **462486** 24382

- Fluid Transfer Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, ATF. Diesel and Kerosene
- Not for Gasoline or DEF



OEM TOOLS

Polypropylene Rotary Drum Pump

SKU **688035** 24470

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- . Not for Gasoline or DEF



Manual Rotary Oil Pump with Hose for **55 Gallon Drums**

SKU **265089** LIN1385H

• Includes: 8 Ft. x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger: Seal Tight Telescoping Pick-Up Tube with Strainer for 16 to 55 Gallon Drums with 2" Bung



SKU **462977** LIN1385

· Hose Not Included

Drum Not Included

lotinDow

Industries

LINCOLN

Manual Rotary Fuel Pump with Hose for **55 Gallon Drums**

SKU **265088** LIN1387

33999

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline. Diesel. Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids. Hydraulic Oils and ATF



Drum Wrench

Aluminum

22664

Drum Bung Wrench SKU **1267963**

· Comfortable and Textured Grip for Ease of Use

OEM TOOLS

- Non-Sparking, Non-Corrosive Aluminum Construction
- Fits Most Steel and Plastic Caps, Including 3/4" Vent Plugs
- Effortlessly Opens and Tightens Bungs to Guarantee Drum Contents are Safe
- Opens 10, 15, 20, 30 and 55 Gallon Barrels



Fuel Transfer Pumps

25 Gallon Steel Gas Caddy

SKU **360585** DOWFC25GC

- UL Approved
- 25 Gallon Tank is Constructed of 14" Gauge Steel for Use with Unleaded Gasoline. Kerosene. Ethanol E85, Diesel and Bio-Diesel Fuels

Two-Way Fuel Filter for Gas Caddies

SKU **360659** DOWJDIFF25

· For Use on DOWFC25GC DOWJDI25GC

> Gas Caddie Not Included





We Now Offer Above Ground Storage Tanks



Call for More Information

901-300-4878

· Storage for Engine Oils, Gear Oils and Other Fresh Oils as well as Waste Fluids

Sizes Available from 25 to 4,000 Gallons, in Single and Double Wall



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

MAHLE

UID HANDLING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Fluid Exchangers

VCX-1 Vacuum

Coolant Exchanger SKU OUTSIDE BUY/EPO MSS4708001900

- Extremely Fast Service Cycles
- Simple Hook-Up and Operation Flexible





MAHLE

Trans-Tech 4 Plus

SKU OUTSIDE BUY/EPO MVC500-1125B

 Automatic, In-Line Exchange Through Vehicle Cooler Line

- ATF Exchange Through Vehicle
- Transmission Dipstick Drain Pan Feature
- 26 Quart New Fluid Reservoir
- · High Volume Pump for Rapid and Efficient Service
- Comes with Standard Set of Adapters
- Uses MVC400-0137 2-Part ATF Cleaner and Conditioner Fluid



Fluid Not Included

MOTORVA®

ATX-3+Boost **Transmission Fluid Exchanger**

SKU OUTSIDE BUY/EPO MSS4008000900

5,04999

FluidPR0®

- Fully Automatic Operation
- Precision Fluid Measurement to Minimize Technician Input
- · Digital Weight Scale Technology for Accurate Fluid Exchange
- Transmission Pressure Diagnostics



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Oil and Grease

PM2 3:1 Oil Pump with Hose Kit

SKU **OUTSIDE BUY/EPO SAM222**

- Perfect for Small to Medium Facilities, Quick Lubes, Tire Shops, Tank Packages
- Pump Used with Lubricants, Transmission Fluid, Hydraulic Oil, Gear Lube
- Fits 55 Gallon Drum or 36" Tank



Digital Oil Meter SKU **383183**

LIN982

• Large 6 Digit LCD Display with Two Decimal Point Precision

- . Measures in Quarts, Pints, Gallons or Liters
- 13" Flexible Extension with Automatic Nozzle
- · Low Battery Indicator
- . Built-In Trigger Guard



LINCOLN

300 Gallon Double Wall Package

- Ideal for Motor Oils and Hydraulic Oils in Shops Where Space is a Concern
- Includes Filter/Regulator
- 5:1 Ratio RAM Pump · Heavy-Duty Reel with 50' Delivery Hose



SKU OUTSIDE BUY/EPO ALM1300U50ERDW

Horizontal Tank SKU **OUTSIDE BUY/EPO ALM130050ERDW**

Oil Trolley Package SKU OUTSIDE BUY/EPO ALM343509

 Pneumatically Operated Alemite Pump

• Electronic Meter with Flexible Extension Measures Pints, Quarts, Gallons or Liters

30¹ Heavy-Duty Reel

Drum Not



Grease Trolley Package SKU OUTSIDE BUY/EPO ALM343510

04999



· Heavy-Duty Control Valve with Universal Swivel

• 30' Heavy **Duty Reel**



Drum Not Included

FLUID HANDLING

THE FUTURE OF YOUR BUSINESS IS IN JEOPARDY. WHAT WILL YOU DO TO DEFEND IT?



Automakers are making it harder for you to fairly access the tools and data needed to repair and maintain vehicles.

IT'S TIME TO TAKE A STAND.

Support right to repair at repairact.com.



Fluid Exchangers

BFX-10 Brake Fluid Exchanger SKU OUTSIDE BUY/EPO

MSS4258001600

- 1.24999
- . Suitable for ABS, ESP, EDS and SBC
- Hydraulic Pump
- Two Universal Adapters Included

Brake Fluid Exchanger SKU OUTSIDE BUY/EPO MSS4258001400

2,44999

- Hydraulic Pump
- Suitable for ABS, ESP, EDS and SBC



ATX280 Trans Fluid Exchange Unit

MAHLE

SKU OUTSIDE BUY/EPO MSS4008002300

5,799⁹⁹

- 7" Touchscreen LCD Display with Graphical Interface
- · Onboard Additive Tank for Detergent/ Oil Injection



For Outside Buy/EPO, Call 901-300-4878

INN@VA

OE-LEVEL DIAGNOSTIC TABLETS & TOOLS

SDS-Tech

INNOVA® SDS50 SKU#1269649

- · FREE access to
- RepairSolutionsPRO
- · All Systems Scan
- STORE STOCKED

349.99

- · OEM Level DTC's
- + Live Data
- · Bi-Directional / Active Tests
- + Special Function

RepairSolutionsPRO Companion App



RESETS/RELEARNS/INITIALIZATIONS/CALIBRATIONS

- Oil Maintenance Reset
- · Battery Reset/Battery Initialization · Battery/Alternator Test/
- Electronic Parking Brake Reset
- Steering Angle Sensor Calibration

- ABS Bleeding
- Transmission Reset
- · Maintenance Reset
- EV/HEV/PHEV Battery Health • Transmission Fluid Change Reset
- TPMS Relearn (OBD+ Procedure) Transmission Fluid Level Check
 - Suspension Calibration
 - Headlamn Calibration

• Throttle Body Relearn/TEC Learn • Tire Size Reset





The most comprehensive automotive repair database with verified fixes and repair tips from ASE Master Technicians.

PLUS Generate multiple types of detailed reports included pre/post-scan reports to save and share.

Secure Gateway (SGW) access on 2018 & newer **FCA** vehicles

5D5-Pro

INNOVA® 7111

SKU#1062521

· FREE access to

- OEM/Enhanced Diagnostics

RepairSolutionsPRO built-in

- · Bi-Directional / Active Tests + Special Function
- · Removeable VCI -Wireless Diagnostics



STORE STOCKED

SDS-Inspector

249.99

STORE STOCKED

INNOVA® SDS43 SKU#1269650

• FREE access to RepairSolutionsPRO

- · Emissions System Diagnostics
- · Bi-Directional / Active Tests
- + Special Function
- · Powertrain, Body + Chassis Diagnostics



INNOVA® INFRARED THERMAL **IMAGING CAMERA** 3360

SKU#1060624

- · Target & record temperatures and thermal data with advanced infrared technology
- · Easily inspect vehicle cooling systems, HVAC, brakes and more
- · Save and download images to share or print







149.99

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Pressure Testers

Universal Cooling System Pressure Test Kit SKU **OUTSIDE BUY/EPO**

· Quickly and Easily Pressure Test Cooling Systems in Most Vehicles

• Includes 3 Expandable Adapters That Take the Place of Numerous Specialized Adapters

 Prevents Damage to Plastic Reservoir Threads That Occurs When the Wrong Adapter is Forced On



Mastercool.

Universal Cooling System Adapter Set SKU **434723**

27067 **REG. \$79.99** Designed to Fit Most Passenger

Vehicles and Light Duty Trucks Fits Both Radiators and Plastic Reservoirs

 Universal Design Works with Any Cooling System Pressure Pump

 Prevents Damage to Plastic Reservoir Threads That Occurs When the Wrong

Adapter is Forced On Pressure Test Pump Not Included

Offer Good Through

June 30, 2024

Mastercool...

OEM TOOLS

Cooling System Pressure Test Pump

SKU **424722** 27069

Quickly and Easily Pressure Test Cooling Systems in Most Vehicles

 High Quality Pressure Pump Designed to Work with Most Cooling System Adapters

 Easy-to-Use Lever Style Pressure Relief Valve



OEM TOOLS



▼ Mastercool∴

For Outside Buy/FPO. Call 901-300-4878

Heavy Duty Cooling Test and Refill Kit

SKU **954220** MSC43014

· Includes: Vacuum Gauge, Sealing Collar, Valve, Rubber Gaskets and Coolant/Draining Hoses

 Sealing Collar (with Rubber Cone) Offers a Wide Variety of Applications for Radiator Filler Necks

. Minimizes the Risk of Engine Overheating

• 2.3 Gallons per Minute Fill Rate



Heavy Duty Cooling Kit

SKU **954231** MSC43306



• For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems

• Uses Shop Air to Pressure Check and Vacuum Refill

 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks



27 Piece Master Radiator **Pressure Test Kit**

SKU **1053958**

MSC43301-A • Includes: 1 Blue Radiator Cap Test Connector R123/R125, 1 Black Radiator Cap Test Connector

R123/R124, 1 Thermometer, 1 Universal Radiator Cap, 1 Vacuum Purge and Refill Tool, Coolant Hose and Additional Installation Accessories, 1 Hand Pump and 19 Adapters (Nos. 2 to 4, 6 to 21) to Fit Most Popular Domestic and Import Cars and Trucks



Cooling System Adapters

Volvo, Saab, Jeep, Maserati, Ferrari SKU **133600** 27241R

• Fits Maserati and Ferrari Models (2000 - Newer), Jeeps with Male Threads (1990 - 1994), Saab 900 (1978 – 1993), Saab 900 (Drop Top 1994), Saab 9000 (1987 - 1998), Volvos with Male Threaded Necks

• Diameter: 45 mm

. Thread Size: 3 mm



Audi, Porsche and VW SKU **133549** 27240R

• Fits Audis and VW with Male Threads on Filler Neck. Porsche Boxster (1997 - Newer), Porsche Cayenne (2006 - Newer), and Porsche 911 (1999 – Newer)

• Diameter: 48 mm

. Thread Size: 3 mm



Audi and VW

SKU **133625** 27245R


• Fits Audi A4 (1996 - Newer), A6 (1998 - Newer), A8 (1997 - Newer), S4 (2004 - Newer), TT (2000 - Newer), Bentley (2006 - Newer), Lamborghini (2006 – Newer), Porsche Cayenne (2003 – Newer), Porsche Panamera (2010 – Newer), Volkswagen Passat (1998 - Newer), Beetle (1998 - Newer), Golf and Jetta (1999 – Newer)



OEM TOOLS

Mazda 3, Volvo S40/V50 and Ford

SKU **133633** 27249R



• Diameter: 50 mm; Thread Size: 2.5 mm



27248R

• Fits Lexus LS (2007 - Newer), Toyota Celica (2000 - Newer), Spyder MR2 (2000 – Newer), RAV4 (2009 – Newer), Prius (2004 and Newer), Camry (2007 – Newer), Highlander (2006 – Newer) and Scion XB (2008 – Newer)

• Diameter: 34 mm; Thread Size: 3 mm



Acura, Chevrolet, Chrysler, Geo, Honda, Isuzu, Lexus, Mazda, Mitsubishi, Suzuki and Toyota

SKU **133624** 27244R

• Fits Early Models with 32 mm Opening and a 9 mm Depth



Mercedes and Chrysler

SKU **133626** 27246R

• Use with Any Standard Pressure Tester

• Fits Mercedes-Benz with Threaded Filler Necks (Except M-Class 1998 - 2005) and Chrysler Crossfire (2004 - 2008)

 Diameter: 62 mm; Thread Size: 4 mm



Ford, Jaquar, Pontiac, Range **Rover and Saab Radiator Adapter**

SKU **133611** 27243R

• Fits Jaguar X Type (2002 - Newer), Saab 900 (1994 - 1998), Saab 9-3 and 9-5 (1999 – Newer), Some Saturns and Other Vehicles

· Diameter: 52 mm; Thread Size: 3 mm



VW

SKU **133609 34** 99 27242R

· Volkswagens with Female Threaded Filler Necks (1990 to 1998)

• Diameter: 57 mm; Thread Size: 3 mm




Ford, Jaguar and Mazda **Radiator Adapter**

SKU 133631 27247R

• Ford Contour 1998-2000 Jaguar XJ8 1998-up, Jaguar XK8 1997-2006. Mazda Tribute 2001-Up

· Diameter: 52 mm; Thread Size: 3 mm





COOLING SYSTEM

Coolant Funnels

Professional No-Spill Coolant Funnel Kit

SKU **943142 43**99 87043

- 5 Spring-Loaded Adapters for a Secure Fit
- Simply Select the Correct Adapter, Attach the Funnel and Fill
- Air-Release Tubes to Vent the System During Refilling Process
- Stopper Prevents Dripping When Removing the Funnel
- Includes: Extensions and Adapters for Hard-To-Reach Surge Tanks



- 4 Radiator Cap Adapters to Fit Most Passenger and Light Trucks
- Simply Select Correct Adapter, Thread Together, Attach the Funnel and Fill
- · Rotary Switch to Effectively Prevent Drips and Spills, and Stop Overflow and Bubbles
- Includes: 5 Adapters, (2) 45° Elbows and (2) 5" Extension Rods for Difficult-To-Reach Areas



For Outside Buy/EPO, Call 901-300-4878

No-Spill Coolant Filling Funnel Kit

with Coolant Tester SKU **1340229** 87045

- Includes 5 Direct Fit Cooling System Adapters to Fit Most Passenger Vehicles and Light Trucks
 • Includes: 45° Angled and 5" Extension Adapters
- for Accessing Hard-To-Reach Spots and Tester for Glycol Based Coolants
- Fluid Stopper to Prevent Drips and Spills when Removing from the Filler Neck



Leak Tester

OEM TOOLS

Gas Engine Combustion Leak Tester

SKU **1103608** 37145

• Used to Test for Combustion Leaks that Result from Head Gasket, Cylinder Head and Engine Block Leaks

 Pulls Air from the Cooling System Up Through the Leak Tester; if Carbon Dioxide is Present, the Leak Tester Fluid Color Will Change to Yellow Signifying a Combustion Leak



OEM TOOLS

Combustion Leak Detector Fluid (8 0z.)

25739

2.4 Gallon Plastic Radiator Filler

STORE STOCKED



OEM TOOLS

Radiator Filler

SKU **754738** 87104

 Impervious to Oil. Gasoline and Antifreeze

 Stands Un to Extreme Weather

OEM TOOLS



AirEvac Cooling System

AirEvac Cooling System Refiller

SKU **568478** 24444

- Quickly Refills Cooling System and Eliminates Trapped Air
- Helps Prevent Come-Backs and the Threat of Engine Damage
- Universal Adapter Forms an Airtight Seal with Most Radiator and Coolant Bottle Necks Performs Vacuum Leak Tests

• Covers Most Radiator and Reservoir Type No Custom Adapters

Required Comes in Sturdy **Blow Mold Case**



AirEvac Cooling System Kit

SKU **099292** 27066

- . Uses Shop Air to Evacuate the Cooling System for Vacuum Leak Testing
- · Refills Cooling System without Trapping Air That Causes Overheating
- Universal Adapter Forms an Airtight Seal with Both Radiators and Coolant Reservoirs
- Self-Locking Quick Disconnects for Fast Assembly



OEM TOOLS

Coolant Testing

Professional Series Ethylene Glycol Antifreeze Tester

SKU **750007** 24507

- For Testing Hot or Cold Ethylene Glycol-Based Coolants, Including Dex-Cool®
- · Easy-To-Read Discs are Magnified by Convex Design of the Clear, Thermal Resistant Plastic Barrel
 • Disc-Type 16-1/4" Tester is Accurate at All
- Temperatures (Celsius



Flush Tools

Coolant System Flush Gun SKU **1284967** REG. \$49.99

• Universal Nozzle to Fit Various Radiator or Heater Hoses

 Combines Water with Compressed Air to Quickly and Efficiently Flush Cooling Systems

• Comfortable Lever-Action Air Throttle with Lock-On Latch for Simple Attachment of Air Hoses

• Used for the Detailed Flushing of Debris and Contaminants From the Cooling System During Repair and Maintenance

Offer Good Through June 30, 2024


Heater Core Backflush Tool SKU **511000 90**99

THX356

- Fits 1/2", 5/8" and 3/4" Heater Hoses
 Saves Costly Replacement of Most
- Stubbornly Clogged Heater Cores
- Made of Corrosion-Resistant Aluminum
- Basic Garden Hose Hook-Up Cleans Cooling Systems and Heater Cores without Disassembly



THEKTON



COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Cooling System Tools

6 Piece Hose Clamp Pliers Set

SKU **1282734** 27158

• Services Most Ring-Type or Flat-Band Hose Clamps

· Clamps are Held Open with a Ratchet Locking Mechanism

• Includes Regular Hose Clamp Pliers, Flat-Band Hose Clamp Pliers, Large Hose Clamp Pliers, Hose Remover Pliers, Angled Hose Clamp Pliers and Cable Hose Clamp Pliers



4 Piece 14" Jumbo Pick Set SKU **94658**

OEM TOOLS

• Includes: Straight Pick, 90° Pick, Offset Pick and Hook Pick

25940



Clic-R Hose Clamp Pliers

SKU **1089038** 25102

. Easily Remove or Install Clic-R Type High Tension Clamps

• Heavy Duty and Durable Steel Construction

· Clamps Commonly Found on BMW, Mercedes-Benz, Audi, VW and Other Cars and SUVs




SKU **1335785** 26519

OEM TOOLS

Cuk Yan

- · Dual Durometer Handles for Comfort and Grip
- Hooks and Picks are Assembled from Carbon Steel for Strength and Durability
- · Perfect for the Removal of Coolant Hoses, Cotter Pins Brake Springs, Large Electrical Connectors and More



Coolant Hose Removal Tool Set

SKU **383214** CAL244TNZ

- Thicker Than Most Hose Disconnect Tools
- 40° Offset Designed for Jobs in Tight Spaces
- Low Profile Design for Ease of Use
- Set of 4 Will Cover Quick Connect Hose Needs



Master Freeze Plug Installer Kit


SKU **965837**

• Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines



Heater Hose Coupler Remover

SKU **222528 1 9 9** LIS62200



• Use 5/8" Socket or Wrench to Turn Out



Coolant Exchangers

2 Tank Coolant **Exchange Machine** SKU **OUTSIDE BUY/EPO** MXMMX2

· 2 Fiberglass Tanks with 10 Gallon Capacity

 Allows Coolant/Antifreeze **Exchange Directly from** the Radiator Spout or **Expansion Tank**

 Heavy Duty Aluminum Design

 Energy Saving— No Electricity or **Batteries Required**

Eliminates Spills

Coolant Not Included



MAHLE **VCX-1 Vacuum Coolant Exchanger**

SKU OUTSIDE BUY/EPO MSS4708001900

2,799⁹⁹

Extremely Fast Service Cycles

• Simple Hook-Up and Operation

• Flexible Adaptation for Most Makes and Models



MAHLE FluidPRO® MCX-2 **Multi-Coolant System Fluid Exchanger**

SKU OUTSIDE BUY/EPO MSS4708003000

2,87999

- Includes System Pressure Test Feature and "Hot Car" Radiator Cap Pressure Release
- · Compatible with All Coolant Types for Adaptability
- Contains (2) 7.5 Gallon New Coolant Tanks and (1) 15 Gallon Waste Tank Providing Simple, Rapid Switching from One Coolant to Another

• 3 Minute Service Time for Increased Productivity



Vacufill Air Operated Coolant Exchanger with Drain Pump SKU OUTSIDE BUY/EPO

UVU570000X

1,759⁹⁹

• Includes: Auxiliary Pump for Emptying Waste Reservoir

· Large 12 Gallon Waste Coolant Reservoir

· Connects Easily to Engine Cooling Systems


 Large 3 Gallon New Coolant Tank

 Eliminates Potential Airlock **Problems**

Tests for Leaks While Under Vacuum



Fluid Not Included





























Line Repair Tools



3/16" Brake Line Kit

SKII 662854 SURBR-EZ316

- 110 Piece Kit Includes Most Popular Brake Nuts, Unions and Adapters
- Made in USA
- UltraBEND Tubing Easy to Flare and Bend without Kinking
- · Smooth Flares Create Better Fittings Seals, Reduces Potential for Leaks
- Includes: 110 Pieces Plus 25' of UltraBEND 3/16" Tubing
- Standard (SAE) and Metric Fittings Included



Deluxe Fuel Line Surer **Replacement Kit**

SKU **662866 SURKP1500**

- Repair or Replace 1/4", 5/16" or 3/8' Fuel Lines in as Little as 5 Minutes
- No Special Insertion Tools Required
- Thumb Release Convenience Includes 168 Pieces Plus 75' of Tubing
- No Specialty Tools Required
- Pressure Rated Up to 200 psi



Fuel Line Repair Dynamic **Assortment Kit**

SKU **1392319 DYNDY-FLA-2**

13999

- . Kit Includes 23 of the Top Selling Connectors, Fittings and Clamps
- 86 Total Pieces



Pro Series Repair **Assortment**

SKU **1125882** AIR78019

AIRSEPT.

- Everything You Need for Transmission and Power Steering Line Repair in One Convenient Kit - 16 Repairs
- 5 Minute Line Repair
- Leak-Free to 2,600 psi
- OE Approved



Bubble Flaring Tool Kit

SKU **592261** 27214

- · Designed for Metric Soft Steel Brake Lines Where an "ISO" or Bubble Style Flare is Required
- . Flaring Bar and All the Adapters Needed for ISO Bubble Flaring
- Includes 4 Dies: 4.75, 6, 8 and 10 mm



OEM TOOLS

OEM TOOLS

Universal Flaring Set

SKU **954227** MSC72475-PRC **569**99

- · Create Perfect Production Quality Flares
- Magnetic Adapter Holder Keeps Adapters in Place
- Tube and Die Set Stabilizing Arm for Easy Tube Forming
- Enlarged Die Set Compression Area for Better Grip of Dies



Disconnect Sets

7 Piece Angled **Disconnect Tool Set**

SKU **1335786** 26515

REG. \$24.99

- Disconnects Spring Lock Couplings on Ford and Chrysler AC Lines
- Works on Fuel lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
- Angled Handles for Easy Access to Tight Spots
- Made of Durable Plastic that Resists Fuels and Solvents
- Sizes Include: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

Offer Good Through June 30, 2024

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece

SKU **004112** 25031



- · Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- (1) Straight and (1) 90° Tool for 11.8 mm Fuel lines; (1) Straight and (1) 90° Tool for 16 mm Fuel Lines



OEM TOOLS

15 Piece Master Disconnect Set


SKU **900807** 27195

• Includes: Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line Disconnect Tool



DEF Disconnect Set

SKU 1105329 LIS37450



 Used to Depress the Locks that Retain the DEF Lines Allowing Removal



3 Piece Aluminum 1/2" Oil **Line Disconnect Set**

SKU **94653** 25187

- Used to Remove and Replace Oil and Transmission Cooler Lines Found on GM. Ford. Nissan and Tovota Vehicles
- Anodized Aluminum Construction
- Quick Line Removal



OEM TOOLS

Angled Disconnect Set SKU **291416 29**

LIS39400

• Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines · Works on Fuel Lines and Other Quick

Disconnect Couplings on Domestic and Import Vehicles

• 6 Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



OEM TOOLS

Master Disconnect Tool Set

SKU **291413** LIS39900



· Comes in a Blow Mold Case



Coolant Hose Removal Tool Set

SKU **383214** CAL244TNZ

• Used to Completely Fill the Void in the Connector to Release the Fastener

• 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces










Cattan




zle,

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Spark Plug Service

3/8 Drive Magnetic Spark Plug **3 Piece Socket Set**

SKU **300140** 22891







	Spark Plug Sockets						
SKU	Part #	Drive	Size	Features	Price		
082923	22880	3/8"	9/16"	Magnetic	7.99		
082933	22887	3/8"	5/8"	Magnetic	9.99		
082929	22881	3/8"	18 mm	Magnetic	9.99		
082932	22883	3/8"	13/16"	Magnetic	9.99		
082934	22889	1/2"	13/16"	Magnetic	9.99		
082936	22895	3/8"	14 mm	12 Point Thin Wall	9.99		
300146	22885	3/8"	5/8"	6" Extension	14.99		
300147	22886	3/8"	9/16"	6" Extension	19.99		

3/8 Drive 14 mm x 12 Pt. BMW **Spark Plug Socket**

SKU **814164** 22814

· Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces

Durable Chrome Moly

Steel Construction



Adiustable Spark Plug Boot Pliers

SKU **1340226 9**/1 99 25559

- . Jaws Adjust to Five Different Positions for Easy Access to Spark Plug Boots
- Rubber Dipped Jaws Provide a Secure Grip for Damage Free Removal of the Spark Plug Boot
- Hardened Jaws Will Not Bend When Gripping • Dipped Handle Grips for a

25542

Comfortable and Sure Grip



3/8 Drive 14 mm x 12 Pt. **Spark Plug Boot Pliers** SKU **390900**

Extra Long Spark Plug Socket

SKU **814337** 22813

• Designed with a Universal Joint for the Installation and Removal of Spark Plugs

Situated in Tight Spaces Durable Chrome Moly Steel Construction

• 12" Extended Reach










Spark Plug Wire Puller

SKU **532549** 25061



• Designed to Remove Hard-To-Reach Spark Plug Boots

45° Offset Jaws for Easy Gripping of Wires and Boots

. Grips Directly on Boot to Prevent Wire Damage



Specialty Sockets

IPR Socket, 3/8" Drive

SKU **912334 14 99** 25280

· Remove/Replace IPR without Damaging the Connector

 Applications: Ford 6.0L and Other **Diesel Engines**



OEM TOOLS

Oxygen Sensor Socket Set SKU 1103591 **71**99

· Special Purpose, Universal Slotted Socket That Services Hex Vacuum Switches and Oxygen Sensors

• Includes Sockets for Most Applications: 3/8" Drive 7/8" (22 mm) Deep 3/8" Drive 7/8" (22 mm) Crowfoot 1/2" Drive 7/8" (22 mm) Deep Crowfoot



Swivel Joint



OEM TOOLS

Water Sensor Wrench


SKU **459099** LIS34900

· Removes and Installs the Water Sensor Located on the Fuel Filter on 6.6L Duramax Diesel Engines (2012 - Newer)



7 Piece Sensor Socket Set

SKU **900823 599** 27189



OEM TOOLS

• Chrome Vanadium for Toughness





Insulated Tools

10 Piece Insulated Screwdriver Set

SKU **1267942**

24 REG. \$29.99

- 1,000V VDE Certified Insulated Screwdrivers
- Insulated Grip Handle and Precision Handle for Added Efficiency
- Insulation Sculpted Directly Onto Blade for Permanent Bonding Quick-Release Mechanism for Effortless Blade Change
- Exchangeable Blades with a Slim Tip to Fit Tight Terminal Blocks
- Durable Tool Pouch Included for Easy Organization
- Includes 4 Slotted Blades

Offer Good Through June 30, 2024

Remote Starter

Heavy Duty Remote Starter Switch

SKU **265127**

1999

- · Heavy Duty, Push Button Remote Starter Allows Technicians to Bump or Crank Engines While Under the Hood
- 67" Heavy Insulated Wire for Long Tool Life
- Heavy Duty Insulated Alligator Clips



AZG0224

OEM TOOLS

Fuel Pump Tools

OEM TOOLS

OEM TOOLS

Fuel Pump Module Spanner Wrench SKU **110278** 25156

· Removes and Installs the Fuel Pump Retaining Ring



Fuel Tank Lock Ring Tool DEM TOOLS

SKU **751721** 24398

31 99

• Ford F150 Trucks (2004 - Newer); Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango (2004 - Newer); Chevy 1/2 Ton and

(2004 - Newer) Works with 1/2" Drive Ratchet or Breaker Bar

3/4 Ton Trucks



STECK

lisle

lisle

· Tests All 3 Fuse Sizes (Micro, Mini and ATO Circuits)

Fuse Buddy™

• Plug-In Fuse Buddy and Read Circuit Amp Draws up to 30A



Fuel Tank Adapter

SKU OUTSIDE BUY/EPO 24832

- · Makes Fuel Tank Removal Safe and Easy
- Works with Most Transmission Jacks
- Includes: 2 Nylon Straps to Secure Tank
- Foam Rubber Pads Protect Tank



For Outside Buy/EPO, Call 901-300-4878

Bed Lifter

SKU OUTSIDE BUY/EPO STK35885

• Designed to Lift Truck Beds Safely and Easily

Lifting Brackets Adjusts to



For Outside Buy/EPO, Call 901-300-4878


Throttle Depressors

OEM TOOLS

Brake - Accelerator Pedal Depressor

SKU **802194 34 99** 24232

- Holds Brake or Accelerator Pedal at **Desired Position**
- Easy to Adjust
- . Extends to 24"
- · Suitable for Many Diagnostic Applications



Relay Tools

LIS56810

Relay Test Jumper Set SKU **291333** 11499

• Includes 4 Jumpers to Fit the Most Popular Size Relays on **Domestic and Import Vehicles**

 Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On



OEM TOOLS

lisle

27211 **Cut Relay Related Diagnosis Time by 75%**

Relay Circuit Tester

SKU **383450**

- Identify at the Push of a Button if a Wire, a Part or a Relay is Defective
- Test an Entire Circuit from the Battery to the Component
- Bypass Relays to Do Compression Test, Fuel Pressure Test, A/C Fill, etc.
- . Includes: Tester, 6 Popular Relay Leads and 1 Universal Relay Lead

48



Relay Test Jumper Set II SKU **291341**

LIS60610

• Includes 4 Jumpers to Fit Many Popular Relays on Honda, Nissan, Toyota, Newer Ford and GM Mini Micro Relays as Well as International Trucks





Relay Puller Pliers

SKU **291342 34 99** LIS46950

- For Removing Electrical Relays on Most Domestic and Import Vehicles
- Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay



Steering Wheel Holder and Pedal Depressor Set

SKU **802195** 24231

- . Holds Steering Wheel in Position for Alignment Adjustments
- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- · Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



OEM TOOLS

Throttle Pedal Depressor SKU **222525 54 99**


LIS48700

• Length: 40"

. Holds Throttle at a Constant RPM . Engage the Nylon Hook Under the Steering Wheel, Then Extend the Depressor Rod to

the Accelerator Pedal





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Wire Strippers

7" Wire Stripper Crimper - Cutter

SKU **751657 7999**

24452

- Strips 20-12 Gauge Insulated and Non-Insulated Wire
- . Use for Wire Cutting and Stripping, as Pliers for Grabbing and Twisting or for Crimping of Insulated and Non-Insulated Connectors
- · Industrial Finish with Red Textured Grips



9-1/2" Terminal Crimping Pliers with Cutter SKU OUTSIDE BUY/EPO

25196

- For Insulated and Non-Insulated Wire Connectors and Terminals
- Specially Hardened Wire Cutter in Nose
- Tapered Nose for Working in Confined Spaces
- For 10 to 22 AWG Wire Connect
- Plastic-Dipped Comfort Handles Minimize Fatigue

For Outside Buy/EPO. Call 901-300-4878



8-1/4" Wire Stripper/ **Cutter/Crimper/Bolt Cutter**

SKU **312821** 25193

- AWG: 10, 12, 14, 16, 20 and 22 Stranded
- AWG: 8, 10, 12, 14, 16 and 18 Solid
- Crimps 7 and 8 mm Ignition Terminals



OEM TOOLS

Circuit Testers

Digital Display Circuit Tester

SKU **568468** 24451

- · Detect Voltage, Power, Ground and Circuit Condition
- Display Provides Precise Voltage
- Voltage: 5 to 30V DC
- Computer Safe DO NOT Use on Airbags





OEM TOOLS

Voltage Display

OEM TOOLS

Coiled Cord Circuit Tester

SKU **422468** 25886

· Circuit Tester with a Stretchable and Retractable 12' Cord for Long Circuit Runs



OEM TOOLS

One Handed Wire Piercing Circuit Tester

SKU **422469** 25887

- . Bright Hi-Vis 12' Heat and Oil Resistant Coiled Cord
- Molded Strain Relief for Long Life
- · Hangs on Wire for Hands-Free Operation
- 6, 12 and 24 Volt Systems



OEM TOOLS

Mini Circuit Tester

SKU **989209** 25936

- . Locates Hot Circuits and Troubleshoots Primary Circuits on All 6 and 12 Volt Systems
- Compact, Ergonomic Design for Tight Areas and Bench Top Use
- 6' Hi-Vis Coiled Cord and Sharp, Stainless Steel Probe Threaded for Add-On Alligator Clip (Included)
- · Comes with Insulated Heavy Duty Clip



ECT3000 Electrical Circuit Tracer

SKU **1392338** PWPECT3000B

· Automatic and Manual

Sensitivity Locking Arrow Indicates Direction to Short

· Signal Distance Indicator Bar

• 10 Minute Auto Shut Off

· Ergonomic Housing



Windshield Tools

Compact Windshield Wiper Arm Puller

SKU **191681 1999**

- Easily Removes Wiper Arms on Most Domestic and Foreign Vehicles
- Will Not Damage Wiper Arm or Hood Cowling During Removal
- Features Turning Knob for Fast Work and Forged Body for Strength
- Compact Design Works Great in Tight Spaces



OEM TOOLS

Window Holder

SKU **191670** 25309

- . Works on All Cars and Trucks with a Top Door Frame
- . Loop Cable Over Door Frame and Attach Suction Cups to Each Side of Glass
- Window Glass is Securely Held Above the Door While Work is Performed



Universal Wiper Arm Puller

SKU **265136 2099** 25339

- For Pulling Front and Rear Wiper Tight Fitting Wiper Arms
- Suitable for Most Wiper Arms Including Audi[®], VW[®], BMW[®] Ford®, Chevrolet®, Mercedes-Benz® and Others
- Designed to Prevent Damage to Wiper Arm Nozzle



OEM TOOLS

Window Molding Clip Remover SKU **265130**

25338



- . Use to Release Body Molding Clips
- The Double-Sided Design Works on a Variety of Clip Configurations
- . Made with Heat-Treated Carbon Steel for Strength



OEM TOOLS

OEM TOOLS

Double Head Suction Cups

SKU **291351 1 1 99** 24246

- Twin Head Suction Cups Help Remove Windshields
- ABS Rubber Cups Grab Ahold of Glass
- Flexible Handle Bends to Windshield
- · Quick Release Levers for One-Hand Operation




18" Professional Windshield Knife

SKU **480782 70**99 CAL53100

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle



Cakyan







3/4" Torque Wrench (50-400 Ft/Lb.)

SKU 1103610 37309

Ideal for Replacing Ford F150 Front Wheel Bearings

- Range: 50-400 Ft/Lb. and 84.7-559.2 N-m
- Increments 2.5 Ft/Lb.
- Has Both Ft/Lb. and N-m Scale
- · Reversing Ratchet Head
- Positive Lock with Spring-Loaded Pull Down Lock Ring **Dual Way Torque Wrench**

Accuracy: +/-4%



OEM TOOLS

OEM TOOLS

1/4" Drive Torque Wrench (20-200 In/Lb.)

SKU **954210** CEN97361B

- Push Through Square Drive for Reverse Operation
- Reverse Window Laser Marking
- Rubber Over-Mold Lock Ring for Better Grip
- NIST Certified



SKU **133657** 25685

• 45 Tooth Round Head Ratchet

Central TOOLS, Inc.

- Audible Click When Desired Torque is Reached
- Both Clockwise and Counterclockwise Operation



Measuring Tools



Central TOOLS, Inc.

Tire Tread Depth Gauge

SKU **954233** CEN3S402A

- Easy-To-Read Digital Display
- Fractional Scale in 1/32" Increments

Spring-Loaded Plunger



24" Straight Edge

SKU **949552 41** 99 25355

10-3/4



- Constructed with 1/4" Thick Cold Rolled Steel
- Durable Powder Coat Finish with Precision Ground Edge
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



SKU **864649**

25363

- Large Easy to Read LCD Display
- Zeroing Feature
- . Thumb Roller with Locking Device



1" Dial Indicator Set

SKU **954195 CEN3D101**

- · Strong Magnetic Base
- Revolution Counter
- Full 1" Range



Indicator Set with Flex Arms and Lock Pliers

SKU **954184 CEN3D103**


- Locking Pliers for Mounting
- Flex Arm for Extra Reach
- Revolution Counter
- Full 1" Range



Extended Range Bore Gauge

SKU **954188** CEN3D302

- Extended Range of 1.4" to 6"
- Lower Range for Small Applications Reach Deep Into Cylinders



Central TOOLS, Inc.

OEM TOOLS



0-5.5" Digital Rotor Gauge SKU **954197**

CEN3M430A

- · Easy-To-Read Digital Display
- Pointed Anvil for Measuring Grooves
- Inch and Metric Readings



Central TOOLS, Inc.

Digital Drum Gauge SKU **954196**

CEN3B531

- Depth Stops to Improve Accuracy
- Pointed Anvils for Grooves
- · Easy-To-Read Digital Display
- 4" to 20" Range Plus Oversize



Central TOOLS, Inc.


3/8" Drive

SKU **362559** 25684

• Range: 19 to 99 Ft/Lb. (27 to 135 Nm)

· Comes in a Sturdy Blow Mold Case





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Steck - Lockout Tools

BigEasy™ Glo with Easy Wedge Lockout Kit

SKU **964494** STK32955

- · Glow-In-The-Dark Yellow Allows You to See the Tool at Night or Through Tinted Windows
- Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo



BigEasy™ Lockout Kit

SKU **964491** STK32900

4999



- High Visibility Pink Powder Coating and Improved Non-Marring Wedge
- Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door
- Paint Protector Reduces Friction Between the Car Door and the BigEasy



BigEasy™ Carrying Case

SKU **227873** STK32935

- . Made of Soft, Yet Firm Material to Protect Your BigEasy Kit
- Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck



BiqEasv™ Loop

SKU **964492** STK32903

- . Clips to Any BigEasy to Allow Grabbing of Door Handles and Locks, it Even Glows in the Dark
- Provide Easy Leverage to Pull Door Handles and Window Cranks **During the Door Unlocking Process**
- Handy Accessory Tool Easily Snaps on the End of the BigEasy Tool Avoiding Need to Purchase Additional, More Costly Specialty Tools

BigEasy™ Easy Wedge (Inflatable)

SKU **964493** STK32922

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy



Access Wools

Access Tools - Lockout Tools

Emergency Response Kit Long Case

SKU **1339730 AETERKLC**

- . Most Popular Accessories, Gets into Any Vehicle
- Designed by First Responders
- Emergency Ready
- Includes: Quick Max Long Reach Tool, Flex Max, Button Master, Super One Hand Jack Tool, Super Air Wedge, Glassman Wedge and Button Strip Tool



Button Master

SKU 1189051

AETRCBM

61 99

- Flexible Coated Long Reach Tool
- Retractable Loop with Grip Cover
- Grab Vertical Door Buttons with Ease
- Approximately 38" in Length When Straightened
- Most Flexible and Versatile Version of All the Button Masters

One Hand Jack Set

SKU **1145698 AETOHJS4**

- Easy-To-Use Car Opening Kit
- · Soft Shielded Long Reach Tool That Won't Scratch Paint
- Air Wedge with Stiff Insert for Easy Insertion
- · Vertical Button Tool One Hand Jack for Quick, Damage-Free Insertion of the Air Jack







OEM TOOLS

Rivet Tools



SKU **094877** MAR39001KIT



Deluxe Rivet Kit with 200 Stainless Steel Rivets

SKU **094879** MAR39003KIT

Multiplex Hand Riveter and Rivet Nut Setter

SKU **1284961** MARM39410

- Innovative Multi-Purpose Tool for Rivets and Rivet Nuts
- Set Blind Rivets Up to 3/16" Diameter, Rivet Nuts Up to 1/4-20 Size





Industrial Hand Riveter

SKU **291353** 25921

• For Use with Steel and Aluminum Rivets Noses: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)

• 18" Overall Size with Long Handle Provides More Leverage




Big Daddy® Hand Riveter SKU **094886**

MAR39031

Sets Large Diameter Blind Rivets.

- Double Gear Reduction System Easily Sets from 1/8" to 1/4" Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets
- Comes with 5/32", 3/16" and 1/4" Nose Pieces Stored in the Body





Slide Hammer Pullers

5 Lb. Slide Hammer SKU **1103572 54 99** 37033

- . For a Variety of Pulling Tasks
- · Chrome Plated Main Shaft
- Thread: 5/8" x 18



9 Way Slide Hammer Puller Set SKU **1335798** \$119.99 37191

- Pulls Flange-Type Rear Axles and Most Fron Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 2-Way and 3-Way Cross Blocks
- Includes: Grip Wrench Adapter and Dent Puller Attachment
- Designed for Use with Other 5/8" x 18 Thread Slide Hammer Attachments




Offer Good Through June 30, 2024

Rear Axle Puller Set SKU **094801** 27202

- Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light
- Slide Rod and Adapters are 5/8" x 18 Standard Threads





VW/Audi Fuel Injector Puller Kit

SKU **1103636 509** 37383

- Includes: (1) Mini Slide Hammer, (1) Installation Tool, (2) Special Puller Attachments and (3) Knurled Collars
- . Sturdy Blow Mold Case
- Used with all 2.0L TSI/FSI/TSFI Engines




Socket Press

OEM TOOLS

C-Frame Socket Press Set

SKU **012659** 24537

- · For the Installation and Removal of **Driveline and Non-Driveline Parts**
- · Set Includes Flat Anvil Attachments for **General Pressing Jobs**



Multi-Purpose Puller

OEM TOOLS

Multi-Purpose Bearing and Pulley Puller Set

SKU **900824** 27190

- · Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More
- · 20 Piece Set Includes: 6 Jaws, 2 Bar Housings 6 Bolts and 2 Retainers
- Capacity: 6-10 Tons (Depending on the Jaws)
- · Combine to Create 10 **Different Pullers**



2/3 Jaw Pullers

1 Ton Puller

• Standard Jaw Puller Made with Hi-Alloy Steel

· Jaws Grip Tighter as Pressure is Applied

· Adjustable and Reversible Jaws with 2 and 3 Jaw Configuration

3" Spread

SKU **246386** 25902

4" Spread

SKU **246387** 25903

5 Ton

SKU **516519** 27078



OEM TOOLS

Lock and Snap Ring Pliers

10 Piece Snap Ring Pliers Set SKU **900819**

27180

71 99

- Includes: (2) 5-1/2" Bent Pliers (0.038" and 0.047" Tip), (2) 6" Straight Pliers (0.038" and 0.047" Tip), 7-1/2" Bent Pliers (0.070" Tip), 8" Straight Pliers (0.070" Tip), 8-1/2" Bent Pliers (0.090" Tip), 9" Straight Pliers (0.090" Tip), (1) Pick Tool and (1) Hook Tool
- For Both Internal and External Rings
- Constructed with Heat-Treated Chrome Moly Steel



Professional Internal/External Snap Ring Pliers

SKU **1340233** 25097

- . Unique Jaw Design Makes it Easy to Switch from Internal to **External Configurations**
- For Both Internal and External Rings
- · Alloy Steel and PVC Grip with Storage for Tips
- . Includes: 3 Pairs of Tips and Hex Key, 1 Pair Straight Tips for 1.2 mm and 1.8 mm, 2 Pair 90° Tips for 1.2 mm and 1.8 mm



Terminal Tools

19 Piece Master Terminal Tool Set

SKU **447159** 27169

139⁹⁹

- · Latest Tools for Coolant Sensors, Wiring Harnesses and Terminal Blocks on Most Modern Vehicles
- Eliminates Potential Damage to Wires or Terminal Blocks
- Application Chart Included Inside Storage Case

Retainer Remover

Brake Cylinder Retainer Remover SKU **265111** 1499

25268

- · Expands and Holds Special Retainer so the Brake Cylinder May be Removed
- Releases the Spring Clip Retainer that Attaches the Rear Brake Cylinder to **Backing Plate**



OEM TOOLS

OEM TOOLS

NGINE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Cam/Crankshaft Tools

Crank Bolt Sockets

Deep Counter-Weighted Sockets Provide Increased Torque to Break Loose Stubborn Crank Bolts

 Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV. Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400 Vehicles and More

17 mm

SKU **912348 40 99** 25275

22 mm SKU OUTSIDE BUY/EPO 25300

For Outside Buy/EPO, Call 901-300-4878

19 mm

26 mm

25278

SKU **1335801** 25290

SKU **919500**

OEM TOOLS

27 mm SKU **919497** 25279

21 mm

25273

SKU **912343**

OEM TOOLS

Vehicles and More

SKU **919501** 25276



Universal **Pulley and Fan Clutch Holder**

SKU **547013** 27281

• Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes Adjustable Diameter: 1-1/2" to 8-5/8" Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm

OEM TOOLS



5 Piece Master Cam/Timing Gear Clamp Set

SKU **383452 94 99** 27210

• Covers Most Single, Twin Cam and Quad Cam Engines

· Locks Camshaft to Hold Valve Timing During Timing Belt Replacement



2 Piece Timing Gear Holder Set

SKU OUTSIDE BUY/EPO 24360

For Outside Buy/EPO, Call 901-300-4878

Ford Cam Tool 1.6 Liter

SKU **1103640** 37380

- . Designed to Hold the VCT Sprockets in Position During Timing Belt Installation or Camshaft Service Alignment Tool Services:
- Ford Fiesta (2011 to 2014), Ford Escape (2013 to 2014), Ford Fusion (2013 to 2014), Ford Transit (2013 to 2014)



Ford 2.0L, 2.3L, OMMOOLS 2.5L Cam **Tool Kit**

SKU **626108** 24448

6 Piece Crank Bolt Socket Set OFMIOOLS

Provides Increased Torque to Break Loose Stubborn Crank Bolts

Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV,

Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus,

Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400

• Includes: 17, 19, 21, 22, 26 and 27 mm Deep

Counter-Weighted Sockets

• Applications: 2.0L DOHC Engines Found in Ford and Mercury (1994 to 2003), 2.5L DOHC, 2.3L DOHC 4V and 2.0L DOHC Engines in Ford, Mercury and Mazda (2004 to 2012) and 2.0L DOHC Engines in Ford Probe (1993 to 1994)



Ford Timing Chain DEMITOOLS **Locking Wedge Tool**

SKU **012647** 24207

- For 2005-14 5.4L and 4.6L 3V OE Type Tool Allows for Easy Cam Changes without Removing the Timing Cover
- Compact and Easy to Use
- OE Type Tool
- For 5.4L and 4.6L 3V (2005-2014)

DOHC Cam Lock Holder

SKU **291419** LIS36880

- . This Versatile Tool Easily Locks and Holds Both Camshaft Sprockets Firmly in Place
- · Preserves the Engine Timing During Belt or Chain Replacement



Pilot Bearing Puller

SKU **775523** 25089

. Use to Pull Pilot Bearing from End of Crankshaft

· Plate Prevents the Jaws from Spinning when Force is Applied

· Spread Range: 1/2" to 1-1/2"

· Reach Range: 3/16" to 11/4"



OEM TOOLS

OEM TOOLS Pilot Bearing Puller Attachment

SKU **230517** 27059

• Use with OEMTOOLS 37033 and 27202 Slide Hammer Pullers

Threaded with Both 5/8" x 18 and 3/4" x 16 Threads to Fit Most Slide Hammers



Ford Master Timing Kit

SKU OUTSIDE BUY/EPO CTA2221

• Includes: Harmonic Balancer Holder, Camshaft Alignment Tool, VCT Alignment Tool, Crankshaft Positioning Tool, Crankshaft Vibration Dampener Alignment Tool, 3 Pc. Wedges and Camshaft Timing Kit

Services Ford, Mazda

and Lincoln 1.4L, 1.5L, 1.6L, 2.0L, 2.3L, 2.5L, 3.0L and 3.5L Engines



For Outside Buy/EPO. Call 901-300-4878

AZG0224

OEM TOOLS

Flywheel Turner

SKU **1207891** 25556

. Holds Flex Plates and Fly Wheels to Allow Clutch, Transmission and Crankshaft Service

• Spring Tensioned to Keep the Wrench Securely Engaged

Sure Grip Handle



OEM TOOLS

Flywheel Locking Tool

SKU **1335793** 25557



• Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement

• Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation

· Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks



OEM TOOLS

Universal Camshaft Bearing Tool

SKU **191677** 27143

• Removes or Inserts Camshaft Bearings in Nearly All Engines

- Set Includes: Driving Shaft, Driving Shaft Extension, Expander Unit, (5) Split Driving Plugs, (2) Driving Collars and Centering Cone
- Easy on Bearings
- Range: 1.125" to 2.69"



ENGINE SERVICE

Valve & Cylinder Head Tools

Leak Detector

SKU **1103608**

37145 • Test for Internal Combustion Leaks on

- **Gasoline Engines**
- · Fluid Color Changes to Yellow When a Combustion Leak is Present
- . Comes in a Sturdy Blow Mold Case
- Not for Use with Diesel Engines



Combustion Leak Detector Fluid (8 Oz.)

SKU **391381** 25739





Valve Keeper Remover and Installer Kit

SKU **011658** LIS36050

Makes Valve Component Disassembly and Reassembly **Fast and Easy**

- For Use with Valve Stems from 4.5 to 7.5 mm and 5/16" to 3/8"
- . Magnet in Tool Body Captures Keepers
- New Smaller Size Works on Toyota 4 Cylinder and Chrysler New World Engine



Hydraulic O=MTOOLS Valve **Lifter Puller**

SKU **424904** 27146

 Use for Removing Many Valve Lifters from Engine **Block**

Ford Valve

Spring Compressor

SKU **626111 28** 99 24434

- Applications: 1991 to 2004 Ford Vehicles with 4.6L, 2V, V8 Engines; 4.6 4V, 5.4 V8 and 6.8 V10
- · Works with Engine Removed or Installed. Cylinder Head On or Off
- Not for Triton 5.4 3V



OEM TOOLS

Lever Valve Spring Compressor

SKU **662780** 24676

- Lever Action Stavs Compressed for Easy Valve Lock Removal
- Included Adapters Fit Valve Retainer Diameters from 1" (25 mm) to 1-3/16" (30 mm)
- · Compression Range from 1-3/8" to 5-5/8" (35 mm to 142 mm)



fisle,

OEM TOOLS

OEM TOOLS Valve **Spring Compressor**

SKU **552331 19**99 25064

- · Compresses Valve Springs on GM V8 Engines with Stud-Type Rocker Arms without Having to Remove Cylinder Heads
- Use with OEMTOOLS®



OEM TOOLS

OEM TOOLS **Ford Valve Spring Compressor** for 3-Valve Engines

SKU **814391** 24429

- Designed to Compress the Valve Spring without Removing the Camshaft While Servicing the Cylinder Head in Ford 3-Valve Engines
- For Use with Ford 3-Valve 4.6L and 5.4L Engines



OEM TOOLS

STORE STOCKED

Flexible Air Valve Holder

SKU 1392465 25029

- For 14 mm and 18 mm Spark
- Plug Holes
- 14" Flexible Hose Reaches into Tight Areas



OEM TOOLS

SKU **459100 9099** LIS48300

• Redesigned for Newer 3.5L and 3.6L GM Engines - Also Works on

Push Rod Remover

GM V6 2.8L, 3.1L and 3.4L · Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms



Torque Adapter. Diesel Head Bolt. Ford 6.0L Power Stroke® Engines

SKU **298191 7799** 24208

- Eliminates the Need to Remove the Truck/Van Cab from the Chassis to Access the Rear Head Bolts
- Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging
- · Prevents Damage to the Rear Heat Shield
- Use with OEMTOOLS® 27309 3/4" Drive Torque Wrench and OEMTOOLS® 22398 18 mm Socket



24" Straight Edge

SKU **949552 199** 25355

- Use with a Feeler Gauge to Inspect for Distortion on Engine Blocks, Cylinder Heads, Fly Wheels, Main Bearing Saddles, Cam Bearing Saddles, Cam Covers and Bell Housings
- Constructed with 1/4" Thick Cold Rolled Steel
- Precision Ground Edge to +/- 0.001"
- Durable Powder-Coat Finish
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge
- · Made in the USA



BC 180SC Flex-Hone Tool Kit SKU **213154 239** 99 BRM14353

- 10 Piece Kit Features Flex-Hone Sizes: 10 mm, 1/2", 5/8", 3/4", 7/8", 1", 1-1/4", 1-1/2", 1-3/4" and 2"
- Complimentary Snap Back Hat, 1/2 Pint of Flex-Hone Oil and 1GB Flash Drive



CVII	Doub #	Dundunt	Cylinder	Duine	
SKU	Part #	Product	Metric	SAE	Price
341232	BRMGB31412	Flex-Hone™ GB	83 mm	3-1/4"	54.99
341239	BRMGB31212	Flex-Hone™ GB	89 mm	3-1/2"	<i>59.99</i>
341317	BRMGB33412	Flex-Hone [™] GB	95 mm	3-3/4"	64.99
341325	BRMGB41812	Flex-Hone [™] GB	105 mm	4-1/8"	69.99
341332	BRMGB45812	Flex-Hone™ GB	118 mm	4-5/8"	69.99

MADE FOR MECHANICS THE SPECIALTY TOOLS YOU NEED

ADDITIONAL SIZES AVAILABLE - CALL US AT 901-300-4878 OR VISIT AZTOOL1.COM

NGINE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Harmonic Balancer Tools

Harmonic Balancer Puller Kit

SKU **818738** 25090

Unique Jaw and Returning Springs for Easy Positioning of the Puller

- Includes: Puller Body, 3 Jaw Puller, (3) Jaw Retaining Pins, (3) Wave Washers.
- Pressure Screw
 Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- Used on Many GM, Ford, Mitsubishi and Chrysler Engines



OEM TOOLS

SKU **1103576** 37187

- Includes: Yoke, Pressure Screw and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Ideal for Any Shop or Garage
- Pulling Balancers and More
- · Heat-Treated for Strength and Durability



Long Reach Harmonic OEM TOOLS **Balancer/Pulley Installer for GM, Ford and Chrysler**

SKU **1103550** 37306

• Use to Install Crank Pulley or Underdrive Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines

• Includes: M16 x 2.0 mm (GM), M14 x 1.5 mm (Dodge, Chrysler and Jeep), M12x 1.75 mm (Dodge Chrysler and Jeep) and M12 x 1.5 mm (Ford)



Universal Pulley and Fan Clutch Holder

SKU **547013** 27281

- Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- · Comes in Blow Mold Case



OEM TOOLS

OEM TOOLS

Harmonic **Balancer Installer**

SKU **1103603** 37144

- Use to Properly Install Harmonic Balancers without Damage
- Thread Adapters: 12 mm x 1.5, 14 mm x 1.5, 16 mm x 2.0, 7/16" x 20, 1/2" x 20. 9/16" x 18. 5/8" x 18, 3/4" x 16



OEM TOOLS

GM Harmonic Balancer Puller

SKU **213102** 25264

Time Saving Tool No Need to Remove Radiator

- Designed to Remove Harmonic Balancers without Tapped Holes
- GM Applications: 5.3 L, 5.7LS1, 6.0 LS2, 6.2 LS3. 7.0 L
- Chrysler/Jeep/Dodge: 3.5 L V6. 3.6L V6, 4.7 L V8, 5.7 L V8 and 6.1 L V8



OEM TOOLS

Flywheel Locking Tool

SKU **1335793 2999**

- Locks Flywheel in Place When Removing Harmonic Balancer on 6.6L Duramax Engines with Allison Automatic Transmissions
- Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement
- Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation
- Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks



2.7/5.2L Ford EcoBoost **Long Reach Harmonic Balancer/Installer**

SKU **1392336** CAL38710

- Designed to Achieve Easy Installation of Harmonic Balancers on Ford Ecoboost
- Can Be Used On 2.7L, 3.0L, 3.3L And 5.0L Engines in Ford/Lincoln Cars, Trucks and SUV



Ratcheting Harmonic Balancer Pulley Puller

SKU **1189050** CAL38000

- Eliminates Need to Remove the Radiator
- Push Turn Click Design
- · No Need for Bolts
- Applications: FORD 5.0 Coyote, GM 5.3L, 5.7(LS1), 6.0(LS2), 6.2(LS3), 7.0L and Most Three and Six-Spoke Harmonic Balancers/Pulleys



Oil Pump Primer

OEM TOOLS

Ford 5/16" Hex Oil Pump Primer

SKU **534545** 27062

- Use to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start
- · Connects to the Oil Pump Shaft Through the Distributor Hole
- For Use with 3/8" Reversible Drill



Piston Tools

Piston Ring Compressor

SKU **013641** 24682

- 1-1/2" Deep, Low Friction Wrinkle Band
- Fits 3" to 5" Pistons

Piston Ring Expander Pliers

SKU **003509** 25083

- Eliminates Piston Ring Damage and Distortion During the Installation and Removal Process Dipped Rubber Handles for Improved Grip
- Diameter Range: 3-1/8"(80 mm) to 4-5/8" (120 mm)





OEM TOOLS





ENGINE SERVICE

<u>Diagnostic</u>

Compression Tester Gauge Set

SKU **1103601** 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determines **Engine Mechanical** Condition



8 Piece Noid Light Set

SKU **1103589** 37161

- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2
- · See-Through Design to **Check Electrical Pulses**



Vacuum Pump OEM TOOLS **Tester Power Steering and Brake Bleeder Set** SKU **1103570** 37070

- · Brake Bleeding Kit Bleeds Brakes, Clutches or Other Hydraulic Systems
- Kit Includes: Vacuum Pump Reservoir Jar with Transfer Lid. Storage Lid. Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing



Exhaust Back Pressure Tester/Gauge

SKU 1103604

37263

- · Oxygen Sensor Adapter is M12 and M18 Thread
- . 6' Hose Allows User to Test from Driver's Seat
- Test for Restricted Exhaust Systems



Gas Engine Combustion Leak Tester

SKU **1103608** 37145

- · Test for Internal Combustion Leaks on Gasoline **Engines**
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- Designed for Professional Auto Mechanics and Heavy Duty **Applications**
- Not for Use with Diesel Engines
- Use with 25739 Test Fluid



Alternator Tools

Alternator Decoupler Pulley Tool Kit

SKU **300124** 27261

REG. \$24.99

- Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off
- Includes 2 Pulley Sockets and 3 Shaft Bits Comes in a Sturdy Blow Mold Storage Case

Offer Good Through June 30, 2024



Alternator Decoupler Pulley Service Set

SKU **1103629** 37275

- Removes and Installs Many Alternator Decoupler Pulleys on the Most Popular Vehicles
- · Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys



Exhaust Tools

1-1/2" x 2-7/16" **Tailpipe Expander**

SKU **695615** 27027

• Extra Long Hex Bar for Convenience



OEM TOOLS

Exhaust Manifold Spreader Set

SKU **504028** 25253TW0

- Use for Reinstalling the Manifold on Small-Block Chevrolets
- Simple Way to Expand Warped Manifold to Align Bolt Holes
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalignment



OEM TOOLS

OEM TOOLS

Exhaust Pipe Stretcher Kit

SKU **080137** LIS17350

- Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
- . Use with Impact Wrench to **Quickly Stretch Pipes**



Exhaust Donut Stretcher

SKU **390901** 25543

- · Easily Grabs onto Mounting Rubber Rings or Doughnut Used on Many Exhaust Systems
- Features an Offset J-Hook
- Large Coated Handle for Comfort

Manifold Drill Template -Ford 2V and 3V

SKU **213145** 25251

- . Designed to Remove Broken Exhaust Manifold Studs
- For Ford Triton 2V and 3V Engines 4.6L, 5.4L and 6.8L V10
- Drill Depth Gauge Marked on Each Adapter
- Interchangeable 2V and 3V Adapters
- . Hi-Vis EVA Tray for Easy Storage and Organization
- Includes: Template. 2V Adapter, 3V Adapter (2) Stud Alignment Pins, 3/16" and 1/8" Double-Sided Drill Bits. and Stud Extractor



OEM TOOLS

OEM TOOLS

Manifold Drill Template for GM EcoTec3 5.3 L and 6.2 L SKU **1125865**

- Removes Broken Exhaust Manifold Bolts without Damaging the Cylinder Head
- Tapered Bolts Allow You to Move from Hole to Hole without Moving Base Plate
- Screw Extractor Removes Broken Bolts
- Includes Bushing Drill Guide When Extractor Cannot Be Used



This Kit is the Only True, Long Term Repair for Ford Cam Phaser Noise on the Market









Stop Saying "No" to Business and Be Confident Your Customers Will Be Satisfied!

Cam phaser knock on 4.6/5.4L 3V engines is common in older models and can lead to bigger problems if not fixed. There are millions of trucks on the road with this problem, but until now, there have been few good options to permanently help fix the knock. This kit helps to eliminate any knocking noise heard from the front valve cover/timing cover related to the phasers. These all-in-one kits correct the cam phaser knock on ONE engine.



Cam Phaser Noise Repair Kits Include:

- Wedge Tool for Easier Installation
- Programmer with OBD-II Cable
- (2) OEM Quality Phaser Bolts
- (2) Lock Outs

Ford Cam Phaser Noise Repair Kit SKU **OUTSIDE BUY/EPO** LMEF1503V

· Fits Ford OEM Cam Phaser

Ford, Livernois and logos featured or referred to on this page are the property of their respective trademark holders I For Outside Buy/EPO, Call 901-300-4878

Fan Clutch Tools

BMW Cooling Fan Wrench Set

SKU **912340** 25100

- One Tool Holds the Water Pump Pulley in Place
- 32 mm Ultra-Slim Specialty Wrench is Used to Loosen the Radiator Fan Nut 32 mm Wrench Features Dipped Rubber Handle for Improved Grip
- Water Pump Pulley Holder is Outfitted with Multiple Holding Points to Fit a Variety of BMW Vehicles

Fan Clutch Wrench Set SKU **1103596** REG. \$79.99 37141

- Works on Many of the Ford, Mazda, Dodge, Lincoln, Mercury and Jeep Makes and Models with the Original Fan Clutch Assembly
- Includes Wrench Sizes: 40 mm, 48 mm, 54 mm, 68 mm, 72 mm, 76 mm and 83 mm



Universal Fan Wrench Set

SKU **080554** LIS43600

- A Nearly Universal Fan Clutch Wrench Set for Use on the Most Popular Applications
- Hooked Wrench Design Holds Nuts and Bolts, Allowing the Technician to Easily Tighten/Loosen the Other Bolts
- Double-Sided Spanner Style Holding Wrench Will Hold Pressed-On Pulleys on Many GM, Jeep and Dodge Vehicles



OEM TOOLS

Pneumatic Fan Clutch Wrench Set

SKU **291409** LIS43300

Quickly Removes and Installs

Includes Wrench Sizes:



Pulley and Fan Clutch Holders

Fan Clutch Holding Tool

SKU **209526 57**99 27171

- For Fan Clutch Repair and Service
- Holds Water Pump Pulley while Servicing Fan Clutch Adjustable Jaws
- Fits Most Water Pump Pulley Bolt Patterns, Including Pressed-On Pulleys
- Jaws will Lock in Place, Securing Water Pump Bolts
- Longer Handle Provides Leverage for Extra Torque



Universal Pulley and Fan Clutch Holder

SKU **547013** 27281



- Fits Many Different Fan Clutches, Cam and Crank Pullevs with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm,
- 10-12 mm and 11-16 mm
- · Comes in Blow Mold Case



OEM TOOLS

OEM TOOLS

Stretch Belt Tools

OEM TOOLS

liste.

Stretch Belt Installation Tool SKU **OUTSIDE BUY/EPO**

24363

· Works on Both Large and Small Pulleys Clamping Jaw Allows User to Position

Sernentine Relt without the Belt Slipping

Out of the Tool



For Outside Buy/EPO, Call 901-300-4878

Stretch Belt Remover and Installer

SKU **255866** LIS59370

- Unique Magnetic Faces Hold the Tool in Place on the Pulley
- Compact. One Piece Tool Can Be Used on the Front or Back Side of the Pulley



Serpentine Belt Tools

Serpentine Belt Tool

SKU **1352389**

• Includes: 4 Shallow Sockets (13 mm, 15 mm, 16 mm, 18 mm) and 3 Crowfoot Sockets (13 mm, 14 mm, 15 mm)



CHASSIS & SUSPENSION

Ball Joint Service Kits

XL C-Frame Ball Joint Press Set

SKU **1142924** 25105

• Ideal for Pressing Out Larger Ball Joints on Pick-Up Trucks: Toyota Tacoma and Tundra, Chevrolet 2500-3500 and Tahoe. Dodge Ram 2500-3500 and

Ford F350-F550 • Extended C-Frame Allows Use of Multiple Larger Adapters that Standard C-Frame Presses

 C-Frame Constructed with Heavy Duty Forged Steel for Strength and Durability

 For Use with OEMTOOLS® Ball Joint Press Kits and Adapter Sets

Won't Fit



74 Piece Master Ball Joint Press Kit

SKU **1207895** 37388

 Adapters for Almost Every Car, Van, SUV and Light **Duty Truck**

 Comprehensive Kit with 70+ Adapters and C-Frame

 Tough Heavy-Duty C-Frame is **Built to Last**

2 Heavy-Duty Molded Cases are Designed for Storage and Mobility



21 Piece Master Ball Joint Press Set

SKU 1142406 25104

- · Removes and Replaces Press-Fit Upper and Lower Ball Joints on 2-Wheel Drive (2WD) and 4-Wheel Drive (4WD) Vehicles
- Includes Adapters with Specialized Cut-Outs to Maneuver **Around Obstructions**
- Includes Adapters Needed for Removing Upper and Lower Ball Joints on GM, Ford and Chrysler 2WD and 4WD Light-Duty Trucks, Vans and SUVs

· Heavy Duty Forged Steel Allov C-Frame for the Toughest Jobs — Ideal for Seized Joints



Master Ball Joint Installer/Remover Adapter Set

SKU **1103612** 37310

- Includes All the Receiver Tubes and Removing/Installing Adapters Needed to Work on Many GM, Ford and Chrysler 2 and 4 Wheel Drive Pick-Ups, Vans and SUVs
- Works on Press-Fit Upper and Lower Ball Joints
- For Use with OEMTOOLS® Ball Joint Press Kits and Adapter Sets



Ball/U-Joint Press with 4WD Adapter Set

SKU **1103607** 37089

- Remove and Replace Ball Joints on Many Vehicles
- · C-Clamp Frame Press Also Removes and Replaces U-Joints
- Includes Adapters to Service 1/2 to 3/4 Ton 4 Wheel Drive Vehicles Equipped with Dana 44 Series Front Axle



Ball Joint Tools

Ball Joint Separator SKU **1340232 29 99**


37308

- Used for Separating the Ball Joint from the Spindle Support Arm on Domestic and Import FWD Vehicles
- · Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8"



Low Profile Ball Joint Separator

SKU **1245676** 25112



- For 2005+ Ford, Lincoln and **Mercury Applications**
- Impact Rated



Hydraulic Ball Joint Separator

SKU **177718** 25219

- Hydraulic Ram Rated to 8 Tons
- Jaw Capacity: 56 mm (2.25")
- Jaw Width: 22 mm (0.86")

Fast, Safe, Efficient,



Polaris ATV Ball Joint Tool

SKU 1142310 24683

• For Removal and Installation of Upper and Lower Ball Joints on Sportsman XP, RZR and Ranger ATVs



3/4" Drive DEMITOOLS **Ball Joint Impact Socket** 2-9/64"

SKU **462494** 24215

· Used on Chrysler/Dodge Cars, Light Trucks and Vans



SKU **662809** 24238

• Used on Chrysler/Dodge Mid-Size Cars, Light Trucks and Vans

OIC

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Spring Compressors OEM TOOLS Floor Mounted **Strut Compressor** SKU OUTSIDE BUY/EPO 37037 **299**99 • 2,200 Lb. Capacity · Easy-to-Adjust Bracket Conforms to Spring Rate and Diameter • Handles Spring Coils 3.5" to 8.75" and up to 5/8" Diameter

• Max. Spring Height: 19"

 Can Be Securely Mounted to the Floor



For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS Coil Spring Compressor

SKU **1103643**

• Used to Safely Compress the Coil Spring on Most Cars and Light Trucks

Can Also Be Used When Installing Coil Spring Spacers



Model 7600 Strut Spring Compressor

SKU **547959** BRA7600

- · Handles the Toughest **Applications**
- Min./Max. Spring Diameters: 3.5"/11.5"
- · No Adapters Required



Cart for BRA7600

SKU **547960** BRA00-0137

Bench Mount for BRA7600

SKU **547962** BRA05-0125

SKU **1103614**

Cars and Pickup Trucks

OEM TOOLS

37200

Coil Spring Compressor Set

· Forged Construction for Strength and Durability Removes and Installs Coil Springs Quickly and Safely

· Compresses Coil Springs on Most Passenger



OEM TOOLS

Branick

StrutTamer™ II Extreme with Stand

SKU OUTSIDE BUY/EPO OTC6637-ST

Call for Price

 Meets the New ASME PASE Standards for Spring Compressors Capable of Safely Compressing the Largest Strut Springs

 New Forged Locking Jaws Include Larger Pads and are Offset to Clamp Onto and Compress Springs Even Tighter Than Before

 Unique Trunnion Locking Mechanism to Eliminate Arm Movement for Stable Compression



OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

Strut Spring Compressor

SKU **1207884** 37036

REG. \$49.99

 Used to Compress Strut Springs During Cartridge Replacement

 Safety Latches Lock Spring in Place **During Compression**

Hooks are Forged and Center Screw is Hardened for Longer Life

Thread Length: 9

• Can Be Used with Varying Coil Diameters Up to 5/8"



Offer Good While Supplies Last Through June 30, 2024

Suspension

OEM TOOLS

GM Upper Control Arm Knock Out Tool

SKU **420336** 24210

· Services Chevrolet and GMC 1/2, 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks (1989 to 2001) and All Wheel Drive Chevrolet Astro and GMC Safari Vans (1990 to 2002)



Shock Socket

Volvo Shock Retaining Nut Strut Removal Socket Tool

SKU **300125** 24365

· Remove and Install Top Shock Retaining Nut on Volvo Models

 Applications Include: Volvo C70 (1999-2004), Volvo S40 (2000-2004), Volvo S60 (2001-2004), Volvo S70 Non-Turbo (1999-2000), Volvo S70 Turbo (1999-2000), Volvo S70 AWD Turbo (1999-2000), Volvo S80 (1999-2004), Volvo S80 V8 (2007-2008), Volvo S80 Turbo (1999-2006), Volvo V40 (2000-2004), Volvo V70 (1999-2007), Volvo XC90 (2003-2010)

Front End Service Kit

5 Piece Front End Service Kit

SKU **1267952** 26554

• Large and Small Pitman Arm Puller for Ball Joint Application

OEM TOOLS

- Two Ball Joint Separators
- Three Tie Rod Pullers



Torsion Bar Tool

OEM TOOLS GM, Ford. **Chrysler Torsion Bar Tool** SKU **1103600**

37278

· Safely Loads and Unloads 5-Lug, 6-Lug and 8-Lug GM, Dodge and Ford Torsion Bar Suspensions for Key Replacement

• Extended Long Reach "C-Clamp" for Use with 2011 and Higher GM Heavy Duty Trucks

Includes Ford/Dodge Adapter



AZG0224

CHASSIS & SUSPENSION

Hub Bearing

OEM TOOLS

Heavy Duty Hub Drum and Rotor Puller Kit SKU **1125878**

25106

1////99

Use with Impact Wrench to Remove Hubs, Drums and Brake Rotors

- Includes (3) Hub Adapters for Use with Most Common Hub Sizes and Types
- Jaw Spread Up to 12-3/4" with 5" Reach Durable Forged Frame Rated to 7 Tons
- of Pulling Force for the Toughest Jobs • Drum and Rotor Pulling Arms Feature
- with Raised Stops for Use with Ratchet Straps (Not Included)
- Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces



OEM TOOLS

Wheel Hub Removal Tool

SKU **1245618** REG. \$86.99

- Ideal For Removing a Frozen Hub Assembly Without Damaging the Axle
- For Use on Many Axle Bolted Hubs Including Five, Six and Eight Lug Hubs
- Constructed from High-Quality, Impact-Resistant and Corrosion-Resistant Steel
- 2-5/8" Center to Center Hole Pattern
- 3/4" Steel Backing Plate and Reinforced Striking Plate for Long Life



Offer Good While Supplies Last Through June 30, 2024

Master Wheel Hub and Bearing Remover and Installer Set

SKU **1103635 299**99 37342

· For Removal and Installation of Front Wheel Hub and Bearings on Most Makes and Models of Domestic, European and Asian Vehicles

Where the Hub and/or Bearing are Pressed





Product Demo



OEM TOOLS

23 Piece Hub Bearing **Remover and Installer Set**

SKU **094804** 27205

· Removes and Installs Wheel Bearings with Steering Knuckle and Strut Assembly

Still on the Vehicle

• Eliminates Need for Alignment



Front Wheel Drive Hub Puller

SKU **OUTSIDE BUY/EPO** 27037

- Fits Most Domestic and Import Vehicles
- Yoke and Bolt are Threaded 5/8" x 18
- Heat-Treated Pressure Screw for Toughness

OEM TOOLS

OEM TOOLS



OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

Tie Rod

Hub Grappler™ Wheel Bearing Puller

SKU **096847** OTC6575



 Applies Maximum Force with Minimal Effort from an Impact Gun



Tie Rod Tools

Master Inner Tie Rod Tool Set

SKU **344979** 27178

Works on Both Small Cars and SUVs

- Tube Handle Has an Inner Diameter of 2.125" to Service Small Cars. Pickups and Large SUVs
- Includes 12 Crowfoot Style Adapters,

Sizes: 29 mm. 1-3/16", 1-1/4", 32.5 mm, 1-5/16". 33.6 mm,

1-3/8", 1-7/16", 1-1/2", 38.4 mm, 40 mm and 42 mm



OEM TOOLS

End Remover SKU **209525**

27175

- Comes with Pressure Screw Tip Swivels for Damage Free Results
- Will Not Damage Tie Rod End Dust Boot
- Rust Resistant Finish



Inner Tie Rod Tool Kit

SKU **217377** 27185

- · Removes and Installs Tie Rod End on Rack and Pinion Steering
 • Includes: 3/16", 5/16" and
- 7/16" Adapters



OEM TOOLS

Inner Tie Rod Tool

SKU **291414** LIS45750

fisle,

• 6 Sizes: 1-3/16", 1-1/4" 1-5/16", 1-7/16", 1-1/2" and 33.6 mm



Pitman Arm Puller

Pitman Arm Puller for Light Trucks

SKU **695090** 27170

60

64 99

- Services Cars and Light Trucks 3/4 Ton
- Can Be Used for Bearing, Collar or Gear Removal
- Features Forged Adjustable Jaws and Two Clamp Bolts That Lock Jaws Together
- Pressure Screw Has Ball Head Designed for Striking
- Includes: Pressure Screw (A), H-Frame (B), Jaw Bolt (C), Jaw (D), Clamp Bolt and Wing Nut (E) and Pressure Screw Adapter (F)



OEM TOOLS

Pickle Forks

Stepped Pickle Fork Set

SKU **291410** LIS41400

- . 6 Tools in One
- Includes: 11/16". 15/16", 1-1/8"
- Forks and 2 Handles




5 Piece Tie Rod and Ball Joint Set

SKU **1103626** 37201

- Used to Remove Tie Rods and Ball Joints
- Includes: 11" x 1-1/8", 11-3/4" x 1-5/8", 11-5/8" x 1-7/16". 16" x 11/16" and 16" x 15/16"



OEM TOOLS



OEM TOOLS

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

CV Axle Nut Sockets

39 mm **12 Pt Axle Nut Socket for Toyota**

SKU **452638** LIS39650

. Applications: 2008-2010 Toyota Land Cruiser, 2008-2010 Toyota Sequoia, 2007-2010 Toyota Tundra and 2008 Lexus LX 570

Axle Nut Socket Sets

• Includes Sizes: 29, 30, 32, 34, 35, 36, 38 and 39 mm

6 Pt



OEM TOOLS

OEM TOOLS

See AZTOOL1.com for Full Line of CV Axle Nut Sockets

Bushing Tools


Manual Bushing Installation and Removal Tool Set

OEM TOOLS

SKU **298214** 27212

24999

- Comprehensive Kit for Fast and Effective Removal/Installation of Wheel Bearings/Suspension Bushings and Seals
- · Allows the Technician to Service a Wide Range of Bushings without Removing Components from the Vehicle
- Comes with 20 Sleeves for Hundreds of Combinations
- External Sleeve Diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80 and 82 mm



Axle Tools



Universal Inner CV Joint Puller

SKU **1340236** OTC7507

- CV Joint Fork Only
- Use with Slide Hammers OEMTOOLS® 37033 and 27202



CV Axle Popper Set

SKU **1189082** 37305

- Includes: Axle Shim Tool and Fork/Wedge Tool • Length: 13-3/4"
- Used to Remove Axles from the Transmission, Ball Joints in the Suspension System and Tie Rods
- Fork Design Allows Mechanic to Exert Force Evenly on Both Sides of the Axle



5 Lb. Slide Hammer SKU **1103572** 37033

- . Use to Pull Bushings, Seals, Sleeves, Bearings, Flange-Type Rear Axles, Front-Wheel Drive Hubs. Dents and Pressed-In Bolts with Two or Three Jaw Puller Options
- Slide Rod is 3/4" x 16 Standard Threads



OEM TOOLS 4WD Spindle Puller

27104

SKU **143436**

- Use with OEMTOOLS Slide Hammer
- Fits Most Spindles 1-1/2", 1-5/8" and 2" on 4 Wheel Drive Vehicles
- · Heat-Treated for Strength
- Will Fit on 2 Puller Size Shafts 1/2" x 20 Threads and 5/8" x 18 Threads




Rear Axle Puller Set

SKU **094801** 27202

- Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks
- Slide Rod and Adapters are 5/8" x 18 Standard Threads

OEM TOOLS




Axle Spindle Threading Set

SKU **1103645** 37233

- · Used to Clean or Repair Axle Threads
- · Set Comes with a Special Twist Shape that Provides Easier and Quicker Work
- Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar

OEM TOOLS



Spindle Nuts

GM Axle Hub Nut Socket

SKU **298219** 2499 25967

SKU **298224**

(1996-Newer)

Increased Durability

25969

- Applications: GMT900 Silverado, Sierra HDCS, 2-Wheel (2WD) and 4-Wheel (4WD) Drive Cheyenne, Silverado, Escalade, Sierra and Avalanche Trucks with 10.5" or 11.5" Ring Gear
- Has 9 Pins to Fit GM New Style Retaining Nuts

Toyota 4 Pin Hub Locknut Socket

Services High Torque Locknuts on Toyota 4WD

Vehicles Having Free Wheel (Lock Out) Hubs

Tacoma (1995-Newer); T100 and 4Runner

• Improved Design with Solid Pins for

• Unapproved Methods Can Damage the Bearing or Result in Shorter Service Life



Dodge Hub Locknut Socket SKU **344964** 25968

• Fits Dodge 1/2-Ton Pickup Trucks (1994-Newer) with Dana 44 Front Axle and Dana 60 Axle with a Vacuum Disconnect

Designed to Accommodate the 1-11/16" (43 mm) Wheel Bearing Retaining Nut Which is Recessed into the Hub





1/2" Drive Socket **Bearing Locknut**

SKU **231203** 25243

. Fits Adjusting Nuts Found on Ford F150 Trucks (1995 to 1996) and Full Sized Broncos with Automatic Locking Hubs



Tovota 8 Pin Front Hub Locknut Socket

SKU **298205** 25962

- · Allows for Easy Removal and Installation of Front **Hub Lock Nut without** Damage to the Nut
- Applications: Tovota 4Runner 2WD (2007 to 2014), Toyota Sequoia (2008 to 2014), Tovota Tundra (2007 to 2014)
- 3/4" Drive



4WD Ford OEM TOOLS **Spindle Socket.** 66.5 mm x 80 mm

SKU **603346** 25965

- Fits Ford F-Series 1/2-Ton Truck and Full-Size Bronco with Manual Hubs: 1995-Newer Ford F-Series 3/4-Ton and 1-Ton Trucks with Manual Hubs; 1959-85 Ford F-Series 1/2- and 3/4-Ton Trucks and Full-Size Bronco: 1960-90 GM 1/2-Ton Truck and Full-Size Blazer/ Jimmy; 1969-89 Dodge 1/2-Ton Truck with Manual Hubs: 1969-72 International 1/2-Ton Truck
- 1/2" Sq. Drive


25966

4WD Ford - Dodge Spindle Socket. 76 mm x 80 mm SKU **603347**



Offer Good While Supplies Last Through June 30, 2024

REG. \$29.99



CHASSIS & SUSPENSION

Power Steering Bleeders

Vacuum Pump OFMITOOLS **Tester, Power Steering and Brake Bleeder Set**

SKU **1103570 20**99 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing



Power Steering OFM TOOLS **Bleeder Set**

SKU **434716** 27311

Reduce Comebacks

- · Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes: 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs. Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump



Power Steering Adapter Kit

SKU **752069** MITMVA670

mituvac

• Includes: MITMVA660, MITMVA661 and MITMVA662



Power Steering Pullers

Power Steering Pulley Remover/ Installer - Ford, GM, Chrysler

SKU **1103578** 37031

- Includes 2 Screws for Use on Most Ford, Chrysler, GM and VW Power Steering Pulleys
- · Pulls Pulleys on GM Belt Driven Vacuum Pumps and Pressed-On Water Pump Pulleys of GM V6 Engines





Drive Line Tools

1/2" Drive (12 mm) Ford **Drive Line Impact Socket** SKU **420319**

24212

- Applications Include Many Ford Drive Line Bolts
- 12 mm, 12 Pt.



SKU **1267934** 25103

• Applications: 1994-2004 Dodge NV4500 with 4x4 29 Spline and 4x2 31 Spline as Well as NV4500HD (Cummins Diesel or V-10 Powered Dodge RAM)




Steering Wheel Service

Steering Wheel Puller

SKU **1103540** 37182

- Designed for All Major Makes and Models
- Sizes Included: 1/4" x 28, 8 mm x 1.25, 5/16" x 18, 5/16" x 24 and 3/8" x 16
- . Includes: J Hooks and Lock Plate Compressor

OEM TOOLS



Steering **Pivot Pin Remover**

25135

· Works on GM, Chrysler and Ford Vehicles (1969 - Newer with Saginaw Steering Columns



OEM TOOLS

OEM TOOLS

Steering Wheel Lock **Plate Tool**

SKU 213147 LIS57340

 Fits Domestic Lock Plates - Tilt and Telescoping



U-Joint Tools

U-Joint Pullers

Automotive

SKU **949561**

24539

5999

 Bearing Cup Outside Diameter: 1" to 1.25' 1.25" to 1.7'

• Easily Removes Seized U-Joint Cups on Most Passenger Vehicles and Light Duty Trucks · Does Not Damage the Driveshaft, Yokes,

Joints or Bearing Cups

Intermediate SKU **949565** 24548

9999

 Bearing Cup Outside Diameter:

Heavy Duty SKU **041474** 24538

 Bearing Cup Outside Diameter: 1.5" to 2.2"



Automotive Bearing Cup Installer

SKU **949571** 24549

- For the Installation of Bearing Cups on Light-Duty and Medium-Duty U-Joints
- Efficiently Install (2) Bearing Cups in One Process
- Contact Points **Feature Magnets** to Retain Bearing Cups **During Operation**



Spindle Nut

OEM TOOLS

Ford Rear Axle Nut Wrench SKU **1392337**

27353

• Services 2003-Newer Ford F-250, F-350, and F-450 Super Duty Trucks with 10-1/2" Rear Axle

- Same as Ford Part Number 205-448
- Use with a 1/2" Drive Ratchet or Breaker Bar



OEM TOOLS

Seal Tools

Transmission/Transaxle Plugs

SKU **298196** 24490

- . Includes 5 Plugs to Seal Both Transmissions and Transaxles on Most Import and Domestic Vehicles
- Stepped Design for Retention and Positive Sealing
- Includes Side Gear Centering Pin for Ford Transaxles



Bearing Race and Seal Master Driver Set

SKU 1103639 37119

- . Installs Most Standard Wheel Bearings and Races
- Includes Driver Sizes: 1.565", 1.750", 1.965", 2.325", 2.470", 2.555", 2.830", 2.995", 3.180" and Handle



Universal Seal Installer Set


SKU **818737** 25082


REG. \$44.99

- Knurled Long Handle
- Includes: 3" Driver, 2.5" Driver, Short Handle, Long Handle, Spider Insert, 5/16" x 1" Cap Screw, Large Spider, Small Spider and Washer
- Long Handle Provides Good Flexibility When Installing Pinion Seals



Offer Good While Supplies Last Through June 30, 2024







LIGHTING

Underhood Light

Li-ion Rechargeable Underhood Work Light

SKU OUTSIDE BUY/EPO LITLS36SMD

REG. \$114.99

- Two Swivel-Head Mounts with Built-In Magnets
- Maximum Lumens: 1,200
- Total Number of LED Lights: 36
- Overall Length: 42.25"
- Charge Time: 3 Hours
- Battery: 1,800 mAh Li-ion
 Run Time: Up to 6 Hours of Continuous Usage

Hood Cradle Adjusts from: 49.5" to 79.75"

Offer Good Through June 30, 2024 For Outside Buy/EPO, Call 901-300-4878



LITESTIX

Cord Reel

50' Retractable Extension Cord Reel

SKU **1105991** LEGFZ8140503

- · Circuit Breaker with Reset **Button Prevents Breaker Trip** or Blown Fuses
- Oil-Resistant 14/3 AWG SJTOW Cord
- Lighted Triple Tap Outlet



EVEN STRUCK

GreatLite

Streamlights

Stinger LED with AC/DC

SKU **291368** STL75732

- 425 Lumens
- Run Time: 10 Hours
- Beam Distance: 322 Meters

• Four Lighting Modes: High, Medium, Low and Strobe

Stylus Pro with White LED (

- 48 Lumens
- Run Time: 7.5 Hours
- Waterproof Construction with an Unbreakable Polycarbonate Lens Pocket Clip

Blue

SKU **291362 36 99** STL66122

SKU **291358** STL66120

Red

SKU **291408** STL66118

Silver

Black

SKU **291359** STL66121



Pen Lights

Cree LED Pen Light

- 3 Modes: Low (50 Lumens), High (150 Lumens) and Strobe
- 80 Meter Beam Distance
- · Anodized Aluminum Body is Impact and Water Resistant
- Battery Run Time: 6 Hours (Low), 3 Hours (High)

Silver

32839

Comes with (2) AAA Batteries and Tactical Clip

SKU **592188** 32838

Black SKU **592184**

32835

Blue

SKU **592185** 32836

Green SKU **592186** 32837

SKU **592183**

Flashlights

500 Lumen Tactical LED Flashlight

SKU **1368622** 74219

• 2 Light Modes: 500 Lumens (High),

- 50 Lumens (Low) • Beam Distance: 150 Meters
- IPX-5 Water Resistant











Magnetic Rechargeable LED Work Light

SKU **819644** 25982

- 3W COB LED, Super Bright White Lights: 210 Lumens
- 3.7V 2200 mAh Li-ion Battery
- Run Time: 3 Hrs. (Work Light), 20 Hrs. (Torch Light)
- Powerful Magnets on the Back and Swivel Base
- Includes: USB Cable for Recharging







OEM TOOLS

Swivels. Hangs.

or Sticks

(2) AAA

2-in-1 Rechargeable Pocket Light

SKU **081751** 26029

- 2-in-1 Pocket Light: Super Bright COB LED Work Light with Integrated LED Flashlight
- Easy Hands-Free Operation with Magnetic Base and Magnetic Pocket Clip
- Max. Output (Work Light): 200 Lumens
- Max. Output (Flashlight): 140 Lumens
- Run Time: 3 Hrs.









EXPE36-E02 • Beam Distance: 300 Meters

- Impact Resistant Up to 1.5 Meters
- IPX-6 Water Resistant • Includes: (1) 18650 Battery and Charger



E54 Cree 700 Lumens Tactical Flashlight

SKU **347200** EXPE54

- · Water and Shock Resistant Aluminum Body
- No-Slip Grip Surface
- Beam Distance: 300 Meters





GreatLite

Battery Not Included

Charging Unit for (1) 18650 Battery

SKU **347209** EXPE02

• (1) 18650 Battery Included

For Use with: EXPE36-E02 and EXPE54



SYLVANIA

#1 AFTERMARKET AUTOMOTIVE LIGHTING BRAND IN THE USA¹

³Circana/U.S. Retail Tracking Service, April 1, 2023

HEADLIGHT

BEST Farthest Downroad + Whiter Light³



MORE CLARITYS



BETTER

Farther Downroad
+ Whiter Light³

COLOR MOST DOWNROAD

MORE CLARITY



EN SOLUTION STATES

TECHNOLOGY



or powersports or fog use only

SYLVANIA LED Fog or Powersports

5 Year Limited Warranty²

Direct replacement, no polarity, easy to install, and compact design.

Available Part Numbers 9003 | 9005 | 9006 | 9007 | 9012 H1 | H7 | H8 | H9 | H11 | H13 | H16



SYLVANIA ZEVO° LED Mini Bulbs

Lifetime Limited Warranty²

Super Bright LEDs instantly turn on.

No polarity, easy to install



GOOD

Farther Downroad³

COLOR

MORE DOWNROAD3

SYLVANIA LED Mini Bulbs

A simple and cost-effective way to upgrade your vehicle's lighting to LED technology.









PROFESSIONAL DIAGNOSTIC TOOLS AND WORLD-CLASS CUSTOMER SUPPORT



TPDJS3000 3000 Amp Portable Jump Starter TPDBTMPROS
Battery Analyzer

TPDH200 Hurricano200 Portable Lithium Power Station TPDBT600 Battery Tester With Printer TPDV2200PLUS Jump Starter and Battery Tester TPDT90000
Tornado 90000 Battery Charger/Power Supply

TOPDON delivers superior performance with tools that ride with you. Bring batteries back to life with TOPDON innovative battery service tools.

Maximize Profits. Minimize Downtime.

TOPDON®

BATTERY SERVICE

Battery Testers

OEM TOOLS

Professional Series Battery Tester

SKU **750009** 24508

· Large Tester Uses Gravity with the Number of Floating Discs to Show State of Battery Charge Specific Gravity Levels are Printed on the Tough, See-Through

Plastic Body

• Large 16-1/4" Disc-Type Tester is Accurate Down to -40°F

OEM TOOLS **Digital Battery Analyzer**

SKU **819073** 24359

- Shows Available Power in CCA Starter and Charging System Testing
- Easy-To-Read Backlit LCD Screen
- Voltage Range: 1.5-15VDC



OEM TOOLS 100 Amp **Battery Load Tester**

SKU **203583** 24338

- Conveniently Tests Batteries in Just 10 Seconds
- . Battery Load Test: 100A (12V), 50A (6V)

 • Designed to Work
- on Both 6V and 12V Batteries Up to 1.000 CCA
- Determines State of Charge, Cranking and Charging Volts Convenient Handle
- for Transport



500 Amp Carbon Pile Load Tester

SKU **1168827** 24336

69 REG. \$79.99

- Variable Load Capability to 500 Amps
- Tests Batteries to 1,000 CCA
- Test Alternators, Regulators and Starters Large, Easy-To-
- Read Gauges
- Heavy Duty Clamps



OEM TOOLS



ASSOCIATED

Offer Good Through June 30, 2024

MIDTRONICS Advancing Battery Management **Battery** Conductance **Tester**

SKU **291330**

MIDPBT100

- . Tests Both the Starter and the Charging System
 • Tests 12V Automotive
- Batteries from 200 to 850 CCAs

 • Durable Design
- for the Workshop or in the Field



MIDTRONICS Advancing
Battery Manage Advanced **Diagnostic Battery Conductance/ Electrical System Tester**

SKU **291329** MIDPBT300

- Tests 12V Automotive Batteries from 100 to 1,400 CCA
- · Voltmeter Mode for **Testing Both** Starter and Charging Systems
- Accurate Battery **Test Decisions** in Seconds



BT600 Battery TOPDON' **Tester with Printer**

SKU **1339732** TPDBT600

- 3.5" Color Screen • Built-In Thermal Printer
- · Performs Complete Battery, Cranking and Charging Tests
- · Large, Reinforced, Smoke-Free and Spark-Free Copper Clamps
- Quick and Accurate Test Results



12V Digital Battery Electrical System Tester with Printer

SKU **343373** ASC12-1015

- . Tests Both Batteries Up to 1,700 CCA and Alternators
- · Tests Starters and Charging Systems

 Backlit Digital Display
- 9 Languages
- Includes: Deluxe Case and Extra Print Paper

12/24V Digital Battery Electrical System Tester with Printer

SKU OUTSIDE BUY/EPO ASC12-2415

. Tests Both Batteries Up to 2,000 CCA and Alternators

For Outside Buv/EPO. Call 901-300-4878

Battery Service Tools

Side Terminal Battery Wrench

• For Use with Side Terminal Batteries Found on Many GM and Other Domestic Vehicles

5/16^{II} SKU **466513** 25287

10 mm and 5/16"

SKU **965838** 25282

• Length: 5-1/2"

• Length: 12"



Battery Service Kit

SKU **1063827** 24697

• Includes Battery Carrier, Terminal Spreader, Battery Nut Pliers, Terminal Brush, Puller and Side Terminal Wrench



2 Liter **Battery Filler**

SKU **972771** 87010

 Automatic Shut-Off to Prevent . Overfilling

 Fills Battery to Proper Level without Spilling



Battery Terminal Puller

SKU 466489 25121

1099



 Puller Will Also Work on Corroded Spring-Type Clamps

OEM TOOLS

Battery Nut Pliers

SKU **943134** 25123

- Easily Tighten and Loosen Nuts · Offset Handles
- · Serrated Jaws for a Firm Grip



Battery Carrier

SKU **002284** 25316

- · Designed to Grab, Lift and Carry Top Post and Side Terminal Batteries
- Grips Battery Widths from 5" to 7" with **Rubber Pads**
- Plastic Hand Grip Provides a Firm Hold



6 Piece Battery Service Kit

SKU **1168822** 25110

• Includes: Battery Terminal Puller, 4-Way Post Cleaner, 5/16" and 10 mm Battery Terminal Wrench, Battery Nut Pliers, Extended 5/16" Battery Terminal Wrench and a Side Terminal Brush Organized in a Heavy-Duty, Roll-Up Storage Sleeve



Jump Starters | TOPDON®

JumpSurge 3000 Amp **Portable Jump Starter**

SKU **OUTSIDE BŪY/EPO** TPDJS3000

Sturdy Outer Housing Resistant to Water, Dust and Wear

- 45 Jumps on a Single Charge
- USB Quick Charge 3.0 Port
- Heavy-Duty Smart Clamps



ASSOCIATED Kwikstart® **12 Volt Portable Power and Jump Start** SKU **850637**

ASC6256

- Peak Amp Output: 1700 Amps
- 360 CCA of Boost Assist
- 2 to 12 Volt DC Accessory Outlets to Power and/or Recharge

Electronics • 32" Heavy **Duty Cables** and USB Port

DC



SOLAR. **Premium 1700 Peak Amp 12 Volt Jump Starter** SKU OUTSIDE BUY/EPO

- Heavy Duty Clamps with 68" Cables
- 1700 Peak Amps: 425 Cranking Amps

SOLJNC770R

- Dual USB Outlets to Charge Mobile Devices
- Master ON/OFF Switch

1700 Peak Amp **12 Volt Jump Starter** SKU OUTSIDE BUY/EPO SOLJNC660

- 46" #2 AWG Welding Cables
- 1700 Peak Amps; 425 Cranking Amps
- . Heavy Duty Clamps with 46" Cables

3400 Amp 12/24 **Volt Jump Starter** SKU **OUTSIDE BUY/EPO** SOLJNC1224

SeLAR.

- Voltmeter Provides Charge Status of Onboard Battery
- Clore PROFORMER Battery Technology
- 3400 Peak Amps and 850 Cranking Amps - 12V
- 1700 Peak Amps and 425 Cranking Amps - 24V



30,000 mAh Lithium Jump Starter for V10 and Diesel

SKU OUTSIDE BUY/EPO **CAL590**

New Improved Design

- Vehicle Jump Starter and Backup Charger for Portable Electronics
- 800 Cranking Amps and 1800 Peak Amps
- 30,000 mAh High Capacity Li-ion Battery • Fast Charging with Low Self-Discharge Cycle
- Includes Intelli-Clamps for Jumpstarting with Built-In Safety and Diagnostic



12,000 mAh Portable **Power Source Jump Starter**

CAL550

- Cold Cranking Amps: 300
- Includes LED Flashlight and USB Port for Device Use and Charging



18.000 mAh Boost Pro **Jump Starter**

SKU OUTSIDE BUY/EPO **CAL560**

• IP-65 Water Resistant for Marine Use or Adverse Weather Conditions

. Includes Intelli-Clamps for Jump Starting with Built-In Safety Features

 Power Ports: (2) 5V/2A-1A, 12V/10 A, 12V Jumpstart

. Built-In Overcharge and Over **Discharge Protection**



For Outside Buy/EPO, Call 901-300-4878

AUTEL MAXIBAS

BATTERY & ELECTRICAL ANALYSIS

MaxiBAS® BT608 SKU 1105501 Part #BT608

- 5.5" Tablet / Android 9.0 / Wi-Fi Updates
- All Same Features as BT508 Plus...
- Adaptive Conductance Technology: Detects Battery Capacity Reducing Misdiagnosis
- Auto Battery Reset / Print Test Reports Via Built-in
- AutoSCAN/VINScan for Quick Vehicle Identification & Battery Specifications



MaxiBAS® BT508 SKU 1123833 Part #BT508

- Use with Smartphone or other Smart Device
- All Same Features as BT506 Plus...
- Includes V200 Wireless Bluetooth VCI for **Battery & Electrical Component Registration** for Selected Vehicle Line
- Read / Erase Codes on All Available Systems
- Illustrated Guide for Battery Position & Testing





MaxiBAS® BT506

SKU 1125835 Part #BT506

- Use with Smartphone or other Smart Device
- Support In-vehicle and Out-of-Vehicle Testing of Passenger Vehicle Batteries
- Test 6- and 12-volt Batteries: 100 2000 CCA
- Test 12- and 24- Cranking/Charging Systems • Test Flooded, AGM, AGM Spiral, EFB & GEL Batteries
- . Compatible with CCA, CA, SAE, EN, IEC, DIN, JIS & MCA

MaxiBAS® BT609 SKU 1125832 Part #BT609

- 7" Tablet / Android 9.0 / Wi-Fi Updates
- All Same Features as BT608 Plus..
- Adaptive Conductance Technology: Produces a More Accurate Exam of the Battery's Status
- All System Scan, Read and Clear Codes
- Complete Service Menu 20+ Functions



MaxiBAS®BTAK SKU 1149588 Part #BTAK

- Battery Tester Accessory Kit
- Digital Multimeter and Current Clamp Kit
- Compatible with Autel's MaxiBAS BT608 and BT609 Battery Analysis Tools
- Measures Voltage Current and Resistance





- Includes 400 Amp Clamp Includes Probes and Leads
- . Troubleshoot Electrical System
- Measures Battery Strength • Effective Measurement Range
- of 20mA to 400A AC/DC One-Year Limited Warranty



MaxiBAS® BTMS SKU 1149587 Part #BTMS

- · Battery Tester Memory Saver
- Preserves Vehicle Codes and Electronic Presets When Replacing Battery
- Enables Vehicle Computer to Be Powered and Maintain Data When Connected to Backup Vehicle Battery
- · Connects to Vehicle Via OBDII and to 12 Volt Battery with Alligator Clips
- Features Surge Protection and LED Status Lights
- · One-Year Limited Warranty

TERY SERVI

Associated Battery Chargers

BASSOCIATED



Safe In Any













	Commercial Duty Charger SKU 221248 ASC6002B	Heavy Duty Charger SKU 662763 ASC6012AGM	Intellamatic® Ch Reflash Power SKU 344790 ASCESS6008	arger and r Supply SKU 343379 ASCESS6008MSK	Intellamatic® Wheel Charger and Reflash Power Supply SKU 343370 ASCESS6007B	Intellamatic® Charger and Reflash Power Supply SKU 662745 ASCIBC6008MSK
Charger Type	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel
UL of CSA Continuous Amperage Charging Rate	100/80A	70/60A	60A	60A	40A	60A
Re-Flash Power Supply Output Amperage	N/A	N/A	70A @ 13.9V	70A @ 13.9V	45A @ 13.9V	70A @ 13.9V
Crank Assist Amperage	400	250	270	270	130	270
Operating Charging Voltage	6/12/18/24V	6/12V	12V	12V	12V	12V
Battery Types	SLA	SLA, AGM	SLA, AGM, Gel-Cell	SLA, AGM, Gel-Cell	SLA, AGM, Gel-Cell	SLA, AGM, EFB, Li-ion, Gel-Cell
Smart Charger	N	N	Υ	Υ	Υ	Y
Adjustable Charging Voltage	N	N	N	N	N	Y
Adjustable Re-Flash Power Supply Voltage	N	N	Y	Υ	Υ	Y
Memory Saver Mode	N	N	N	Υ	N	Y
DC Cable Length and Gauge	8' 4AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG
Warranty*	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 3 Year Limited \$1	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited
Price	1,049 99	679°9	749 99 Reg. \$929.99 Offer Good Through June 30, 2024	999 ⁹⁹	749 ⁹⁹	1,29999

^{*}Two years bumper to bumper (B2B) manufacturer's warranty with five years transformer/rectifier for heavy duty battery chargers (6001A, 6002B, 6006, 6009 and 6012) and three years transformer/rectifier warranty for INTELLAMATIC wheeled smart chargers.

PRO-START

Booster Cables

20 Ft. 4 Gauge Booster **Cables with Storage Bag** SKU **1168815** 24335

- REG. \$39.99
- Extra Long 20 Foot Flexible Cables Expands Your Reach Tangle Free Design Ensures Quick and **Easy Connections**
- Insulated Clamps Fit Top and Side Post Batteries
- Oil, Gas and Acid Resistant All Copper Wire
- Includes: Storage Bag

Offer Good Through June 30, 2024

25 Ft. 1 Gauge Heavy Duty Jumper Cables

SKU **1142309** PSTPS1BC001

- Poly Coated Cables Resist Oil, Gas and Acid for Long Life
- Designed to Fit Top- and Side-Mount **Batteries**
- · Copper-Clad Aluminum Clamps and Wire
- Delivers 900 CCA



BASSOCIATED

Clamp Kit 400 Amp SKU **110434** ASC6199

· Professional Quality Heavy-Duty Clamps for all **Booster Cables**



Bench Charger

ASSOCIATED

6/12V, 15/2A Smart Bench **Top Charger**

SKU **850634**

ASC3100A

- Digital Display Shows Charging Voltage/ Amperage or Time Remaining

 • Safe for AGM,
- Gel Cell, SLA Batteries
- 100A Boost
- 1 Year Warranty





POWER PROS CAN COUNT ON



STORE STOCKED

SKU 1151304 42299 **DSR164**

12V 4000 Peak Amp Portable Lithium Ion Jump Starter

- . Heavy-duty design
- Front-facing, three-mode work light
- 2.4A USB port (output)
- 15V 2A port (input) for car charger and AC wall charger
- 4-gauge, 30-inch copper cables



SKU 200764 32499 **DSR128** 12V 2000 Peak Amp e Lithium Ion Jump Starter

- 2 Lithium Ion Phosphate batteries
- Dual 2.1 A USB ports | 12V DC output port
- Scrolling digital display
- · Charging LED indicator
- · Heavy-duty rust and corrosion-proof



SKU 897170 **DSR116** 12V 2200 Peak Amp Portable Jump Starter With Power Inverter and USB

- · Heavy-duty design
- 12V 2250 Peak Amps
- +525 CA/350 CCA
- · Includes 400W power inverter
- . 2.1A USB port | 12V DC outlet | 2 AC outlets
- · High-output AGM battery



SKU 883697 55199 **DSR115** 12V/24V 4400 Peak Amp Jump Starter

- 12V/24V 4400 Peak Ampa
- +750/475 CA, 525/350 CCA
- · High output AGM batteries
- · 2.1A USB port | 12V DC outlet
- Digital display
- · ON/OFF switch



ULTRACAP TECHNOLOGY

Featuring cutting-edge ultracap technology and an internal lithium battery, Schumacher's professional ultracap bench and wheel charger give users the option of taking the unit out of the bay to jump a vehicle. Plus, the dual ultracap/lithium design features high power density, quick charging, added cranking power, and superior reliability.



SKU 1218759 SC1591

12V Battery Charger and **Engine Starter**

- + Ultracap Jump Starter
- 800 Peak Amps with ultracap
- 500A engine start, 30A boost, 6A charge with AC DOWNER
- Ultracap protable jump starter recharges from internal lithium battery for more starts
- Digital display, LED indicators, and push button for easy and accurate control
- · Operates in extreme temperatures
- Ultracapacitors rated for 10,000 cycles/10-year lifespan



SKU 1218758 SC1645

Wheeled 12V Battery Charger and Engine Starter

- + Ultracap Jump Starter
- 1500 Peak Amps with ultracap
- 580A engine start, 50A boost, 6A charge with AC power
- Ultracap protable jump starter recharges from internal lithium battery for more
- Digital display, LED indicators, and push button for easy and accurate control
- Operates in extreme temperatures
- Ultracapacitors rated for 10,000 cycles/10-year lifespan

AIR COMPRESSO















ABA5-2160V4

ABA5-2180V4NS

ABAC7-2180V2

ABAC10-23120H ABA13-30GH



An	Atlas	Сорсо	Company

3.5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB/EPO ABA3-2160V1

Not Required

Yes





5 HP 80 Gallon 230V Air

230V Air SKU OSB/EPO

13 HP 30 Gallon **Honda Powered Air Compressor** SKU OSB/EPO ABA13-30GH

Yes

23 CFM

(1-3 Technicians)

175 psi

Cast Iron

Cylinders

3,449⁹⁹

10 HP 120 Gallon 230V Air Compressor, 3 Phase

	AIR C	OMPRE.	SSORS	7
An Atlas	Сор	co Co	mpar	ıy

ny	Compressor, Single Phase SKU OSB/EPO ABA3-2160V1
	N/A
	12.3 CFM

30V Air	1
ompressor,	
ingle Phase	•
KU OSB/EPO	(
BA5-2160V4	1
N/A	

N/A

Compressor SKU **OSB/EPO** ABAC5-2180V - Single Phase ABAC5-2380V - 3 Phase N/A

18 CFM

Yes

Yes

Yes

2.94999

Compressor ABAC7-2180V2 - Single Phase ABAC7-2380V2 - 3 Phase

N/A

27 CFM

(2-4 Technicians)

175 psi

3,749⁹⁹

SKU OSB/EPO ABAC10-23120H

N/A

35 CFM

(3-6 Technicians)

175 psi

Yes

Yes

An Atlas Copco Company	y

Heavy Duty, Low-

Magnetic Starter

Mounted and Wired

High Flow Belt Guard

CFM at 100 psi	12 (1 Te
Max. Pressure	1;
avy Duty, Low-RPM Cast Iron Pump	Ca Cv

15.4 CFM echnician) (1-2 Technicians) 35 psi 175 psi st Iron **Cast Iron Cylinders** linders

Not Required

Yes

1,649⁹⁹

15.4 CFM (1-3 Technicians) (2-3 Technicians) 175 psi 175 psi **Cast Iron** Cylinders

Yes Yes Yes

Recoil and **Electric Start** Yes

Yes

Price Premium Models

7.5 HP 80 Gallon 230V SKU OUTSIDE BUY/EPO

ABAC7-2180V2FF

4,44<u>9</u>99

- Vertical 80 Gallon Tank
- Horsepower: 7.5 HP
- Power Supply (V/Ph): 230V/1

SKU OUTSIDE BUY/EPO ABAC10-23120VFF 5,499⁹⁹ Vertical 120 Gallon Tank

- CFM @ Max. psi: 24
- Max. psi: 176





Rotary Screw Compressors

Not Required

Yes

- High Performance with Low Energy Consumption
- Low Noise and Vibration Levels
- Fully Integrated Aluminum Block

Rotary Screw Compressors are an Ideal Solution for Applications Where There is Continuous Demand for **Dependable Compressed Air**



4.39999

10 HP 131 Gallon 150 psi Screw Compressor with Dryer SKU OUTSIDE BUY/EPO

• 34.1 CFM

ABAAS-10503TMD • 208-230-460/3PH

15 HP 131 Gallon 150 psi Screw Compressor with Dryer SKU **OUTSIDE BUY/EPO**

ABAAS-15503TMD



7.5 HP 131 Gallon 150 psi **Screw Compressor** SKU OUTSIDE BUY/EPO

ABAAS-75501TM 5.79999

- 230/1PH
- 27.1 CFM

· Horsepower: 10 HP Power Supply (V/Ph): 230V/3 • CFM @ Max. psi: 32

• Max. psi: 176







Premium Models Include: Low Oil Level Shut Off, Auto Tank Drain and Belt Guard Aftercooler



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

R COMPRESSORS

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300

Regulators/Filters/Drains

5 Stage Desiccant Filter/Dryer

SKU **543076** ARRC7612XL

- Includes: Gauge, Shut-Off Valve and (1) 1/2 Gallon of Desiccant
- Lowers the Dew Point to -30°F

NAME	SKU	PART #	PRICE
Replacement Desiccant Silica Gel, 1 Quart	543068	ARR34189	21.99



SKU **543075** ARRC33354

- · Cleans, Dries and Lubricates Air Supply
- Operating Pressure Range: 5 to 125 psi
- 40 Micron Flement
- 142 CFM



Extend the Life of Your Air Tools!

Oil Removing Filter (1/2") SKU **OUTSIDE BUY/EPO** ARRF554AW

- .01 Micron Filter Element
- 37 CFM
- Manual Drain



Automatic Lubricator (1/2")

SKU **543085** ARRL354

. Lubricator May Be Filled without Shutting Down Air Line

7999

3 Position Adjustment Knob



Automatic Lubricator (3/8")	543083	ARRL353	79.99
NAME	SKII	PART #	PRICE

1/2" Electronic Drain

SKU **543065** ARR5804



- Tanks, Receiver Tanks or Filters
- 110 Volt
- 6' Power Cord



Regulator with Gauge (1/4")

SKU **543086** ARRR262G

· Adjustment Range is 5 to 125 psig

PRICE

 Rated for 25 SCFM

• 40 Micron

• 100 CFM

PART #

• 150 psi



Particulate Filter (3/8") **543078** ARRF353 **49.99** Air Regulator with Gauge (1/2")

SKU **543091** ARRR354G

ARRF354

NAME

· Adjustment Range is 5 to 125 psig

Particulate Filter (1/2")

SKU **543079 7099**

Rated for 100 SCFM

NAME Regulator with Gauge (3/8")	SKU	PART #	PRICE
negulator with trange (3/0")	343000	Annnasau	09.33

SKII

Filter/Regulator (1/2") SKU **543071**

ARRB754G

- Operating Pressure Range 5 to 125 psi
- 40 Micron Element
- 3 Position Non-Rising Adjustment Knob

NAME	SKU	PART #	PRICE
Filter/Regulator (3/8")	543070	ARRB753G	<i>89.99</i>



BelAire

5 HP 60 Gallon 230V Air **Compressor, Single Phase**

SKU OUTSIDE BUY/EPO IMC4916V

2,14999

- 15.4 CFM @ 100 psi • 165 psi Max
- Pressure Cast Iron
- Cylinders • 2 Stage Pump
- No Start Up Kit Required
- . High Flow Belt Guard
- Warranty: 2 Year Factory



5 HP 80 Gallon Religion **230V Air**

Compressor, Single Phase

SKU OUTSIDE BUY/EPO IMC418V



- 18 CFM @ 100 psi 175 psi Max
- Pressure Solid Cast Iron
- 2 Stage Pump Magnetic Starter
- Included Fully Enclosed **Belt Guard**
- Warranty: 2 Year Factory



Champion®

- All Units are Completely Assembled, Pre-Wired, Pre-Piped, Ready to Install for Quick, Easy Connection and Start-Up
- · One Piece Cylinder and Cylinder Head for No Blown Head Gaskets
- Tapered Roller Bearings for Longer, More Reliable Bearing Life

5 HP 80 Gal. Horizontal Compressor Fully Packaged with Dryer

SKU **OUTSIDE BUY/EPO** CHCR230AS692

• 17 CFM @175 psi, and Includes 25 CFM Dryer

7.5 HP 80 Gal. Horizontal Compressor **Fully Packaged with Dryer**

SKU **OUTSIDE BUY/EPO** CHCR230AS697

• 22.3 CFM @175 psi, and Includes 32 CFM Dryer

· Centrifugal Unloader For Loadless Starting for

Please be Sure to Specify Voltage and Phase

• 208V-460V Available in 1 and 3 Phase

Longer Pump and Motor Life

1 Year Warranty

When Placing Order

CHCR230AS692

Refrigerated Dryers

· Removes Condensate and Vapor so Dry Compressed Air is Produced in a Continuous, Cost-Efficient Way

Cool 15 CFM SKU **OUTSIDE BUY/EPO** ABACOOL15

Cool 25 CFM SKU **OUTSIDE BUY/EPO** ABACOOL25

Cool 35 CFM SKU **OUTSIDE BUY/EPO** ABACOOL35





For help on selecting the correct size Air Compressor to meet your needs, please verify voltage AND phase. Upgrading your compressor usually means you will need to upgrade your wiring. See page 2 for delivery information or Call 901-300-4878.

Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

AIR TOOLS

1/2" Impact Wrenches

Heavy Duty 1/2" **Composite Stubby Impact Wrench**

SKU **087596** 24418

- Torque: 900 Ft/Lb.
- Includes (7) 1/2" Short Impact Sockets Sizes: 13 mm to 19 mm
- Custom Cut EVA Foam for
- Storage Tray • CFM: 4.0







SKU **1282755** KNGNC-42650

OEM TOOLS

- 1200 Ft/Lb. Reverse Torque
- 200 to 800 Ft/Lb. of Torque • 8500 Free Speed RPM
- 85 dBA



WARRANTY: 3 Years **WARRANTY: 3 Years**

1/2" Impact Wrench SKU **592249** KNGNC-42320

- Mighty Small, Mighty Powerful Air Impact Wrench
- Max. Reverse Torque: 700 Ft/Lb.
- 85 dBA Noise Level Exceeds **OSHA Standards**
- Ultra Lightweight at Less Than 3 Lb.
- Twin Hammer Mechanism



<u>m7</u>

(IR) Ingersoll Rand 1/2" Air **Impact Wrench Classic** SKU **495316** IRT231C

- Original Twin Hammer Impact
- Torque: 600 Ft/Lb.
- Pressure-Fed Lubrication
- Adjustable Power
- Regulator • 1/2" Square Drive



WARRANTY: 1 Year

1/2" **Impact Wrench**

SKU **970487**

IRT231HA

- Torque: 590 Ft/Lb.
- Pressure-Fed **Lubrication System**
- In-Handle Exhaust Directs Away from User Industry Standard
- for 3 Decades Sound Pressure: 94 to 105 dBA

WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Impact Wrench with Extended Anvil

SKU 744023 KNGNC-4620HQ

- Max. Torque: 500 Ft/Lb.
- Great Lightweight Tire Gun
- Compact Size and Lightweight at 3.7 Lb.

 Avg. Air Consumption: 4.4 CFM

WARRANTY: 3 Years

KNGNC-4255QHB Maximum Reverse Torque of

Oil Filled Anvil

SKU **1105334**

1,200 Ft/Lb. Impact

Wrench with Patent

1,200 Ft/Lb. is Reached in 5 Seconds

- Longer Periods of Peak Power
- Patented Greaseable Anvil
- 85 dBA at 90 psi


WARRANTY: 3 Years

(IR) Ingersoll Rand 1/2" Super **Duty Air Impact Wrench with Extended Anvil** SKU **604744**





- In-Handle Exhaust Directs Air Away from User
- Pressure-Fed



WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Thunderaun Street Legal™ Impact Wrench SKU **495318**

IRT232TGSL

• Torque: 625 Ft/Lb. • 10,000 RPM for

Lightning Fast Removal is Best-In-Class



WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Ouiet **Impact Wrench** SKU **738489**

IRT2135QXPA • Torque: 780 Ft/Lb.

 Light, Quiet and Powerful Impact • Twin Hammer

Mechanism · Weighs Only 4 Lb.

WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Titanium **Air Impact Wrench** SKU **695134**

IRT2235TIMAX

• Reverse Torque:

Twin Hammer Impact

Mechanism

• Torque: 1,350 Ft/Lb.

930 Ft/Lb.

Lightweight

WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Titanium Air Impact Wrench with Extended Anvil SKII 738490 IRT2235TIMAX2

- Torque: 1,350 Ft/Lb.
- Max. Reverse Torque: 930 Lb.
- 8,500 Free
- Speed RPM Titanium Hammercase

WARRANTY: 1 Year

(**IR**)_{Ingersoll Rand}

3/8" Impact Wrenches

(IR) Ingersoll Rand

3/8" Titanium **Impact Wrench** SKII 198065

IRT2115TIMAX

- Torque: 300 Ft/Lb. Feather Touch Trigger and Patented Push Button Forward/Reverse

WARRANTY: 1 Year



SKU 1125881 **KNGNC-3612Q**

- 174⁹⁹
- Maximum Reverse Torque Can Reach Up to 350 Ft/Lb. in 5 Seconds
- Low Noise Sound Level 85 dBA

WARRANTY: 3 Years



3/4" Composite **Impact Wrench**


SKII 477102 IRT21450IMAX

- Max. Reverse Torque:
- 1.350 Ft/Lb. . Compact Design Fits Easily into Small Spaces
- Air Consumption CFM: 8.5 · Compact and Lightweight

WARRANTY: 1 Year

(Only 7.4 Lb.)





AIR TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Air Sanders

OEM TOOLS

2" Surface Prep **Air Sander**

SKU **094650** 25778

• 4 Position Air Volume Control RPM: 20,000 CFM: 3 Quick Change "Twist Lock" Mandrel

WARRANTY: 1 Year

Heavy Duty Reciprocating Air Saw SKU **802225**

24409

- Recommended Air Pressure: 90 psi
- Air Consumption: 1.7 CFM
- Strokes Per Minute: 9,000 SPM
- Air Inlet Thread Size: 1/4" NPT
- Lightweight: 1.50 Lb. (0.70 kg)
- Length: 10.6" (270 mm)
- Exhaust: Front
- Enhanced Blade Guard Design and Trigger Safety Lock
- Includes: Reciprocating Air Saw. (2) Hex Key Wrenches, (2) Saw Blades and (2) Blade Guards



WARRANTY: 1 Year

OEM TOOLS

6" Dual **Action Sander**

SKU **970475** IRTIR311A

 Dual Action Pad Motion Reduces Swirl

· Built-In Silencer for Quiet Operation



WARRANTY: 1 Year

Straight Line Sander (IR) Ingersoll Rand SKU **970479**

IRTIR315

- Twin Piston Design for Smooth Operation
- 3.000 Strokes per Minute
- Quick-Action Paper Clamps



WARRANTY: 1 Year

Heavy Duty Mini Surface Prep Kit

SKU **087620** 24417

- 2" and 3" Heavy Duty Mini Air Surface Prep Sander
- (1) 2" Backer Pad and (1) 3" Backer Pad
- (2) 2" and (2) 3" Medium Grit Surface Prep Discs
- (2) 2" and (2) 3" Coarse Surface Prep Discs
- (2) 2" and (2) 3" Sander Discs
- Blow Mold Case

WARRANTY: 1 Year



OEM TOOLS

OEM TOOLS

(IR) Ingersoll Rand



1/4" Die Grinders

Mini Air Die Grinder

SKU **802211** 24405

Composite Body

- Air Consumption: 3.4 CFM
- Free Speed: 25,000 RPM
- Recommended Air Pressure: 90 psi
- Air Inlet Thread Size: 1/4" NPT
- · Includes: 1/4" Compact Die Grinder and



WARRANTY: 1 Year

Mini Air Die Grinder

SKU **751631** 24404

REG. \$44.99

Composite Body Requires Only 2.4 CFM

- @ 90 psi for **Optimum Performance**
- Free Speed: 25,000 RPM
- Ultra Compact Size Fits Into Spaces Regular Die Grinders Cannot
- Lightweight: 0.7 Lb.
- Collet Size: 1/41
- · Includes: 1/4" Mini Die Grinder and 2 Wrenches

WARRANTY: 1 Year

Offer Good Through June 30, 2024

1/4" Air Die Grinder

SKU **802212 29⁹⁹** REG. \$49.99 24406

Composite Body

- Air Consumption: 3.4 CFM
- Free Speed: 22,000 RPM
- Recommended Air Pressure: 90 ps
- Air Inlet Thread Size: 1/4" NPT
- Collet: 1/4 In.
 Weight: 1.50 Lb. (0.7 kg)
 Length: 7.5" (190 mm)
- Exhaust: Rear 360°
- Composite Body with Built-In Silencing to Reduce Noise Level
- Throttle Lock for Safety and Rubberized Handle for Comfort
- Includes: Die Grinder and (2) Wrenches

WARRANTY: 1 Year

Offer Good Through June 30, 2024

Extended Air Die Grinder

SKU **802216** 24408

Composite Body

- Air Consumption: 2.5 CFM
- Free Speed: 23.000 RPM
- Recommended Air Pressure: 90 psi
- Air Inlet Thread Size: 1/4" NPT



1" Impact Wrench

1" Impact Wrench with Extended Anvil

SKU **970474** IRTIR285B6

- Reverse Torque: 1,770 Ft/Lb.
- 6" Anvil for Better Truck Wheel Nut Accessibility
- · Hi-Efficiency Motor

WARRANTY: 1 Year





Air Drill

3/8" Quiet Reversible Air Drill SKU **1189089** KNGQE-833

- Sound Level: 83 dBA
- Ergonomic Rubber Grip
- Variable Speed Trigger
- Aluminum Body Convenient Forward/Reverse Control Lever
- Free Speed: 1.800 RPM



WARRANTY: 3 Years

AZG0224

AIR TOOLS

1/4" Air Ratchets

1/4" Super Duty Air Impact Ratchet

SKU **850508** 24415

Impact Mechanism Adds Power and Prevents Kickback

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- · Sealed Head Ratchet Housing Prolongs Tool Life
- Compact and Lightweight
- Most Power-To-Weight Ratio
- Rear Air Exhaust: 360° Adjustable

WARRANTY: 1 Year



OEM TOOLS

Composite Body

1/4" Drive **Industrial Air Ratchet**

SKU **466593** 25763

- . Max. Torque: 18 Ft/Lb.
- Free Speed: 240 RPM
- Average Air Consumption: 3.0 CFM
- Recommended Air Pressure: 90 psi

WARRANTY: 1 Year

M7

1/4" Air Ratchet Wrench

SKU **666293** KNGNE-261



- Max. Reverse Torque: 37 Ft/Lb. (Reached in 5 Seconds)
- Free Speed: 230 RPM



M7

WARRANTY: 3 Years

3/8" Air Ratchets

(IR) Ingersoll Rand

3/8" Air Ratchet

SKU **970485** IRTIR107XPA

- Max. Torque: 54 Ft/Lb.
- · Advanced Head Design
- 360° Adjustable Exhaust



WARRANTY: 1 Year

3/8" Air **Ratchet Wrench**

SKU **662908** KNGNE-343

• Max. Reverse Torque: 75 Ft/Lb.

• Forward Working Torque: 10 to 55 Ft/Lb. Free Speed:

160 RPM



3/8" Super Duty Air Impact Ratchet

SKU **850055** 24416

. Max Torque: 50 Ft/Lb.

OEM TOOLS


- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- Sealed Head Ratchet Housing Prolongs Tool Life
- . Compact and Lightweight
- Most Power-To-Weight Ratio

(IR) Ingersoll Rand

• Rear Air Exhaust

WARRANTY: 1 Year

3" Air



OEM TOOLS

OEM TOOLS

Air Hammers

Standard Duty Air Hammer SKU **1392327 IRT117**

- 2,000 Blows Per Minute
- Heat-Treated Piston and an Alloyed Steel Barrel



WARRANTY: 1 Year

(IR) Ingersoll Rand **1210 Super Duty Air Hammer** SKU **478945** IRT1210

- Ideal for Body Panel Crimping and Cutting, Bushing Driving, Shearing and General Front End Work
- . Built-In Power Regulator and Trigger Control
- Easy to Control with an "Easy Out" Throttle



WARRANTY: 1 Year

Cut-Off Tools

Air Reciprocating Saw SKU **970481**

IRTIR429

- Designed for Cutting Intricate Shapes
- Cuts Flat and Curved Surfaces

Comes with 6 High Speed Steel **Cutting Blades**



Cut-Off Tool SKU **466590** 25760

REG. \$39.99 • Air Inlet Thread Size: 1/4" NPT

- Free Speed: 22,000 RPM

 Recommended Air Pressure: 90 psi



Offer Good Through June 30, 2024

Inflators

Digital Tire Inflator SKU **802198**

- 24412 · Easy-To-Read Backlit LCD Display
- · 4 Units of Measure (psi, Bar, KPa, kgf) • Measuring Range: 0 to 175 psi (0 - 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi
- High Air Flow Saves the Technician Time
- · Includes: 2 AAA Batteries

74

OEM TOOLS

OEM TOOLS **Dial Tire Inflator** SKU OUTSIDE BUY/EPO 24380

- · Clear and Easy-To-Read 80 mm 180 psi Gauge
- 3-in-1 Function: Inflate, **Deflate and Measure** Tire Pressure
- Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks

Call 901-300-4878



Dual Head Chuck Tire Inflator Gauge

SKU **94652 29**99 25864

• 6" Chrome Plated Dual-Head Chuck with Full 360° Swivel Action

- 15" Air Hose with a 1/4" Female NPT and a 3/8" 24 Thread Air Intake
- . Inflates within a 10 to 120 Lb. Pressure Range
- . Magnifying Bubble Lens, Allows Full View of the Pressure Scale
- · Gauge Shown in 2 Lb. Increments



OEM TOOLS

MILTON MINIME NO Inflator **Gauge. Dual Head Chuck Tire Inflator Gauge**

SKU OUTSIDE BUY/EPO MILS506

- Heavy Duty Construction Provides for Long Life Even Under Heavy Use and Extreme Conditions
- Gauge and Valve Cartridges are Replaceable
- Equipped with Magnifying Lens for Full View of Scale



For Outside Buy/EPO, Call 901-300-4878

R TOOL ACCESSORIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

12 Piece

Deep (SAE)

SKU **442193**

25590

Impact Sockets and Extensions

1/2" Drive Impact **Extension Set**

SKU **1340235**

T 0 0 L S

SUN2500

- Set Includes: 1/2" Dr. 3", 5", 10" and 15" Impact Extensions
- Comes in a

Blow Mold Case



SUNEX



OEM TOOLS



25528 • 1" Drive 33 mm Budd Wheel Socket for Mack. Midliner. Volvo. White and Other Import Trucks

33 mm 1" Drive Budd

Style Wheel Socket

with Dual Rear Wheels

1-1/2" Hex x 13/16"

Square Deep 1" Drive

• For Budd Wheel 1-1/2" Hex

with 13/16" Inside Square

SKU **466569**

Budd Style

SKU **466570**

25529

Wheel Socket

OEM TOOLS







Air Blow Gun



• Wide Angle Nozzle for High Volume

Variable Trigger to Control Volume and Tip Pressure

• 1/4" NPT Air Inlet

7 Piece 1/4" Bodv.

1/4" NPT SKU **757040** 26132





7 Piece 1/4" Body. 3/8" NPT

SKU **757046** 26133

Deep (Metric)

12 Piece

SKU **464314**

25588

OEM TOOLS



1/2" Impact Sockets

Sockets

12 Piece

SKU **391191**

25589

34⁹⁹

Shallow (SAE)

• 6 Pt. High Quality Impact Sockets

3/8" Impact • 6 Pt. High Quality Impact Sockets

13/16", 7/8", 15/16" and 1"

12 Piece

SKU **391190**

25587

Shallow (Metric)

- SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"
- Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

• SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",

• Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

11 Piece Shallow (SAE) **10 Piece Shallow (Metric)**

SKU **391195** 25593

SKU **391192** 25591



11 Piece Deep (SAE)

SKU **391196** 25594





OEM TOOLS

OEM TOOLS

OEM TOOLS

12 Piece 1/2" Drive 6 Point Metric **Deep Impact Socket Set**

SKU OUTSIDE BUY/EPO

• 6 Point 1/2" Sockets From 10 mm to 21 mm

For Outside Buy/EPO, Call 901-300-4878



Impact Adapters

5 Piece Adapter and Universal Joint Set (3/8" and 1/2")

SKU **965864** 24226

- Chrome Moly Steel Construction
- Includes: 3/8" Drive Universal Joint, 3/8" Drive (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4"(M) Adapter



OEM TOOLS

5 Piece Interchangeable Tip Air Blow Gun

24439

• Includes 4 Interchangeable Tips: 100 mm (4"), 140 mm (5.5"), 320 mm (12.5") and a Turbo Wide Angle Nozzle

· Quick Change Coupling Makes it Easy to Change Tips

High Flow Couplers

High Flow Coupler and Plug Kits

MORE * · Ideal for HVLP Spray Guns and High Torque Impact Wrenches

· Delivers the Highest Air Volume with the Lowest Pressure Drop

14 Piece 1/4" Body, 1/4" NPT

SKU **757091** 26134



*When Paired Together, OEMTOOLS High Flow Couplers and Plugs Deliver Up to 70% More Flow than Conventional Couplers



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

AIR TOOL ACCESSORIES

Hoses and Hose Reels

Black Rubber Air Hose

- 1/4" Solid Brass NPT Fittings
- Max. Operating Pressure: 250 psi
- Max. Burst Pressure: 1,070 psi



25' x 3/8"

SKU **1246249 GRI12187**

GOOD YEAR

50' x 3/8"

SKU **1246248 GRI12676**

50' X 1/2"

SKU 1361990 GRI12707

100' Wall Mount **Air Hose Reel**

SKU **291343** 25970

- · Comes with 18" Leader Hose
- . Mounts Solid or with Swivel Action · Solid Steel
- Frame
- Some Assembly Required



OEM TOOLS

LINCOLN

3/8" x 50" **Air Hose Reel** SKU **900815**

25979

144 REG. \$159.99

- Smooth Automatic Retracting **Spring Coil**
- 50' Hose • 3/8" NPT
- **Fittings** • Max. Pressure: 250 psi

(Color May Vary)

Offer Good Through June 30, 2024



SKU **347224** 24424

- · Heavy Duty Polymer Hose Material Redefines Flexibility - Stays Flexible **Under All Weather Conditions** (-40° to 150°F)
- . Holds No Memory Kink Resistant **Under Pressure**
- 300 psi Working Pressure
- Bend Restriction for Reducing Wear and Tear and Extending Life of Hose
- Solid Brass MNPT Ends



3/8" x 4" Air Hose SKU **347219**

• 1/4" Swivel MNPT x 1/4" FNPT

SKU **347221** 24421

• 3/8" Swivel MNPT x 3/8" MNPT

1/2" x 4' Air Hose

Value Series Air Hose Reel

- · Retractable Delivery Hose
- Durable Heavy Gauge Steel Construction
- Slotted Mounting Base for Easy Installation

3/8" x 50¹ SKU **972284** LIN83753

28999

1/2" x 50' SKU **972285** LIN83754

31499



3/8" x 50' Air **Hose Reel**

SKU **OUTSIDE BUY/EPO** LEGL8250FZ

EKENDEN

OEM TOOLS

- Extreme All-Weather Flexibility, Even in Subzero Temperatures (-40 to 140F)
- Won't Kink Under Pressure



For Outside Buy/EPO, Call 901-300-4878

Air Pipina

MaxLine Compressed Air Piping System 3/4" Master Kit

SKU **360593** RAPM7500

24420

Aluminum Core: Holds Any Bent Shape!

- Heavier Duty Components for Longer Air Runs in Larger Buildings
- 3 Air Outlets, (1) 3/4" NPT Straight Fitting, 2 Tees, 20 Clips and 100' of 3/4" HDPE Tubing



1/2" Tubing Master Kit SKU **360485** RAP90500

- · Easily Install Behind Walls of New Construction or on **Existing Shop Walls**
- Includes: 2 Air Outlet Kits, 1 Compressor Manifold Kit. 100' Nylon Tubing and Tubing Cutter

76



3/4" MaxLine **Outlet Kit**

SKU **360629** RAPM7510

• 3/4" Outlet Kit for MaxLine Compressed Air System



Air Chuck

OEM TOOLS

Dual Foot Air Chuck with Comfort Grip Handle

SKU **802201 24** 99 24413

- Comfortable Screwdriver Style Handle
- 30° Reverse Angle Chuck Can Be Used on Outside Tires
- Tilt Lock Feature Locks onto the Valve





Handle for Comfort and a Positive Grip · Sealed-Ball Air Chuck is Extended 1" from Handle to Allow

Access to Tight Areas



See more RapidAir® Products on AutoZonePro.com

Surface Prep

2" Twist-To-Lock Surface **Prep Discs (50 Pack)** with Cookie Jar

Coarse SKU 1146029 SHA13088

Medium SKU **1146030** SHA13089

Assorted

7499

SKU 1168677 SHA13087

· Includes Coarse, Medium and Fine



SHARK

SHARK

2" Surface Prep Discs (25 Pack)

• Twist-Lock Style

Coarse

SKU 1330684 22517

(0.79 each)



SKU 1335806 22516

19⁹⁹ (0.79 each)



SHARK

3" Surface Prep Discs (25 Pack)

• Twist-Lock Style

Coarse SKU **1335795**

22518 **34⁹⁹** (1.39 each)



SKU 1335787 22519

34⁹⁹ (1.39 each)



OEM TOOLS



Twist-Lock Disc Holders

SKU 1368617

SHA13012

• 2" Holder (Single)

SKU **094911** SHA323T2

• 2" Holder (2 Pack)

SKU **094916** SHA333T2

• 3" Holder (2 Pack)

SKU **094912**

SHA323TB

• 2" and 3" Holder Set

2" Purple Strip Disc with Twist-Lock (5 Pack)

SKU **298097** SHA16206

- · Long-Life Silicon Carbide for Paint and Coating Removal
- · Pack of 5 Discs



2" Twist-Lock Mini Flap Discs **Assorted Grits (6 Pack)**

SKU **306275** SHA13056

• Outlasts Mini Grinding Discs by 3 Times

. Includes: 2 Each of 40, 60 and 80 Grit



Finger Discs (10 Pack)

- Long Life Discs with Type "R" Style Backing
- Improved Surface Contact Over Wire Brushes
- · Great for Rust, **Surface Contamination** and Oxide Removal from Metals





Ĺ	Finger Discs								
	SKU	Color	Size	Grit	Qty	Price			
	1361995	SHA13345	Green	1"	50G	10	<i>79.99</i>		
	1362005	SHA13347	Yellow	1"	80G	10	<i>79.99</i>		
	1361988	SHA13349	Gray	1"	120G	10	<i>79.99</i>		
	1362008	SHA13357	Yellow	2"	80G	10	99.99		
	1361994	SHA13359	Gray	2"	120G	10	99.99		
	1362011	SHA13361	Green	3"	50G	10	164.99		
	1362013	SHA13363	Yellow	3"	80G	10	164.99		
	1362001	SHA13365	Gray	3"	120G	10	164.99		

Ideal for Hard-To-Reach Surfaces and Lasts Longer than Most Abrasive Discs

Twist-to-Lock Green Zirconia Mini Grinding Discs

Green Zirconia								
SKU	Part #	Size	Grit	Qty	Price			
306282	SHA12613	2"	36	25	39.99			
305896	SHA12614	2"	50	25	<i>39.99</i>			
204022	SHA12615	2"	80	25	39.99			
306323	SHA12617	3"	36	25	49.99			
305827	SHA12618	3"	50	25	49.99			
204009	SHA12619	3"	80	25	49.99			



SHARK



Backing Pad for Finger Disc

- 1/4" Steel Mandrel Shank
- . Works with Type "R" Button Discs
- Rapid On/Off Action

2" x 1/4"

SKU **1362000** SHA13327

1" x 1/4" SKU 1362009 SHA13326

3" x 1/4" SKU 1362015 SHA13328

SHARK





SHARK

Cut-Off Accessories

Mandrel Set for Cut-Off Tools (2 Pack)

SKU **094907** SHA32



10 Piece Cut-Off **Wheel Set with Mandrel** SKU **OUTSIDE BUY/EPO**

26528

· Capable of Cutting Fiberglass, Plastic, Iron, Steel and Other Ferrous Metals

Quantity: (10) 3" x 1/16' Cut-Off Wheels with 3/8" Arbor. 46 Grit

Max. RPM: 20,400

For Outside Buy/EPO. Call 901-300-4878



Wheels (10 Pack) SKU **306331**

SHA13178PK2 • Silicon Carbide Grain

• Includes: (10) 3" x 1/16" x 3/8"

Cut-Off Wheels · Works on

3" Die Grinders



3" x 1/16" x 3/8" **Reinforced Cut-Off** Wheels (25 Pack) SKU **306273**


SHA25E5PK5



- Max. RPM: 25,000
- · Includes: 25 Discs



AZG0224



POWER TOOLS

Professional OEMTOOLS®

20V Max* Li-ion

Heavy Duty 1/2" Impact Wrench SKU **818594**

24481

- Speed: 0 to 2,200 RPM and 0 to 2,900 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Tightening Torque: 260 Ft/Lb.
- Battery: 4.0Ah Li-ion
- Weight: 8 Lb.
- 4 Battery Light Indicators: 100% (4), 75% (3), 50% (2) and 25% (1)
- Charge Time: 2 Hours
- Includes: Li-ion Battery with Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion

1/2" Brushless Impact Wrench

SKU **592251** 24486

17099

- Variable Speed: 0 to 2,600 RPM; 0 to 3,000 IPM
- Nut Busting Torque: 300 Ft/Lb.
 Tightening Torque: 260 Ft/Lb.
- Battery: 4.0Ah Li-ion
- · Charge Time: 2 Hours
- Weight: 9.28 Lb.
- Includes: 20V Max* Li-ion Brushless 1/2" Drive Impact Wrench, Rechargeable 4.0Ah Li-ion Slide Battery, Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion

1/2" Brushless Hammer Drill

SKU **593469** 24485

14999

- Variable Speed: 0 to 600 RPM and 0 to 2,000 RPM
- Max. Torque: 310 In/Lb.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Battery: 2.0Ah Li-ion
- Charge Time: 1 Hour
- Weight: 7.65 Lb.
- Includes: 20V Max* Li-ion 1/2" Brushless Hammer Drill, Rechargeable 2.0Ah Li-ion Slide Battery, Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion

Cordless Angle Grinder SKU **598786**

- 24492 Speed: 0 to 10,000 RPM
- Max. Disc Diameter: 4-1/2"
- Spindle Thread: 5/8"
- · Spindle Lock: Yes
- · Battery: 4.0Ah Li-ion
- Charge Time: 2 Hours
- Weight: 7.97 Lb.
- Includes: 20V Max* Li-ion Cordless Angle Grinder, (1) Grinding Disc, (1) Assist Handle, Rechargeable 4.0Ah Li-ion Battery and Charging Station



20V Max* Li-ion **Reciprocating Saw**

SKU **592353** 24491

REG. \$99.99

- Variable Speed: 0 to 3,000 RPM
- . Length of Stroke: 1'
- Max. Cutting Capacity (Wood with 12" Blade): 3-1/8
- Max. Cutting Capacity (Pipe): 3/4'
- Overall Length: 14-1/4
- Battery: 2.0Ah Li-ion
- Charge Time: 1 Hour • Weight: 7.29 Lb.
- Includes: 20V Max* Li-ion Reciprocating Saw,

(1) High-Quality, Multi-Purpose Bi-Metal Reciprocating Saw Blade, Rechargeable 2.0Ah Li-ion Slide Battery and Charging Station

Offer Good While Supplies Last Through June 30, 2024

All Professional OEMTOOLS **20V Power Tools Work With:**

20V Max* Li-ion

Battery Charger

SKU **824778** 27333B

· Replacement Part for OEMTOOLS Heavy Duty 1/2" 2VSR Cordless 20V Li-ion Drill

20V Max* Li-ion

Replacement Battery 2.0 Ah

SKU **824777** 27333A



OEM TOOLS

Corded OEMTOOLS®

14" Chop Saw SKU **1228718** 24723

- Ideal for Cutting Wood, Metal, Steel and Pipe 15 Amp Motor for Powerful
- **Cutting Action** · Spindle Lock Makes Wheel
- Changes Quick and Easy Steel Base Provides Stability When Cutting Longer Material
- Accepts Standard 14" Cutoff Discs
- . Includes: 14" Chop Saw, 8 mm Hex Wrench, Cutting Blade and 6 Ft. Power Cord

78



6" Bench Grinder with Lamp

SKU **412598** 80058



. Includes: Coarse and Fine 6" Grinder Wheels, Goose Neck Lamp, Adjustable Eye Guards and

Spark Breakers Mounting Hardware is Not Included



Oscillating Tool SKU **592331**

24495

- Variable Speed: 11,000 to 20,000 OPM
- Power: 2.3 Amp
- Oscillating Angle: 3.2°
- Overall Length: 14-1/2"
 Power Cord Length: 6 Ft.
- Weight: 4.1 Lb.
- Includes: Quick Release Oscillating Tool, (1) 3-1/2"
 Semi-Circle Wood Saw Blade, (1) 2" Rigid Scraper, (1) 1-1/4" Wood Plunge Blade, (1) Standard Sanding Pad and Control Con (3) 60/80/120 Grit Sandpapers and 6 Ft. Power Cord



*With respect to 20V Max, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18V.

POWER TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

OEMTOOLS®

20V Max* Li-ion

3/8" Cordless Drill

SKU **052383** 24660

• Chuck Size: 1/2" Keyless Jacob's Chuck

. No-Load Variable 2 Speed Gear Box: 0 to 350 RPM and 0 to 1.150 RPM

• Max. Torque: 220 In/Lb.

• Max. Drilling Capacity: 5/16" (Metal) and 3/4" (Wood)

Keyless, Auto Spindle Lock Chuck Size: 3/8"

• Clutch: 16 + 1 Torque Clutch Setting

• Electric Brake


• Forward and Reverse Switch

• Battery Charge and Capacity Indicator Lights

Charge Time: 4 to 6 Hours

• Contents: (1) 3/8" Cordless Drill/Driver,

(1) 1.5Ah Li-ion Slide Battery and (1) Battery Charger



(1) Diagnostic Fast Battery Charger

STORE STOCKED

3/8" Cordless Impact Wrench

20V Max* Li-ion

· Anvil: Heat-Treated

SKU **052379**

24661

20v Max

20V Max* Li-ion

1/2" Cordless **Impact Wrench**

SKU **052380** 24670

Anvil: 1/2" Square Drive

Speed: 0 to 2,200 RPM; 0 to 2,700 IPM

• Nut Busting Torque: 300 Ft/Lb.

• Max. Tightening Torque: 240 Ft/Lb.

Battery: 2.0Ah Li-ion

· Weight: 6.5 Lb.

Charge Time: 5 to 7 Hrs.

Contents:

(1) 1/2" Cordless Impact Wrench,

(1) 2.0Ah Li-ion Slide Battery,

(1) Li-ion Battery Charger

STORE STOCKED



OEM TOOLS

STORE STOCKED

Individual Batteries Battery 1.5 Amps and Charger **Available**

20V Max* Li-ion

SKU **029415** 24660A

. Charges in 4 to 6 Hrs.

20V Max* Li-ion **Battery 2.0 Amps**

SKU **1392334** 24670-36

· Charges in 4 to 6 Hrs.



20V Max* Li-ion

Battery Charger

SKU **029418** 24660B



4-1/2" Compact Angle Grinder

SKU **052382** 24663

• Motor: 6 Amp

 Voltage: 120V, 60 Hz • Speed: 10,500 RPM

• Interchangeable Handle for Left or Right Hand Use

Heavy Duty, Cast Aluminum

Gear Head for Strength and Durability

• 6 Ft. Power Cord

• Contents: (1) 4-1/2" Compact Angle Grinder,

(1) Grinding Wheel, (1) Spanner Wrench and (1) Disc Guard

Heavy Duty 1/2" **Impact Wrench** SKU **052388**

24666

• Input Power: 8.5 Amp

• Voltage: 120V, 60 Hz • 1/2" Square Drive

STORE STOCKED

with Hog Ring Retainer No-Load Speed: 0 to 2,200 RPM and 0 to 3,000 IPM

Replaceable Carbon Brushes

• 8 Ft. Power Cord



STORE STOCKED

Rotary Tool with 35 Piece Accessory Kit

SKU **052384 37**99 24664

• Input Power: 1.2 Amp

• Voltage: 120V, 60 Hz

• No-Load Speed: 10,000 to 35,000 RPM

• Collet Capacity: 1/8" to 3/32"

Spindle Lock for Easy Bit and Accessory Change

• 6 Ft. Power Cord

• Includes: Grinding Stones, Wheels, Brush, Sanding Bands and Disc, plus Grinding, Cloth and Cut Off Wheels





Flexible Shaft Rotary Tool Extension SKU **003483 71** 99

24657

 Easily Attaches to Many Popular Rotary Tools



STORE STOCKED 🖊

12V Max** Li-ion

Power Ratchet SKU **1069064** 24685

Max Torque: 35 Ft./Lb.

• Max Manual Torque: 96 Ft./Lb.

No-Load Speed: 230 RPM

· Ergonomic Grip with Low-Profile Head for Work in Tight Spaces

• Features Integrated Worklight for Hard-To-See Spots

2Ah Li-ion Removable Battery with Charger





Dual Temp Heat Gun

SKU **052387** 24665

Input Power: 10 Amp

• Voltage: 120V, 60 Hz

 Temperature Settings: 482°F/842°F

Trigger: 3 Position Rocker

Hanging Loop for Storage

• 6 Ft. Power Cord

STORE STOCKED





POWER TOOLS

Power Tool Accessories

3 Piece Spiral Step Drill Set

SKU **099189 34** 99 24372

- Bit One: 13 Sizes from 1/8" to 1/2"
- Bit Two: 6 Sizes from 3/16" to 1/2"
- Bit Three: 9 Sizes from 1/4" to 3/4"



6 Piece Bi-Metal Hole Saw Set SKU **547011** REG. \$24.99 24378

 Includes Sizes: 7/8", 1", 1-1/8", 1-1/4" and 1-1/2" (22 mm, 25 mm, 29 mm, 32 mm and 38 mm)

Slotted Saw Allows for Easier Plug Removal

 Durable Enamel Finish **Protects Against Corrosion**

 Bi-Metal Construction for Increased Wear Resistance

Offer Good While Supplies Last Through June 30, 2024



Bench Grinder, Vise and Drill Press Stand SKU **943120** 24643

· Heavy Duty Steel Construction Features Large Base to Prevent Walking or Wobbling During Operation and is Pre-Drilled for Mounting

• Top/Plate Dimensions: 13.8"(L) x 9.8"(W) x 0.2"(H)

• Overall Dimensions: 13.8"(L) x 9.8"(W) x 37.4"(H)

> **Multiple Mounting Configurations Fit** Many Bench Grinders, Pipe Benders, Vises and Drill Presses



OEM TOOLS

Multi-Purpose Drill Powered Pump

SKU **526513 24** 99 24503

• Works with a Corded or Cordless Drill to Transfer the Following Liquids: Fresh Water, Sea Water, Organic Solvents, Motor Oil, Heating Oil, Insecticides and Liquid Fertilizers

8 Piece Impact Socket Adapters

SKU **213258** 25244

 Converts 1/4" Hex to 1/4", 3/8", 1/2" Square Drive - For Use with Any Standard Drill or Impact Driver

• Includes: 1", 1.2", 2", 2.6" (1/4" Drive); 2", 2.6" (3/8" Drive); 2", 2.9" (1/2" Drive)



Mechanics Set

REG. \$2,408.61



Includes 156 of the Most Common Tools with a Secure 4-Drawer Rolling Cart

 SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More.

Offer Good Through June 30, 2024





Lube Tech Set

SKU **227302 | 24965**

999 REG. \$2,677.48

Includes 160 of the Most Common Tools with a Secure 4-Drawer Rolling Cart

• SAE and Metric, 1/4", 3/8" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More.



OEM TOOLS



Offer Good Through June 30, 2024

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.



3 Ton Long/Low Signature Service Jack

SKU OUTSIDE BUY/EPO **299 99 24868**

 Extra Long and Low Profile is Great for Low Clearance Vehicles, Pickups and SUVs

- Padded Jack Handle and Saddle Pad to Prevent Vehicle Damage
- Dual Pump Design for Quicker Lifting
- Nylon Casters to Protect Sealed Floor Surfaces and Dealer Showrooms
- Min. Height: 3-3/8"
- Max. Height: 24-1/4"
- Length: 31-3/8"
- Weight: 100.3 Lb.





Dual Pump Design for Quicker Lifting



Long Reach Low Profile



Nylon Casters Protect Floor Surfaces

2-1/2 Ton Aluminum/Steel Hybrid Floor Jack

SKU OUTSIDE BUY/EPO 24869

- Aluminum and Steel Frame Construction Provides the Benefit of Strength Along with Light Weight
- Padded Jack Handle and Saddle Pad to Prevent Damage to Vehicle
- Dual Pump Design for Quicker Lifting
- Nylon Casters to Protect Sealed Floor Surfaces and Dealer Showrooms
- Min. Height: 3-1/2"
- Max. Height: 19-1/4"
- Length: 25-1/2"
- Weight: 58.2 Lb.





OEM TOOLS



Dual Pump Design for Quicker Lifting

For Outside Buy/EPO. Call 901-300-4878



Low Profile



Nylon Casters Protect Floor Surfaces

Long Reach To Get Under Lowered

Vehicles to Lift Point

For Outside Buy/EPO, Call 901-300-4878

2-1/2 Ton Trolley Jack

SKU **544787 99**⁹ **24841**

- (2) 360° Rear Swivel Casters for Easy Maneuvering
- Min. Height: 3-3/8"
- Max Height: 15-1/8'
- Weight: 28 Lb.







3-1/2 Ton Low Profile Floor Jack

SKU **757109 249 2483**7

- Dual Pump Design for Quicker Lifting
- Min. Height: 3-3/4"
- Max. Height: 20-1/2"
 Length: 27-1/8"
- Length: 27-1/8"Weight: 85.8 Lb.
- 3¾" LOW PROFILE







2 Ton Extra Long, Extra Low Profile Floor Jack

SKU **757041 27 24838**

- Min. Height: 2-3/4"
- Max. Height: 24"
- Length: 31-7/8"
- Weight: 97.5 Lb.







All OEMTOOLS® Jacks on this page include overload and bypass safety valves and meet ASME PASE 2014 Safety Standards.

Jack Stands

3 Ton Jack Stands (Pair)

SKU **757122** 24852

- Min. Height: 12"
- Max. Height: 17-3/4'



OEM TOOLS

6 Ton Jack Stands (Pair)

SKU **757050** 24853

- Min. Height: 15-3/4"
- Max. Height: 24-3/8'



22 Ton Heavy Duty Axle Stands (Pair)

SKU **757098** 24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport and Positioning
- · Large V-Shaped Saddles Center Lift Points for Secure Placement



OEM TOOLS

4 Ton Ratcheting Jack Stand (Pair)

SKU **1142454** VIK55040

- Min. Height: 14"
- . Max. Height: 21"
- Width: 8.44"

6 Ton Ratcheting Jack Stand (Pair)

SKU **OUTSIDE BÙY/EPO** VIK55060

- Min. Height: 15.75"
- Max. Height: 24.38"
- Width: 11'



For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

Air Hydraulic Jacks

20 Ton Air Hydraulic Bottle Jack

SKU **544795**

24850 Can Be Operated with Air

- or Manually Height: 9.5" to 15.5"
- Extension Screw Adjustment: 3.25"



22 Ton Air **Hvdraulic Truck Jack**

SKU **544796** 24851

 Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles

- Ram Travel: 4-3/4"
- Extension Screw Adjustment: 4-1/2"
- Min. Height: 8-1/2"
- Max. Height: 17-3/4"



4 Ton Floor Jack

4 Ton Heavy Duty Floor Jack

SKU **954207** AFF400SS

• High Grade U-Cup Seals and High Pressure

- Plunger for Maximum Performance . Heavy Duty Pump, Ram and Cylinders are Precision Machined and Inspected
- Universal Joint Technology
 Rear Mounted Swivel Casters
- · Pinned and Padded Saddle
- Twin Hydraulic System
- Flanged Side Plates
- Meets ASME 2014 Standards



Hydraulic Jacks Built for Performance and Ease of Use

Wheel Dollies

Set of 4 Mechanical Vehicle Position Dollies with Storage Cradle

SKU **OUTSIDE BUY/EPO** 69000

- Easily Lift and Move Vehicles Up to 6,000 Lb.
- Storage Stand has Swivel Casters for Easy Maneuverability
- Includes: 4 Dollies with Storage Stand



Vehicle Position Jack Cradle

SKU **544800** 24856

Mechanical Vehicle Positioning Jack Set

SKU **1089031** 24793

Includes: 2 Jacks

Hvdraulic Vehicle Position Jack Set

SKU **298098** 24855TW0

- 1,500 Lb. Capacity Each
- · Raise Vehicle in Seconds with Foot Pump · Easily Roll Vehicle in
- any Direction
- Includes: 2 Jacks



OEM TOOLS























AZG0224

Engine Stands

1.250 Lb. Engine Stand sku **462493 94099** 24829

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- Extra Wide 4 Wheel Base Provides Added Stability
- 360° Rotation
- · Lock Pin Locks Engine into Position



Heavy-Duty 1,000 Lb. **Engine Stand**

SKU **757115** REG. \$219.99

- Adjustable Mounting Arms to Fit Most Engine Configurations
- Locking Head Plate with 360° Engine Rotation
- Tubular Steel Construction



1,100 Lb. Rotating Engine Stand

SKU **1125862** 24798

REG. \$549.99 Adjustable Mounting Arms to

- Fit Most Engine Configurations Locking Head Plate with 360°
- **Engine Rotation Heavy Duty** Worm Gear for Effortless Rotation

• Tubular Steel Construction Folding Legs for Easy Storage

- · Base: 41-1/4" (L) x 27-1/8" (W)
- Weight: 102.5 Lb.



Ranger

1 Ton Folding **Engine Stand**

OEM TOOLS

SKU **544804** 24834

- Folds Upright to Conserve Valuable Floor Space
- . Sturdy, Wide-Base Design to Prevent Tipping Under Load



Shop Cranes

6,000 Lb. Heavy Duty Engine Crane

SKU **1267948** AFF3584

- Reinforced Leg Assemblies for Added Strength and Durability
- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton
- Rear of Crane: 61.5" Tall x 33" Wide
- · Distance Between Front of Legs: Retracted 23", Extended 28.5"

 • Built-In Safety Overload
- to Protect the Unit from Being Used Beyond its Rated Capacity



2 Ton Folding **Shop Crane**

SKU OUTSIDE BUY/EPO RANRSC2TF

59999

- Heavy Duty Hydraulic Folding Engine Hoist with 2 Ton Capacity Ram is Perfect for Shops That Have Limited Space But Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement

For Outside Buv/EPO. Call 901-300-4878

2 Ton Folding **Shop Crane**

SKU **544801** 24830

549⁹⁹

- · Foldable Design Makes for Convenient. Easy Storage

 • 6 Solid Steel Caster
- Wheels Add Mobility
- Fully Adjustable 4 Position Boom



STECK

Jack Accessories

Floor Jack Crossbeam

SKU **544803** 24833

- Compatible with Most Floor Jacks with a 1-1/8" Diameter Saddle Stud
- Saddles Adjust from 23" to 32" on Center
- . Min. Width Capacity: 3,000 Lb.
- Max. Width Capacity: 4.000 Lb.



OEM TOOLS

Universal Engine Lift Plate 1.000 Lb. Capacity

SKU **662861** 24867

- Corrosion Resistant, Gold Iridite Zinc Plating
- Tough, All Steel Construction
- Fits Most V Style 6 and 8 Cylinder Engines with 2 or 4 Barrel Intake Manifolds
- Mounting Hardware Not Included



Bed Lift Accessory

Bed Lifter SKU **OUTSIDE BUY/EPO**

STK35885 • Designed to Lift

Truck Beds Safely and Easily

 Lifting Brackets Adjusts to Evenly Distribute Weight





Ideal for Fuel Pump Replacement

For Outside Buv/EPO. Call 901-300-4878

Fuel Tank Adapter SKU OUTSIDE BUY/EPO

24832 . Makes Fuel Tank Removal Safe and Easy

- Works with Most Transmission Jacks
- Includes: 2 Nylon Straps to Secure Tank
- Foam Rubber Pads Protect Tank

For Outside Buy/EPO, Call 901-300-4878





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Engine Support

3 Point Engine Support Bar SKU **133617 1099** 24951

. Makes Removal of Transaxle Easy by

- Supporting Engine of Front Wheel Drive Vehicles Width Expands from 34-1/2" to 61"
- (2) 14" Adjustable Hook Screws

1,100 Lb. Engine Support SKU **512946**

• 2 Screw Adjusters for Precise Positioning Makes Job Easier, Faster and Safer

• Rubber Feet to Prevent Damage to Vehicle and Ensure Stability

• 1.100 Lb. Capacity



• (2) 38" Braided Steel Cables

• 700 Lb. Capacity

OEM TOOLS

& Astro

OEM TOOLS

Engine Transverse Bar with Support Arm

SKU **662856** AST5820

24950

- Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- Support Arm Provides Three-Point Support for Off-Center Loads
- Includes: 1/8" Braided STEEL Cables and 14" Adjustable Hooks · Capacity: 700 Lb.
- Weight: 21 Lb.

3/4 Ton Engine Leveler

SKU **544802 499** 24831

- 4 Point Mounting System Provides Maximum Control
- 3 Chain Positions to Accommodate Different **Engine Configurations**
- Durable Steel Construction
- · Smooth Operating Worm Drive Shaft for Easy Level Adjustment
- Rated Capacity: 1,500 Lb.

High Reach Stands



14999

24848

- Min. Height: 55"
- Max. Height: 78"

• Provides Added Support During Installation/Removal of Automotive Components

Compact Design for Use in Limited Workspaces

• Durable Heavy Gauge Steel Construction

OEM TOOLS 1.500 Lb. High Reach **Jack Stand** with Foot **Pedal** SKU **757078** 24847

- 179⁹⁹ Foot Pedal Pump Saves Time Adjusting Load
- Min. Height: 55" • Max. Height: 78"





21499

- Adjustment Pin Securely Supports Load in 5 Positions
- Min. Height: 50-1/21
- . Max. Height: 85-3/8"



1.650 Lb. Foot **Operated High Reach Jack Stand** SKU **OUTSIDE BUY/EPO RANRJS1TF**

1**99**99

- Base Dimensions: 12"
- Min. Height: 54-1/2"
- Max. Height: 80-1/2"



Ranger 2 Ton High **Tripod Jack Stand** SKU OUTSIDE BUY/EPO RANRJS2TH

19999

- Perfect for Holding Drive Train or Exhaust Components in Position
- Min. Height: 55"
- Max. Height: 87"



Powertrain Lifts

EV Battery Lift Table

CL Challenger Lifts

SKU **OUTSIDE BUY/EPO** CHLBT3300

17*.049*99

- 3,300 Lb. Lift Capacity
- Scissor-Style Lifting
- Hydraulic Cylinder and 115V Plug
- Pendant Controlled Operation
- Max Reachable Height: 76.5"
- Complies with ASME PASE-2019
- 8" Clearance Under Base Plate for Battery Removal
- Extending, Adjusting and Tilting Top



BendPak. 2.400 Lb. EV **Battery Pack and Powertrain Lifting System** SKU OUTSIDE BUY/EPO

BENEV2400SL 9,59999

- Dual Scissor, Full Rise, Portable Design
- . Max. Platform Height: 75.75"
- Overall Length: 90"
- . Overall Width: 46"
- Platform Size: 40" x 60" Stowed Height: 21.5"
- Raise/Lower Time (Max Rise) 18 seconds
- Weight: 102.5 Lb.



2.500 Lb. **Powertrain Lift** SKU OUTSIDE BUY/EPO AFF3182

5,099⁹⁹

- Air Assist Foot Pump with 9' Extension Provides Hands-Free Operation
- Safety Latches at 30%, 50% and 80% of Max. Height
- 8" Diameter **Swivel Casters** for Easy Maneuverability Rear Wheels
- Locked to Table Top



2,200 Lb. Lifting **Table, Air/Hydraulic** with Adapters

SKU OUTSIDE BUY/EPO CEA-MS10KIT



CUTTING EDGE

- Designed for Removing/Replacing Battery Packs of Electric Vehicles as Well as the Engine, Transmission, Drive Axle, Fuel Tank, Suspension and Sub-Frames of Traditional Vehicles
- Large Base Frame Ensures Better Stability and Reliability



- 22-7/16 Platform Length: 51-3/8" to 58-1/4"
- Platform Width: 33-1/8"



AZG0224

2,640 Lb. Lifting Table, **Electric/Hydraulic With Adapters** SKU **OUTSIDE BUY/EPO CEA-MS12MKIT**

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Ask About Special Pricing on Additional Multi-Lifts and Package Deals, Call 901-300-4878

SAVE OVER \$1,849



- Provides Accurate, Real-time Measurements Reduces Setup and Measurement Times While Generating Serious Productivity Benefits
- Ultra Low-Profile Design Allows Easy-On Approach Angle for Low Profile Vehicles
- Hydraulic Cylinder Mounted Underneath Runway
- Closed Front Design

*Hoffmann Will Pay \$1,500 **Towards Your Lift Install.** (Must use Hoffmann authorized installer.)

ALIGNER INCLUDES: Manufacturer's Set-Up

INCLUDES: (2) Rolling Jacks, Air Line Kit, Turn Plates and Rollback Kit



HOFEELR728APKG 12K 4 Post Alignment Lift \$17,399.99 HOFEEWA741TH3 Geoliner® 609 Alignment System \$14,399.99 **Regular Price** \$31,799.98 ALIGNCOMB020 COMBO PRICE \$31,449.99 **SAVINGS** \$349.99 \$1,500 TOWARDS LIFT INSTALL* \$1,500.00 **TOTAL SAVINGS** \$1,849.99

HOFMANN



SAVE OVER \$749

R1065 Aligner with 14,000 Lb. 4 Post Lift SKU **OUTSIDE BUY/EPO** ALIGNCOMB024

Offer Good Through June 30, 2024

- . No Minimum Bay Size Required So This System Is Ready to Fit in Your Shop
- Get The Job Done from Anywhere in the Bay. Take the Alignment Tablet with You to Make Assessments, Adjustments and Collect Data
- CRA14 4 Post Lift Has a Multi-Position Lock Component and Can Be Locked Level At Any Position
- Max. Wheelbase: 182-1/2" and 4 Wheel Alignment from 89-1/4" to 156-3/4"



ALIGNER INCLUDES: Manufacturer's Set-Up

INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line



ROTR1065, WARRANTY: 3 Years Parts and 1 Year Labor FORCRA14, WARRANTY: 1 Year Parts and Labor









Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

 Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Aligners

Geoliner® 770 AC400 Clamps and VIN Reader

SKU **OUTSIDE BUY/EPO** HOFEEWA752BV3

- · Lightweight, 3-Camera System Folds to a Compact Size with a Low Center of Gravity, Taking Up Less Floor Space in the Shop and Easily Maneuverable When Needed
- Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single, Fast-Action Adjustment Knob
- · Automatic Height Tracking to Provide Optimum Placement of its Advanced XD Targets and Cameras for More Speed and More Accuracy on Every Alignment
- Diagnostic Alignment with "Compensate Warn Alert" Intervention Gets it Right the First Time
- Video Speed Cameras Constantly Monitor Alignments, Providing Information at Every Step
- Unique Camera Beam Design Fits Through a Standard Doorway and Protects Cameras
- Next Generation UI Optimized for the High Volume User
- . Highly Accurate and Reliable XD Camera Technology



HOFMANN



Geoliner® 609 **Alianment System** SKU OUTSIDE BUY/EPO



HOFEEWA741TH3 14,399⁹⁹

- Groundbreaking User Interface Provides Instant Access to Critical Tasks
- . No Calibrations Required
- . Designed for a Connected World
- Small Footprint



WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up

WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up

Geoliner® 660 Imaging Wheel Aligner SKU OUTSIDE BUY/EPO 22,49999

- Advanced XD Cameras and Sophisticated **Monitoring Algorithms**
- Exclusive Dimensioning and Productivity Features • Patented EZ-TOE - Turn the Front Wheels and Access Difficult Adjustment Points While Still Displaying Centered Toe Readings
- · Features Easy-Rolling Casters, Storage for All Attachments and a Fully Enclosed Printer Compartment
- Includes AC200 Clamps, Brake Pedal Depressor, Color Ink-Jet Printer and Steering Wheel Holder

1 Year Motor and Parts, 6 Months

3 Years Circuit Boards, Pods and

ALIGNER INCLUDES:

Manufacturer's Set-Up

WARRANTY:



Geoliner® 678 Wheel Alignment System with AC400 and VIN

SKU OUTSIDE BUY/EPO HOFA715TBV3



. Help Videos - View Detailed Videos of How to Make Needed Adjustments to Complete Even the Most Complex Tasks

· Cross-Diagonal Measurements Identify Frame or Structural Damage (Saving Time)

 Rolling Radius Identifies Mismatched Tire Sizes to Prevent Vehicle Pulling and Drive Train Damage

 Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single Fast-Action Adjustment Knob

WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

ALIGNMENT

Aligners

CWA 6500 Wheel Aligner SKU OUTSIDE BUY/EPO AMM8006500

- · Comes with Both Self-Centering Clamp and Exclusive Tire Gripping Adapters to Ensure Both Accurate Reading and Fast Operation
- Multiple Compensation Modes to Make Getting Readings on Heavy Vehicles Easy without Having to Roll Vehicle Excessively Far
- Two Wheel Alignment Mode for Setting Total Tow on Large Trucks, No Rear Targets Required
- Standard VIN Scanner for Time Savings and Ease of Vehicle Selection
- Mobile Cabinet Supports Using Aligner in Multiple Bays

ALIGNER INCLUDES: Manufacturer's Set-Up and Training

WARRANTY:

1 Year Parts, 6 Months Labor, 30 Days Wheel Clamps



SKU OUTSIDE BUY/EPO ROTR1080

26,699

• True 3D Targets

roats

- Bluetooth Communication
- Automatic Lift Level Compensation
- Fixed Cameras
- . No Minimum Distance in Front of Lift
- · 2 Years of Database Updates Included
- Can Be Used on Multiple Lifts
- Includes 2 Extra **Batteries to Eliminate** Down Time



ALIGNER INCLUDES: Manufacturer's Set-Up

Year Labor

Complete Wheel Alignment System

SKU OUTSIDE BUY/EPO CMBDWA1100CWAS

· Portable Wheel Stands with Integral Turn Plates on All Four Stands Align All Vehicles Including Independent Four-Wheel Suspensions and Long Wheel Base Light Trucks

- . Easy to Learn, Easy to Use Software with Advanced Features and Complete Specs
- Stands Weight Limit: 10,000 Lb. or 2,500 Lb. Per Stand
- Wheel Aligner with Wheel Stand Kit Includes: Stands. Roller and Plates
- 12" to 24.5" Clamping Range
- ARGOS Inspired Software and Design
- Wi-Fi Antenna
- Industrial Computer
- Ergonomic Design

WARRANTY.

2 Years on Parts, 1 Year on Labor





and Software

- ARGOS Inspired Software and Design
- 30+ Year Vehicle Database
- 12" to 24.5" Clamping Range · Includes: Cabinet, Printer, Depressor, Holder



CEMB &



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Alignment Accessories

Steel Turn Plates SKU OUTSIDE BUY/EPO QSP25-140

Call for Price

- · Capacity: 4,500 Lb. per Plate
- Dimensions: 14" x 14" x 1.5"



Stainless Steel **Turn Plates**

SKU OUTSIDE BUY/EPO **OSP25-129**

Call for Price



Rear Slip Plate Add-On Kit SKU OUTSIDE BUY/EPO

QSPDB-6000

Call for Price

- (2) 59-1/2" x 20" **Full Floating Rear** Slip Plates
- Simple Installation On Most General Service Lifts
- Length Options: 173", 186' to 196", and 200" to 205'
- Turn Plates Not Included




Steering Wheel Holder and Pedal Depressor Kit

24231

SKU **802195**

- Holds Steering Wheel in Position for Alignment Adjustments
- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



OEM TOOLS

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FORWARDER

Alignment Lifts

12,000 Lb. 4 Post Alignment Lift

SKU OUTSIDE BUY/EPO HOFEELR728APKG

17,399⁹⁹

1 Year Parts and Labor

- 20.5" Wide Runways Save Time When Loading Vehicles of Narrow to Wide Track Widths
- Low-Profile Design for Easier Loading on Low Profile Vehicle
- 81.6" Rear Slip Plates for Long or Short Vehicles
- Hydraulic Cylinder Mounted Underneath Runway
- Filter/Regulator/Lubricator (FRL) are Included



HOFMANN 4 14,000 Lb. 4 Post Alignment Lift

SKU OUTSIDE BUY/EPO FORCRA14

20,799⁹⁹



- Max. Wheelbase: 182-1/2"
- 4 Wheel Alignment from 89-1/4" to 156-3/4"
- Long Lasting, High Performance Cable and Sheave System



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line

WARRANTY:
1 Year Parts and Labor



INCLUDES: Rolling Bridge Jacks, Air Line Kit and Turn Plates

15,000 Lb. 4 Post Open Front Alignment Rack Package - Ext. Length

SKU OUTSIDE BUY/EPO CHLAR4115XAO

Max. Wheelbase: 210"

 Improved 4-Wheel Alignment Wheelbase with Longer Rear Slip Plates

 Removable Lock Without Dropping the Column

- Enclosed Column With No Outside Lubrication
- Improved Column and Cross Beam Design
- Increased Drive Through Clearance
- 26" Wide Runways
- 78" Rise Height

WARRANTY:

2 Year Parts, 1 Year Labor

INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

CL Challenger Lifts

14,000 Lb. 4 Post Open Front Alignment Lift SKU OUTSIDE BUY/EPO 34,24999

 Increase Productivity with Open Front and 215" Max Wheelbase

 Additional 1 Year Labor Warranty
 Available When Installed by Factory
 Authorized Companies



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Stainless Steel Radius Gauges, Filter-Lubricator Regulator

WARRANTY: 1 Year Parts and Labor

14,000 Lb. Scissor Alignment

Lift Package SKU **OUTSIDE BUY/EPO AMM8KSC14KITP**

42,99999

- Max. Service Wheelbase: 198"Max. 4 Wheel Alignment
- Wheelbase: 160"Max. 2 Wheel Alignment Wheelbase: 178"
- Ceiling Height Required: 12'
- Overall Length: 260"Overall Width: 91-1/2"
- Lifting Height: 74"

Claim Rebates at

rebate.ammcoats.com

INCLUDES: (2) HD Rolling Jacks, (2) SS Turn Plates, (2) Roll Back Bars and (1) Airline Kit



1 Year Parts and

6 Months Labo

15,000 Lb. 4 Post Open Front Ext. Alignment Lift Pkg

SKU OUTSIDE BUY/EPO AMM8K4P15XKITP

*37,549*⁹⁹

- Max. 4 Wheel Alignment Wheelbase: 164-1/2"
- Max. 2 Wheel Alignment Wheelbase: 209"
- Ceiling Height Required: 12' Raised Height: 75"
- Overall Length: 287-1/2"
- Overall Width: Front 143" - Rear 137-1/2"

110Ht 143 110di 137 172



INCLUDES: (2) HD Rolling Jacks, (2) SS Turn Plates, (2) Roll Back Bars and (1) Airline Kit

1 Year Parts and 6 Months Labor



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Coats Lifts

10,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms

SKU **OUTSIDE BUY/EPO** AMM4TV21NSR1

- 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning
- Includes Door Bumper Guards and Lifting Adapters
- Premium U.S. Made Power Unit
- Overall Height: 138" or 148"

Claim Rebates at rebate.ammcoats.com

WARRANTY:

1 Year Parts, 6 Months Labor



SKU OUTSIDE BUY/EPO AMM4T212NSR1

- 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning
- Includes Door Bumper Guards and Lifting Adapters
- Premium U.S. Made Power Unit
- Overall Height: 154-7/8" or 158-7/8"
- Raised Height with Standard Pads 76". with Adapters 87'

12.000 Lb. 2 Post Lift with 3 Stage Symmetric **Straight Arms**

SKU **OUTSIDE BUY/EPO** AMM4T212SSR1

11,249⁹⁹

WARRANTY: 1 Year Parts, 6 Months Labor



CL Challenger Lifts

ROBES

BEFORE PLACING YOUR AUTOMOTIVE LIFT ORDER:

Please verify minimum ceiling height, concrete requirements and bay size. See page 2 for delivery information or

Call 901-300-4878.

Challenger Lifts

10,000 Lb. 2 Post New Offset **Arm Design Lift**

SKU OUTSIDE BUY/EPO CHLVLE10

Versymmetric 3-Stage Offset Front Arms

- Lifts
- Versymmetric Rubber Door Guards
- Color: Red or Blue

Versymmetric® Technology



14,000 Lb. 4 Post Lift

SKU OUTSIDE BUY/EPO

SKU OUTSIDE BUY/EPO

CHL4P14EFX

• 20" Wide Runways

• 182.5" Wheelbase

. Minimum Bay Size:

12' x 24' • Rise Height: 78'

Air Line Kit

CHL40230E

WARRANTY. **INCLUDES:** Telescoping Footpads 1 Year Parts and Labor

5,34999

10.000 Lb. 2 Post Lift SKU **OUTSIDE BUY/EPO** CHLCL10V3

Versymmetric 3-Stage Front, 3-Stage **Rear Arms with Swept Arm Design**

Adjustable Height and Width

- Versymmetric Tech Allows Lifting Symmetric or Asymmetric Vehicles
- Adjustable Height from 11'2" to 11'8"
- · Color: Red, Blue or Black
- · Rubber Door Guards

Versymmetric° Technology



INCLUDES: Telescoping Footpads

WARRANTY:

1 Year Parts and Labor

WARRANTY: 2 Years Parts and 1 Year Labor



7.500 Lb. **Rolling Jack** SKU OUTSIDE BUY/EPO CHLRJ75



Optional Equipment

Quality Lifts

@ quality lifts

10,000 Lb. 2 Post Lift SKU OUTSIDE BUY/EPO CHLEQ10

· 3-Stage Front, 2-Stage Rear Arms

- Lifts Symmetrically or Asymmetrically · Ceiling Height
- Required: 12 Rubber Door Guards
- Color: Black Only

INCLUDES: (4) 3" Stack Adapters

WARRANTY: 6 Months Parts and Labor

UPGRADE YOUR QUALITY LIFT

Double Telescoping Foot Pads (4 Pack) SKU **OUTSIDE BUY/EPO CHLB2270PK4**

- 10,000 Lb. Footpads
- Fits Quality 10,000 Lb. 2 Post Lifts
- Single Pad Features Frame Engaging Ears

(2) 6" Stack Adapters SKU OUTSIDE BUY/EPO CHL10313

• Upgrade for CHLEQ10 Lift

12,000 Lb. 2 Post **Heavy-Duty Lift Screw-Style Footpad**

SKU **OUTSIDE BUY/EPO** CHLB12162S-12

• Fits Challenger and Quality 12,000 Lb. Heavy-Duty 2 Post Lifts

• Single Pad Features Frame Engaging Ears






Customer Responsible For Offloading.

Rolling Jacks Sold Separately

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager



FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4



12,000 Lb. I12 2 Post Lift

SKU OUTSIDE BUY/EPO FORI12N300BL

10,399⁹⁹

- 4 Robust 3-Stage Arms with Reach Range from 27-1/2" to 59"
- Includes: 1-3/4", 3-1/2" and 5" Adapter Extenders
- Low Profile 4-3/4" Adapter
- Min. Ceiling Height: 167

• 80-3/4" Rise

INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor



15,000 Lb. DP15N001BL 2 Post Lift - Blue SKU OUTSIDE BUY/EPO

FORDP15N001BL

- 175" Tall
- Single Point Lock Release Design
- Direct Pull Lifting -Smooth Operating, Low Maintenance Technology



INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor

14,000 Lb. CR14L 4 Post Lift

SKU OUTSIDE BUY/EPO FORCR14L

- Heavy Duty Hydraulic Cylinder
- Single Point Latch Release System
- 78-3/4" Rise
- 18 Lock Positions
- Accommodates 182-1/2" Wheelbase Vehicles
- High Performance Cable and Sheave System

Internal Air Line Kit SKU OUTSIDE BUY/EPO

ROTFC5760-14

699⁹⁹



WORKS WITH

7,000 Lb. Rolling Jack SKU OUTSIDE BUY/EPO

FORRRJ70G

Optional Equipment



Two 7,000 Lb. Rolling Jacks SKU OUTSIDE BUY/EPO

FORRRJ70GB0G0

Optional Equipment

Offer Valid Only With Purchase of Forward 4 Post Lift

Rotary Lifts

10.000 Lb. 2 Post Lift SKU OUTSIDE BUY/EPO

ROTSPOA10 True

Asymmetric Design 2 Stage Front and Rear

Arms • Flip Up Adapters

 Single Point Lock Release



12,000 Lb. 2 Post Lift

SKU OUTSIDE BUY/EPO ROTSP012

• 3 Stage Front and Rear Arms • Thread Up Truck Adapters and Stackable Extensions - (4) 3.5" and (4) 5"

 Accommodates Trucks and Most Cars WARRANTY. Shown with

14,000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO

ROTSM14L • Filter/Regulator/Lubricator Included to Extend the

Life of Lift and Tools • 182" Max

Wheel Base

• 78" Rise

• Long Lasting Cables and Sheaves

Rolling Jacks Sold Separately

Internal Air Line Kit

SKU OUTSIDE BUY/EPO ROTFC5760-14

WARRANTY: 1 Year Parts and Labor

WORKS WITH

7,000 Lb. Rolling Jack

SKU OUTSIDE BUY/EPO **ROTRJ7000**

Optional





Shown with

Customer Responsible For Offloading.

1 Year Parts

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Additional Accessories

BendPak® Lifts

10.000 Lb. 2 Post Lifts

Bi-Metric[™] Reversible Triple Telescoping Swing Arms
 Low-Pro[™] Swing Arms

- Automatic Arm Restraints
- Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configurations

SKU OUTSIDE BUY/EPO BEN10AP

• 145" Height, 135" to 145" Width, 69" Rise

SKU OUTSIDE BUY/EPO BEN10AP-168

• 168" Height, 135" to 145" Width, 69" Rise • 24" Bolt-On Extension for Increased

Vehicle Height Clearance

WARRANTY: 1 Year Parts and Labor

BendPak.



12,000 Lb. 2 Post Lift, Clearfloor, **Triple-Telescope Arms**

SKU OUTSIDE BUY/EPO **BENXPR-12CL**

- Drop-End Arms Provide a Lower Pad Height
- Triple Telescoping Front and Rear Arms
- · Overall Height: 170"
- Inside Columns: 120"



• Lift Height: 15" to 22.75"

• Length: 82.65"

Lift Height + Blocks: 31.5" Overall

15,000 Lb. 2 Post Lift, Clearfloor, **Standard Arms**

SKU OUTSIDE BUY/EPO **BENXPR-15CL**

• Taller Column Height Provides Greater Overhead Clearance

- · Versatile Drop-In Contact Pads with Stackable 8-Piece Truck and Van Adapters
- Frame Cradle Pads Come Standard

BEN10AP

- Overall Height: 170"
- Inside Columns: 120"

INCLUDES: Truck Adapters



Portable

SKU OUTSIDE BUY/EPO

Truck Adapters

INCLUDES:

10,000 Lb. Low-Rise Lift

SKU **OUTSIDE BUY/EPO** 4,749⁹⁹ BENLR-10000

- Lifting Cap. (Front): 5,000 Lb. (Rear): 5,000 Lb.
- Dual Voltage Motor: 115/208-230 VAC / 50/60 Hz / 1 Ph



6,000 Lb. Low-Rise Pad Lift

SKU OUTSIDE BUY/EPO BENLR-60

• Max. Height: 23" Overall Width: 70

> Lifts Up to 26" with Optional

3" Blocks

Overall Lenath: 82" BENLR-60P Max. Height: 23" Overall Width: 70-1/2" . Overall Length: 82'

> WARRANTY: 1 Year Parts and Labor



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

BendPak



14,000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO

BENHDS14

- Overall Width:
- 130" Overall Length: 241"
- Max. Rise: 70"
- Motor: 220 VAC/1 Ph

14,000 Lb. Extended/ **Limo Style**

SKU **OUTSIDE BUY/EPO BENHDS14X**

Air Line Kit

SKU OUTSIDE BUY/EPO BEN5174009

Shown with Optional Equipment **Rolling Jacks Sold Separately**

WARRANTY: 1 Year Parts and Labor

9.000 Lb. 4 Post Lift

SKU OUTSIDE BUY/EPO 5,399⁹⁹ BENHD-9

Height: 74-1/2"

11999



WORKS WITH

7,000 Lb. Capacity **Rolling Bridge Jack**

SKU **OUTSIDE BUY/EPO BENRJ7W**

2,09999



Optional Equipment

4,500 Lb. Capacity **Rolling Bridge Jack**

SKU **OUTSIDE BUY/EPO** BENRJ45W

WORKS WITH



Optional Equipment

DANNMAR

WARRANTY: 1 Year Parts and Labor

Dannmar Lifts

10,000 Lb. 2 Post Lift **Asymmetric**

SKU OUTSIDE BUY/EPO DAND2-10A

REG. \$5,349.99

With a 10,000 Lb. Lifting Capacity, the Dannmar DAND2-10A **Utilizes Asymmetric Columns** Positioned in a Slightly Rotated Angle, Allowing the Vehicle's Doors to Swing Open which Makes it Easy to Enter and Exit the Vehicle

- Overall Height: 145"
- Overall Width: 143.5"
- Max. Lifting Height (Top Lock): 78.5"
- Power Unit: 220 VAC/60 Hz/Single Phase

10,000 Lb. 2 Post **Lift - Symmetric** SKU OUTSIDE BUY/EPO

DAND2-10C REG. \$5,299.99

WARRANTY: 1 Year Parts



Low Arms SKU OUTSIDE BUY/EPO DAND2-12C

6,899 REG. \$8,099.99

Offers Good Through June 30, 2024, While Supplies Last

12.000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO DAND4-12

REG. \$6,999.99

Overall

Height: 92" Overall

Width: 127.5" Overall Length:

 Max. Lifting Height: 77.5'

12,000 Lb. 4 Post **Alignment Lift**

SKU OUTSIDE BUY/EPO DAND4-12A

7,799 REG. \$8,499.99

WARRANTY: 1 Year Parts Offers Good Through June 30, 2024, While Supplies Last

WORKS WITH

6,000 Lb Rolling Bridge Jack

SKU OUTSIDE BUY/EPO DANDJ-6000W

1,799 99 REG. \$1,999.99





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Officading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Mid-Rise Lifts

BendPak

110V Outlet

6,000 Lb. Portable Mid-Rise Lift SKU OUTSIDE BUY/EPO **BENMD-6XP**

- · Portable, Easy to Move from Bay to Bay
- Adjustable Arms



6,000 Lb. Capacity **Mid-Rise Scissor Lift** SKU **OUTSIDE BUY/EPO**

CHLMR6

- 6 Safety Lock Positions
- . Standard High and Low Adapters
- Sliding/Rotating Arm Design Reaches Pick-Up Points on a Wider Range of Vehicles
- · Zerk Fittings on Pivot Points for Serviceability



Low-Rise Lift

DANNMAR

OUICKJACK

6,000 Lb. Low-Rise Lift SKU OUTSIDE BUY/EPO **DANDLR-6**

199 REG. \$2,499.99

- Lowered Height: 4"
- Overall Length: 82"
- Overall Width: 70.5"



WARRANTY: 1 Year Parts

Offer Good Through June 30, 2024

MaxJax Lift

MaxJax M7K

SKU **OUTSIDE BUY/EPO** MJXM7K

- Lifting Height: 48"
- Clear Undercar Access
- Portability
- Stow to Go in Less Than 15 Minutes

1 Year Parts and Labor

WARRANTY.

Motorcycle Lift

Air Hydraulic Motorcycle Lift 1,000 Lb. Capacity

SKU **662742** 24859

999 REG. \$1,299.99 **Our Lift Compares to Top Brand Motorcycle**

- 86.5" x 26.75" Platform Deck with 25.5" Long Removable Loading Ramp
- Built-In Casters and Adjustable Stabilizers
- Durable 12 Gauge, Powder Coated Diamond Plate Deck
- Air/Hydraulic Lift System Allows Use with Shop Air or as a Manual Lift
- Tie Down Rings on Deck for Added Stability

OEM TOOLS Heavy Duty, Positive Shop, **Rear Dropout Panel (for Rear** Padded Wheel Vise Tire Maintenance Access)

Offer Good Through June 30, 2024

MAXJAX

QuickJack™ Lifts

CL Challenger Lifts

You get it all.

· Complete Package Includes: (2) Jack Frame Assemblies, (2) 150" Hydraulic Hoses, (2) 14" Aux. Hoses, (2) Quick-Mount Handles, (4) 1.5" x 3" x 4" Rubber Lifting Blocks, (4) 3" x 3" x 4" Rubber

Lifting Blocks. (1) Mini Hydraulic Power Unit with Pendant Control

7,000 Lb. Portable Car Lift System - Extended SKU OUTSIDE BUY/EPO QJK7000TLX **12V DC Options**

• Capacity: 7,000 Lb. (3,175 kg)

• Lowered Height: 3.5" (89 mm) Maximum Height: 24.5" (622 mm)

- Max. Lift Point Spread: 66" (1,676 mm)
- Min. Lift Point Spread: 43" (1,092 mm)
- Frame Length: 76" (1,930 mm)
- Frame Width: 12.5" (318 mm)
- Frame Weight: 103 Lb. (47 kg)
- Total Shipping Weight: 304 Lb. (138 kg)

QuickJack™ SUV and Light Truck Adapters

SKU **862288** RAN5150561

- Fits BL-5000 and BL-7000 Series
- Set of 12 Pieces Includes: (4) Low Profile Round Polyurethane Contact Pads, (4) Sliding Receivers that Accommodate the Round Polyurethane Contact Pads and (4) 3" Stackable Adapters



Available



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

AUTUMUTTU			and Ordering inst	tructions, <i>Call 901-300-4878</i>
Lift Pads SHARK	Fits Models	Replaces	Challenger	CL Challenger Lifts
Forward/Eagle/Gemini/ Worth/American Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137807 SHA51663	I-DP9, DP09A2, DP09A, DP07A, DP97A, DP7A, Eagle and Other Texas Style 2 Post Lifts	OEM# 994105, 991234, 991222 and LP603	Truck Adapter and Extension Kit for 10,000 Lb. and 12,000 Lb. 2 Post Lifts SKU OUTSIDE BUY/EPO CHL10319 • Includes: (Part #10318) (4) Frame Engaging Truck Adapters, (Part #10315) (4) 3" Stack Adapters, (2) 6" Stack Adapters, (2) Organizers Racks and Hardware	Truck Adapter Set for 10,000 Lb. and 12,000 Lb. 2 Post Lifts SKU OUTSIDE BUY/EPO CHL10315 549 99 • Stack Adapter Extension Kit Includes: (4) 3" Stack Extensions, (2) 6" Stack Extensions and (2) Organizer Racks with Hardware
Challenger Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137812 SHA51661	20000, 21000, 26000, 27000, 28000, 30000, 31000, 33000, 36000, 37000, 39000	0EM# J0K01D, LP602	64999 REG. \$1,029.98 SAVE \$379 Call 901-300-4878 When You Buy the Kit	For Outside Buy/EPO, Call 901-300-4878
Challenger and Quality Round Slip-On Lift Pads (Set of 4) SKU 1137816 SHA51673	VS10, CL10, E10, TLT210, TLT210-AS, TLT211, TLT211-AS, ACD210S and More	0EM# 104130315, B2208	GM Wide Frame Footpads (Pair) SKU OUTSIDE BUY/EPO 74999 CHLB2280PR • Fits 2008 and Up Challenger Lifts CL10V3, E10, LE10, VLE10, CLFP9, E12, CL12 and EV1020 Models • Works on 2019 GMC Sierra and Chevrolet Silverado Trucks • Drop-In Design Makes Switching Simple and Quick • Telescoping Feature Provides Simple Access to Lift Points	
Challenger Octagon Shaped Urethane Snap-On Lift Pads (Set of 4)	CL10V3, E10, LE10, VLE10, SA10, CLFP9	0EM# A1140HX	For Outside Buy/EPO, Call 901-300-4878	
Rotary Square Bolt Style Lift Pads (Set of 4) SKU 1137817 SHA51667 10999	SP09, SP0A9, SP010, SP0A10, SP012, Sl29, SL19, SL210	0EM# FJ6213, BH-7536-92P, BH7542-73 and LP609	Rubber 2 Post Lift Pad/ Slip Over (Set of 4) SKU 954179 BEN5700227 • Heat and Cold Resistant • Highly Resistant to Gouging • Oil and Solvent Resistant • Tear Resistant • Tear Resistant	Set of 4) 179 ⁹⁹ BendPak 2 Post Lift Instruction e for Extra Grab the Vehicle
BendPak Square Slip-On Lift Pads (Set of 4) SKU 1137805 SHA51666	MX10AC, MXACX, X10CX, MX10C, XPR-9S, XPR-9S-LP, XPR-9DS, XPR-10S, XPR-10S-LP, XPR-10S-168, XPR-10AS, XPR-10AS-LP, XPR-10AS-168,	0EM# 5715-365 and LP608	Cradle Pads • Tactile Rubber Pad Reduces Slippage and Protects the Finish • Made for Heavy Duty Commercial-Grade Trucks • Installs Easily to BendPak 2 Post Lift Arms • Sturdy Steel Construction Frame Cradle Pads 35 mm Cradle Pa	me a
	XPR-12FDL, XPR-12CL, XPR-15CL, XPR-18CL, XPR-12CL-192, XPR-15CL-192, XPR-18CL-192, RJ6, RJ6000, RJ4500		Pin (Set of 4) 60 mm (\$ sku 97906 SKU 954221 SKU 97906 BEN5215754 BEN521584 20999 1999	Set of 2) 7 18

Four Post Lifts

FP14KC-X 14,000lbs CAPACITY SKU 1313606

- High Performance Commercial Service Lift
 Durable, High Quality Cable Lift System
- Extended Rise Height
- 'Bolt-On' Runway Alignment Kit
- 18 Locking Height Positions
- 20" Wide Runways
- Slack Cable Safety Devices
- · Self-Chocking Approach Ramps W/ Nylon Rollers



Two Post Lifts

iDEAL - TP10KAC-DX

10,000lbs CAPACITY sки **942096**

- ALI Certified
- Overall Height: 144"
- Overall Width: 145-1/2"
 Bi-Symmetric Lift Arms
- · Low Profile Swing Arm Design
- 3 Stage Front Arms
- Adjustable Height Swivel Pads
- Stackable Height Adapter



Two Post Lifts

9,000lbs CAPACITY SKU 426138

TP9KACX **3,199** 99

- Overall Height: 143"
- Overall Width: 138'
- Spin Up Pads with stackable drop-in height adapters

Price Does Not Include Vehicle Installation or Optional Equipment as Shown

TP9KFX 9,000lbs CAPACITY SKU 426106

- Overall Height: 112"
- Overall Width: 134.5"
- Spin Up Pads with stackable drop-in height adapters

Price Does Not Include Vehicle, Installation or Optional Equipment as Shown



TUXED®

Mobile Column

MSC-6KLP

6,000 lbs Single Column Lift SKU **426460**

- · Capacity: 6,000 lbs
- Width Overall: 45-3/16"
- · Height Overall: 102-3/8" • Length Overall: 101-9/16"
- Power : 110 VAC , 2 0 Amp, 1 ph
- Pallet Jack style hydraulics to

raise lift onto wheels

Price Does Not Include Vehicle Installation or Optional Equipment as Shown



Price Does Not Include Vehicle.

TP11KC-DX 11,000lbs CAPACITY SKU **426140**

- Direct "Pull" Cylinders
- Overall Height: 145"
- Overall Width: 145-1/2"
- 3 Stage Front Arms,
- Low Profile Arms
- Rubber Door Guards
- · Spin Up Pads with stackable drop in Height Adapters

Price Does Not Include Vehicle, Installation or Optional Equipment as Shown



Wheel Service

TC-950

Semi-Automatic TireChanger SKU **426755**• Max Wheel Diameter:

- Rim Width: 3" 15"
- Rim Diameter: 15" 28"



WB-953 **1,549** 99

HighPerformance Wheel Balancer SKU **426803**

- Max Wheel Diameter: 39" • Rim Width: 1.5" - 20"
- Rim Diameter: 10" 24"
- Wheel Weight Capacity: 150

TC-950WPA
High Performance
Tire Changer with Press Arm

SKU **426757**

- Internal Clamping Capacity: 15" 28"
- External Clamping Capacity: 13" -24"
 Max Wheel Diameter: 47"
- Wheel Width: 3" 15"
- Left side press arm (WPA)
- Ideal for low profile tires (WPA)



Paint Booth

PSB-SDD26B-3PH-230V-AK

- Inside Dimensions 26'L x 14'W x 9'3"H
- Outside Dimensions 26'4"L x 17'8"W x 9'5"H
- (2ea) Fan/Motor 24" Tube Axial Fan, 3HP-3PH/230-460VAC-60Hz
- 14,000 CFM @ .5 SP Meets OSHA and NFPA33 Codes
- N&B Construction, 18 Gauge Panels
- · Includes: Control Panel, 2 Exhaust Fans, Lights,
- Bulbs, Filters, Personnel Door, Powder Coated White
- · Optional: Single Phase Electric, LED Light Upgrade, 48"L Extension Kit, Drive Through Door Kit, 8'L Duct Kit (2 req'd)



UXED@

*Optional Plenum Kit Shown



Price Does Not Include Vehicle. Installation or Optional Equipment as Shown

DON'T FORGET THESE ACCESSORIES!



PWB-1600 569 1,600 LB WORKBENCH SKU **1284169**



RAJ-7K-H 2049 99



8G DRAIN sku **426733**

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

BendPak.

Make safety your priority with the **OEM Approved** AP Series Two-Post lifts from BendPak. Featuring BendPak's patented ASARS™ Arm Restraint System -Stress Tested to over 2,000 pounds

of lateral force – the AP Series sets the new standard in two-post lift safety.











Coats Combos RC-45E and 885 Tire

Service Combo SKU OUTSIDE BUY/EPO AMMCOMB05

External Rim Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10.5")
 Tire Changer Allows Inflation from 0 to 60 psi

with a Built-In Pressure Limiter

• RC-45E Drive System: 1 HP Electric Motor 885 Balancer - Automatic Distance and Diameter Entry Direct Tape-A-Weight®

Placement Auto Start Hood

• 110V





AIVIIVIOJOUJJ4JU I	φυ,υ43.33
AMM800885	\$4,399.99
Regular Price	\$10,049.98
COMBO PRICE	\$9,749.99
SAVINGS	\$299.99

RC-55E and 1300 Series **Tire Service Combo** SKU **OUTSIDE BUY/EPO**

AMMCOMB02 RC-55E Features an External Clamping

Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10-1/2")

• RC-55E Drive System: 1 HP Electric Motor

 Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter

• 1300 Series Wheel Balancer is Powered by Direct Drive

 Static-On-Screen® Display Identifies Any Excess Residual Static Imbalance

 Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement

AMM8560995001

AMM80013002D

Regular Price

COMBO PRICE

SAVINGS







coats

AMM8560995001

DON'T FORGET THESE ACCESSORIES

. Works with Coats Wheel Balancers Listed on This Page



Adjustable Pin Plate Set 2.049 99 SKU OUTSIDE BUY/EPO | AMM85610104

\$7,699.99

\$5,949.99

\$13.649.98

\$13,199.99

\$449.99

40 mm Light Truck Cone /// () 99 SKU OUTSIDE BUY/EPO | AMM8113277C

Customize Your Own Combo, Call for Special Pricing 901-300-4878.





• Includes: R146P Tire Changer and R155 Balancer High Quality Swing Arm Changer and Pro 3D Wheel Balancer at an Economical Price

• Changer Offers 26" Outside and 28.5" Inside Clamping with Tire Diameters Up to 46"

 PLUS91SA Helper Arm Not Installed Prior to Delivery · Balancer Features Automatic Program, Linked Keyboard, Internal Data Gauge and Simple Visual Display

R146P

- Inside Clamping: 12 to 28.5"
- Outside Clamping: 10 to 26'
- 115V, Single Phase

- Rim Diameter: 10" to 30"
- Rim Width: 1.5" to 22"
- 115V, Single Phase
- 8 Piece Collet Kit Included



ROTR146F ROTR146P \$8,799.99 **ROTR155** \$8,199,99 \$16,999.98 Regular Price

INCLUDES: Setup and Training

WARRANTY: 3 Years Parts and 1 Year Labor



\$16,549.99 \$449.99



Customer Responsible For Offloading, Liftgate Service Available.

INCLUDES: Setup and Training

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

3 Years Parts and 1 Year Labor

CEMB Combo

EZ10 and SM825EV0PA Swing Arm Tire Changer Combo

SKU **OUTSIDE BUY/EPO** 10,099⁹⁹ CMBCOMB03

Tire Changer Clamping Range of 13" to 24"
Max. Tire Diameter 44" and

Max. Tire Width 15"

- Powerful and Adjustable Bead **Breaker Shovel**
- Dual Clamping Cylinders and Semi-Automatic Swing Arm
- 3D Wheel Measurement with Sonar
- Automatic Approach and Auto Adaptive Mode to Save **Balancing Time**
- Electromagnetic Brake
- 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use Direct Measures Input Feature
- Eliminates Selection of Balancing Modes
- · Guided Weight Placement, ALU, Hidden Spoke Modes

On-Site Training Included WARRANTY: 2 Years Parts and 1 Year Labor



CMBEZ10	\$4,599.99
CMBSM825EVOPA	\$6,199.99
Regular Price	\$10,799.98
COMBO PRICE	\$10,099.99
SAVINGS	\$699.99

Hofmann Combo

Geodyna® 7100 Balancer and monty® 1270 Tire **Service Combo**

SKU OUTSIDE BUY/EPO HOFCOMB01TS

*6,449*99

- · Economical and Practical Package from a Brand You Can Trust
- Small Footprint Wheel Service Package Great for Low Volume Shops

System in High Volume Shops

HOFEEWH764AU1 HOFEEWB761AE1 Regular Price **COMBO PRICE** \$6,449.99 SAVINGS \$3,249.99

WARRANTY: 1 Year Parts and 6 Months Labor



Ranger Combos

R980XR and DST-2420 Tire Service Combo SKU **OUTSIDE BUY/EPO**

RANCOMB01 Includes: R980XR NEXTGEN™

Swing-Arm 30" Tire Changer and the DST-2420 Dynamic Wheel Balancer

 R980XR External Rim Clamping Capacity: 9" to 28", Internal Clamping 10" to 30"


 3-Position RimGuard™ Wheel Clamps

• DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result within Hundredths of an Ounce

INCLUDES: 74³⁸ Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll

RANR980XR	\$3,899.99
RANDST2420	\$2,699.99
Regular Price	\$6,599.98
COMBO PRICE	\$6,399.99
SAVINGS	\$199.99



R980AT and DST30P Tire Service Combo SKU OUTSIDE BUY/EPO

RANCOMB05 • Inflation Pressure Regulator/Limiter

• Bead Tool/Tire Iron

· Automatic Braking · Black and Silver Powder-Coated Surface Helps Eliminate Corrosion and Staining of Expensive Wheels

· Low-Profile Design for Increased Clearance of Close-Proximity Calipers or Brake Components



RANR980AT	\$5,799.99
RANDST-30P	\$2,999.99
Tape Wheel Weights Combo	\$209.99
Regular Price	\$9,009.97
COMBO PRICE	\$8,799.99
SAVINGS	\$209.98

WARRANTY: 1 Year Parts and Labor

Ranger:



BEFORE PLACING YOUR TIRE SERVICE ORDER:

Please verify minimum air pressure and CFM along with voltage and phase. See page 2 for delivery information or *Call 901-300-4878*.



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offioading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Tire Changers

Maxx 50 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX50E

- . Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- 110V Electric Operation, Plug In Almost Anywhere
- 6" to 24" Steel Clamps Standard
- Nylon Duckhead Standard Expanded Capacity to 16" Wheel Width,



Tire Changer, Air SKU **OUTSIDE BUY/EPO** AMM800MAXX50A

WARRANTY: 3 Years Parts and 6 Months Labor

Maxx 70 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX70

- · Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- 110V Electric Operation, Plug in Almost Anywhere
- Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter
- 6" to 24" Steel Clamps Standard
- Steel and Nylon **Duckheads Standard**
- No-Index Tabletop for High Efficiency Use

Maxx 70 Tire Changer, Air SKU OUTSIDE BUY/EPO AMM800MAXX70A **8,699**99 **Maxx 70 Tire Changer,**

220V, 2 HP SKU OUTSIDE BUY/EPO AMM800MAXX70220

WARRANTY: 3 Years Parts and 6 Months Labor

Maxx 80 Tire Changer, 110V

HORES SKU OUTSIDE BUY/EPO O8XXAMOO8MMA

- Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- Dual Control, Hand or Foot Operated Bead Loosener System
- 110V Electric Operation, Plug in Almost Anywhere
- 6" to 24" Steel Clamps and Zinc Plated 6" to 24" Grip Max 2.0 Clamps with Dual Soft Compound Inserts

 Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter

 Steel and Nylon **Duckheads Standard**

. No-Index Tabletop for High Efficiency Use

Includes Storage Cabinet

Maxx 80 Tire Changer, Air SKU OUTSIDE BUY/EPO A08XXAM008MMA

10,649⁹⁹

Maxx 80 Tire Changer, 220V, 2 HP

SKU OUTSIDE BUY/EPO AMM800MX80220

Claim Rebates at rebate.ammcoats.com

WARRANTY: 3 Years Parts and 6 Months Labor

Wheel Balancers

1600A 3D Wheel Balancer

SKU **OUTSIDE BUY/EPO** AMM80016003D

- · Powered by Direct Drive
- Max. Tire Diameter: 44"
- Premium Quicknut
- · Behind-The-Spoke Balancing • 8 Piece Collet Kit
- Automatic 3-D Data Entry
- Touch-Screen • 220V, 1 Phase





Claim Rebates at rebate.ammcoats.com

WARRANTY: 3 Year Parts and 6 Months Labor

1500A 3D Wheel Balancer SKU OUTSIDE BUY/EPO AMM80015003D

Powered by Direct Drive

- Maximum Tire Diameter: 44"
- Behind-the-Spoke Mode
- Premium Quicknut
- 8 Piece Collet Kit
- Automatic 3-D Data Entry
- 220V, 1 Phase



9,24999

WARRANTY: 3 Year Parts and 6 Months Labor

Baseline Combo

BASELINE

BL300 Tire Changer and BL350 Balancer Combo SKU OUTSIDE BUY/EPO

AMM8500300350 • Includes: BL300 Tire Changer and BL350 Balancer

• 10" to 24" External Clamping Capacity

Bead Sealing Jets to Aid Inflation

• BL350 Balancer Features Self

Diagnosis and Calibration

 One Button Split and Hidden Weight Program





AMM85002300 \$3,349.99 AMM85002350 \$3,099.99 Regular Price \$6,449,98 COMBO PRICE \$5,649.99

SAVINGS

WARRANTY: 1 Year Parts



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

\$799.99

FOR HELP with Selection, Confirm Availability and Ordering Instructions, *Call 901-300-4878*

Ranger

R76ATR Tilt-Back Tire Changer with Assist Tower SKU OUTSIDE BUY/EPO

RANR76ATR

- **5.099**99 Motor: 3 HP/220V
- Alloy and Nylon Mount and Demount Heads
 • External Rim Clamping
- Capacity: 9" to 28"

 Power Assist Tower
- Available in 110v or





R980AT RimGuard™ **Swing-Arm and Assist Tower Tire Changer**

SKU OUTSIDE BUY/EPO RANR980AT

- 5,799⁹⁹
- Motor: 3 HP/220V
- Internal Rim Clamping Capacity: 10" to 30"
- External Rim Clamping
- Capacity: 9" to 28"

 Max. Tire Diameter: 50"
- Power Assist Tower Left Side
- Available in 110v or 220v Power Option



Ranger R980XR NextGen™ **Swing-Arm Tire Changer**

SKU **OUTSIDE BUY/EPO** RANR980XR

3,899999

- Motor: 3 HP/220V
- Drive System Type: Electric/Air
 Adjustable RimGuard™ Wheel Clamps
- External Rim Clamping Capacity: 9" to 28
- Internal Rim Clamping Capacity: 10" to 30'
- Max. Tire Diameter: 50" (1,270 mm)
- Bead Seating System: Turbo Blast/Bead Seating



DST30P Direct Drive Wheel Balancer

SKU OUTSIDE BUY/EPO RANDST-30P

- Ergonomic Control Board and Easy-To-Read LED Display
- Dynamic, Static and Performance Alloy Settings
- Automatic Rolling Wheel Parameter Setting
- Low RPM Balancing Speed

and 100-Piece Black Roll

- Automatic Braking
- Wheel Width Capacity: 1.2" to 20"
- Max. Wheel Diameter: 8" to 30" Quick-Release Hub Nut

DON'T FORGET THIS ACCESSORY

INCLUDES: 7438 Value Wheel Weight Starter Kit 100-Piece Silver Roll



LS43B Wheel Balancer

SKU **OUTSIDE BUY/EPO** RANLS43B

- Included Cones: 3 Standard, 1 Truck
- Cycle Time: 6 Seconds (Avg.)
- Balancing Modes: Dynamic/Static/3-Alloy
- Max. Tire Diameter: 43" (1,100 mm)
 Max. Tire Weight: 145 Lb. (65 kg)
- Wheel Diameter Capacity: 12" to 26" (304 mm to 660 mm)
 Wheel Width Capacity: 4" to 15" (102 mm to 381 mm)

INCLUDES: **74**38 Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll



User Set-Up Required Do you work on Trucks, Vans, or SUVs?

40 mm Truck Cone Kit

SKU OUTSIDE BUY/EPO I RAN5150032

Works with Ranger Wheel Balancers Listed on This Page



MANATEC USA

Hofmann

Monty® 3550EM Tire Changer with smartSpeed™ SKU **OUTSIDE BUY/EPO**

HOFEEWH747B

 smartSpeed[™] Technology Automatically Controls Turntable Speed and Torque to Minimize Tire and Wheel Damage • Push-Button Controlled Mount/Demount

Head Pneumatically Lowers and Locks into Position. Automatically Indexing Away from the Wheel to Prevent Contact and Damage

• Fast and Ergonomic Pneumatic Vertical Arm Automatically Re-Positions the Mounting Head to Minimize Wheel Damage

 High Capacity Tire Changer Allows for Broadest Tire and Wheel Assembly Coverage · Clamping Range:

- Outside 12" to 26' • Max. Tire Diameter: 47"
- Max. Tire Width: 17'

Inside 12" to 28"

WARRANTY: 1 Year Parts and **6 Months Labor**



HOFMANN

WARRANTY: 1 Year Parts and Labor

Geodyna® 7600P with **Laser and Power Clamp**

SKU OUTSIDE BUY/EPO HOFEEWB765AP

- · Power Clamp Clamps Wheel Accurately with Constant Force Smart Sonar[™] Delivers Automatic,
- Non-Contact Rim Width



Manatec

DL-65 DSP C Wheel Balancer

SKU **OUTSIDE BUY/EPO** MANDL65-DSPC

. Static and Dynamic Balancing

- · Automatic Start with Wheel Guard Closure
- Unbalance Recalculation
- Self-Calibration • 7 Modes of Alloy
- Wheel Functions Normal and
- Fine Measurement
- Motor Power: 0.35 HP · Maximum Wheel Diameter: 391



WARRANTY: 1 Year Parts



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Inflator

Digital Tire Inflator

SKU **802198** 24412

- Easy-To-Read Backlit LCD Display
- 4 Units of Measure (psi, Bar, KPa, kgf)
- Measuring Range: 0 to 175 psi (0 to 12 Bar) • Accuracy: +/-1.2 psi Up to 58 psi,
- +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi
- High Air Flow Saves the Technician Time





OEM TOOLS



Bead Seater

5 Gallon Bead Seater

SKU **526505 99** 24449

- Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires
- Operates on Standard Shop Air; Max. 120 psi





OEM TOOLS

Mount/Demount Heads	Fits	Models	OE Part Number		Fits	Models	OE Part Number
Red Nylon Mount/Demount Head	Hunter	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series	221-615-2-13	Nylon Mount/Demount	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433, 14024784
SKU 1137811 39 99 SHA35034	Accuturn	(Requires Adapter) 220A, All Other Models Require 102765 Adapter	SM102529	Head without Hardware SKU 1125892 44 99 SHA35033	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784, ST0024335
THE PARTY OF THE P	Ranger	R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX,	5150523		John Bean	EHP System IVE, IV, III, IIE	2433, EAA 0247G20A
		R745 and R710 Models ONLY. Require RAN5150524 Adapter			Snap On	All Models	2433, EAA 0247G20A
Nylon Mount/Demount Tapered Hole Head with Hardware	Coats	5030, 5035, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060, 7065, 7655, 7660, 7665,	8183061	Nylon Mount/Demount	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433
SKU 1137818 39 99 SHA38306		RC55A, RC55E, 70Xeh1, 70Xeh2, 70Xeh3, and RC45		Head with Hardware SKU 1125871 84 99 SHA35032	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784
	Baseline	BL200, BL300, BL400 and BL500	8183061	1	John Bean	EHP System IVE, IV, III, IIE	24335
Low Profile Mount/ Demount Head SKU 1125869 SHARERS		Replacement for Coats 8184432. For use on Models RC100, RC150, RC200, 5030,			Snap On	All Models	24335
SHA35038	Coats	5035, 5040, 5045, 5050 Series, 5060 Series, 5065 Series, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, BL200, BL300,	8184432		All Tool	All Models	2008401
		BL400 and BL500		Nylon Mount/Demount Head with Round Hole Kit	Coats	RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90	83008402, 83008403
Nylon Mount/ Demount Head	Coats (Early)	5060, 50601, 5063, 5060AX, 5060EX and 9010A, 9010E, 9024E-PAX, and Many RC Models	8300843	SKU 1137815 9999 SHA35030	Corghi	All Rim Clamp	250309, 450310
SKU 1125877 39 99 SHA35031	CEMB	All Models	3008403, 2008402				
	Hofmann	12SE, 22SE, 1510, 1610, S410 Not for Use on Hofmann 1550,1620 and 1625	8314813		Hofmann	Earlier Models Except 1550, 1620 and 1625	8314813
	Other	Fits Many Hunter TCX Series, Fits Giuliano and SICE Machines	Various		Sice	M39, S40, S42, S43, S45, S408MAXI, S435, S436 and S436TC	8314813

[•] Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Non-Marring Lug Nut Sockets

1/2" Drive 17 mm **Mercedes-Benz® Flower Lug Bolt Impact Socket**

SKU **081308** 24469


 Designed Specifically for 17 mm. Convex "Flower" Shaped Mercedes Luq Bolts



3 Piece Extra Thin Wall Wheel Nut Protector Impact Socket Set

SKU **094646** 25583

• Blue - 17 mm/11/16", Gold - 19 mm/3/4" Red - 21 mm/13/16"



3 Piece Super Strength Wheel Nut Impact Socket Set

SKU **347212** 24227

REG. \$39.99

• Blue - 17 mm/11/16" Gold - 19 mm/3/4" Red - 21 mm/13/16'





Offer Good While Supplies Last Through June 30, 2024

OEM TOOLS

9 Piece Thin Wall Wheel Protector Impact Socket Set

SKU **965856** 24224

• Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



1/2" Drive Non-Marring Lug Nut **Socket Set**

SKU **OUTSIDE BUY/EPO** 68945

- Services 17 mm, 19 mm, 21 mm and 22 mm Lug Nuts
- Non-Marring Sleeve Prevents Damage of Lug Nuts and Wheel Rims
- CR-MO Steel Construction for Strength and Durability







Impact Wrench Not Included

For Outside Buy/EPO, Call 901-300-4878

REG. \$59.96

When You Buy the Kit

Master Key Set

OEM TOOLS

16 Piece Locking Lug Master Key Set

SKU **626107 79**99 24447

- . Easily Removes Locking Lug Nuts on Most Aftermarket Wheels
- . Thin Wall Sockets Prevent Damaging Wheels and Lugs
- Hex-Head Design Fits Most Lug Wrenches as Well as 13/16" and 7/8" Sockets



Lug Nut Sockets

OEM TOOLS

9 Piece Wheel Lock Removal **Impact Socket Set - 1/2" Drive**

SKU **965865** 24225

• Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18 mm Lug Nuts, GM "M" and "F" Body



4 Piece Deep Thin Wall SAE and Metric Impact Flip Socket Set

SKU **965857** 24223

• Includes: 3/4" to 13/16", 19 mm to 21 mm and 7/8" to 15/16" Sockets and 3" Extension

Flip Sockets



5 Piece 1/2" Drive Flip Socket Set

SKU **1125891** 25555

Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

- Durable CR-MO Flip Socket Set
- Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension



Tire Spreaders

5025 Tire Spreader

SKU **757051** BRA00-0161

- Self-Locking Spread Arms
- 4 Horizontal and 2 Vertical Adjustments

 Handles Anv Passenger _ Tire Including Low Profiles

 Quick Pin Adjustment with Lanvard



SKU **OUTSIDE BUY/EPO** XTS14-987

- Simple and Durable Design Makes Tire Service Faster and Easier
- Height Adjustment for Stabilizing Low-Profile Tires
- Adjustable Range to Handle All Passenger and Light Truck Tires



Lug Wrenches

4-Way SAE and Metric **Lua Nut Wrenches**

- Socket Sizes: 11/16" (17 mm), 3/4" (19 mm), 13/16" (21 mm), and 7/8" (22 mm)
- Carbon Steel Construction
- · Powder Coated Green

14" SKU 003478 20560

SKU **004126** 20562

> Socket Sizes: 7/8" 15/16", 1", 1-1/16"


OEM TOOLS

14" 4-Way Folding Lug Nut Wrench

SKU 003459 20563

- Socket Sizes: 11/16" (17 mm), 3/4" (19 mm), 13/16" (21 mm) and 7/8" (22 mm)
- · Heavy Duty, Drop-Forged Steel
- Chrome Plated to Resist Corrosion
- Folds for Compact Storage





TPMS Tools

VT37 TPMS Sensor Activation and Programming Tool

SKU **1343925** ATEVT37-0000

- Search TPMS Sensor Replacement Part Numbers
- Test Keyfob Signal Strength/Battery Status
- Install and Service TPMS Retrofit Kits

Includes 2 Years Software Updates and 1 Year Warranty



VT67 TPMS and Tire Management Diagnostic Tablet SKU **OUTSIDE BUY/EPO** ATESM67-8BLE

- · Secure Gateway (SGW) Ready for Stellantis Vehicles
- Save, Manage, and Edit Customer Jobs and Reports on the Cloud
- Program and Clone 20+ Aftermarket Sensor Brands
- Export and Send Complete Customer Reports via Email
- TPMS Sensor and Service Kit Image Library for Easy Reference
- ID Match Functionality to Troubleshoot and Repair TPM Systems
- Tire Management: Tread Reading, Wheel Inspection, Tire Registration

Built-In HD Camera for Accurate Vehicle and Wheel Inspection

Includes 8 Bluetooth Sensors

Includes 1 Year Software Updates and 1 Year Warranty



ATEQ

ATEQ

VT47 TPMS Programming Tool

SKU OUTSIDE BUY/EPO ATESM47-12SC

- · TPMS Sensor Part Number Look-Up (OE and Aftermarket)
- Change Placard Values When Swapping Tire Sizes
- Includes: 12 Dual Band Sensors with Both Metal and Rubber Valve Stems

Includes 12 Dual Band Sensors

Includes 5 Years Software Updates and 1 Year Warranty



VT57 TPMS and Tire Management Tool SKU **OUTSIDE BUY/EPO**

ATESM57-20SC

• All-New Updated User Interface

• Touch-Screen Capability

 Includes: 20 Sensors Dual Band Sensors with Both Rubber and Metal Valve Stems

Includes 20 Dual Band Sensors

\$499.80

Includes 5 Years Software Updates and 1 Year Warranty



Dual Band TPMS Sensor

SKU OUTSIDE BUY/EPO SIMSM-1SC

- Dual Band TPMS
- Aluminum and Rubber Valve Included
- 98% Coverage Tested and Validated in USA
- Live Tech Support



Bluetooth Pre-Programmed Sensors

SKU OUTSIDE BUY/EPO SIMSM-BLE

- Plug and Play • Tesla. 0E Like
- Black Valve • Future Proof, OE Like • Live Tech Support





For Outside Buy/FPO, Call 901-300-4878

i of oddside bdy/Li o, can so 1-300-4070							
FUNCTIONALITY	VT37	TS47	TS57	VT67			
Reads, Diagnoses and Activates 100% of OE and Aftermarket Sensors, Including 2022 Coverage	V	V	V	V			
VIN Barcode Scanner to Select Make, Model and Year			✓	✓			
WiFi and Real-Time Updates Powered by Live Sensor™		✓	V	✓			
Programs Aftermarket Sensors (Including EZ-Sensor® and All Leading Brands)	~	✓	✓	✓			
Secure Gateway (SGW) Ready for Stellantis Vehicles and Others				V			
Provides Direct (OBD, Auto, Manual) and Indirect TPMS Relearn Procedures	~	V	V	V			
98.6% TPMS Reset Coverage, Including Bonus ECU Reset Coverage in <2 Min. (OBD Connectivity)		V	V	V			
ECU Unlock for Toyota, Scion and Lexus Models (Closed Loop)		V	V	V			
OE and Aftermarket TPMS Sensors and Service Kits Part Number Look-Up	✓	✓	V	✓			
Save, Manage and Edit Customer Jobs and Reports on the Cloud				V			
Retrieves, Decodes and Clears TPMS DTCs		V	V	V			
Tire Management, DOT, Tread Reading and More		~	~	· /			

Wheel Stud Tools

8 Piece Wheel Stud Alignment Guide Kit

24233

- Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts
- Applications: Mercedes-Benz, BMW, Audi, VW, Porsche, Fiat and Dodge
- Sizes Included:

104

12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75



Wheel Stud Installers

SKU **339123** 24234

- · Works with Hubs, Rotors and Axles on Both Front and Rear Wheel Drive Vehicles
- · Prevents Damage to Lug Nut or New Stud
- Designed to Fit Studs Up to 14 mm or 9/16'



Truck Wheel Stud Installer

SKU **339117** 24235

- Designed to Work on Truck Wheel Studs Up to 22 mm (7/8") in Diameter
- Use with an Impact Wrench or Ratchet



Wheel Stud Installer Set

24236

for Cars and Trucks SKU **339125**

· Set Includes Both 24234 and 24235



REG. \$28.98

SAVE \$5 OVER When You Buy the Set

OEM TOOLS

MITOOLS® Introducing Our Steel Wheel Weights

- Adding Wheel Balancing to Your Service Offering is an Easy Way to Increase Revenue and Improve Customer Satisfaction
- Steel Weights are Better for the Environment Than Lead Weights
- Our Steel Weights Have a Premium Powder Coated Finish Which is Resistant to Chipping and Scratching, and Helps Prevent Damage and Corrosion

P/REG UNIVERSAL FOR STEEL WHEELS

MOST NORTH AMERICAN

SOME EUROPEAN & ASIAN

MOST ASIAN

MERCEDES, VW & AUDI

PICK-UPS WITH STEEL RIMS

OLDER CHRYSLER

UNIVERSAL FOR ALLOY WHEELS

See Pages 107-108

CALL FOR PRICE

Tesla-ready & programmable for new vehicles with Bluetooth TPMS for smarter, more connected tires



MaxiTPMS® MX-Sensor BLE

SKU 1366285 Part #ATD300100

- Pre-programmed Bluetooth Low Energy TPMS sensors for Tesla 3/Y/S/X models
- . Tesla-ready: Just Fit and Go
- Future-proof: programmable with Autel TPMS tools for the latest BLE-equipped vehicles

AUTEL MAXITPMS

MaxiTPMS® 1-Sensor

SKU 317455 Part #1SENSOR

- Combined Frequency: 315MHz & 433MHz
 Interchangeable Valve Stems (rubber included)
- Program to Replace 99% of OE Sensors
- Fast valve stem swap

1-SensorM



MaxiTPMS® 1-Sensor 20-Pack (R) SKU 370328 Part #300010

 Bulk pack of 20 1-Sensors with Rubber Valves

MaxiTPMS® 1-Sensor 20-Pack (M) SKU 1107286 Part #300060

 Bulk pack of 20 1-Sensors with Aluminum Valves

MaxiTPMS® 1-Sensor 240 Pack SKU 1089240 Part #300050 Bulk pack of 240 1-Sensors with Rubber Valves



CALL FOR PRICE

MaxiTPMS® TS900

- SKU 1337325 Part #TS900
 Activate, Read, and Relearn ALL known TPMS sensors, including Tesla 0E sensors
- Program universal Autel 1-Sensors to replace 99% TPMS sensors
- Compatible with BLE TPMS sensors and Autel BLE Sensor for Tesla vehicles
- Features Android 11 operating system and 64GB storage memory
- All Systems Diagnostics with bi-directional controls, Active Tests & Special Functions



MaxiSYS® MS906Pro-TS SKU 1207797 Part #MS906PROTS

- AutoVIN 2006+/AutoSCAN
- 21 Service Functions
- · Wi-Fi Software Updates
- Eligible for ADAS Software Upgrade
- Advanced Coding & Adaptations

MaxiTPMS® ITS600PR01 SKU 1140847 Part #ITS600PR01

- Complete TPMS Service and Diagnostics Tablet
- 5.5 Inch Color Touchscreen/Android 9.0 OS
- · Activates, Reads and Relearns All Known Sensors
- On-Tool DOT Tire Registration
- Four MX-Sensor Program Modes



MaxiTPMS® TBE200 SKU 1129878 Part #TBE200

- Tire Tread and Brake Disc Wear Examiner
- Laser-Enabled; No Need to Remove Tire
 1.65" AMOLED Super Retina, Color Touchscreen Display
- Full Color Graphical Display Illustrates Wear
- Displays Recommendations for Tire and Brake Disc Replacement, 4-wheel Alignment and Tire Rotation
- 4-megapixel, 4 cm Macro Camera and 8-megapixel Zoomable Camera to Document Tire Damage

TPMS SAVINGS



EZ-sens r Multi-pack Options

4 Pack #33500-4

12 Pack #33500-12

50 Pack #33500-50 SKU #1097944

100 Pack #33500-100



EZ-sensor® is the market-leading OE quality, programmable, single SKU TPMS solution.

Schrader's EZ-sensor® family of products can be programmed to service the majority of

EZ-sensor® is compatible with most industry programming tools.

Tool and Sensor Bundle #21324AZ



Includes S41 Tool and 16 EZ-sensors®

Benefits:

Full color screen

Exclusive EZ-sensor® programming **Built-in OBDII module** and quick connect cable

Allows placard pressure change

AZG0224

Tire Service Tools

OEM TOOLS

2 Piece Tire Valve Core Tool Set

SKU **1209377** 22589

1999

- . Designed for Removal and Installation of Schrader Style Valve Cores
- Includes: 2" and 5" Tools
- Extra-Long 5" Tool for Hard-To-Reach Applications
- Tough Impact and Solvent-Resistant Acetate Handle



Pickups, Vans and SUVs • Includes: 6 Zinc-Plated Steel

Spare Tire Removal Set

• 32" Reach Allows Access to Spare

Tires Stored on the Undercarriage of

SKU **749919**

24219

ttachments That Fit a Range of Vehicle Types, Hand Crank and Heavy Duty Nylon Pouch

No Additional Tools Needed

Attachments Included



Quick Change Wheel Stud Cleaner Kit SKU **666299** CAL16

• Kit Includes: 1/2" Drive Adapter and 6 Brushes

• Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)

Calkan



60 Piece Wheel Lug Nut Assortment A

SKU **082947** DOWDY-WN-12

- 12 Lug Nut Variations
- · Standard, Dome, Acorn Thread



lisle

Dynamic

60 Piece Wheel Lug Nut Assortment B

SKU **082948** DOWDY-WN-12B

- 12 Lug Nut Variations
- · Dome Acorn, Bulge, Flat-Capped, External Thread





Tire Tube Test Tank

SKU **291382** LIS19822

• Tank Features Reinforcement Ribs for Extra Support

• Will Handle Passenger Tire Sizes to Wide Oval and Light Duty Truck Tires Dimensions:

31" (L) x 12" (W) x 12" (H)



Bead Lifting Tool

OEM TOOLS

20" Bead Lifting Tool - 3 Pack

SKU **1142616 1999** 26036

- For Use with Any Make of Tire Changer and Tire Combination
- · Curved End to Prevent Tire Damage
- Can Be Used for Both the Removal and Mounting of Tires
- Heat-Treated for High Strength and Durability

Rim Protector

12 Pack Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head SKU **OUTSIDE BUY/EPO** TMRTI182963

• For Coats Stainless Steel Mount/Demount Head Coats 8182961 (2 Pk.) RC1, 5, 10, 15, 20 8182963 (12 Pk.) Early 5060, 5030, 5040, 5050, 5060, 5065 5070, 6050, 6060, 6065, 7050, 7055, 7060 7065, 7655, 7660 and 7665



OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

Tire Repair

57 Piece Tire Repair Kit

SKU **213119** 26686

• Includes: T-Handle Plug Insert Tool, T-Handle Reaming Tool, Replacement Insert Needle, Long Nose Pliers, Hex Keys, (30) Repair Plugs, Utility Knife, Lubricant, Valve Cores, Valve Caps, Valve Stems and a Valve Core Tool



36 Piece Tire Repair Kit SKU **477104**

26682

- (30) 4" String Repair Plugs, Rasp Tool, Insert Needle Tool, 2 Hex Keys and Sealing Lubricant
- T-Handle Design Provides Greater Leverage and Turning Power
- Hardened Steel Rasp and Insert Needle for Durability



Tire Buffing Cone

SKU **1142704** 24479

106

- . Tungsten Carbide Wheel for Fast and Effective Surface Preparation
- 3/8" Quick Disconnect Arbor
- Max. RPM: 5,000



Smart Tire Pressure Gauge

SKU **949562** 24807

- Programmable System Stores Tire Pressure Readings for (4) Tires
- Tire Deflator Function for Easy Pressure Adjustment
- Features an LED Flashlight and Backlit LCD Screen



Refill Plugs for Any OEMTOOLS® Tire Repair Kit

Repair Plug Refill Sets

• For Use with 26680, 26682, 26683 and 26686


30 Pack SKU **477063**

26684

100 Pack

SKU **477176** 26685





Manager or go to AutoZonePro.com.

1/2" Drive 25-250 Ft/Lb.

Torque Limiting Sets

5 Piece Torque Limiting Extension Set

TIRE SERVICE

SKU **965858** 24220

140 Ft/Lb.

54 99

- · Quick, Simple and Accurate
- Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lb., 80 Ft/Lb., 100 Ft/Lb.. 120 Ft/Lb. and



OEM TOOLS

8 Piece Torque Limiting Extension and Thin Wall Socket Set

SKU **347217** 24228

• 4 Extension Bars: 65 Ft/Lb. (90 Nm), 90 Ft/Lb. (120 Nm), 100 Ft/Lb. (135 Nm) and 110 Ft/Lb. (150 Nm)

· 4 Deep Non-Marring Sockets: 17, 19, 21 and 22 mm

Individual Sizes Available on AZTOOL1.COM

Torque Wrenches

3/8" Drive 10-80 Ft/Lb. SKU **177722 5099**

25694 1/2" Drive 10-150 Ft/Lb.

SKU **012651** 25689

OEM TOOLS

SKU **177715** 25695

25695

tentral TOOLS, Inc.

OEM TOOLS

1/2" Drive Undercar Torque Wrench

SKU **OUTSIDE BUY/EPO CEN97354A**

- Unique One-Way Design Cannot Be Used as a Breaker Bar (thus Preventing Damage)
- High Contrast Laser Markings for Easier Reading
- Rubber Over-Mold Lock Ring for Better Grip
- · Head and Handle Covers for Increased Durability
- Range: 25 to 250 Ft/Lb. (43.4 to 348.4 Nm)
- Length: 23.3"

OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878





CALL YOUR COMMERCIAL SALES MANAGER TO ORDER YOUR WHEEL WEIGHTS TODAY

Wheel Weight Kits

• Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative

Premium Power Coated Finish Resists Chips and Scratches Which Helps Prevent Damage and Corrosion to Wheels

Complete Wheel Weight Kit with Floor Rack

SKU 1392466 68953

- Includes: 66 Boxes of Coated Clip on Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE
- 25 Weights Per Box
- All Metal Floor Rack





MCFE Steel

PFE Steel

TFE Steel ENFE Steel

FNFE Steel

IWFE Steel

When You Buy the Kit

REG. \$1,283.33

Wheel Weight Starter Kit with Floor Rack

SKU **1339729 OEMREPLENKIT**

- . Includes: 18 Boxes of Coated Clip on Wheel Weights ALFE, MCFE and PFE in the
- Most Popular Sizes • 25 Weights Per Box
- All Metal Floor Rack

MCFE Steel

PFE Steel

REG. \$601.00

When You Buy the Kit

Adhesive Wheel Weight Starter Kit with Stand

SKU 1392467 68955

. Includes: 4 Boxes and 2 Rolls of Adhesive Wheel Weights

· 3 Boxes of Strips, .25 Oz, .50 Oz. and 1.00 Oz.

• 1 Box of .25 Oz. Strips, Black

• (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.

 Wheel Weight Dispenser Stand





REG. \$467.93

When You Buy the Kit

Wheel Weights Only

Complete Wheel Weight Kit, Weights Only

SKU **1392468** 68954

• Includes: 66 Boxes of Coated Clip on Wheel Weights

• ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE in the Most Popular Sizes

• 25 Weights Per Box

ALFE Steel

LHFE Steel MCFE Steel

PFE Steel

TFE Steel

ENFE Steel

FNFE Steel **IWFE** Steel

REG. \$913.34 When You Buy the Kit

Wheel Weight Starter Kit, Weights Only SKU **1392326**

• Includes: 18 Boxes of Coated Clip on Wheel Weights

68952

• ALFE, MCFE and PFE in the Most Popular Sizes

• 25 Weights Per Box

ALFE Steel MCFE Steel

PFE Steel

REG. \$231.72 When You Buy the Kit

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

Wheel Weight Tools

Adhesive Wheel Weight Removal/Cutting Tool

SKU **1362016**

- **REG. \$24.99** All-In-One Wheel Weight Tool for Removal Installation and Cutting with Precision
- Hammer End with Non-Marring Head Prevents Damage Sharp Cutting Edge to Trim Adhesive Wheel Weights
- Jaws Feature a Protected Surface for Non-Marring Removal of Adhesive Wheel Weights
- Anti-Slip Rubber Coated Handle

Offer Good Through June 30, 2024

Wheel Weight Hammer Tool

SKU **217378** 25690

- Installs, Removes, Trims and Tightens All Types of Clip-On Wheel Weights
- · Features a Special Plastic Material on Hammer Head for Safe, Mar-Free Installation of Specially Coated Wheel Weights Used on Alloy Wheels

Safe, Mar-Free Installation



OEM TOOLS

OEM TOOLS





Easy Peel Tape STORE STOCKED*

 Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative

Wheel Weight Racks

Adhesive Wheel Weight Dispenser Stand

SKU **1363723** 23209

- · Easy Assembly Can be Secured to Workshop
- Floors Holds 2 Rolls
- All Metal Construction





Metal Wheel Weight Floor Rack

SKU 1328027 PLM486-31280

- All Metal Construction
- 8 Shelves
- Includes Dividers



Clip-On Wheel Weights

STORE STOCKED*

- · Easy to Apply and Remain Firmly in Place Once Installed
- Polymer Coated for the Best Appearance and Exceptional Corrosion Resistance
- 1 Box of 25 Each

- 4	OFA	A 7	OC	N S

SKU	Part #	Profile	Price
1359082	23246	10 gm. IWFE	3.99
1359087	23248	15 gm. IWFE	5.99
1359077	23271	20 gm. IWFE	7.99
1359098	23273	25 gm. IWFE	9.99
1359089	23277	30 gm. IWFE	11.99
1359075	23283	35 gm. IWFE	13.99
1359040	23290	40 gm. IWFE	14.99
1359084	23294	45 gm. IWFE	16.99
1359043	23297	50 gm. IWFE	18.99
382841	23217*	0.25 Oz. MCFE	9.99
382842	23219*	0.50 Oz. MCFE	10.99
382843	23220*	0.75 Oz. MCFE	11.99
382844	23221*	1.00 Oz. MCFE	13.99
382845	23227*	1.25 Oz. MCFE	17.99
382846	23230*	1.50 Oz. MCFE	17.99
1359096	23244	1.75 Oz. MCFE	20.99
1359053	23253	2.00 Oz. MCFE	21.99
1359056	23257	2.25 Oz. MCFE	23.99
1359052	23260	2.50 Oz. MCFE	26.99
1359095	23262	2.75 Oz. MCFE	28.99
1359036	23263	3.00 Oz. MCFE	31.99
382853	23218*	0.25 Oz. PFE	6.99
382919	23223*	0.50 Oz. PFE	8.99
382920	23224*	0.75 Oz. PFE	8.99

SKU	Part #	Profile	Price
382924	23229*	1.75 Oz. PFE	<i>15.99</i>
382925	23232*	2.00 Oz. PFE	16.99
1359093	23235	2.25 Oz. PFE	23.99
1359086	23236	2.50 Oz. PFE	26.99
1359058	23237	2.75 Oz. PFE	28.99
1359069	23259	3.00 Oz. PFE	31.99
1359038	23239	10 gm. FNFE	3.99
1359073	23242	15 gm. FNFE	<i>5.99</i>
1359092	23265	20 gm. FNFE	7.99
1359068	23267	25 gm. FNFE	9.99
1359071	23269	30 gm. FNFE	11.99
1359063	23270	35 gm. FNFE	13.99
1359083	23272	40 gm. FNFE	14.99
1359057	23274	45 gm. FNFE	16.99
1359094	23275	50 gm. FNFE	18.99
1359070	23276	55 gm. FNFE	<i>20.99</i>
383021	23222*	0.25 Oz. ALFE	9.99
383022	23231	0.50 Oz. ALFE	10.99
383023	23233	0.75 Oz. ALFE	14.99
383029	23234*	1.00 Oz. ALFE	15.99
1359044	23243	1.25 Oz. ALFE	18.99
1359078	23247	1.50 Oz. ALFE	19.99
1359076	23249	1.75 Oz. ALFE	20.99
1359037	23250	2.00 Oz. ALFE	21.99
1359048	23252	2.25 Oz. ALFE	23.99
1359074	23287	2.50 Oz. ALFE	26.99
1359047	23289	2.75 Oz. ALFE	28.99

SKU	Part #	Profile	Price
1359054	23238	0.25 Oz. TFE	9.99
1359064	23241	0.50 Oz. TFE	10.99
1359091	23255	0.75 Oz. TFE	12.99
1359049	23256	1.00 Oz. TFE	14.99
1359039	23258	1.25 Oz. TFE	18.99
1359088	23261	1.50 Oz. TFE	19.99
1359080	23264	1.75 Oz. TFE	<i>20.99</i>
1359059	23266	2.00 Oz. TFE	21.99
1359060	23268	2.25 Oz. TFE	23.99
1359079	23284	2.50 Oz. TFE	<i>26.99</i>
1359066	23286	2.75 Oz. TFE	28.99
1359062	23288	3.00 Oz. TFE	31.99
1359097	23251	10 gm. ENFE	3.99
1359067	23254	15 gm. ENFE	5.99
1359081	23278	20 gm. ENFE	7.99
1359051	23279	25 gm. ENFE	9.99
1359045	23280	30 gm. ENFE	11.99
1359090	23282	35 gm. ENFE	13.99
1359061	23293	40 gm. ENFE	14.99
1359050	23296	45 gm. ENFE	16.99
1359055	23240	0.25 Oz. LHFE	9.99
1359085	23245	0.50 Oz. LHFE	10.99
1359042	23281	0.75 Oz. LHFE	12.99
1359072	23285	1.00 Oz. LHFE	14.99
1359065	23291	1.25 Oz. LHFE	18.99
1359041	23292	1.50 Oz. LHFE	19.99
1359046	23295	1.75 Oz. LHFE	<i>20.99</i>

Wheel Weight Profile



23225*

23226*

23228*

382921

382922



1.00 Oz. PFE

1.25 Oz. PFE

1.50 Oz. PFE



10.99

12.99

14.99











BRAKE SERVICE

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

Brake Lathe Kit

PRO-CUT

PCTB-17

Combination Bench Lathe Kit

SKU **OUTSIDE BUY/EPO** PCTB-17K

• Features Adapters and Accessories for All Passenger Vehicles and Light Trucks

· Resurfaces Brake Drums and Discs to Exceed OEM Specs for Surface Finish in 1 Pass

· Switch from Drums to Rotors in Seconds

 Includes: Bench Lathe, **Dust Collection System and** Side Work Table

> **On-Site Installation and Training Included**





VALUE: \$1,099.99

Ouick Chuck Kit PCT50-4250K

PCT50-4280

With Purchase of PCTB-17K

Offer Good While Supplies Last Through June 30, 2024

Lathe Kit with Trolley

PRO-CUT

Brake Lathe with Adjustable Trolley SKU OUTSIDE BUY/EPO Call for Price

PCTX9-6ADP

• DRO Computer Box (Accepts G2X Upgrades) Speed-Lock Cutting Head

Fixed Post Trolley

• 6 Adapters Covering Most Cars and Trucks All Accessories Including

• Pro-Cut X9 On-Car Brake Lathe

Silencer and Cutting Bits On-Site Installation and Training

2-Year Warranty



• Includes: 6 Tips with Screws

PCT50-778

901-300-4878

Ranger®

RL-8500 Combination Brake Lathe with Bench and Standard Tooling

SKU OUTSIDE BUY/EPO RANRL8500

 Complete Kit Includes Lathe, Standard Adapters and Bench
 Provides a FASTER, More ACCURATE and EASIER Resurfacing Capability Than Any Other Brake Lathe in Its Class

Infinitely Variable Speed Controller Able to Turn Rotors and Drums

Quick-Change Adapter-Plus System with Built-In Springs Eliminates the Need for Conventional Bell Clamps and Cones

Independent DC Servo Motors Control the

Cross-Feed and Spindle-Feed Drives

• One-Cut Micro Finish

• 150 or 200 RPM Spindle

RL-8500XLT HD Combination Brake Lathe with Bench and Standard Tooling

SKU OUTSIDE BUY/EPO RANRL8500XLT

WARRANTY: 1 Year Parts and Labor

Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.





Truck Adapter Package

SKU **OUTSIDE BUY/EPO** RAN5150161

- · Super-Duty Truck Tooling Package Consists of an Upgraded 1-7/8" Arbor and a Wide Variety of Adapters
- 32 Piece Set Allows Expanded Coverage to Handle Anv Vehicle Through 1-Ton Trucks
- Fits RL-8500 and RL-8500XLT





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

AZG0224

BRAKE SERVICE

Brake Service Tools

2 Piece Steel Line Stopper Set

SKU **1331483 1999** 35057

Seals Steel Lines Found on Fuel, Brake, AC, Power Steering, Transmission Cooling Lines and Banjo Lines

- Prevents Leaks and Contamination
- For Use with All Automotive Fluids
- Fits 3/8", 1/2", 5/16" and Banjo Lines



OEM TOOLS

8 Piece Brake Tool Set SKU **900827** REG. \$57.99 27194

• Includes: Spring Compressor, Brake Spring Installer, Spring Removal Tool, Brake Retaining Spring Tool, Brake Spring Pliers, (2) Brake Adjustment Spoons and Mini Adjustment Spoon

Offer Good Through June 30, 2024



Brake Cylinder Retainer Remover

SKU **265111** 25268

- · Expands and Holds Special Retainer So the Brake Cylinder May Be Removed
- · Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



OEM TOOLS

8 Piece Brake Caliper Hanger Set

SKU **312538** 24518

- Prevents Kinking or Premature Failure of Brake Hose
- Keeps Calipers Up and Out of the Way When Servicing Suspension Components, Brakes, etc.
- Hi-Vis Green Powder Coat So You Won't Misplace Them or Leave Them Attached to the Vehicle

8 Piece Manual Brake Gauge Set

SKU **191672** 25266

• Color Coded Brake Gauge Identifies Thickness Levels for Brake Lining Inspection

 Includes Sizes: Red: 2, 3 mm, Yellow: 4, 5, 6 mm, Green: 8, 10, 12 mm

 Red Indicates Must Be Serviced: Yellow Indicates Should Be Serviced; Green Indicates Good



OEM TOOLS

Brake Caliper Brush

25435

SKU **250125 1499**

· Slim Design for Cleaning Brake Calipers and Other Brake Hardware



SKU **1149174** LIS45100

- . Expand Spring to Install or Remove • Engage Brake Spring in Tool Head
- Turn Handle to Lock on Spring

Central TOOLS, Inc.



Brake Spring Tool SKU **1149175 19**99

Central TOOLS, Inc.

LIS46750

. Shoe Horn Design on the Other End Makes it Easy



• Large Handle Gives Good Grip and Easy Operation




Rotor/Drum Caliper Kit

SKU **186504** CEN3K301

- · Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors 8" to 13"
- Range 0 to 6" Digital Caliber Included



Electronic Digital Rotor Gage SKU **1330687**



- Easy to See Digital Readout Long Arms for All Rotors
- Interchangeable Flat and Pointed Anvils



Disc Brake Rotor Micrometer

SKU **607071** 25367

• .001" Accuracy, .0005" Reading

- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On
- Range: 5.5"/140 mm
- · Easy Glide Action
- Hardened Measurement Surface



OEM TOOLS

SHARK

Carbide Lathe Inserts











					' / /	
SKU	Part Number	Quantity	Application	Description	OEM Part No.	Price
262385	SHA0626	6 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-6	29.99
262387	SHA1042	2 Pack	Ammco	Use on Lathe Model 3850	9069186	29.99
262386	SHA06210	10 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-10	39.99
262389	SHA06810	10 Pack	Accu-turn/ Bosch	Use on Accu-Turn, Bosch On-The-Car Brake Lathe Models 8700, 8750 and 8800	433796, 878051, 080-80000-68	59.99
262388	SHA1046	6 Pack	Ammco	Postive Rake Cutting Bits for Ammco Models 3850, 4000, 7000 and 7500 as well as Twin Cutter and 9381 Facing Set	906918-6	59.99
543384	SHA069-10	10 Pack	Pro-Cut	Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes for Ford. RJ West PFM 9.2, FM900, PFM 9.2DRO Warthog and 9.2DRO	50-742	49.99
262382	SHA40710	10 Pack	FMC	Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/ Drum Lathes	90488, W139, D139	54.99
262409	SHA80210	10 Pack	Kwik Way	Use On All Kwik-Way and Snap-On SDL, DL, 850 Disc Lathes, Rotunda, Snap-On On-The-Car YA180, YA 281 Bench Lathes	109-1092-23, 109-1092-45, BTK10A	84.99
300786	SHA408-10	10 Pack	FMC/Ranger/ Accu-turn	Ranger RL8500 and RL8500XLT Disc and Drum Cutting Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes	45016	84.99
262383	SHA06010	10 Pack	Accu-turn	Use on Models: 7700, 8920, 8922, 8944, 8989, 8990, 8991, 8993, 8995 and 8997 Brake Lathes. 3 Cutting Edges	433796	49.99
1142331	SHA065-10	10 Pack	Hunter	Use on Rotor Models: BL500, 501 and 505 Hunter Lathes	221-639-3	89.99

Silencer Bands

Large Solid Rotor Silencer Band (9")

SKU **262396** SHA94



Small Solid Rotor Silencer Band (6")

SKU **262393** SHA96

Silencer Clamp SKU **388821** SHA70B



Ammco Style Disc Silencer **Band with Steel Weights**

SKU **262392** SHA69



Ammco Style 1-3/4" Drum Silencer Band

SKU **262390** SHA80B





See AutoZonePro.com for More Applications

<u>음</u>

BRAKE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Brake Bleeding Tools

Vacuum Pump Tester, Power Steering and Brake Bleeder Kit

SKU **1103570** 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing Pump with Vacuum Gauge and Accessories



OEM TOOLS

1 Liter Pneumatic **Vacuum Brake Bleeder** with Refill Bottle

SKU **1282750** 22505

- Convenient Single-Person Operation
- Effective for Use on Disc/Drum Brakes and Clutches Auto-Refill Kit to
- Simplify the Master Cylinder Refill
- Uses a Standard Workshop Air Supply

OEM TOOLS

SKU **568477 39**99 24443

 Refill the Master Cylinder During Vacuum or Manual Hydraulic Brake or Clutch Bleeding and Flushing

Universal Fluid Dispensing Bottle

 Mounts Securely to Master Cylinder and Clamps

Capacity: 50 Oz.



Brake Bleeder Wrench (8 and 10 mm)

With Purchase of: 24443

OEM TOOLS

Offer Good While Supplies Last Through June 30, 2024

2 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

SKU **1361989** 22506

REG. \$69.99 • For Use on Brakes and

- Hydraulic Clutches Convenient Single-Person
- Operation Uses Standard Workshop
- Air Supply Includes: Auto-Refill Kit to Simplify the Master Cylinder Refill and Adapters to Fit Most US and Domestic Vehicles
- Standard and ABS Brake Systems

Offer Good While Supplies Last Through June 30, 2024



OEM TOOLS

DIY Reverse Brake and Clutch Bleeder

SKU **459112** PH02104-B

- · Easily Bleeds ABS
- Removes Trapped Air Attachments To Fit
- All Vehicles



V-12 Economy Professional Reverse Brake and Clutch Bleeder

SKU **289898** PH02003

. Bleed the Brakes on Any Vehicle in 10 Minutes or Less, Including ABS

· Save Time and Money on Good Parts Not Properly Bled

One Man Operation



1.3 Quart Vacuum **Brake Bleeder**

SKU **459166 MITMV6870**

- 1.3 Quart Reservoir
- · Applications: Brake Bleeding. Hydraulic Clutch Bleeding
- Universal Bleed Screw Adapter Fits Most Common Sizes
- · Includes Two Replacement **Bleed Screw Adapters**





Silverline Elite Test Kit

SKU **988888** MITMV8500

- Provides Either Vacuum or Pressure with Equal Precision and Convenience
- Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More
- Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests





SKU **604208** MITMV6830 Compressed

- Air Operation
- 1.9 Quart Capacity

Brake Bleeding Kit

 Swivel Air Inlet with Quick Disconnect



Mituvac:

Refill Kit

SKU **972280**



- During Brake or Clutch Bleeding or Flushing
- Includes a 40 Oz. Reservoir
- Adapts for Use with Standard 12 Oz. and 32 Öz. Brake Fluid Bottles





Pressure Brake Bleeding System

SKU 383099 MITMV6840

- Large 1.2 Gallon Capacity Dispenser
- Includes 7 Master Cylinder Adapters that Connect to Most U.S.. Asian and European Cars and Light Trucks
- Pressure Gauge Indicates Dispensing Pressure
- Utilizes Push-To-Connect, Quick-Change Adapters

 Integrated Manual Relief Valve for Safety



Mituvac: 2.5 L Pressure Brake Bleed Kit

SKU **1361996** MITMV7840

- Utilizes Shop-Air to Produce Pressure for Dispensing and Vacuum for Extracting
- Pressure Control System Safely Maintains Output Pressure Between 20 and 25 psi
- Includes 7 Master Cylinder Adapters that Connect to Most Domestic and Import Cars and Light Trucks
- · Conveniently Located On/Off and Flow Control Valve



AZG0224

BRAKE SERVICE

Disc Brake Tools

18 Piece Disc Brake Caliper Set SKU **94798** 27113

- Includes Caliper Adapters from 1-3/16" to 2-1/2" - Some Specifically to Service Nissan. Saab and Honda Models
- . Includes Right and Left Hand Caliper **Rotation Tools**
- · Left Hand Thread is Useful When Working on 2004-2007 Ford Freestyle, 500, 2008 Taurus and Taurus X Models
- Rust Resistant Finish



37 Piece Disc Brake Service Kit

SKU **1125858** 25107

Mastercool:

• Includes: Disc Brake Caliper Tool Set, Pad Spreader, Brake Caliper Brush, (8) Brake Caliper Hangers, (3) Bleeder Wrenches and One-Man Brake Bleeder Kit



Pneumatic Brake Caliper Tool Set

SKU **1053954 219**99 MSC43050

- Durable Non-Impact Single Piston Shaft
- . O-Ring Protected Shaft to Maintain Proper Pressure
- Magnetic Base to Secure Press Adapters
- 15 Piece Press Adapter Set



Dual Piston Press

SKU **900811 54 99** 25741

- Designed to Press-In Single and Dual Piston Brake Calipers
- Universal Application on Cars, Light and Heavy Trucks
- · Rugged Design for Longer Tool Life



Brake Caliper Press (Standard Size)

SKU **954224** LNG279

• Size Range is 1.7" to 3"

- · Works on Various Single, Dual and Quad Piston Calipers
- 360° Ratchet Swing Allows Access at Any Angle

Brake Caliper Press (Small Size)

SKU **OUTSIDE BUY/EPO LNG277**

• Size Range is 1" to 2.25"

For Outside Buy/EPO, Call 901-300-4878



Brake Caliper Piston Rewind Tool

SKU **1368620** 35058

REG. \$54.99 Includes a Standard Two-Pin Adapter

Compatible with Any Piston Adapter • Includes a Fully Adjustable 3/8" Drive 2 and

3 Pin Adapter Tool That Fits Most Vehicles Powerful Internal Spring to Apply Stable Pressure to the Caliper Piston



Offer Good While Supplies Last Through June 30, 2024

Brake Hub Resurfacing Tool

SKU **013590** 24686

- · Quickly Remove Rust on Lug Studs and Rotors on the Hub Assembly
- . Use with Drill for a Quick and Easy Job
- · Fits All Passenger Cars, Light Trucks and SUVs
- Includes 4 Pads



VALUE: \$19.99

Large Replacement Pads - 5 Pack 65688

 Replacement Brake Hub Resurfacing Pads for 24686 Includes (5) 2"Pads

With Purchase of: 24686 Offer Good Through June 30, 2024



SKU **13592** 24693

- · 2 Fully Adjustable to Fit Thousands of Vehicles
- No Need for Multiple Tools
- 3/8" Drive Adapters





OEM TOOLS

2 Pin Side

Dual Speedy Pad Spreader

SKU **291420** LIS25750



• Compresses Dual Brake Pistons Simultaneously

 Makes Dual Piston Pad Replacement a Simple Job



Speedy Pad Spreader

SKU **291417** LIS24300



 Makes Brake Pad Replacement Easier




Quick Quad Pad Spreader

STORE STOCKED

SKU **080553** LIS29100

- · A Quick Way to Spread Brake Pads and Compress Disc Brake Pistons for Pad Replacement on Single, Double and Quad Piston Calipers
- Simultaneously Compress All 4 Pistons on Quad Piston Applications
- · Can Be Used While Caliper is on the Vehicle or Hanging Free





Sprayers

Red Powder Coated Aluminum Sprayer

SKU **186463** MSMB8000PL

- 16 Oz. Capacity
- . Not for Use with Chlorinated Solvents
- Pressurize Up to 200 psi

Complete Repair Kit for B8000PL

SKU **186467 29 99** MSMBK50



BRM

Red Powder Coated Steel Sprayer

SKU **186459** MSMA1000R

- 32 Oz. Capacity
- Not for Use with Water-Based Products
- Pressurize Up to 200 psi



Repair Kit SKU 186465

MSMK10

Used for MSMA1000R

- Includes All Parts That Can Be Replaced
- All Chemical Resistant Seals





OEM TOOLS

OEM TOOLS

OEM TOOLS

Filler Cap Assembly SKU **186466** MSMP156

- · For Model "A" Sprayers
- Hand Removable

Hones and Stones

Flex-Hone® Kit BC **Kit D 180SC**

SKU **341378 BRMBCKD**

• BC Kit D (18 mm, 20 mm, 22 mm, 25 mm and 29



Rotor Flex-Hone®

- Lowers Harmonic Vibrations
- Ideal for New and Resurfaced Rotors and Flywheels

SKU **341310** BRMRMFH240Z25

Coarse SKU **341314 BRMRMFH60Z25**



BRM



Adjustable Disc Brake or Small Engine Hone

SKU **531707** 25030

• Includes 3 Medium (220) Grit 3/4" Stones



Brake Fluid Testers

Brake Strip + 100 Ct. Coolant Strip Double Ended with Customer Cards

PH03006-PLUS **89**99 SKU 1089037

- Double Ended Test Strips for Brake Fluid and Coolant
- Use on DOT 3 or 4 Brake Fluid
- . Compatible with All Coolant Colors
- Includes: 100 Double Ended Strips and 100 Rating Scale Cards



SKU **666577** PH03001-PLUS





Brake Fluid Tester - DOT 3, DOT 4, DOT 5.1

SKU **850067 7799**

Built-In LED Light to Ensure Tips are in Proper Contact with Fluid

 Easily, Quickly and Precisely Checks the Water Content of 8 Types of Polyglycol-Based Brake Fluids (DOT 3, DOT 4, DOT 5.1, ACDelco DOT 3, Pennzoil, Prestone, Motorcraft and Toyota DOT 3)



Electronic Brake Fluid Tester

SKU **191687**

- Checks Moisture Content in Any Brake Fluid
- Multi-Colored LED Panel for Easy Recognition
- · Automatic Shut-Off
- . Calibrated for DOT 4 Fluid
- 1 AAA Battery Included



Fluid Exchanger

Premium Brake Fluid Exchange System

SKU **OUTSIDE BUY/EPO** MVC500-8100

3,24999

- Includes Brake Adapter Kit
- Pressure and Vacuum Assist
- Portable Operates on 12 Volt DC
- Complete Brake System Exchange in 10 Minutes
- Adjustable Pressure Regulator Controls Operating Pressure
- Performs Brake Flush Using Pressure and Vacuum Simultaneously



MOTORVA®

Brake Service Tool

Heavy Duty Hub Drum and Rotor Puller Kit

SKU **1125878** 25106

144 99

Use with Impact Wrench to Remove Hubs, **Drums and Brake Rotors** • Includes (3) Hub Adapters for Use with Most

- Common Hub Sizes and Types

 Jaw Spread Up to 12-3/4" with 5" Reach
- Durable Forged Frame Rated to 7 Tons of
- Pulling Force for the Toughest Jobs . Drum and Rotor Pulling Arms Feature with
- Raised Stops for Use with Ratchet Straps (Not Included) Easily Adjust the Arms and Set
- Puller in Place for Tough Pulling Jobs in Tight Spaces
- Includes: Sturdy Blow Mold Case



AZG0224

For Outside Buy/EPO, Call 901-300-4878

HEAVY DUTY

Scan Tools

AXONE VOICE® Fleet Package - Truck/OHW/Car SKU **OUTSIDE BUY/EPO TEXDFPAV**

- AXONE VOICE®; Hands-Free Smart Diagnostic Tablet
- MULTIHUB VCI (J-2534/RP1210, DOIP, CAN FD, Wi-Fi, Ethernet, and Digital Display)
- · Dealer-Level Coverage for Virtually All Cars, HD/MD Trucks, and Off-Highway/AG Vehicles
- View and Graph Live Vehicle Data
- Read and Clear Codes, Cylinder Cut-Off, PTO Configurations
- DPF/SCR Regeneration and Emissions Resets
- Built-In Wiring Diagrams
- Off-Highway ApplicationsOff-Highway Cables Sold Separately



AXONE VOICE® Master Fleet Package eTruck/OHW/Car

SKU OUTSIDE BUY/EPO **TEXMFPAV**

- TEXA MULTIHUB VCI Provides J-2534/RP1210 Compliance as Well as Diagnostics for DOIP, CAN FD, Wi-Fi, Ethernet
- Digital Display
- View and Graph Live Vehicle Data
- Read and Clear Codes
- DPF/SCR Regeneration and Emissions Resets
- Includes: Bonus eTruck Dongle, Adapter Cable and **Automotive Software**



MLT PRO Light to Medium Duty Truck Scan Tool

SKU OUTSIDE BUY/EPO **CDOMLTPRO**

- · Coverage for Power Stroke, Duramax, Dodge Cummins, Hino, Isuzu, UD and All Types of Sprinter Vans
- DPF After-Treatment Leak Test and Reset Functions
- One Easy-To-Use Interface for All Manufacturers and Systems
- True IP65 Drop Test and Water Resistant Rating
- Coverage for J1939/J1708 and OBDII Protocols OBDII Generic: Read/Clear Codes and Live Data Stream with Graphing
- Includes 2 Years of Updates



TEXA

HD Code Pro Scanner

SKU OUTSIDE BUY/EPO **CDOHDCODEPRO**

- . Heavy Duty, Medium Duty, and Light Duty Truck Emissions (DPF / DEF/ SCR)
- Coverage for Detroit, Cummins, International, Isuzu, Mack/Volvo, Hino/UD, Fuso, Paccar, Mercedes, Caterpillar, Perkins, John Deere and More
- Oil and Maintenance Reset for Heavy Duty Through Light Duty
- Built-In Printer
- · One Year Free Updates



HD Mobile II

SKU OUTSIDE BUY/EPO 54999 **CDOHDMOBILEII**



- DPF Resets and Regens for Detroit, Cummins, Fuso, Mack, Volvo, Isuzu, International, Paccar and HINO
- Read and Clear Codes for J1708, J1939 and OBDII
- Live Data with Data Logging Capabilities
- . Works with iOS and Android



Scan Tool for Off-Highway Applications SKU OUTSIDE BUY/EPO CDOHDPROTAB

- Read and Clear Codes, View Live Data Stream, Read System ID and Info
- Activation Tests and More Extensive HD Coverage Including Class 4-8 Trucks and Industrial Equipment
- Powerful Special Functions: OEM-Level Regenerations, Cylinder Cutout, Injector Programming, DPF Activation, Regeneration and Reset, Reset Parameters, DPF/NOX Reset, SCR/DEF Coverage, Service Resets and More
- IP65 Rating
- Drop-Tested and Water Resistant

2 Years of Free Software

- Bluetooth Capability • Easy-To-Use Interface for All Manufacturers and Systems
- Powerful 1.8 GHz **Quad-Core Processor**
- Includes: Multiple Connectors, Docking Station Class 1 Global **OBDII Coverage**



For Outside Buy/EPO, Call 901-300-4878

Smoke Leak Detectors

Dual Evap Smoke Machine SKU OUTSIDE BUY/EPO 1,64999

- For Evap, Turbo/Intake and Heavy Duty Truck Testing*
- For Evap and High Pressure Diagnostic Testing
 Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air
- · Accessories Include: Smoke Hose, Block Off Caps, Exhaust Cone, Schrader Valve Remover/Installer, Evap Service Port Adapter Hose, Smoke Illuminating Flashlight, Smoke Producing



* Heavy Duty Truck Testing **Requires** Purchase of MSC43062



Mastercool

Smoke Machine Adapter Kit SKU OUTSIDE BUY/EPO MSC43062

- Accessories Include: Smoke Hose, (2) Bladders for Heavy Duty/Truck Applications, 6" Ring, Temperature Sensor Port Adapter, Oxygen Sensor Port Adapter, Pressure Sensor Port Adapter
- Accessory Kit Works with Dual Evap Smoke Machine, MSC43065



Reprogrammers



CarDAQ-Plus3 DrewLinQ Bundle SKU OUTSIDE BUY/EPO

DRWBNDLCDP3DL Designed for Fleets That Include Heavy Duty and Medium

- Duty Trucks, as well as Light Trucks and Cars • Includes: DrewLinQ® for Heavy Duty, Medium Duty
- and Some OBDII Vehicles, plus the CarDAQ-Plus®3 for Passenger Cars
- Both RP1210 and J2534 Pass-Thru in One Bundle





<u>Can</u>D₀

HEAVY DUTY

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

Specialty Tools

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece

SKU **004112** 25031

- For Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- (1) Straight and (1) 90° Tool for 11.8 mm Fuel lines;
- (1) Straight and (1) 90° Tool



Heavy Duty U-Joint Puller SKU **041474** 24538

• Easily Removes Seized U-Joint Cups

- on Most Class 7 and 8 Trucks · Safely Disassemble Drivelines without Hammering or Heating
- Components Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups
- Bearing Cup Outside Diameter: 1.5" to 2.2"



Automatic Slack Adjuster **Release Tool and Wrench**

SKU **1207889** 25252

- 5/16" Double Square Ratchet Has an Angled Head to Give Extra Clearance for Hands
- Side-Mounted Forward/ Reverse Lever for Easy Operation
- Speeds Up Installation on Meritor® Heavy-Duty Truck Brake Slack Adjusters to Simplify Brake Service



SKU **1361998 99** REG. \$124.99 27090

- For Removal of Brake Anchor Pins and Bushings on 16-1/2" S-Cam Trailer and Tractor Q Brake Systems
- No Need to Remove the Hub or Dust Shield
- Rigid C-Frame with 10 Ton Capacity
- Manufactured from High Grade Steel for Strength and Durability
- Manual, No Hydraulics Required



Offer Good Through June 30, 2024

Heavy Duty Wheel and Tire Service

Heavy Duty Truck Tire Changer SKU **OUTSIDE BUY/EPO** ROTR511

- Designed to Fit Trucks, Buses, Agriculture Applications and Super Single Tires
 Handle Wheels from 10" to 26", 12" to 28",
- 14" to 30"
- Locking System Suitable for Reverse Rims
- Quick Locking Wheel Centering Adapter
- Full Range of Bead Clamps and Adapter
- Easy Roller Bead-Breaking Feature
- Max. Tire Diameter: 45"
- 220V, 1Ph

INCLUDES: Set Up and Training



WARRANTY: 3 Years Parts and Labor

Heavy Duty Wheel Balancer SKU **OUTSIDE BUY/EPO**

ROTR540 . Designed to Fit Commercial Truck, Light Truck

- and Passenger Vehicles Balance Compact Cars to HD Trucks
- Auto Stop on Top for Weight Position
- Auto Entry of Distance and Diameter
- Integrated Wheel Lift-Up-To-441 Lb.
- Max. Rim Diameter: 30"
- Max. Tire Diameter: 51"



INCLUDES: Set Up and Training

WARRANTY: 3 Years Parts and Labor

Coats® CHD-6330 Heavy Duty Tire Changer

SKU **OUTSIDE BUY/EPO** AMM8006330

• Motor: 2 HP

- Max. Tire Diameter: 63"
- Rim Diameter: 13" to 27"
- · 4-Jaw Chuck Allows for Fast and Easy Clamping of Virtually All Rim Styles
- Features Portable Control Station
- · Solid, Single Piece Frame for Added Capacity and Dependability



WARRANTY: 1 Year Parts and 6 Months Labor

Coats® 6450-3D Heavy Duty Balancer

SKU **OUTSIDE BUY/EPO** AMM64503DKT1P

Kit Includes Wheel Lift Plus Lug and Hub Centered Budd Style Adapters

- Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations
- Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds Off of a Typical 22.5" Spin
- Designed for High Volume Balancing, the PerfectMachine for Delivery Vehicles and **Tractor Trailers**
- Max. Tire Diameter: 52"
- Max. Tire Weight: 500 Lb.

INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Truck Tire Tools

Tubeless Truck Tire Iron

SKU **394384** KTL34645

Includes: (1) Tire Iron

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37
- Stock Diameter: 3/4"





Tubeless Truck Tire Iron

SKU **394389**

- KTL34645C • Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37"
- Stock Diameter: 3/4"

Heavy Duty Tubeless Truck Tire Iron

SKU **394391** KTL34647

Single-End Mount/Demount Spoon

SKU **394381** KTL33220



- Length: 30"
- Stock: 11/16"



AZG0224

Men-Tool

Heavy Duty Lifts

56,000 Lb. Mobile Lift System/Set of 4

SKU **OUTSIDE BUY/EPO** CHLCLHM-140-4

- 110 Volt Charging System
- Completely Wireless System
- Adjustable Wheel Carriage Adapts from 5" to 24.5"
- Integrated Touch-Screen Control Console at Each Column Allows Operation from Any Unit
- 14,000 Lb. Capacity Per Column

Includes: Batteries, Fluids and Factory Training





27,000 Lb. Heavy Duty Truck Lift

SKU OUTSIDE BUY/EPO **23,899**99

- Runways Include Rail-Kit for Optional Accessories
- Runways Adjust for Different Tread Widths
- Electric/Hydraulic Power System
- · Fully Enclosed Lifting Cables, Safety Locks and Sheaves
- Pneumatic Push-Button Safety Release
- Length: 297'

Locknut Sockets

SKU **1207886**

Applications

and 2-3/4" 6R

SKU **1207878**

37384

37385

7 Piece Wheel Bearing Locknut Set

• Can be Used with 1/2" Square Drive

· Comes with Standard Hex (6PT) and

Ratchet, Breaker Bar or Torque Wrench

Rounded (6R) Hex Sockets to Fit Many

• Includes: 55 mm 6PT, 2-3/8" 6R, 2-3/8"

6PT, 2-1/2" 6R, 2-1/2" 6PT, 2-9/16" 6R

5 Piece Budd Wheel Socket Set

Works on Import and Domestic Trucks

Includes: 33 mm Socket with 1" or 1/2"

Drive, 35 mm Socket with 1" Drive,

38 mm Socket with 1" or 3/4" Drive,

41 mm Socket with 1" or 3/4" Drive,

REG. \$139.99

WARRANTY: 1 Year Parts and Labor



OEM TOOLS

BendPak



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

Lifting Equipment

6.000 Lb. Heavy

SKU **1267948**

1,399°

• 4 Different Boom

and 1 Ton

61.5" Tall

Distance

Between

· Rear of Crane:

and 33" Wide

Front of Leas:

Retracted 23"

Extended 28.5"

Settings: 3, 2, 1.5

AFF3584

Duty Engine Crane

Heavy Duty Clutch Jack SKU **OUTSIDE BUY/EPO** AFF3700

 Provides "One-Man" Operation for Removal, Installation and Transportation of Heavy Duty Truck Clutches

Includes Two Splined Alignment Shafts



35 Ton Air Hydraulic Axle Jack

SKU **954200** AFF536

- · Unique Motor Design Advances Ram to Load Faster
- · Air Assisted Lowering and Dual Return Springs Provide Controlled and Easy Descent
- Safety Overload System Prevents Jack from Being Used Beyond its Rated Capacity
- Corrosion Resistant Aluminum and Nylon Composite Air Motor



10 Ton Air/Hydraulic Service Jack SKU **OUTSIDE BUY/EPO**

AFF3135

• Large, Rugged 4-1/2" Front Wheels and 2-3/4" Rear Casters

- Can Be Operated Manually When Shop Air is Not Available
- . Foot-Operated Pump for Quick Lifting Efficiency
- Automatic Overload Safety Valves
- . Chassis Length: 61"
- Low Height: 7
- Width: 18"

4.400 Lb. Transmission Jack

SKU **954183** AFF3180A

· Heavy Duty with a Rated Capacity

- of Over 2 Tons · Rugged Industrial Grade 4" Casters
- Fully Adjustable Saddle
- Extra-Long 32" Handle
- Safety Chain Included
- 8.5" Low Height
- Convenient Side Tray to Store Small **Tools and Parts**



1-1/2" Socket with 1" or 3/4" Drive Offer Good While Supplies Last

Through June 30, 2024

Oil Filter Wrenches

Heavy Duty Truck Oil Filter Wrench Small

SKU **344322**

25231

• Range: 4-1/8" to 4-5/8" (104 to 118 mm)



SKU **344323** 25232

 Range: 4-5/8" to 5-1/4" (118 to 134 mm)

Large

SKU **344324** 25233

 Range: 5-1/4" to 5-3/4" (134 to 142 mm)

OEM TOOLS

Low Profile Oil Drains

17 Gallon Low Profile Truck Drain

SKU **526486** LIN3665

• 6' Hose Extends from the Bottom of the Reservoir and Can Be Connected to a Pump to Evacuate Fluid from the Drain

17 Gallon Low Profile Truck Drain with Electric Pump

SKU **OUTSIDE BUY/EPO** LIN3669

- Features a Durable 120V Electric Pump Installed Below the Front of the Reservoir
- · Pump Operates with a Standard Power Outlet and Discharges Fluid Through a 6' Hose with Steel J-Hook



Heavy Duty Stands

22 Ton Heavy Duty Axle Stands (Pair) SKU **757098**

24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement



OEM TOOLS

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager

PAINT & BODY

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Dent Repair

Aluminum and Steel Stud Gun

SKU **OUTSIDE BUY/EPO** HSAUNI-9700

- . Only Handheld Stud Gun for Aluminum and Steel Dent Pulling Repair
- Adjustable Output Power with LED Display and 15' Torch Cable
- ETL Certified 115VAC Charging Power Supply
- Includes: Power Supply, Aluminum and Steel Studs, Pull Tabs, Weld-Tip Puller and Heavy Duty ABS Carrying Case



Stud Gun Starter Kit - Steel SKU **OUTSIDE BUY/EPO** HSAUNI-4550

- #1 Selling Dent Pull Stud Gun Kit
- 3800VA Transformer 1500A Output
- C/US ETL Certified Spot Welder
- Heavy-Wall 4.5 mm Housing
- Includes: Slide Hammer and 500 Studs



Steel Stud (2.2 mm)

SKU **OUTSIDE BUY/EPÓ** HSAUNI-1001

- Provides Instant Weld Puddle and Easy Weld Flow
- Easily Removed from the Surface After Repair is Complete
- Less Trigger Time
- 500 Pieces per Box

Steel Stud (2.6 mm) SKU OUTSIDE BUY/EPO HSAUNI-1002



Stud Puller

SKU OUTSIDE BUY/EPO HSAUNI-1095



- · Allows You to "Feel the Pull"
- · Eliminates Over-Pulling
- One-Handed Operation



OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

Body Repair

Fast Action Body Repair Kit

- Includes: Hydraulic Pump, Hydraulic Ram, 4 Extension Rods. a Rubber Ball Foot, and a Duckbill Hydraulic Spreader
- Features a Faster Double-Action Hydraulic Pump
- . Includes: Blow Mold Case

4 Ton

SKU **301327** 24820

10 Ton

SKU **301328**



OEM TOOLS

Trim

24821

Air Bag Release Tool for GM

SKU **191678** 25310

· Fits Most GM Cars, Minivans and Light Trucks

 Tips are Tapered to Make Removal



SKU **447154**



Trim Fastener and Molding Remover Set

SKU 900801 25314

- Includes: 5 Tools for Easy Removal of Fasteners, Molding, Wheel Hubs and More
- For Use on Internal and External Vehicle Molding and Trim Fasteners

3 Piece Light Duty Smoothing/Prving Kit

SKU **004111** 25084

- Pry Dashboard Parts and Vents without Damaging Interior
- Clean Crevices and Joints in Small Electronics • Disassemble Key Fobs and Other Remotes
- Evenly Smooth Epoxy and Adhesives

7.25'

Dent Puller

Slide Hammer Dent Puller Set

SKU **265148** 25922

• 12 Lb. Hammer, Slide Hammer Shaft, Slide Hammer Handle, Slide Hammer Adapter, Deep Hook, Short Hook, Door Edge Tool, Claw, Straight Driver, Hook and Chain, Sheet Metal Screw and Holder. Nose Piece with Screw

Comes in a Blow Mold Case

Hood Prop

Hood Prop with Adapter

SKU **291352** LIS46170



Adapter Included

• Includes a Support to Help Prevent Slipping

• 3 Piece Telescoping Shaft Locks in Any Position (Telescopes from 20" to 48-1/4")

Windshield Tool

18" Professional Windshield Knife

SKU **480782** CAL53100

Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle

Door Tools

Door Spring Tool

SKU 447118 25336

1199

- Quickly and Easily Remove or Install **Door Hinge Springs**
- Designed for GM Cars and Light Trucks

5 Piece Door Panel and Trim Remover Set SKU **989263 REG. \$45.99** 25312 Comprised of 3 Door Panels and

2 Trim Tools

 Textured, Comfortable Grips with Thumb Stop



6 Piece Door Panel and Trim Removal Set

SKU **003868** 25301 **REG. \$59.99**

Includes: V-Notch Clip Remover, U-Notch Clip Remover, 2 Door Panel Removal Tools. C-Type Clip Removal Tool and Handle Clip Removal Tool



"at Kan

OEM TOOLS

Offer Good Through June 30, 2024



- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- Constructed with 16 G Steel Frame
- Lift Latch Drawer Pulls







54" 8 Drawer **Top Chest - Black** SKU OUTSIDE BUY/EPO HOM54RSCHSTBK

• 54"(W) x 23.5"(D) x 21.375"(H)

54" 10 Drawer Rolling Cabinet -**Black**

SKU OUTSIDE BUY/EPO HOM54RSPCABBK

1,69999

• 54.5"(W) x 24"(D) x 40.375"(H)



54" Top **Hutch - Blue** SKU OUTSIDE BUY/EPO HOM54RSPHUTBL

1,099⁹⁹

• 54"(W) x 23.5"(D) x 24.375"(H)

54" 10 Drawer Rolling **Cabinet - Blue** SKU OUTSIDE BUY/EPO

HOM54RSPCABBL 1,699⁹⁹

• 54.5"(W) x 24"(D) x 40.375"(H)



41" 7 Drawer Top Chest - Blue SKU **OUTSIDE BUY/EPO 849**99 HOM41RSPCHBL

• 40.5"(W) x 23.5"(D) x 21.375" (H)

41" 9 Drawer Rolling **Cabinet - Blue** SKU OUTSIDE BUY/EPO

HOM41RSPRCBL

• 41"(W) x 24"(D) x 39" (H)



41" Top Hutch - Orange

SKU **OUTSIDE BUY/EPO** HOM41RSPHUTO

• 40.75"(W) x 23.5"(D) x 24.375" (H)

41" 9 Drawer Rolling Cabinet - Orange SKU OUTSIDE BUY/EPO

HOM41RSPRCO

• 41"(W) x 24"(D) x 39" (H)

1,249⁹⁹



27" 4 Drawer Top Chest – Green SKU **OUTSIDE BUY/EPO** HOM27RSPCHG

• 27"(W) x 23.5"(D) x 21.375" (H)

27" 7 Drawer Roller Cabinet - Green SKU **OUTSIDE BUY/EPO** HOM27RSPRCG

• 27"(W) x 24"(D) x 39" (H)



36" 4 Drawer Top Chest – Red SKU **OUTSIDE BUY/EPO** HOM36RSPCHR

• 35.25"(W) x 23.5"(D) x 21.375" (H)

36" 7 Drawer Rolling Cabinet – Red SKU OUTSIDE BUY/EPO HOM36RSPRCR

• 36"(W) x 24"(D) x 39" (H)



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878



- 24" Deep Drawers
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- 100/200 Lb. Drawer Capacity
 Constructed with 16 G Steel Frame
 - Lift Latch Drawer Pulls







54" 10 Drawer **Rolling Cabinet** with Stainless Steel Top - Blue SKU **1343816** HOM54RSCABSBL

1,799⁹⁹

• 54.5 (W) x 24 (D) x 40.375 (H)



35" 7 Drawer Flip-Top **Service Cart** – **Orange**

SKU **1343819** HOM35FRSCO

1.04999

• 31 (W) x 22.5 (D) x 38.875 (H)



35" 4 Drawer Slide Top Cart – Blue

SKU **1343821** HOM35STCBL

• 35"(W) x 20.625"(D) x 42"(H)



44¹¹ 8 Drawer **Power Service** Cart - Gray SKU **1282738 HOMRSPR044G** 1,599 ⁹⁹

• 40.5 (W) x 23.9 (D) x 40.2 (H)

Power Tool Storage Drawer and Security Box with Power Strip



35¹¹ **Professional 4 Drawer Flip Top** Service Cart - Red SKU **1343822** HOM35PSCR

69999

• 35"(W) x 20.5"(D) x 39.375"(H)



34" Professional **3 Drawer Service** Cart - Black

HOM34PSCBK 649⁹⁹ SKU **1267944**

• 34.5"(W) x 16.75"(D) x 39.38" (H)



32" Professional **1 Drawer Service Cart - Blue**

SKU **1343817** HOM32PSCBL

• 31.5"(W) x 17.5"(D) x 35.625" (H)



Customer Responsible For Offloading, Liftgate Service Available.

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.



72" 31 Drawer **Professional Chest** and Cabinet Set

SKU 662880 24741

- Overall Dimensions: 72"(W) x 24"(D) x 67"(H)
- Storage Space: 52,299 Cubic Inches
- · Drawer Space: 13,906 Sq. Inches

Total Loading Capacity: 4,750 Lb.

Casters Rated to 880 Lb. Each



Part #	Description	Dimensions	Storage Space	Price
24740	72" 15 Drawer Professional Chest	72"(W) x 24"(D) x 26"(H)	23,076 Cu. In.	\$1,799.99
24739	72" 16 Drawer Professional Cabinet	72"(W) x 24"(D) x 41"(H)	29,223 Cu. In.	\$2,099.99
	Regular Price			\$3,899.98
24741	COMBO PRICE			\$3,299.99
	SAVINGS			\$599.99



OEM TOOLS

57" 22 Drawer **Professional Combo**

SKU **662893** 24738

 Overall Dimensions: 57"(W) x 24"(D) x 66.5"(H)

· Storage Space: 41,466 Cubic Inches

Drawer Space: 13,404 Sq. Inches

Total Loading Capacity: 2,697 Lb. Casters Rated to 880 Lb. Each

Part #	Description	Dimensions	Storage Space	Price
24737	57" 10 Drawer Professional Chest	57"(W) x 24"(D) x 26"(H)	18,938 Cu. In.	\$1,199.99
24736	57" 12 Drawer Professional Cabinet	57"(W) x 24"(D) x 40.5"(H)	22,528 Cu. In.	\$1,499.99
	Regular Price			\$2,699.98
24738	COMBO PRICE			\$2,299.99
	SAVINGS			\$399.99

57" 10 Drawer **Professional Chest**

SKU **666333** 24737

57" 12 Drawer **Professional Cabinet**

SKU **666300** 24736

Professional 36" 8 Drawer Tool Cart

24565

SKU **477134 849**99

- Dimensions: 35.8" (W) x 18.9" (D) x 39.3" (H)
- Storage Space: 12,594 Cubic Inches
- Drawer Space: 4,182 Sq. Inches
- Complete Welded Dual Wall Construction for Added Strength, Stability and Durability
- Quick Lock System Keeps Tools Secure and Prevents Drawers from Opening While Cart is Moving
- 19 Gauge Steel Body Construction with 16 Gauge Base Reinforcement
- EVA Drawer Liners Protect Finish Plus Keep Items in Place When Drawers Are Opened and Closed



28" 7 Drawer Tool Cart -**Molded Worktop**

SKU **477172** 24566

- Dimensions: 28.3"(W) x 18.9"(D) x 40.5"(H)
- Storage Space: 9.505 Cubic Inches
- Full Extension Ball Bearing Drawers (100 Lb. Capacity)
- 4 Bumpers on Cart Edges Help
- Prevent Damage to Vehicles
 Features 5" x 2" Heavy Duty Casters (Rated to 450 Lb.)



36" Slide Top 3 Drawer **Tool Cart - Green**

SKU **666298** 24731

699 REG. \$749.99

- Constructed with a 19 Gauge Steel Shell and 21 Gauge Steel Drawers
- Full Length Anodized Aluminum Drawer Pull
- Shallow Drawer Dimensions: 30" (W) x 18" (D) x 2.9" (H)
- Deep Drawer Dimensions: 30" (W) x 18" (D) x 6.1" (H)
- Overall Dimensions: 36" (W) x 21" (D) x 46" (H)

Access Your Most Used Tools with an OEMTOOLS Slide Top Tool Cart



Offer Good Through June 30, 2024



REG. \$749.99

Service Cart with Locking

Lid and Drawer

SKU **512948** 24961



- Total Load Capacity: 350 Lb.
- Drawer Loading Capacity of 75 Lb. • Easy to Maneuver with (4) Swivel Casters: (2) Standard and (2) Locking
- Stays Securely in Place with
- (2) Locking Casters Durable Powder Coated Finish
- Raise-and-Release Safety **Drawer Latches to Prevent Drawer** from Drifting Open
- Dimensions: 36" (H) x 18" (D) x 30" (L)



Offer Good Through June 30, 2024



Customer Responsible For Offloading, Liftgate Service Available.

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

72" Stainless Steel 11 Drawer Cabinet and Upper Cabinet

SKU 1168659 **0EM24615**

Features:

- Dimensions: 72"(W) x 18"(D) x 71.5"(H)
- Upper Cabinet is 12"(H) x 18"(D)
- Drawer Liners Included








Flat Key










Heavy Duty Casters



Full Extension 100 Lb. Capacity Slides

OEM TOOLS



PVC Coated MDF Top

Steel Workbenches

- · Black Powder Coat Finish
- . Engineered for Quick Assembly
- Built in Leg Levelers



59" Steel Workbench

SKU **1392321** HOMGW00550150

• Weight Capacity: 880 Lb.



79" Steel **Workbench with 3 Drawers and Wood Top**

SKU **1392314** HOMGS00579030

59999

- 1.5" Wood Work Surface with Top Mat
- · Weight Capacity: 440 Lb.



59" Steel Workbench with 2 Drawers

SKU **1392318** HOMGW00550170

• High Security Tubular Lock System

- Ball-Bearing Drawer Slides
- . Weight Capacity: 1100 Lb.





KTOOL

79" Steel Workbench with 3 Drawers

SKU **1392331** HOMGW00550160

79999

- . High Security Tubular Lock System • Ball-Bearing Drawer Slides
- Weight Capacity: 1100 Lb.



For Outside Buy/EPO, Call 901-300-4878

Trays

Heavy Duty Tear Down Tray and Work Table with Drawer

- · 220 Lb. Capacity
- Adjustable Height: 34" to 47.75"
- Rubber Bumper Corners for Protection for Top Work Surface • Includes: Top Tray Rubber Mat
- Tray Size: 28.9" x 19.8" x 1.0"
 Drawer Size: 15" x 18.5" x 2.5"
- (4) 2" x 1.25" Swivel Casters for Easy Moving

Green SKU **1330685**

KTI75108

Red SKU **1335788** KTI75104

Black SKU **1335791** KTI75107

Field Boxes

XL Field Box

• 4 Locking Options for Security

• Compression Fit Lid with Rubber Gasket for Water and Dust Resistance

• Internal Dimensions: 12-5/8" (L) x 6-5/8" (W) x 8" (H)

Olive Drab Green SKU **OUTSIDE BUY/EPO**

12710

Black SKU 1392313

12700

White

SKU **OUTSIDE BUY/EPO** 12720

For Outside Buy/EPO, Call 901-300-4878

XL Field Box with Lift Out Storage Tray

• Lift-Out Tray with 8 Compartments

Olive Drab Green SKU **1392330**

12712 **3**199 **Black**

SKU **1392328** 12701

3499

White

SKU **1392312** 12721

3199



AZG0224

SHEFFIELD°

TOOL ORGANIZATION

Magnetic Socket Tray Sets

3 Piece Magnetic Socket Tray Set - Metric or SAE

• Includes: (3) Trays - 1/4", 3/8" and 1/2" Drive in Metric or SAE



Blue (Metric) Metric SKU **1149155** 22486

Red (SAE) SKU 1149183 22484

Black (Metric) Metric SKU 1149156 22487

Green (SAE) SAE SKU **1149165** 22485



OEM TOOLS

6 Piece Magnetic Socket Tray Set - Metric and SAE

• Includes: (6) Trays - 1/4", 3/8" and 1/2" Drive in Both Metric and SAE



100000000

Blue and Green SKU **1392463**

22461 Metric

Blue and Red SKU **1331485**

SAE

Metric

22489



SAE

SKU **1331490**

22488

Metric

SAE • 1/4" Tray Holds 2 Sets of Sockets 1/8" to 5/8"

SAE

- 3/8" Tray Holds 2 Sets of Sockets 3/8" to 7/8"
- 1/2" Tray Holds 1 Set of Sockets 3/8" to 1-1/4"

- METRIC 1/4" Tray Holds 2 Sets of Sockets 4 mm to 14 mm
 - 3/8" Tray Holds 2 Sets of Sockets 6 mm to 20 mm
 - 1/2" Tray Holds 1 Set of Sockets 10 mm to 27 mm

Tools Not Included

OEM TOOLS

SAE

2 Post Socket Travs

6 Piece Socket Tray Sets

- Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)
- SAE Socket Range: 1/8" to 5/8" (1/4" Drive), 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)

Metric

Black and Green SKU **949573** REG. \$36.99



Black and Orange SKU **1142583**





Tools Not Included

Gray and Red SKU **477209** 22413






3 Piece Green

SKU **749921** 22207






Tools Not Included

3 Piece Black SKU **749937**

22211

• Includes: (3) Trays - 1/4", 3/8"



OEM TOOLS

3 Post Socket Trays

3 Piece Socket Tray Set SKU **943126**


• Store and Organize 1/4", 3/8" and 1/2" Drive Sockets • Designed to Fit Deep, Semi Deep and Shallow Sockets

 Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)

 SAE Socket Range: 1/8" to 5/8" (1/4" Drive), 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)

• Each Post Features an Extended Base for a More Secure Fit







Pro Socket Organizers

Magnetic Socket Tray SKU **082922** 22389

 Store Up to 36 Total Sockets -1/4". 3/8" and 1/2" Drive

 Removable Back Panel Allows Magnets to Adher to Any Ferrous

Tools Not Included

80 Piece Socket Rail Tray - Black SKU **764983** 22199

· Accommodates 80 Sockets: (20) 1/4" Drive, (30) 3/8" Drive and (30) 1/2" Drive

- Detachable Studs Feature Ball Bearing for Secure Fit
- · Convenient Carrying Handle for Easy Transport · Compatible with Metric and

SAE Sockets



TOOL ORGANIZATION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Flexi-Trays

3 Piece Set

SKU **943130** 22417

- Includes: 10-1/2" x 5-1/4", 10-1/2" x 8-1/2" and 21" x 11-1/2" Trays
- · Withstands Motor Oil and Non-Corrosive Fluids

Silicone Parts Trav

SKU **1218928**

68-100

• Anti-Static, Silicone Material Protects Work Surfaces from Damage and Scratching













- Oil Resistant for Easy Cleaning
- Rounded Compartments Make Smaller Parts Easier to Pick Up
- Convenient Tray Size: 10.6" x 5.3

STORE STOCKED


Offer Good Through June 30, 2024

Organizers

16 Piece **Pliers Holder** SKU **765589**



- 16 Extra-Wide Spaces for Pliers with Rubber Grips
- Vinyl Coating for Lasting Dependability
- Dimensions: 14.0" (L) x 5.2" (W) x 2.5" (H)




OEM TOOLS

Drawer Organizer Tray SKU **749932**

22213 • Rolled Bottom Edges Allow Easy

- Removal of Small Parts · Low-Profile Fits in Shallow **Toolbox Drawers**
- 10-Compartment Trav
- Stackable Design
- Dimensions: 16" (L) x 11" (W) x 1.5" (H)



Magnetic Trays

Magnetic Foldable Tray (4 Pack)

SKU **1207890 24 99** 26052

- Collapsible Tray Expands from 3/4" to 2" Deep
- Holds Up to 2 Lb.
- Multiple Color Set Keeps You Organized
- Dimensions: 4-1/2" x 4-1/2"





OEM TOOLS

Tools Not Included

Magnetic Bit Holders

Tools Not Included

4 Piece Magnetic Hex Bit Trays SKU **1284964 20***99* 24142

· Each Tray Holds 36 Hex Bits

. Coated Magnetic Trays Adhere to Most Metal Surfaces





OEM TOOLS

OEM TOOLS

145

OEM TOOLS

Magnetic Trays

- . Trays Stick to Most Metal Surfaces
- · Ideal for Holding Small Parts and Tools
- Heavy Duty Stainless Steel



5" x 9"

SKU **965834** 25117C

• 2 Powerful Magnets with Protective Rubber Coating to Resist Scratching



10" x 11"

SKU **965835** 25119

• 4 Powerful Magnets with Protective Rubber Coating to



Paper Towel Holder

Magnetic Paper Towel Holder

SKU **280376** 24952

 Adjusts to Fit Different Size Rolls

 3 Rubber-Faced Magnets Won't Scratch Metal Surfaces

Towel Roll Not Included

and Organizer

Holds 10 SAE or Metric Wrenches

Magnetic Base Attaches to Your Tool Box.

Magnetic **Wrench Holder**



Wrench Organizers


4 Piece Magnetic Wrench Rails

- Holds 40 Wrenches
- Rail Dimensions: 16.6" (L) x 1.9" (H)

Green SKU **749850** 22217

Black 22219





Magnetic Wrench Organizer

SKU **662782** 22177

- Organize Up to 12 Wrenches Strong Magnets will
- at Full Capacity Non-Marring Foam Backing • Durable Coated Steel Construction



Tools Not Included

2 Piece Wrench **Organizing Rails - Black**

SKU **213161** 22218

· Holds 35 Wrenches

• Slotted Design Will Fit a Variety of Wrench Types and Sizes






Tools Not Included





AZG0224



SHOP EQUIPMENT

OEM TOOLS

Shop Presses

10 Ton Hydraulic Benchtop Shop Press

SKU **666327** 25088

- · Removable Press Cap with 25 mm Hole to Accept **OEMTOOLS Press Pin Set** (#24813)
- Double Speed Pump Greatly Reduces Set-Up and Press Time
- · Movable Press Head for Added Flexibility in Working Position
- Liquid Filled Pressure Gauge



OEM TOOLS **VALUE: \$114.99**

Shop Press Pin Set 24813



With Purchase of: 25088

Offer Good While Supplies Last Through June 30, 2024

20 Ton Air Hydraulic Shop Press

SKU **662928** 25087

- Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813) Air/Hydraulic Pump Provides Added Versatility Double Speed Pump Greatly Reduces Set-Up and Press Time
- Movable Press Head for Flexibility of Working Positions
- Liquid Filled Pressure Gauge for Accurate Pressure Readings
- Durable Powder Coated Steel Frame
- Includes Press Blocks



OEM TOOLS

OEM TOOLS

20 Ton **Shop Press**

SKU **300134** 24810

- Stronger Compared to Similar Lighter Weight Shop Presses on the Market
- Includes Press Plates
- · Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys
- Multi-Position Bed for Work Height Adjustment
- · Max. Height:
- 31.5 · Max. Width: 21.75

Super Heavy Duty



30 Ton Super Duty Shop Press

SKU **954213** AFF852ASD

- · Shatter Resistant Polycarbonate Shield Provides Maximum **Protection Against** Shrapnel and Debris
- Includes: 2 Piece Press Plate Set and 10 Piece Press Pin Adapter Set
- Glycerin Filled Gauge Accurately Shows Pressing Force
- Double Pump Air Motor for **Faster Speeds**
- 7 Position Bed Height Configuration




50 Ton Super **Duty Shop Press**

SKU **954201** AFF854ASD

Universal Press Support

SKU **804487** 24809

- . Will Make your Shop Press Safe and Easy to Use
- Supports in 3 Points to Ensure Safe Support Without Any Wobbling
- Numerous Holes on Main Block and Swivel Element for Easy Set-Up
- Swivel Element and Removable/Height Adjustable Anvil Bolts Allow Adjustment to Individual Requirements
- Dimensions: 7-3/4" (W) x 9-3/4" (L) x 1-1/2" (H)



Shop Press Pin Set SKU **544794** 24813

• Includes Set of 8 Press Pins (2-20 Ton Capacity) with 25 mm Ram Adapter

· Suitable for Use with Hydraulic Ram Style Shop Presses That Have a Female Ram Assembly Diameter of 25 mm and are Secured with a Bolt

Works with 0EMT00LS 24811, 24812, 25087 and 25088

. Not for Use with Bottle Jack Style Shop Presses

Arbor Plate Set

SKU **1053951** AFF832AK12

- 2 Piece Notched Set
- · 30 Ton Capacity
- 11.5" x 11.5" x 1.375" (Thick)




OEM TOOLS

Bearing Separators

5 Ton Bar-Type Puller/Bearing Separator Set

SKU **347218**

. Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs




Bearing Splitter - 1/4" to 15/16"

SKU **514005**

124

- Maximum Spread: 15/16'
- . Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" to 18"

• Distance Between Adjusting Screws: 1-11/16"



Bearing Splitter 1/2" to 4-5/8" SKU **514006**

27232



OEM TOOLS

Vacuum Blower

Air Blow and Suction Gun SKU **1168663**

- REG. \$49.99 One Touch Button that Changes the Gun from Blow to Suction
- Standard Shop Vacuum Power for Quick and Easy Clean Up
- Lightweight Gun
- High Filtration Collection Bag Rugged and Durable Metal Construction
- and Easy to Use Trigger • 1/4" PT/NPT Inlet and 90 psi



Offer Good While Supplies Last Through June 30, 2024

SHOP EQUIPMEN

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Aqueous Parts Washers

OEMTOOLS® aqueous parts washers give you all the cleaning power of a solvent parts washer but use cleaning solutions that are safe and biodegradable. (These washers are not compatible with solvent based solutions.)

Parts Washers

- Works with Safe Water-Based Cleaning Solutions Only (Not for Use with Solvents)
- 325 GPH Pump
- · Includes a Drain Shelf

3.5 Gallon **Bench Top** SKU **300128** 24800

779 REG. \$139.99

• Dimensions: 18" (L) x 13-1/2" (W) x 9" (H)



Offer Good While Supplies Last Through June 30, 2024

20 Gallon Mobile

SKU **750449** 24805

• 4" Casters for Maneuverability

· Drain Tray with 2.9 Gallon Collection Reservoir

• Dimensions: 38" x 21.5" x 37'



• Fully Flexible Nozzle

 Tank is Made of Powder-Coated 20 Gauge Steel for Durability and Rust Resistance

20 Gallon

SKU **300117 20099** 24801

- Small Parts Tray Dimensions: 31" (L) x 21" (W) x 34.5" (H)



40 Gallon SKU **300118** 24803

· Small Parts Tray

• Dimensions:

44.75" (L) x 20.5" (W) x 35" (H)





Pneumatic Heated Parts Washer Cabinet

SKU **1330681** 24677

- Uses Compressed Air to Spray Heated Cleaner for Maximum Cleaning Effectiveness
- Fully Enclosed Chamber Keeps Cleaning Solution and Debris Contained
- Thermostat Controlled Heating Element Heats Cleaning Solution Up to 140°F (60°C)
- Fluorescent Lighting Inside Cabinet Illuminates Work Area
- Built-In Vent Fan Improves Visibility Inside Chamber While Cleaning

 • Built-In Air Pressure Regulator and Gauge
- Adjustable Leveling Pads for Added
- Stability on Uneven Floors
- Holds up to 3.5 Gallons of Cleaning Solution

4 Gallon Mobile Parts Washer SKU **546660**

24804 • Lid Has Positive Seal

- and Latches for Mobility
- 4 GPM Pump
- Dimensions: 26" (L) x 18" (W) x 9.5" (H)



Portable Bucket-Top Parts Washer SKU **003759** 24816

- · Fits Most Standard 5 Gallon Buckets
- Includes: Submersible Pump, 40" Hose and Flow-Through Brush
- Pumping Rate: 1 GPM



Solvent Parts Washers

Stamped 30 Gallon Solvent Parts Washer

SKU OUTSIDE BUY/EPO BACAZSWH1630

• Includes: Stamped Tub, Gas Shock Lid Assist Cover, 210 GPH Pump and Flow Thru Cleaning Brush



30 Gallon Solvent Parts Washer

SKU OUTSIDE BUY/EPO **BACAZT30**

Includes: 170 GPH Pump, Crumb Cup with Reusable Filter Bag, 30 Gallon Drum and Baggie Liner



30 Gallon Heated Aqueous Parts Washer

SKU OUTSIDE BUY/EPO BACAZAQ30

 Includes: Stainless Steel Sink 300 GPH Recirculating Pump, Flex Hose with Flow Thru Brush, 900W Drum Heater and 30 Gallon Plastic Drum



BUILD-ALL

Aqueous Parts Washer Degreaser SKU **OUTSIDE BUY/EPO**

BACAZAOD 254⁹⁹

- 5 Gallon Pail
- · Aqueous Degreasing Concentrate
- Environmentally Friendly
- Non-Hazardous

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

LINCOLN

Washer Accessories

Straight Handle Flow Thru Parts Washer Brush

SKU 1368637 **BRMPWA**



- Made with Synthetic Filaments to Resist Solvent Cleaners
- Works with Most Popular Recirculating Parts Washers
- For Use in Either Petroleum-Based or Water Based Solutions

Parts Washer Brush without Tube

SKU **1368624** BRMPWANT



Air Operated Sprayer SKU **222507** LIN5983

- 1/4" NPT (F) Inlet
- Max. Operating Pressure: 150 psi · Can Be Used with Solvents or
- **Detergent Solutions**



Solvent-Free Cleaning Solutions

Heavy Duty Degreaser Concentrate (5 Gallons)

SKU **227558** WWSHD-5G


Designed to Effectively Replace Hazardous Solvent in Water-Based Parts Washers

· Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician



AZG0224

WATER WORKS



SHOP EQUIPMENT

Pipe Bender

BB-2 Pipe Bender with 302 Die Package

SKU OUTSIDE BUY/EPO BENBB2

9,999999

- Knee Control and Depth-of-Bend Degree Plate for Manual Bending Operations
- Includes: BB-2 Tooling Package, Quick Release Bending and Finishing Dies, High-Speed Clampless Swager and Internal Expander

For Outside Buy/EPO, Call 901-300-4878



BendPak.

Large 3" Die Package - Optional SKU **OUTSIDE BUY/EPO** BEN300-1

1,37999

• Optional Die Package Extends the Bending Capabilities of Your BendPak Pipe Bender



For Outside Buy/EPO, Call 901-300-4878

Drill Press

15" 16 Speed Floor **Drill Press**

SKU **082857** 24992

449 REG. \$499.99

- Drilling Depth: 3-5/16"
- 16 Speed Spindle: 240 to 3,200 RPM
- Dimensions: 15" x 25-1/3" x 63-1/3"
- Distance from Spindle to Table: 27
- Distance from Spindle to Base: 47"

Chuck 5/8" JT3 **Taper**

Offer Good While Supplies Last Through June 30, 2024



OEM TOOLS

Abrasive Blasting

Bench Top Abrasive Blast Cabinet

SKU 300119 24815

- · Easily Remove Paint, Rust and Oxidation
- · Fits on the End of Any Bench or Cabinet
- Overall Height: 19.3"
- Exterior Width: 19.3"
- Work Area: 3.18 Cubic Ft.
- Includes 10 Replaceable Window Underlays



OEM TOOLS

25 Lb. Glass Bead Blasting Media

- Ideal for Many Uses
- Prevents Surface Rust
- Paint and Body Applications

Coarse Grit Media SKU **010136** SHA13077

Medium Grit Media

SKU **010139** SHA13078



For Use with OEMTOOLS® 24815 Abrasive Blast Cabinet

Spray Wash Cabinets

- Heavy Duty Steel Construction
- Removable
- Parts Tree Brass
- Nozzles Heavy Duty Rubber
- Casters Stainless Oil Skimmer
- Removable Tank Screen







Ranger:

Each Includes 20 Lb. Aluma-Klean **Soap Bucket** SKU **751966**



129⁹⁹

EX Ken-Tool

SKU	Part #	Product	Tank Capacity	Load Capacity	Price
OUTSIDE BUY/EPO	RANRS500DS	Stainless Steel	50 Gallon	500 Lb. Load	10,099.99
OUTSIDE BUY/EPO	RANRS750DS	Stainless Steel Truck	53 Gallon	1,000 Lb. Load	10,899.99
OUTSIDE BUY/EPO	RANRS500D	Professional	50 Gallon	500 Lb. Load	7,299.99
OUTSIDE BUY/EPO	RANRS750D	Truck	53 Gallon	1,000 Lb. Load	7,799.99



Customer Responsible For Offloading, Liftgate Service Available. For Outside Buy/EPO, Call 901-300-4878

Vises

OEM TOOLS

4.5" Light Duty Bench **Vise with Swivel Base**

SKU **751645 39**99 24216

• Clamping Strength: 100 Lb.



4" Heavy **Duty Bench Vise** with Swivel Base

> SKU **751643** 24217

· Clamping Strength: 200 Lb.



OEM TOOLS 6" Heavy Duty **Bench Vise with Swivel Base**

SKU **751654** 24218

- Polished Replaceable Steel Jaws
- · Polished Anvil, Permanent Pipe Jaws
- Full 360° Swivel Base



Professional Workshop Vise

• Replaceable, Reversible Jaws

6.5"

SKU **394648** KTL64065

- Jaw Width: 6-1/2"
- Jaw Opening: 9"

5.5"

SKU **394642** KTL64055

- Jaw Width: 5-1/2"
- Jaw Opening: 7-1/2"



SHOP EQUIPMENT

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Key Machines

- Includes Three Functions: Copy by Original, Decode and Cut by Code
- Fast Key Search Enter Make/Model/Year and the Software Guides You Through the Process
- US Based Tech Support Available

Futura Auto Electric Key Machine

SKU 1267953 KABFUTURAAUTO

- · User Friendly Software with Step-By-Step Instructions
- Multiple Language Support
- Step-By-Step Calibration
- Automatic Tip Detection for Tip Gauged Keys



Futura Pro Electric Key Machine

SKU **1267950**

10,64999 **10,649**99 • Two Cutting Stations - One for Edge

and One for Laser and Dimple Keys



Smart Pro™ Vehicle **Key Programmer** SKU OUTSIDE BUY/EPO **KABSMARTPRO**

4,<u>999</u>99

. Includes 1 Year of Free Unlimited Token Plan Updates





Popular Remote Assortment Kits

35 Piece Most

SKU **1267965**

KAB0221-35LM

Popular Late Model

35 Piece **Most Popular** SKU **1267947** KAB0221-35

1,44999

100 Piece **Most Popular** SKU **1267939** KAB0221-100





Go To AZTOOL1.com for **Remote Kit Component List** and Application Chart

Dual Fuel Powered Generators

3500 Watt Dual Fuel Electric Start Generator

SKU **OUTSIDE BUY/EPO** CHM200966

- 3500-Watt Portable Generator Operates on Either Gasoline or Propane
- Unit Holds 0.6 Quarts of Oil (Included) and Features a Low Oil Shut-Off Switch
- Power Up the 208cc Champion Engine with the Handy Rocker Switch, Battery Included
- Keep Track of Voltage, Frequency and Run-Time Hours to Easily Monitor **Output and Track Maintenance Intervals**
- Volt Guard[™] Built-In Surge Protector Protects Your Generator from **Electrical Voltage Spikes**





CARB Compliant

Pressure Washers

3100 psi 2.2GPM Gas Cold Water Pressure Washer

SKU **OUTSIDE BUY/EPO** CHM100780

• Ergonomic Comfort Grip Trigger Gun Reduces Fatigue, Plus Onboard Storage for the High Pressure, Hose, Trigger Gun and Spray Wand

• High-Performance Annovi Reverberi Axial Cam Pump Provides Consistent Cleaning for Everyday Jobs

• Includes: Quick-Connect Nozzles (5), Storage Strap, High Pressure Hose (25 ft.). Trigger Gun, Detergent Hose, Oil Funnel, Spray Wand and Engine Oil



WARRANTY: 2 Years Limited

5500 Watt Dual Fuel Portable Generator

WARRANTY: 3 Years Limited

SKU OUTSIDE BUY/EPO CHM100231

- Dual Fuel Runs on Gas or Propane Straight
- Out of the Box • 6,900 Starting Watts, 5,500 Running Watts
- Up to 9 Hours Run Time on a Full Tank of Gas and Up to 6.5 Hours on a 20 Lb. Propane Tank
- · Powered by a Reliable 389cc Champion Engine
- Outlets: 120V/240V 30A Locking, (2) GFCI 120V 20A Duplex Outlets
- Volt Guard[™] Built-In Surge Protector Prevents Overloads and Keeps Your Appliances and **Equipment Safe**

WARRANTY: 3 Years Limited



CARB Compliant

HSE 1,500 psi 2.0GPM

SKU **OUTSIDE BUY/EPO** MTMHSE15020MM

 Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F

• Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance

• 35' Power Cord



WARRANTY: 1 Year Electric Motor, 3 Years Coil and 7 Years Mi-T-M Pumps

For Outside Buy/EPO, Call 901-300-4878

AZG0224


WELDING & CUTTING

Welding/Cutting

OEM TOOLS

Spot Welder 120V SKU **814396**

- 24819 • Convenient 120V AC Input Power
- Spot Welds Uncoated Mild Steel Including Galvanized and Stainless
- Output Current: 13.5A
- Rated Duty Cycle: 50% @ 1.5kVA



Flux Core Welder 110V (70 Amp)

SKU **814197 249 99 2481**7

- Rated Duty Cycle: 20% @ 70 Amps
- Adjustable Wire Feed Speed
- High and Low Output Settings
- Includes: Welder, Welding Gun and Cable, Ground Cable with Clamp, Chipping Hammer/Brush, 1 Spool of .035" Flux Core Wire and Protective Face Shield with Welding Lens



Stick Welder 110V (70 Amp)

SKU **814387** 24818 REG. \$149.99

- DC Inverter Powered for Improved Efficiency and Control
- Lightweight and Portable
- Welds Mild Steel, Stainless and Cast Iron
- Includes: Welder, 5' Ground Cable and Clamp, 6.5' Electrode Cable and Rod Holder, Shoulder Strap Mask and Combo Brush/Hammer



MIG Welder (130 Amp) SKU **OUTSIDE BUY/EPO HSAHSW-6213**

- · Features Wire Speed and Power Settings by Material/Wire Thickness
- 115 Volt Line
- · Includes: Inverter Power Supply, Torch, Earth Clamp, Gas Regulator and Welding Wire



Multi-MIG Welder

SKU **OUTSIDE BUY/EPO** HSAHSW642003

2,39999 • Multi-MIG Provides 200 Amps of Power for MIG,

TIG and Stick Applications • 16 Synergic Programs for Steel, Aluminum and Silicone Bronze on LCD Display

⊘≡M TOOLS

- Dual Input Voltage 115/230V (with Voltage Adapter)
- Spool Gun Ready for Aluminum and Silicone Bronze MIG Welding
- Package Includes: Inverter Power Supply, MIG Torch, TIG Foot Pedal, Stick Electrode Holder, Gas Regulator with Hose, Welding Wire and TIG Starter Kit



OEM TOOLS

40A Plasma Cutter (115-230VAC) SKU **OUTSIDE BUY/EPO**

HSAHSW-6004 • Genuine Cut 1/2" & Severance Cut

- 1" Mild Steel 115V or 230V
- High-Powered Inverter CSA/UL Rated 40A @ 50% DC
- LCD Display Output Power, Air Pressure, Grid or Standard Cut
- Includes: Plasma with Regulator-Filter, 48 Gun, Earth Clamp Cable, 115V Adapter and Spare Contact Drag Tips and Electrodes



MIG Welder (140 Amp)

SKU **OUTSIDE BUY/EPO** HSAHSW-6214

• Includes: Inverter Power Supply, Torch, Earth Clamp, Gas Regulator with Hose, Steel Welding Wire and Operator Manual

· Features Digital Voltage, Wire Speed and Amperage Display, Adjustable Wave Control, Plus Torch

• 115 Volt Line



Welding Cart with Cylinder Support

SKU 1105340 HSAHSW-7000

- · Heavy-Duty Cart with Extended Shelf for Inverter Machines
- 150 Lb. Capacity
- Steel Hub Wheels with Bearings



Spool Gun 20' Silicone, **Bronze and Fe** SKU OUTSIDE BUY/EPO

HSAHSW-7020

- 220A Spool Gun with 20' Coaxial Power Cable
- Direct-Connect Cables for 140A - 200A Welders
- Speed Adjust Potentiometer on Handle



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

ELDING & CUTTING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Welding Helmets

Auto Darkening Welding Helmet

SKU 1089051 **HSAHSW-7030**

• Large Visibility Auto Darkening Lens (4.5" X 5.25")

 Adjustable Grind/Weld, 9 to 13 DIN, Sensitivity and Delay

 Solar Cell and Lithium Battery Power

Spare Inner and

Outer Protective Lenses

· Helmet Bag Included



with Grinding Function SKU **347233** 24358

• TIG Rated Variable Shade 9-13

Welding Accessories

Professional MIG/Stick

. Comfort Lined Welding Glove for

Added Heat Protection

· Kevlar-Stitched for

Cow Split Leather

Dexterity, Protection and Durability 14" Glove Length

Extra Durability

Made in Select

Used for High

Welding Gloves

SKU **1125890**

HSAHSW-9006

 Variable Sensitivity and Delay Controls • 2 Independent Arc Sensors

Grinding Function

· Lens Darkening is 1/25,000 Battery Powered

with Solar Assist Includes

Replacement Cover Lenses Viewing Area:





SKU **362974** 24357

TIG Rated Variable Shade 9 to 13

Viewing Area: 3.54" x 1.37'

· Battery Powered with Solar Assist

Includes Replacement Cover Lenses



OEM TOOLS

Premium Welding Helmet - Gray Matter SKU OUTSIDE BUY/EPO JAS47102

• 6.24 Sq. Inch Viewing Area

 Auto Darkening Filter Meets 1/1/1/1 Optical Clarity Standard, the Highest in the Industry

 Powered By Solar Technology and (1) CR2032 Lithium Battery



For Outside Buy/EPO Call 901-300-4878

Premium TIG/MIG

Also Suitable for MIG

. Wing Thumb and 6"

 Kevlar-Stitched for Extra Durability

Used for Maximum

14" Glove Length

Dexterity and

Protection

• Premium Glove for TIG Welding:

Split Leather Extended Cuff

Welding Gloves

SKU **1137810**

HSAHSW-9007

Soldering Butane Torche

SKU **1189064** 20910

 Butane Flow Regulator for Flame Adjustment

Dual Flame Mode for Controlled or Continuous Flame Output

Safety Feature Allows User to Lock Torch When Not in Use

Butane Not Included

Mechanics Butane Torch

SKU **802236** 24354

· Heavy Duty Piezo Ignition with Strong Flame



Butane Not Included

logix

OEM TOOLS



Professional 3-in-1 **Butane Micro Torch Kit**

SKU **420339** 24356

• 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air

Blower without Iron Tip Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base

Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair

Power Range: 30W to 125W



Butane Not Included

Mechanics Butane Mini Torch

SKU **804655** 24353

 Adjustable Flame Lights Upside Down

Auto Ignition, Refillable

 Safety Lock When Not in Use

Butane Not Included

OEM TOOLS

OEM TOOLS **Professional 3-in-1 Butane Soldering Iron Kit** SKU **420338 31** 99 24355

• Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip

· Cable Free



OEM TOOLS

Professional Soldering Gun Kit SKU **1362003**

REG. \$49.99 Includes: Heavy-Duty 230/150-Watt Soldering Gun, General Purpose Soldering Tip, Plastic Cutting Tip and

0.5 Oz. (14g) Rosin Core Solder Reaches Max. Temperature of 937°F at Low Power

 Reaches Max. Temperature of 1400°F at High Power

• 120V, 150/230W, 60 Hz



Through June 30, 2024

Mini-Ductor

Mini-Ductor II SKU **OUTSIDE BUY/EPO** IDIMD-700

· Ergonomic Cylinder

No-Slip Grenade Grip

 LED Illumination • Push Button Activation

For Outside Buy/EPO,

• Operates on 120 Volts/1000 Watts of Power





- Weight: 5.6 Lb.
- 110 Volts
- 1,000 Watts



Consumables



SKU	Part #	Wire	Diameter	Weight	Price
459160	SHA12000	MIG Solid Wire E70S6	.023	2 Lb.	22.99
459162	SHA12001	MIG Solid Wire E70S6	.023	11 Lb.	69.99
459164	SHA12003	MIG Solid Wire E70S6	.030	11 Lb.	49.99
459175	SHA12008	Flux Core Welding Wire	.030	2 Lb.	34.99
459180	SHA12009	Flux Core Welding Wire	.035	2 Lb.	32.99



SHARK

Combo Wrench Sets

RingStop® Reversible **Ratcheting Wrench Set**

- Patented RingStop® Design Makes One-Hand Use Easy
- Posi-Grip No-Slip[®] Design
- Jaw is 15° Offset
- . Made with Chrome Vanadium Steel



Go Thru Ratcheting Head

8 Piece Set (SAE) SKU **803139** 23989 499

 SAE Sizes: 5/16", 3/8", 7/16" 1/2", 9/16", 5/8", 11/16" and 3/4"



12 Piece Set (Metric)

SKU **803140** 23988

· Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17. 18 and 19 mm

(Metric)

22978



15" Width x 10" Depth

12 Piece Go Thru Socket Set

8 Piece Go Thru Socket Set (SAE)

22979 With Purchase of 23989

Offers Good While Supplies Last Through June 30, 2024

With Purchase of 23988

Flex Head Flare Nut Wrench Set 5 Piece (SAE)

SKU **749849** 22063

• 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8'



6 Piece (Metric)

SKU **749930** 22064

• 9 mm x 11 mm, 10 mm x 12 mm, 13 mm x 14 mm, 15 mm x 17 mm, 16 mm x 18 mm, 19 mm x 21 mm

OEM TOOLS

Medium Fuel Line Hose Clamp 25379



With Purchase of 22063 or 22064

Offer Good While Supplies Last Through June 30, 2024

Combo Wrench Sets

14 Piece (SAE)

SKU **802222** 23993

 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1", 1-1/16" and 1-1/8"



16 Piece (Metric) SKU **802224** 23994

• 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 and



10 Piece Combination Wrench Set (Metric)

SKU **127920** 22995

• Includes: 10 to 19 mm

 Posi-Grip No-Slip® Design Provides Off-Corner Loading for Greater Torque with More Socket-To-Fastener Contact

. Marked on All 4 Sides for Easy Identification



JUMBO WRENCHES Jumbo wrenches are made of high quality drop forged steel and are precision machined to prevent fastener damage.

Individual Jumbo Wrenches Available on AZTOOL1.COM



Box End Offset 15° for Work in **Tight Spaces**

> Continuous Curve Design Reduces Spreading, Slippage and Fastener Damage

SKU	Part #	Metric or SAE	Size	Price
338830	22100	SAE	1-1/16", 1-1/8", 1-1/4", 1-5/16",1-3/8" and 1-7/16"	<i>89.99</i>
338833	22101	SAE	1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"	119.99
338852	22120	Metric	21 mm, 22 mm, 24 mm, 25 mm, 27 mm, 29 mm, 30 mm and 32 mm	74.99
338858	22121	Metric	33 mm, 34 mm, 35 mm, 36 mm, 40 mm, 42 mm, 46 mm, 50 mm	144.99

Part #	SAE Size	Price
22102	1-1/16"	15.99
22103	1-1/8"	17.99
22104	1-1/4"	19.99
22105	1-5/16"	21.99
22106	1-3/8"	23.99
22107	1-7/16"	25.99
22108	1-1/2"	27.99
22109	1-5/8"	29.99
22110	1-3/4"	31.99
22111	1-7/8"	34.99
	22102 22103 22104 22105 22106 22107 22108 22109 22110	22102 1-1/16" 22103 1-1/8" 22104 1-1/4" 22105 1-5/16" 22106 1-3/8" 22107 1-7/16" 22108 1-1/2" 22109 1-5/8" 22110 1-3/4"



OEM TOOLS

Ratcheting Combination Wrenches

- Ratcheting Box End Requires Only 5° to Move Fasteners
- 12 Point Design Providing More Positions to Engage the Fastener

16 Piece (Metric)

SKU **213125** KDT9416

- Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 and 24 mm
- 13 Piece (SAE)

SKU **213095** KDT9312

• Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"

GEARWRENCH



Wrench Extender

Wrench Extender SKU **1368628** 22656

- Safely Provides Extra Leverage to Loosen Rusted Bolts, Jammed Fasteners, or Over-Tightened Nuts
- Great for Use on Those Hard to Reach Fasteners



Ratcheting Screwdriver

Pivot-Grip Ratcheting Screwdriver

22557

SKU **004103 91 99**



- **Gripping Positions**
- Forward and Reverse Ratcheting . Magnetic Bit Shaft for a Secure Fit

• Overall Length: 10"

Internal Bit Cartridge for Convenient Storage

• Includes: 6 Bits: Phillips (#1, #2), Slotted (4 mm, 6 mm) and Robinson (#1, #2)







OEM TOOLS

Pivoting Handle Rotates from Straight-Grip to Pistol-Grip

OEM TOOLS

22555

22574

Multi-Bit Screwdriver

13-in-1 Screwdriver. **Nut Driver and Schrader** Valve Tool

SKU **1142444** 22588



 Shaft Converts to Nut Driver Sizes: 1/4", 5/16" and 3/8"



Long Reach Screwdrivers

• High Performance Hex Shaped Shaft for More Torque and Less Flex

• Precision Machined and Sand Blasted Tips That Reduce Cam-Out • Durable Ergonomic Handles are Made of Hardened Resin

5/16" x 20" Slotted Screwdriver SKU **1142473**

22555 #2 x 20"

Phillips Screwdriver SKU **1142485** 22574





3-Sided Comfort Handle



Extra Long Blades for Hard to Reach and Recessed Fasteners in Tight Spaces

Screwdrivers

19 Piece Screwdriver Set

SKU **1142325** 73775



745



- Phillips: #0 x 1.5", #0 x 2.5", #1 x 3", #2 x 1.5" (Stubby), #2 x 4", #2 x 8", #3 x 6", #4 x 8"
- Offset: 3/16" x #1, 1/4" x #2
- . Magnetic Tips Hold Fasteners in Place
- Square Shafts Can be Used with Wrench for More Torque
- · Hexagon Shaped Handles Prevent Roll Off
- Color Coded Fluting Defines Driver Type





Star Screwdrivers

GreatNeck 5 Piece Star

Screwdriver Set SKU **1142630** 73721

• Star (T10 x 4", T15 x 4", T20 x 4", T25 x 5", T30 x 6")



GEARWRENCH

7 Piece Torx® Dual Material Screwdriver Set

SKU **1368625** KDT80071H

- Torx® Sizes Included: T10, T15, T20, T25, T27, T30, T40
- "Speed Zone" Handle Design for Faster Rotation in Low-Torque Applications
- Non-Slip Black Oxide Tip for More Secure Fit in Fastener
- . 6" Laser Etched Blades with Part Number and Size for Quick Identification



8 Piece Mechanics **Screwdriver Set**

SKU **802208** 23999





- . EVA Tray with Custom Cut Contrast Soft Foam and Sizes Marked for Easy Identification, Designed to Fit Securely in a Cabinet or Tool Box
- Features a Hard Chrome[™] Finish, an Easy-to-Clean Smooth Satin Finish That Won't Show Prints and Keeps Rust Away
- · Custom Cut of the Tool is a Hi-Vis Green Making it Visible if a Tool is Missing
- Slotted: 1/4" x 1-1/2", 3/16" x 3", 1/4" x 4", 5/16" x 6" and 3/8" x 8"



Hex Key Sets

27 Piece Star and Hex Kev Set (Metric and SAE)

SKU **1209375** 24299

- · Extra Long Arm for Accessing Hard-To-Reach Spots
- · Each Tool is Color-Coded and Marked with Sizes for Easy Identification
- SAE and Metric Hex Keys Have Ball-End Design for Reaching at Angles Up to 25°



- Manganese Phosphate Finish Resists Corrosion 25° Entry Angle for Better Work Near Obstructions
- Long Arms Provide for Increased Torque and Extra Reach

35 Piece SAE, Metric and Star SKU 1168819 24249





AZG0224



STORE STOCKED

Gasket Scraper Set

SKU **1069069**

26501

3 Piece Gasket Scraper Set

• Includes: 3/4", 1" and 1-1/2" Gasket Scrapers

OEM TOOLS

10 mm Socket Set

10 Piece 10 mm Master Socket Set (Metric)

SKU **1267951 90**99 22463

- . Magnetic Impact Sockets are Constructed with Chrome Molybdenum for Strength and Durability
- Includes: (5) 1/4" Drive Sockets and (5) 3/8" Drive Sockets

If You Know, You Know

OEM TOOLS

10 mm

Mechanics Set

64 Piece 1/4" Drive Metric Set SKU **020788** 23997

• Shallow Sockets, 6 Pt: 4 to 15 mm

- Deep Sockets, 6 Pt: 4 to 15 mm
- Drive Wobble Straight Extension
- . Bit Extension Bars: 6" and 10"
- · Ratchet Screwdriver



- Universal Joint
- Ratchet
- 28 Bits




Ratchet and Socket Set

OEM TOOLS

26 Piece 1/2" Drive Ratchet and Socket Set

SKU **591154** 23995

• Includes: (21) 6 Pt. Metric and SAE Sockets (1) 1/2" Dr. Extension Bar 3" (1) 1/2" Dr. Extension Bar L6 (1) 1/2" Swivel U-Joint (1) 1/2" Dr. Regular Ratchet



Universal Joints

1/4" Drive

SKU **081225** 22520

3/8" Drive SKU **081226**

22521 1/2" Drive

SKU **081227** 22522

(Style May Vary)



Socket Adapters

Get into Tighter Spaces

3 Piece Low-Profile Adapter Set

SKU **818570** 22535

· CR-V Steel for Strength

1/4" F x 3/8" M.

3/8" F x 1/2" M, and 1/2" F x 3/4" M



OEM TOOLS

OEM TOOLS

Socket Sets

- Posi-Grip No-Slip®
- . Off Corner Loading for Greater Torque
- Knurling Position for Best Finger Gripping
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- Deep Marking for Easy Identification

1/4" Drive Socket Sets

10 Piece (SAE)

SKU **127786** 22952

• 3/16" to 9/16"

12 Piece (Metric)

SKU **127836** 22950

• 5 mm to 15 mm

10 Piece Deep (SAE) 12 Piece Deep (Metric)

SKU **127791** 22953A

• 3/16" to 9/16"

SKU **127772**

22951

• 5 to 15 mm



10 Piece 1/4" Deep (SAE)

SKU **850056 94 99** 23985

• Includes: 3/16" to 9/16"

12 Piece 1/4" Deep (Metric)

SKU **850510 9099** 23986

Includes: 5 mm to 15 mm



10" Width x 4" Depth

3/8" Drive Socket Sets

11 Piece (SAE)

SKU **127798** 22956

• 1/4" to 7/8"

12 Piece (Metric)

SKU **127794**

• 8 mm to 19 mm

22954

11 Piece Deep (SAE) 12 Piece Deep (Metric)

SKU **127803**

22957 • 1/4" to 7/8' SKU **127797** 22955

• 8 mm to 19 mm



12 Piece 3/8" Deep Socket Set (Metric)

SKU **103402 2199** 23981

• Includes: 8 mm to 19 mm



SKU **127868**

22963

10" Width x 7" Depth

24 Piece 3/8" Dr. Socket Set (Metric)

• Includes: 8-19 mm (Deep) and 8-19 mm (Shallow)



SKU **127807** 22960 22958

• 1/2" to 1-1/8"

11 Piece Deep (SAE) 10 Piece Deep (Metric) SKU **127846**

SKU **127809** 22959

• 1/2" to 1-1/8"

• 10 mm to 19 mm



1/4" to 7/8" (Deep); 1/4" to 7/8" (Shallow)



1/2" Drive Socket Sets

11 Piece (SAE) SKU **127812**

10 Piece (Metric)


• 10 mm to 19 mm

22961

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Ratchets

- 36 Teeth with 10° Arc Motion for Precision and Strenath
- · Reversing Lever Allows a Forward and Reverse in One-Hand Action
- . Sealed to Keep Dirt and Debris Out of Head
- Compact Head Designed to Get into Tight Spaces



HARD CHROME™FINISH ©=M TOOLS

SKU	Part #	Type	Drive	Length	Price
081298	22900	Standard	1/4"	4-1/4"	18.99
177728	22911	Standard	3/8"	8"	<i>34.99</i>
177702	22910	Stubby	3/8"	4"	33.99
081301	22901	Flexible	1/4"	6"	29.99
177730	22912	Flexible	3/8"	11-1/2"	42.99
177769	22921	Flexible	1/2"	17-1/2"	45.99

Extensions

OEM TOOLS

- · Chamfered Ends for Positive **Engagement with Drive Tools**
- Knurled Shank for Easy Fingertip Turning
- . Milled Ends Provide a Solid Connection

SKU	Part #	Drive	Length	Price
081213	22481	1/4"	4"	5.99
081215	22482	1/4"	6"	7.99
081218	22483	1/4"	11"	9.99
081220	22491	3/8"	4"	10.99
306326	22492	3/8"	6"	<i>8.99</i>
306287	22494	3/8"	10"	11.99
081212	22480	1/2"	2"	<i>3.99</i>
081221	22500	1/2"	3"	9.99
081223	22501	1/2"	6"	11.99
081224	22502	1/2"	10"	18.99

Flex Head Breaker Bars

- · Special Alloy Steel, Heat-Treated to Provide Durability
- 180° Flex Head Provides Leverage at Desired Angle for Hard-To-Reach Applications

SKU	Part #	Drive	Length	Price
081302	22913	3/8"	11-9/16"	14.99
750437	22923	1/2"	24"	24.99



Impact Driver

5 Piece Impact Driver Set SKU **529289** IMD5

. For Loosening Screws and Nuts that are Rusted or Hardened Reversible to Firmly Tighten Fasteners



Pocket Screwdrivers

6 Way Pen Screwdriver. 4 Pack SKU **1368633** 1099 22537

- 6 Precision Drivers in One Handy, Pocket Size Tool
- 2 Double End Phillips and Slotted Screwdriver Bits
- #0 and 1/8", #1 and 5/32" Double End Bits
- · Perfect for Small Parts and Assembly Tasks



OEM TOOLS



1/8"

5 mm

5/32"

Triple Square Bit Sets

- Use on European Vehicles Like BMW, Mercedes, VW, Audi and Porsche
- Heat-Treated Alloy Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets to Increase Turning Power
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treatment to Prevent Rust and Corrosion
- Meets and Exceeds ANSI Standards

OEM TOOLS

HARD CHROME™FINI\$H



10 Piece Extra Long XZN Triple Square Spline Bit Socket Set

SKU **1368626** 23519

REG. \$44.99

- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper Proof) M14, M16, M18
- Socket Length: 3.93



10 Piece Magnetic Long Triple Square Bit Socket Set

SKU **1313567** 23907








. Socket Length: 3.93'



9 Piece Triple Square Bit Set

SKU **191052** 25953





• 3/8" Drive: M8, M10 and M12 (Length: 48 mm)

 1/2" Drive Tamper-Proof: M14, M16 and M18 (Length: 55 mm)







Offer Good Through June 30, 2024

10 Piece Triple Square Bit Socket Set

SKU **1368630** 22711



- Includes Sizes: M4, M5, M6, M8, M9, M10, M12, (Tamper Proof) M14, M16, M18
- . Comes Enclosed in Blow Mold Case for Easy Identification and Storage



10 Piece Magnetic Triple Square Bit Socket Set

SKU **1368615** 23906

- Powerful Magnetic Bits to Prevent the Loss of Nuts, Bolts and Fasteners
- . Comes Enclosed in Blow Mold Case for Easy Identification and Storage
- Sizes Included: (1/4" Drive) M4, M5, M6; (3/8" Drive) M8, M9, M10, M12, M14; (1/2" Drive) M16, M18



AZG0224

- . Constructed for Professionals with Superior Materials for Increased Torque and Hardness
- Heat-Treated S2 Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets for Durability and Improved Finish
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treated to Prevent Rust and Corrosion



Hex Sets

12 Piece Magnetic (SAE)

SKU **1282759** 23900

REG. \$34.99

• 1/4" Drive: 1/16", 5/64", 3/32", 7/64" and 1/8" • 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"

12 Piece Magnetic (Metric)

SKU **1282804** 23901

REG. \$34.99

- 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm and 5.5 mm
- 3/8" Drive 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

12 Piece Magnetic Long (SAE)

SKU **1282807** 23902

📅 REG. \$44.99

- 1/4" Drive: 1/16", 5/64", 3/32", 7/64", 1/8" 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

12 Piece Magnetic Long (Metric)

SKU **1282737** 23903

REG. \$44.99

- 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm
- 3/8" Drive: 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

Offers Good While Supplies Last Through June 30, 2024



26 Piece Master Hex Bit Set

23990

• Includes: 1/4" Drive Sizes: 1/8" to 7/32" and 2.5 to 5 mm, 3/8" Drive Sizes: 1/4" to 11/32" and 6 to 9 mm, 1/2" Drive Sizes: 3/8" to 5/8" and 10 to 19 mm









Offers Good Through June 30, 2024

12 Piece Long (SAE)

SKU **1282747** 23563

- 1/4" Drive: 1/16", 5/64' 3/32", 7/64" and 1/8"
- 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16 and 3/8'





REG. \$34.99

12 Piece Long (Metric)

SKU **1282757** 23538

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm 7 mm, 8 mm, 9 mm, 10 mm and 12 mm







32 Piece Hex Bit Socket Set (SAE and Metric)

22989

SKU **1282740**

SAE

- 1/4" Drive: 1/8", 5/32", 3/16", 7/32" and 1/4"
- 3/8" Drive: 9/32", 5/16", 3/8", 7/16" and 1/2"
- 1/2" Drive: 9/16", 5/8", 11/16" and 3/4"

Metric

- 1/4" Drive: 2, 2.5, 3, 4, 5, 5.5 and 6 mm
- 3/8" Drive: 7, 8, 9, 10 and 12 mm
- 1/2" Drive: 14, 15, 17 and 19 mm



SKU **802219**

25417

134





1/2" Drive Hex Bit Set (Metric) SKU **OUTSIDE BUY/EPO**

- Sizes: 12, 14 and 17 mm
- Use on Transmission and Differential Drain Plugs

For Outside Buy/EPO, Call 901-300-4878



7 Piece Hex Bit Set (SAE)

SKU **127904** 22982

- 3/8" Drive: 5/16" and 3/8' • 1/2" Drive: 7/16",
- 1/2", 9/16", 5/8" and 3/4"



1/2" Drive Metric Hex Bit **Socket Set (7 Piece)**

SKU **1168830** 22998





9 Piece Hex Bit Set (Metric) SKU **127903**



- Includes: 1/4" Drive 2, 2.5, 3, 4 mm and 3/8" Drive 5. 6. 7. 8. 10 mm
- . Knurling Position is Optimized for Best Finger Gripping Position



1/2" Drive SAE Hex Bit Socket Set (6 Piece)

SKU **1168826** 22999





- Includes 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8" Tempered Chrome Vanadium Steel with a Plated Finish
- for Long Life




12 Piece Hex Bit Set (SAE) SKU **127905**

22984










 Knurling Position is Optimized for Best Finger Gripping Position





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Multi-Drive Sets

35 Piece Multi-Drive Star Socket Set

SKU **802217** 23991

39 REG. \$49.99

• 1/4" Drive Star: T10, T15, T20, T25, T27 and T30

- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Female Star: E10, E12,
- E14 and E16
- 1/2" Drive Star: T60 and T70
- 1/2" Drive Female Star: E18

Offers Good While Supplies Last Through June 30, 2024



44 Piece Multi-Drive Star and Bit Socket Set

SKU **802206** 23992



- 1/4" Bit Holder
- 1/4" Hex Drive Tamper-Proof Star Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30
- 1/4" Hex Drive Star: T10, T15, T20, T25, T27 and T30
- 3/8" Drive Star: T40, T45, T47, T50, T55 and T60
 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm
 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", and 3/8"
- 3/8" Drive Phillips: #1, #2 and #3

13 Piece Magnetic

• 1/4" Drive: T8, T10, T15, T20, T25,

• 3/8" Drive: T40, T45, T47, T50,

SKU **1267957**

T27 and T30

T55 and T60

23904

• 3/8" Drive Slotted: 3/16", 1/4", and 5/16"



Star Sets

13 Piece Tamper-Proof

SKU **1282735** 22710

REG. \$24.99

- 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30
- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60

13 Piece Star Bit Socket Set

SKU **1282806** 22977

19 REG. \$24.99

- 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30
- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60



Offers Good While Supplies Last Through June 30, 2024

35 Piece Master Star Bit Set

SKU **466622** 25951

• 1/4" Drive Star: T8 to T30

- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8
 3/8" Drive Star: T40, T45, T47, T50 and T55

11 Piece Tamper-Proof Star Set

• Includes: (1/4" Drive) T8, T10, T15, T20, T25,

(3/8" Drive) T27, T30, T40, T45, T47, T50

Black Oxide Finish Indicates Star Drivers

Knurling Position is Optimized for Best Finger

19 REG. \$25.99


- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55 • 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60

SKU **127872**

Gripping Position

22972





13 Piece Magnetic Long SKU **OUTSIDE BUY/EPO** 23905




• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and

For Outside Buy/EPO, Call 901-300-4878

SKU **447157** 24293







T27, T30, T40, T45, T47 and T50



OEM TOOLS

OEM TOOLS

13 Piece **Extra Long**


SKU **1282758** 23680



• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and T60





Ratchet Not Included Offers Good While Supplies Last Through June 30, 2024

Stubby Star Drive Sets

13 Piece









AZG0224

• 1/4" Drive: T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T47H and T50H



4 Pc. Long Star Socket Set (3/8" Dr.)

Offers Good While Supplies Last Through June 30, 2024

SKU **141506** 25418

• Sizes: T40, T45, T50 and T55 Great for Brake Caliper Service



12 Piece Tamper-Proof Star Set

SKU **127870 29 99**





• Knurling Position is Optimized for Best Finger Gripping Position --Go Ahead and Put On Serious Torque, it Won't Slip

• Black Oxide Finish Indicates Star Drivers

. Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head

· Makes Fastener Engagement Quick and Smooth





Locking Pliers

7 Piece Locking Pliers Set SKU **012622** 23987 REG. \$89.99

• Sizes: 4", 5", 7", 10" Curved Jaw and 4", 6", 9" Long Nose



Offer Good Through June 30, 2024

OEM TOOLS

DEM TOOLS

GreatNeck

15" Width x 10" Depth



3 Piece Mechanics Pliers Set

SKU **662748** 22647

Pliers and Sizes: 7" Diagonal Pliers, 8" Linesman Pliers and 10" Speed-Fit Pliers



Chain Pliers

19" Locking Chain Pliers

SKU **81267** 22642

. For Clamping Around Irregularly Shaped Objects or Groups of Materials

GreatNeck

OEM TOOLS

Constructed with Heat-Treated Alloy Steel

OEM TOOLS

- Heavy Duty Chain Provides Added Strength
- Easy Release Trigger for Improved Control
- . Nickel Chrome Plated to Resist Rust

Extended Reach Pliers

11" Long Reach Long Nose Pliers

- Constructed with Durable Heat-Treated Steel-Allov
- Precision-Machined Jaws Provide Improved Grip • TecReady Grip Handles Reduce User Fatigue
- · Nickel Chrome Plated to Resist Rust



SKU **081249** 22621

45°

SKU **081250** 22622

90°

SKU **081251**

22623

SKU **213108**

Duck Bill

22644

Bolt Cutters

8" Mini Bolt Cutter

SKU **479080** 22609

- Designed for Heavy Duty Wire, Bolt, Nail and Rivet Cutting
- 8" Mini Bolt Cutter Features **Induction Hardened Cutting**
- Blades Rated at Over 58 HRC



Bolt Cutters

- · Forged S2 Steel Construction for **Cutting Power**
- . Hardened Cutting Edge for Long Life
- Ergonomic Comfort Grip Handles

Limited Lifetime Warranty



BC36

Hack Saw

Professional Hack Saw

SKU **1142352** 74007

- Includes (1) 12" 24 TPI Bi-Material Blade
- High Tension Blade Prevents Twisting to Ensure Straight, Fast Cut
- Ergonomic Comfort Grip on Front Frame and Handle Provides Two-Handed Control



Bi-Metal Hacksaw Blades Assorted 10 Pack

SKU **1142672**

74016

12" Hacksaw Blade 10 Pack

SKU **1142562** 74014

Safety Wire Pliers

M TOOLS

(Color May Vary)

Reversible Wire Twister Pliers

Includes: 10 Meter x 0.5 mm Wire

- . Heavy Duty Construction with Automatic Spring Return
- · Reversible Action for Left and Right Twists
- Locking Jaws for Superior Wire Twisting
- Forged High Carbon Diamond Grooved Jaws to Cut and Grip Stainless Wire

6" and 9"

SKU 1282746 22663

SKU 1282736 22661

911

SKU **1362002** 22662



Specialty Wrenches

15" Chain Wrench

BC24

SKU **452624** 22659

- Great for Stubborn Oil Filters
- · Designed for Tight Spaces · Double-Action Allows Use in
- **Either Direction** · Capacity: 6" Diameter
- 15" I-Beam Handle



Adjustable Gland Nut Wrench

- For Hydraulic Cylinders with Gland Nuts
- Reversible Design

SKU **1207900**

• Range: 1" to 3.75", Pin Size: 7/32" and 1/4", Drive: 1/2"

Heavy Duty SKU 1340231

27397

Range: 2" to 6", Pin Size: 1/4" and 5/16", Drive: 3/4"

Aviation Snips



- Straight Cut, 1-5/8" Serrated Blades
- Drop Forged Steel for Strength and Durability, Cuts up to 18 Gauge Metal
- For Cutting Steel, Aluminum, Vinyl Siding, Cardboard, Leather, Copper, and Plastic · Slip-Resistant, Cushion Grip Handle with
- 1-Handed Automatic Latch Release
- Fully Polished
- Limited Lifetime Warranty

Straight Cut SKU OUTSIDE BUY/EPO **TA10S**

Right Cut

SKU **914012**

TA10R

Left Cut

SKU 914011 TA10L

For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS









6 Piece 8" Hook and Pick Set SKU **1207883** 26545 • Set Includes: (1) Hook Pick, (1) Complex Pick, (1) 90° Pick, (1) Combination Pick, (1) Double Angle Pick, (1) Straight Pick





SHOP OWNERS, WE LOAN SPECIAL JOBS!



AUTOZONE® LOAN-A-TOOL® PROGRAM

Over 90 Specialty Tools for Loan or Sale

We offer the most complete selection of tools for a variety of jobs. from steering and suspension, air conditioning, engine repair and more.

The best part is Loan-A-Tool® products are free to use! Leave a deposit at the store when you pick up the tool. When you're through just bring it back within 90 days, and we'll refund the deposit, or keep the tool.



Ford Triton Spark Plug Porcelain Extractor Master Set

A/C Flush Kit

Fuel Injector Puller

See your Commercial Sales Manager for a complete list of loaner tools.

Pry Bars OEM TOOLS **3 Piece Light Duty Smoothing/Prying Kit** SKU **004111 7799** 25084 Pry Dashboard Parts and Vents without Damaging Interior Clean Crevices and Joints in Small Electronics . Disassemble Key Fobs and Other Remotes Evenly Smooth Epoxy and Adhesives

4 Piece Prv Bar Set with Black Handle SKU **1361997** SUN9704

• Lengths Include: 8", 12", 18" and 24" • Heat Resistant Comfort Grip Handle

Helps to Reduce Hand Fatique Precision Machined, Chiseled Tip Edges for Tight Spaces

Punch Set

SUNEX

GreatNeck


OEM TOOLS

OEM TOOLS

16 Piece Mechanics Punch and Chisel Set

SKU **914624** 25515

• Includes: 5 Taper Punches, 5 Pin Punches, 2 Center Punches, 3 Cold Chisels and 1 Chisel Gauge



36" Pry Bar

SKU **695126** 24435

- Unique Ergonomically Designed 3-Sided Handle for Secure Grip and Comfort
- Handles Made with Hardened Resin that is Solvent Resistant and Easy-To-Clean
- Forged and Hardened 5/8 In. Square Stock for Incredible Strength



- SKU **1142326 WR30**
- Drop Forged Steel for Strength and Durability Hardened and Tempered for

30" Wrecking Bar

- Corrosion Resistance · Painted to Resist Rust
- · Hexagon-Shaped Body for More Control
- Length: 30"

SUNEX

• Diameter: 3/4"



OEM TOOLS **3 Piece Dead Blow Hammer Set**

SKU **900804** 25517

- Soft Rubber Handles for Non-Slip Grip
- Steel Shot Filled for More Force
- Non-Spark



Adjustable Wrenches

4 Piece Adiustable Wrench Set

SKU **1267962 SUN9618A**

- · Durable Laser-Etched Scale Measure Fasteners
- Ergonomic No-Slip Rubber Grip
- Includes: 6", 8", 10", 12" Lengths for Various Applications

15" Adjustable Wrench

SKU **81297** 22655

· Chrome Plated and Fully Polished to Prevent Rust



OEM TOOLS

Pick-Up Tool

Heavy Duty Telescopic Magnetic Pick-Up Tool

SKU **231205** 25466

• Lifts Up to 3 Lb.

• Telescoping Handle Range 6" To 33"



Cutting Tools

Scraper Kit SKU **1282744**

69004

- Includes: (2) Packs of Razor Blades (200) and (1) Razor Blade Scraper
- Perfect for Removing Paint and Decals





10" Utility Scissors

SKU 1142911 **18**99 25085

- Super Hard Diamond-Like Carbon (DLC) Coating
- · Stainless Steel Construction for Strength and Durability
- . Bolt Lock Keeps Blades Secure
- Full Length Metal Frame Extends Through Handle for Added Strength

Premium Folding Lock Back Utility Knife

SKU **1142319 18 99** 12115

- 3-1/2" Lightweight Hardwood Handle
- Pocket Clip

- Back Lock Release
- Accepts Standard Utility Blades

Folding Lock Back® Utility Knife with Blade Dispenser

SKU **1022296** 25537

- Includes: Blade Dispenser with (50) Blades
- Extra-Wide Handle for Increased Comfort and Leverage



OEM TOOLS

SHEFFIELD

OEM TOOLS

lisle

Cal-Van

THREAD REPAIR

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

M₁₆ x 1.5

SKU **396658**

CAL393-100

3 Valve Insert

• Note: this is NOT the

Replacement Insert

for the Triton 2 Valve Kit

Ford Triton Repair Kits

Ford Triton 2 Valve Cylinder Repair Set

SKU **1268421** CAL38900

36**9**99

- · A Quality Foolproof Repair System that is Cost-Effective and Fast
- High-Quality Oversized Steel Alloy Insert Will Repair Other Inserts that Fail

Ford Triton Spark Plug and

Electrode Repair Set

 Application: 1996 to 2003 Ford 4.6L, 5.4L and 6.8L Engines



Ford 2 Valve Insert

SKU **1268420** CAL389-100

SKU **1268418**

CAL39500

- Designed to Aid in Repairing 1996-2003 Two Valve Ford Modular Cylinder Heads
- High Quality Oversized Steel Alloy Insert will Repair Other Inserts that Fail

• Extracts the Broken Porcelain or Seized Sleeves from Broken

Spark Plugs in 2003 to Current Ford Triton Engines



Cal-Van



Ford Triton Plug-Saver® Kit

SKU **094873** FIX98140T

- Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines
- Repairs Worn, Damaged Threads
- Includes: Self Cutting Tap, Tool and 8 Inserts in a Sturdy Case



Inserts (Pack of 8) SKU **110263 34** 99 FIX-A-THRED

Ford Triton 3 Valve Set

329⁹⁹

SKU **343388**

2008 Ford 4.6 and

5.4 3 Valve Engines

That are M16 x 1.5

with Spark Plugs

· Includes 8 Inserts

CAL39300 . Application: 2004 to

Broken Spark Plug Remover Ford Triton 3 Valve

SKU **489173** LIS65600

• Includes a Unique Porcelain Pusher Tool and a Tapered Left-Hand Thread Remover for Removing the Broken Spark Plug without Leaving the Porcelain in the Engine Cylinder



Oxygen Sensor Thread Repair

Oxygen Sensor FIX-A-THRED **Thread Repair Kit**

SKU **010134** FIX38189-1

• No Need to Replace Exhaust Manifold

Pilot Nose Tap Provided



Thread Repair

al-Yan

Thread Restoring File, Tap and Die Kit SKU **OUTSIDE BUY/EPO**

FIX98149P

27142

• #1 Thread File Pitches (Metric): 0.75, 1, 1.25, 1.50, 1.75, 2, 2.5 and 3 mm

• #2 Thread File Pitches: 11, 12, 13, 14, 16, 18, 20 and 24 Threads per Inch

• #3 Thread File Pitches: 9, 10, 12, 16, 20, 27, 28 and 32 Threads per Inch

- Taps: 1/4" 9/16" Popular Sizes (Coarse and Fine); 6-14 mm Popular Size Pitches
- Dies: 1/4" 9/16" (Coarse and Fine)
- Will Restore Both Left and Right Handed Threads

For Outside Buy/EPO, Call 901-300-4878



Ouick Change Wheel Stud Cleaner Kit

SKU 666299 CAL16

· Kit Includes: 1/2" Drive Adapter and 6 Brushes

• Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8' (28 mm)



CHETERRY

Nut Busting Bolt Extractors

Specialized Design for a Secure Universal Grip



9 Piece (Metric) SKU **751718 24** 99

22967

• Includes: 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 16 mm, 17 mm and 19 mm



Nut Busting Bolt Extractor Socket Sets

- High Visibility Markings for Fast, Easy Socket Selection
- Chrome-Molybdenum Steel Construction for Maximum Durability
- 3/8" Drive

9 Piece (SAE)

SKU **751720** 22968

 Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"



000000000

0000 -----

OEM TOOLS

VALUE: \$14.99

9 Piece Low-Profile **Socket Set (SAE)** 22976



AZG0224

With Purchase of: 22967 or 22968

Offer Good While Supplies Last Through

THREAD REPAIR

Spiral Bolt Extractor Sets




- Made of High-Quality Chrome Molybdenum Steel for Durability
- Grips and Removes a Wide
- Range of Stubborn Fasteners
- 3/8" Drive

Bites into Rusted, **Rounded and Painted**

Ratchet Not Included



Specialized Spiral Design for a Secure Universal Grip on Nuts and Bolts



18 Piece Impact Nut and Bolt Extractor Set SKU **1361992** 1099 23700

• Sizes Included: 3/4" (19 mm), 11/16", 17 mm, 5/8" (16 mm), 9/16", 14 mm, 13 mm, 1/2", 12 mm, 7/16" (11 mm), 10 mm, 3/8", 9 mm, 5/16" (8 mm), 7 mm, 1/4", Hex Adapter and Knockout Pin



10 Piece Spiral Type Bolt Extractor Set on Aluminum Rail

SKU **081788** 22988

• Sizes: 5/16" (8 mm), 3/8", 10 mm, 7/16" (11 mm), 13 mm, 11/16", 1/2" (13 mm), 9/16" (14 mm), 3/4" (19 mm) and 5/8" (16 mm)



OEM TOOLS



Offer Good Through June 30, 2024

Drain Plug Repair

Drain Plug Repair Kit SKU **818569** CAL38400

- · Designed to Repair Aluminum Oil Pans with Damaged Drain Plug Threads, Size M12 x 1.75 Commonly Found in GM, Ford and Mazda Vehicles
- Drain Plug Repair Kit Contains a Drill, Counter Bore, Tap, Driver, Guide and (5) 12 mm Inserts Allows Use of OEM Plug Instead of an Oversize Replacement



Cakkan

Axle Spindle Thread Repair

OEM TOOLS

Axle Spindle Threading Set

SKU **1103645** 37233

- Used to Clean or Repair Axle Threads
- Set Comes with a Special Twist Shape that Provides Easier and Quicker Work
- Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar



Head Bolt Thread Repair

FIX-A-THRED **Metric Head Bolt Thread Repair Kit**

SKU **010131** FIX35119S

- Extended Reach for Deep Threads
- Longer Length (33 x 1.5 mm) Inserts for Maximum Thread Engagement
- Applications: Cadillac, Honda, Toyota and Other Imports that Use M11 x 1.5 Head Bolts



OEM TOOLS

Oil Pan Rethreading Kit SKU **751709**

LIS58850

· Oil Pan Plug Rethreading Kit Works on Steel Or Aluminum Pans 1/2", 12 mm and 14 mm Threads



Screw Extractor Bits

10 Piece Spiral Extractor and Drill Bit Combo Pack

SKU **099229** 24373

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4 and Ex-5
- Left Hand 135° Split Point Cobalt
- Drill Bit Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"
- · Pilot Point Starts on Contact and Eliminates Bit Walking



6 Piece Spiral Flute Screw Extractors Set

SKU **099277 21** 99 24374

• Extractors: Ex-1. Ex-2. Ex-3, Ex-4, Ex-5 and Ex-6

• Comes in a Vinyl Pouch



4 Piece Damaged Screw Extractor Set

SKU **081310 Q** 99 25158

- Used to Quickly Remove Stripped, Broken and Painted Over Screws
- · Will Work with Phillips, Flathead, Hex and Other Common Screws



35 Piece Master Screw Extractor/Drill Bit Set

SKU **099258** 24377

Reg. \$99.99

 Spiral and Multi-Spline Extractors for Removing the Toughest Bolts and Screws from 3/32" to 15/16"

• 135° Split Point Left Hand Cobalt Drill Bits

Comes in a Foam-Lined Metal Case



SHOP SUPPLI

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Start-Up Kit (Dispenser and Product)

SKU **262544 SNGMFKP994376**

<u>59999</u>

(1) Sign

· Kit Includes: 250 Seat Covers 250 Paper Floor Mats 500 Plastic Floor Mats 500 Parts Bags 100 Tire Bags (1) Metal Floor Rack



VALUE: \$64.99

Steering **Wheel Cover SNGFBP994462**

With Purchase of **SNGMFKP994376**

> Price does not include vehicle

SLIP GRIP

Offer Good While Supplies Last Through June 30, 2024

Adhesive Floor

Mats (175/Roll)

SNGMFBP993349

SKU **262546**

Self Adhesive.

Protective

Carpet

Protected

Film Keeps

3 mil



SLIP GRIP

Plastic Write On Key Tag (1,000 Count) Self Locking

Plastic Key Tags Help Secure Keys

White

SKU **262547 SNGMFBP993323**

Blue

SKU **1125872 SNGFBP993398**

Yellow

SKU 1125859 SNGFBP993324

Red

SKU 1125868 **SNGFBP993399**



Plastic Floor Mats (500/Box)

SKU **186488 SNGMFGP994302**



- Roll Size: 16.5" x 21'
- · Comes in Durable Self-Dispensing Box



Paper Floor Mats (500/Box)

SKU 1151404 SNGM371LCA500

- Bright White Paper for Vibrant, Color Print
- Thank You Blue Imprinted LCA Image
- · Plain Paper for Very Light Traffic • Size Varies:
- 18.5" to 22'





Parts Bag 11" x 17"

(500/Case) SKU **262541** SNGMFGP994330

1099

- High Strength Protection
- · Impervious to Most Shop Chemicals

SLIP GRIP

20 Oz. Stainless **Steel Double Wall Tumbler** SKU **1392320**

26046 1499

- . Keeps Drinks Cold for 24 Hours and Hot for 6 Hours
- Lid Made from Durable **BPA-Free Plastic**

• Kit Includes: Wall-Mount Dispenser and 4,000 mL of

• All Natural, Concentrated, Solvent Free Cleansing Formula

• Unique Skin Conditioning System Leaves Hands Feeling

Smoother. While Fibril Scrubbers Deep Clean Even the



OEM TOOLS

Computer Generated Forms

Work Ticket Holder (25/Box)

• Durable Brass Grommet Increases Strength Accommodates Most Pre-Printed and

• 10.5"x 14.5" Clear Front and Back

SNGFBP993302

Clear

SKU **698887**

SNGFBP993303

Clear/Black

SKU **1142449**

• 11" x 13" Clear Front and Black Back



Price Does Not Include Parts Shown

Oil Change Labels

Thermal Oil Change Sticker Printer SKU OUTSIDE BUY/EPO

SNGFKGX00106 · Kit Includes: Printer, Keyboard, and (2) Rolls of 500 Generic



Static Cling Refill Kit SKU **291380 SNGMFKG016501**

- 2 Rolls of Labels
- 1 Replacement Ribbon
- Fits Thermal Oil and Static Cling Printers

 For Outside Buy/EPO, Call 901-300-4878

Red Oil Can Service Reminder Labels SKU OUTSIDE BUY/EPO

 Replacement Roll of 500 Labels

SNGFB-P993345



Blue Wrench Service Reminder Labels SKU OUTSIDE BUY/EPO

 Replacement Roll of 500 Labels

SNGFB-P993394



Toughest Dirt Cherry Fragrance Leaves Hands

Hand Cleaner

World's Best Hand Cleaner

Cherry Fragrance Cleaner

Smelling Great • 100% Biodegradable




Starter Kit with Dispenser

SKU **972773** 24292



4000 mL **Refill Bottle**

SKU **972772** 24291



SHOP SUPPLIES

Creeper Seats

Workshop Seat and Step Stool

SKU **1189077** 24904

REG. \$89.99

- Combination Step Stool and Creeper Seat that Allows Additional Maneuverability
- Thick Padding Covered with Durable Vinyl **Provides Comfort While Working**
- Includes a Tool Tray for Organization and Convenience
- 4 Swivel Casters Made for All Terrain
- · Capacity: 300 Lb.
- 18"(L) x 16"(W) x 7"(H)



Offer Good Through June 30, 2024

Sidekick Creeper Stool SKU **1168662**

24987

REG. \$124.99

- Large Open Tray Allows Users to Carry a Wide Range of Items with Additional Holster Caddies on the Side for Rapid Access to Most Used Items
- Slide Out Under Seat Drawer Can Be Used to Store and Organize Tools



Offer Good Through June 30, 2024

OEM TOOLS

Heavy-Duty Rolling Workbench and **Creeper Seat**

SKU **1142423** 24986

- Molded Seat and Frame Provides **Durable Support**
- Removable Clip-In Trays for Storage and Easy Transport of Parts and Tools
- Travs Feature Screwdriver Storage Holes for Easy Organization
- Capacity: 300 Lb.



OEM TOOLS Cushioned **Creeper Seat** with Tool Tray

SKU **757019** 24948

- Tool Tray Dimensions: 11-1/2" x 12-1/2"
- Cushioned Seat
- 4 Swivel, Oil-Resistant Wheels
- . Weight Capacity: 330 Lb.



Creepers

Mechanics Creepers with Headrest

- Made with HDPE Plastic and Molded for Comfort to Ensure a **Quick and Accurate Job**
- Easy to Handle, Lift and Store
- 6 Swivel Casters Able to Maneuver All Terrain
- Casters are 3" in Diameter for Additional Durability and Product Longevity

 • Weight Capacity: 350 Lb.

40¹¹

SKU **1189063** 24909

REG. \$54.99

- Light Weight 13.2 Lb.
- 40"(L) x 19"(W)

36¹¹ SKU **1189084**

REG. \$49.99 24977 • Light Weight 9 Lb. Offer Good Through

• 36"(L) x 18"(W)

June 30, 2024

Racing Body Board EVA Foam Creeper

SKU **125754** 24972

- EVA Construction is Water, Chemical and Impact Resistant
- Includes Handle and 2 Tool Compartment Cut-Outs
- · Great for Both Garage and Outdoors
- Lightweight Construction is Portable and Easy to Stow 41" x 18" x 11



Professional 41" **6 Wheel Creeper**

SKU **125749** 24970

- 3D Streamline Design for Shoulder Clearance
- 6 Heavy Duty TPU Casters
- Low Ground Clearance Allows for Greater Mobility
- · 4 Tool Storage Trays
- . Weight Capacity: 300 Lb.

44" Aluminum Creeper

SKU **237641** 71004

- Lightweight and Strong Aluminum
- Adjustable Headrest

Workshop Stools

Swivel Shop Stool

SKU **512951** 24910

- Swivel Seat
- . Double Foot Ring for Strength
- Seamless Pad
- 30.5" High x 14" Across

Swivel Shop Stools (2 Pack)

SKU **432326** 24910TW0

Multi-Purpose Pneumatic Adjustable Rolling Stool

SKU **1168661** 24956

- Adjustable Height: 20" to 26'Molded Nylon Base Assures
- Reliability
 3.5" x 14" Diameter Vinyl Upholstered Seat Provides Comfort
- . Weight Capacity: 250 Lb.



Pneumatic 360° Swivel Stool SKU 1189060

24907

99 REG. \$149.99

- Large 16" 360° Swivel Seat that Allows the User to Maneuver with
- Industrial Strength Wire Grid Lower Shelf Adds Rigidity and Will Store a Variety of Tools, Supplies and Parts
- Lower Shelf Can Also Be Used as a Footrest
- Heavy-Duty Welded
- **All-Steel Frame** Seat Adjusts From 22 to 27.5"



OEM TOOLS

Offer Good Through June 30, 2024

Adjustable Hydraulic Stool

SKU **512945** 24911

- Ideal for Shop or Garage Use Adjustable Height:
- 28" to 32-1/2" · Durable, Vinyl-Padded Swivel Seat and Backrest for Comfortable Support

Adiustable Hydraulic Stool (2 Pack)

SKU **362969** 24911TW0

14999



Adiustable Hydraulic Shop Stool SKU **758782**

24931

Adjustable Hydraulic Shop Stool (2 Pack)

SKU **758787** 24931TW0



SHOP SUPPLIES


TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Topside Creepers

Topside Creeper

SKU OUTSIDE BUY/EPO TRX3-100

• Height Adjusts From 48" to 64"







NXT Topside Creeper SKU **OUTSIDE BUY/EPO** TRX3-200

49999

- Height 48" to 64"
- Flexible Positioning Around the Vehicle



For Outside Buy/EPO, Call 901-300-4878

TRAXION **ProGear Topside Creeper** SKU **OUTSIDE BUY/EPO** TRX3-700 **549**99 · Height Adjusts From 53" to 75" Perfect for Working on Lifted Trucks · Weight Capacity: 400 Lb.

Work Stand

Pro Step Adiustable Work Stand

SKU **222856** STK20350

- 500 Lb. Capacity
- Height Adjustable from 6-1/2" to 22-1/2"
- 32" x 16"



Truck Tire Step

Truck Tire Step

SKU **418849** 24913B

- Fits Both Front and Rear 9" to 13" Wide Tires
- Powder Coat Finish
- Designed for SUVs, Motor Homes and Light Duty Trucks
- Heavily Textured Non-Slip Step for Safety

• Adjustable Rubber Bumpers Protect Your Wheels

OEM TOOLS

and Ensure the Step is Sturdy and Level · Easy to Adjust

For Outside Buy/EPO.

Call 901-300-4878

• Weight Capacity: 300 Lb.







Fender Covers

Fender Cover

SKU **965832** 24900

- Heavy Gauge Vinyl Wipes Clean
- 27" x 34"



Soft Fleece Fender Cover

SKU **751711** 24899

- Soft Fleece Fender Cover to Prevent Paint Damage
- 2 Super Powerful Corner Magnets for Securing the Cover in Place
- · Magnets are Removable to Wash the Cover
- Large 42" x 24" Size for Cars, Trucks and SUVs





Multicolor Magnetic Nut Cup Assortment (4 Pack)

SKU **1282743** 68939




- Coated Magnet Sticks to All
- Includes:
- 1 Green Cup
- 1 Orange Cup









Ferrous Metal Work Surfaces

- 1 Red Cup
- 1 Blue Cup

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

SHOP SUPPLIES

Hardware and Service Parts

88 Piece Master Auto Fuse Assortment

SKU **271161** 68147

• Includes: Popular Sizes of Mini. ATO and Maxi Fuses 3A to 100A



MACHINERY.

96 Piece Mini **Fuse Kit**

SKU **271169** 68148

· Includes: Mini Fuses 3A to 30A



96 Piece ATO **Fuse Assortment**

SKU **271172** 68149

• Includes: ATO Fuses 3A to 30A



24 Piece Maxi **Fuse Assortment**

SKU **271152 94** 99

68146 Includes Maxi

Fuses

20A to

100A

200 Piece Spring Assortment

SKU **271195** 68140

• Includes: 20 Popular Sizes from 7/32" x 11/16" to 5/16" x 1-1/4"



Universal O-Ring Set 407 Piece (SAE)

SKU **546661** 68168 1999

from 1/8" to 2"

MACHINERY. 419 Piece (Metric) SKU **546659**

00

MACHINERY.

1999 • Inside Diameters • Inside Diameters from 3 mm to 50 mm

68167



270 Piece A/C 0-Ring Kit SKU **271196**

68141

Dvnamic

· Contains 270 O-Rings in a Variety of SAE Sizes


HARDWARE MACHINERY

. Great 0-Ring Set for Most Automotive and Refrigerant Applications



110 Piece Copper **Washer Assortment**

SKU **271176** 68117





60 Piece Wheel **Dynamic** Stud Assortment Kit

SKU **82949** DOWDY-WS-1

• Includes: 12 of the Top Moving Wheel Studs (60 Pieces Total)



115 Piece Master **Brake Line Fitting Assortment Kit**

SKU **082943** DOWDY-BLF-5



 Tube Nuts, Union, Brake Line Adapters



230 Piece **Domestic Retainer Assortment Kit**

SKU **082940** DOWDY-6000U

• 23 Retainer

Variations

• For Doors, Trim and Shrouds



≠Dÿñamic

555 Piece Stainless **Cotter Pin Assortment**

SKU **271183** 68121

Includes: 6 Popular Sizes from 1/16" x 1" to 5/32" x 2-1/2"




500 Piece Aluminum Rivet Assortment

SKU **271150** 68109

Includes: 1/8" and 3/16" Rivets

1/4", 5/16" and 3/8" Long



SUR!R.

80 Piece Vacuum Cap Assortment

SKU **271197 499**

Includes Sizes: 3/16" to 3/8"



34 Piece Hose Clamp Assortment

SKU **271201** 68137

Includes Sizes: 5/8" to 1-1/4"




88 Piece Drain Plug and Gasket Assortment Kit

SKU 617724 DOWDY-DPA-6

• 18 Drain Plug Variations. 4 Gasket Variations

 Most Popular 12 mm and 14 mm Drain Plugs



Dynamic 120 Piece Oil Drain Plug Gasket Assortment

SKU OUTSIDE BUY/EPO

SURDPG120

. Covers Most Domestic and Import Cars and Light Trucks • 120 Total: 24 Variations (5 each), Incl.

Copper, Metal Crush, Nylon, Fiber and

For Outside Buy/EPO, Call 901-300-4878

Rubber/Metal



76 Piece Oil Drain Plug Assortment

SKU **662839** SURDP454

• Includes: 76 Pieces with Corresponding

Gaskets, 17 Direct Fit SKUs Includes: Labeled Case for Quick Identification and

 Covers Most Domestic and Import Cars and Light Duty Trucks

Organization



SURER.

240 Piece **Master Drain Plug Gasket Assortment Kit**

SKU **606762** DOWDY-DGK-240

Dynamic

• 24 Drain Plug Gasket Variations

• Aluminum, Copper, Crush, Fold-Over, Nvlon. Rubber/



60 Piece Wheel Lug Nut

• 12 Lug Nut Variations

Assortment A SKU **082947** DOWDY-WN-12

· Standard, Dome, Acorn Thread



Assortment B SKU **082948**

DOWDY-WN-12B 12499

 Dome Acorn, Bulge, Flat-Capped. External Thread

Dvmamic •




Hanger Clamp Assortment SKU **1284970**

SURCL484

• Rubber Coating Reduces Chance of Corrosion and Other Damage

• Includes Clamp Sizes: 5/16" 1/4", 3/8", 1/2", 5/8" and 3/4"





SURIR.

ŚAŚ

SAFETY & GLOVES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

First Aid Kits

10-Person First Aid Kit

SKU **000006** SAS6010

1Q99

- . Multi-Use First Aid Kit Designed for Workplace with Up to 10 Employees
- · Contains an Assortment of Practical, Single Use Disposable Items to Treat Injuries in a Sanitary and Simple Way
- Ideal for Light Industry. Contractors and Job Sites
- Meets ANSI Z308.1-2009



lisle

25-Person First Aid Kit

SKU **765588 SAS6025W**



- Designed for Workplace with Up to 25 Employees
- Contains Essential Supplies to Treat Medium to Light Injuries
- Wall-Mount Hardware Included
- Meets ANSI Z308.1-2009
- Plastic Case Dimensions: 6.69" (L) x 9.44" (W) x 2.75" (D)



100-Person First Aid Kit

SKU **765585** SAS609901





• Contains an Assortment of Supplies to Treat Small to Large Injuries

- Includes Dressings, Antiseptics. Burn Treatment Products and Personal Protective **Devices**
- Meets ANSI Z308.1-2009
- · Meets OSHA 1910.151(b)

OEM TOOLS

ŚAŚ



Hot Sleeve

Hot Sleeve

SKU **291321** LIS18700

• Protects Arms from Burns While Working Around the Engine

. Made of Durable, Heat-Resistant Kevlar





Safety Supplies

Digital Tire Gauge and Emergency Tool

SKU **979069** 26681

- · Backlit LCD Display and Lighted Nozzle for Use in Low-Light Settings
- . Measuring Range: 0 to 150 psi, 0 to 10BAR, 0 to 100KPA and 0 to 10Kg/cm²
- Window Breaking **Emergency Hammer for** Emergency Escape
- Sharp Angled Cutting **Blade Easily Cuts** Through Seatbelts



Face Shield Clear

SKU **972271** SAS5140

• Impact-Resistant

- Polycarbonate Shield Curved Lens Design
- Ratcheting Headpiece
- Meets ANSI Z87.1-2015



Ear Plugs

Foam Ear Plugs

SKU **526953** SAS6100

 Noise Reduction Rating: 31

• 200 Individually Packaged Pairs

 Pre-Shaped Foam Earplugs



Bandit™ OV/N95 Disposable



Eyewash Stations

Emergency 9 Gallon Eyewash Station Wall Mount Gravity Fed

SKU 912344 309 99

- Compliance ANSI Z358.1-2014Portable Unit Measures
- 20.15" x 16.5" x 9.5"
- Includes: Mounting Bracket, Inspection Tag, Tamper Resistant Tie and Preservative

Eyewash Concentrate Solution

SKU 1142715 SAS5136-01

 For Use with 9 Gallon Eyewash Station #SAS5134-00



Bottle Evewash Station

SKU **094904** SAS5132

 Includes: (2) 16 Oz. Eye Irrigate Solution Bottles Does Not Meet ANSI Z358.1

16 Oz. Eyewash **Irrigate Refill**

SKU **977588** SAS5130

• For Use with Eyewash Station SAS5132





ŚAŚ

Deluxe Back Support Belt

- · Made of Lightweight, Cool, Washable Polyester
- 4 Plastic Stays for Flexible. Contoured Support

. Tapered Design Allows a Full Range of Body Motion While Maintaining Proper Support

SKU 803153 | SAS7161 Small Medium SKU 803156 | SAS7162

Large SKU **803161 | SAS7163** X-Large SKU 803151 | SAS7164

XX-Large SKU **803152 | SAS7165**



AZG0224



Masks

SKU **972274** SAS866192

Large SKU **972275**

SAS866193



ŚAŚ



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

SAFETY & GLOVES

OEM TOOLS

Safety Glasses

LED Safety Glasses (3 Pack)

SKU **592265** 26017PK3

- High-Impact Resistant Lens Protects Eyes
- · Flexible, Lightweight and Padded Frames
- Meets ANSI Z87.1
- · Includes: (8) LR41 Batteries

LED Safety Glasses

SKU **555987** 26039

STORE STOCKED



- High-Impact Polycarbonate Lens
- Safety Eyewear That Also Provides 99.9% UV Protection
- · Scratch-Resistant Coating
- Single Lens Design

Clear

SKU 301767

SAS5330PK

Box of 12

- Lightweight
- Wrap-Around Lens ANSI/ISEA Z87.1-2015 Compliant



Smoke SKU **462983**

SAS

SAS5331PK **29**99

Box of 12



Amber SKU 462984 SAS5332PK

• Box of 12

Multifocal Safety Reading Glasses

- Eye Protection and Multifocal Reading Glasses
- High Impact, Anti-Scratch Lenses Protect Your Eyes
- · Fully Adjustable Temples for Comfort and Fit
- ANSI/ISEA Z87.1-2015 Compliant

+1.5 +2.5SKU **752076** SKU **752078** 26023 26025

+2.0 +3.0

SKU **752077** SKU **752086** 26024 26026

OEM TOOLS

+3.5SKU **750496** 26027

OEM TOOLS

Glove Dispenser

Magnetic Glove Dispenser

24945

SKU **765562 19**99

- Attaches to Any Magnetic Surface for Convenient Glove Storage
- · Self-Adjusting Spring Sides Hold Various Box Sizes
- 4 Powerful Magnets Provide 8 Lb. Load Capacity



OEM TOOLS

Gloves Not Included

Detection Light

UV Leak Detection Light and Glasses 1999

29⁹⁹

SKU **213144** 24516

- Compact UV Leak Detection Pen Light
- Yellow Lens Protective Glasses **Enhance Visibility of Leaks**
- Can Be Used with All Types of UV Leak Detection Dves

Includes: 2 AAA Batteries







MX Pro

- · Excellent Dexterity and Flexibility for Intricate Work
- Outstanding Gripping Power
- Great Protection Against Blisters, Cuts and Abrasions
- Stretch Top for Great Flexibility and Ease of Movement
- Hook-and-Loop Closure
- Machine Washable





Medium SKU **1142392 | SAS6652**

Large SKU **1142346 I SAS6653**

XL SKU 1368618 I SAS6654

XXL SKU 1142418 | SAS6655

Nitrile Palm Knit Glove



- 1 Box of 12 Each
- Liquid Dipped 100% Nitrile Palm Coat
- 16 Gauge Seamless Nylon Shell
- Knit Back Helps Keep Hands Cooler Longer



Large SKU 250887 | SAS6401909

XL SKU **250888 | SAS6401910**

XXL SKU 250890 | SAS6401911

Raven Gloves

146

- 7 mil Powder-Free Latex-Free Nitrile
- · Superior Puncture and Abrasion Resistance
- Ambidextrous Textured Grip
- Beaded Cuff

RAVEN



10 Boxes of 100 Each 179 99 per box

Large SKU 265052 | SAS66518CS

XL SKU 265053 | SAS66519CS







Disposable Gloves - Buy More, Save More





Powder-Free Exam Grade Nitrile, 7 mil
 Exceptional Chemical and Puncture Resistance
 New Embossed Cube Grip

2 Boxes of 100 Each 4199 per box

Medium SKU 1330679 | SAS66472-2PK

Large SKU 1330676 | SAS66473-2PK

XL SKU **1331500 | SAS66474-2PK**

2XL SKU 1331496 | SAS66475-2PK

5 Boxes of 100 Each $99_{19.99 \text{ per box}}^{99}$

Medium SKU 1330686 | SAS66472-5PK

Large SKU 1331480 | SAS66473-5PK

XL SKU 1331488 | SAS66474-5PK

2XL SKU **1331487 | SAS66475-5PK**

10 Boxes of 100 Each **1**

Medium SKU 1330697 I SAS66472CS

Large SKU 1331497 | SAS66473CS

XL SKU 1331489 | SAS66474CS

2XL SKU 1331494 | SAS66475CS



DERMA-TUFF

Powder-Free Exam Grade Nitrile, 6 mil • Textured for Enhanced Grip • Outstanding Strength, Wear and Dexterity

2 Boxes of 120 Each 28 99 14.49 per box

Large SKU 1189330 | SAS66583-2PK

XL SKU 1189352 | SAS66584-2PK

5 Boxes of 120 Each **71** 99 14.39 per box

Large SKU 1189350 | SAS66583-5PK

XL SKU **1189331 I SAS66584-5PK**

10 Boxes of 120 Each **139** 99 ner box

Large SKU 1189326 | SAS66583CS

XL SKU 1189347 | SAS66584CS



DERMA-PRO

• Powder-Free Exam Grade Nitrile, 4.5 mil • Provides Comfort Fit and Durable Wear • Superior Strength and Puncture Resistance

2 Boxes of 100 Each $23^{99}_{11,99}$ ner box

Small SKU 1189277 | SAS66541-2PK

Medium SKU 504166 | SAS66542-2PK

Large SKU 504171 | SAS66543-2PK

XL SKU **504170 I SAS66544-2PK**

2XL SKU 1189345 | SAS66545-2PK

5 Boxes of 100 Each $54^{99}_{10.99 \text{ ner box}}$

Small SKU 1189353 | SAS66541-5PK

Medium SKU 1189337 | SAS66542-5PK

Large SKU 1189365 | SAS66543-5PK

XL SKU 1189343 | SAS66544-5PK

2XL SKU 1189329 I SAS66545-5PK

10 Boxes of 100 Each **99** 99 per hox

Small SKU 1077222 | SAS66541CS

Medium SKU 504168 | SAS66542CS

Large SKU 504169 | SAS66543CS

XL SKU **504172** I **SAS66544CS**

2XL SKU 1077229 I SAS66545CS

DYNA GRIP



• Powder-Free, Exam Grade Latex, 7 mil • Comfortable Fit, Flexibility and Performance • Fully Textured for Excellent Grip • Beaded Cuff

2 Boxes of 100 Each $26^{99}_{13.49 \text{ per box}}$

Medium SKU 1077228 | SAS6501002-2PK

Large SKU 1077226 I SAS6501003-2PK

XL SKU 1077227 | SAS6501004-2PK

5 Boxes of 100 Each **64** 99 ner box

Medium SKU 1189361 | SAS6501002-5PK

Large SKU 1189363 | SAS6501003-5PK

XL SKU 1189360 | SAS6501004-5PK

10 Boxes of 100 Each $129_{12,99 \text{ per box}}^{99}$

Medium SKU 1189364 | SAS6501002CS

Large SKU 1189276 | SAS6501003CS

XL SKU 1189344 | SAS6501004CS

A7G0224







2024 Apr-Jun

Hablamos Español Call 901-300-4878

GREAT FINANCING PROGRAMS*



- · Leases are handled by four companies
- Customer must:
 - Select equipment
 - Complete credit application
 - Receive approval from leasing company
- Once the transaction is approved and documents are signed by customer:
 - Customer invoice is funded by leasing company
 - Equipment order is placed









- 30-60-90
- AutoZone® credit account in existence for 6 months
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- No credit holds within 6 months
- Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$15 K
- Minimum equipment cost = \$1 K (sales tax included)

EXTENDED TERMS

- AutoZone® credit account in existence for 1 year
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$25 K
- Minimum equipment cost by term:
 - 6 months \$3 K
 - 9 months \$6 K
 - 12 months \$8 K or greater (financial statement may be required)

©2024 Great Neck Saw Manufacturing, Inc. Certain content provided by and is the property of AutoZone Parts, Inc. All rights reserved. AutoZone, AutoZone & Design,
Loan A Tool, Duralast, Duralast Gold, Duralast Proven Tough and Duralast ProPower are registered marks of AutoZone IP LLC or one of its affiliates. All other marks are the property of their respective holders. iPhone® and iPad® are registered trademarks of Apple Inc., Android® is a trademark of Google Inc., STP® is a registered trademark of the Armor All/STP Products Co., and Bluetooth® is a trademark of Bluetooth® SIG, Inc. Items requiring freight shipping cannot be delivered outside of the continental United States. For shipping cost to Alaska or Hawaii, please contact Commercial Sales Manager. Ad prices cannot be combined with any other offer. Offers may vary by market. Offers valid while quantities last. Items may not be available at all locations at all times. We reserve the right to limit quantities and to correct pricing errors. Some new items might not be available at the time of print deadline. Prices valid only during sales catalog effective dates. All photographic, clerical, typographical and printing errors are subject to correction. Images shown may not be actual product but represent products or sets which include product. We reserve the right to substitute a like item or an item of greater value on any promotional offer in this publication. Store stock items may be purchased at any local AutoZone store or through your AutoZone Commercial Sales Manager. Bonus items are fulfilled while supplies last and may ship separately. Bonus items may be replaced with like items of the same or greater value.

^{*} Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods. Free overnight shipping available to continental U.S. for qualifying VDP orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.