

Tool & Equipment Quarterly

Call 901-300-4878



Evaporative Coolers

OEM TOOLS®

Raise Your Productivity and Keep Your Technicians **Cool and Comfortable**

See Page 10



Pedestal. Floor and **Wall Mount Fans**

See Page 10



DEDICATED TO HELPING YOUR BUSINESS RUN BETTER



Scan This OR Code to Link to the Digital **AutoZone Tool & Equipment Catalog or** AutoZonePro.com



The AutoZone® Tool and Equipment Team is here to ensure our customers are always satisfied. As our customer, you can expect fast, personalized and professional service. Our customer service associates have over 200 years of combined experience in the tool and equipment industry.

Call AutoZone® Tool & Equipment at 901-300-4878 for Questions Concerning:

- Equipment Selection Product Availability
- Product Delivery
- Technical Support
- Service After the Sale
- Ordering Capital Equipment

Call Your AutoZone® Commercial Sales Manager or Go to AutoZonePro.com

- To Place Orders for Parts, Tools and Equipment
- For Questions Related to Parts and Vehicle Accessories
- For Commercial Credit, Lease or Financing Information

Businesses can take advantage of IRS S-179 tax credits on equipment purchases. Contact your CPA for details.

FREE OVERNIGHT SHIPPING -



Free overnight shipping available to continental U.S. for qualifying orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

IMPORTANT INFORMATION ABOUT RECEIVING YOUR FREIGHT ORDER

The freight company will call 24 hours prior to delivery. It is important to take or return their calls to schedule delivery. Most items are shipped freight prepaid. Limited access, residential, carrier surcharges, redelivery and storage fees are not included.

OFFLOADING? Do you need:







- Items shipped via flatbed and most lifts will require a forklift.
- · Palletized items including most capital equipment and tool storage require a liftgate or forklift.
- Drivers will not allow you to break down pallets and offload by hand.
- Inside delivery is not available. Product will be dropped as close as safely possible. Make sure your location is accessible to the truck and driver.
- DO NOT SIGN until you have inspected the freight and confirmed carton/ pallet count.
- Refuse shipment and/or notate any discrepancies or possible hidden damage on the bill of lading.
- DO NOT ACCEPT OR SIGN FOR DAMAGED ITEMS. Accepting and signing for a damaged or short shipment without notation releases the carrier and distributor from any claim or responsibility.
- Contact us at 901-300-4878 immediately with any questions or problems with delivery.
- For hidden minor or cosmetic damage, we may at our discretion, choose to send replacement parts.

ASK BEFORE YOU RETURN

Many of the Tool and Equipment products are covered by the manufacturer's warranty and will be serviced and repaired in the field.

Note: Most manufacturers require you to register your products with them before receiving support or service. IF YOU HAVE OUESTIONS ABOUT WARRANTY OR RETURNS CALL 901-300-4878.

AUTOZONE® STORE MANAGERS AND COMMERCIAL SALES MANAGERS

Call Your Tool & Equipment Team at 901-300-4878 for Questions Regarding:

- Product Ordering and Availability
 Assisting Customers with Price Quotes
 Service After the Sale
 Help with Outside Buy/EPO Orders
 - Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

To place orders or for pricing contact your AutoZone® Commercial Sales Manager. For product information, availability and product support, *call 901-300-4878*.

TOOLS AND EQUIPMENT IN THIS ISSUE:

Advanced Driver Systems (ADAS) 29 Air Compressors 70-71 Air Conditioning 14-24, 120 Air Hoses & Reels 76 Air Tools & Accessories 72-77 Alignment 29, 86-89 Automotive Lifts 90-96, 122 Battery Service 9, 66-69 Brake Lathes 109 Brake Service 109-113 Chassis & Suspension 58-62 Cooling System 43-45, 120 Creepers & Seats 143-144 Diagnostics 25-32, 69, 102-103
Diagnostics25-32, 69, 102-103 120, 144
Disconnect Tools46
Drill Bits & Extractor Sets 140-141

Engine Service	
Engine Stands & Cranes	84-85
Evaporative Coolers	10-11, 97
EV Tools	31
Exhaust Tubing Bender	126
Fans	10, 12
Fluid Handling	34-37
Generators	71, 127
Gloves	129, 147
Grease Guns	33
Hand Tools 5-8	3, 31, 131-139
Hardware Kits 2	23-24, 46, 145
Heating & Cooling	10-13
Heavy Duty	
Inflators	74, 103
Jacks & Hydraulics	9, 81-85, 122

Key Machines	
Lighting & Flashlights 63-	
Motorcycle Lifts	9
Oil Change 38-42, 121-1	22
Paint & Body 1	30
Parts Washers 124-1	2
Power Tools & Accessories 78-	-80
Pressure Washers1	2
Pullers 20, 47-49, 52-55, 59-	62
66, 113, 121, 123, 130	
Ratchets	34
Regulators, Filters, Drains	7
Rivet Tools	5
Safety Supplies146-1	47
Scan Tools 25-26, 28, 1	20
Shop Equipment 123-1	2
Shop Presses	2:

BRANDS IN THIS ISSUE:

ABAC
Access Innis 51
Air Movement Solutions 12
AirSept 24, 46
ALLDATA
Allstart67
American Forge & Foundry 83-85, 122
Arrow Pneumatics 71
Associated
Astro 74, 103
ATD Tools 65, 130
ATEQ102
Atlas Automotive 94
Autel 26, 28-29, 69, 103
Balcrank
Baseline99
BelAire71
BendPak 85, 89, 93-96, 122, 126
Branick 59, 103, 105
BRM 54, 113, 124
Cal-Van
130, 140-141
CEMB 88, 99-100
Central Tools 50, 108, 110
Challenger Lifts
95-96, 122
Champion Air Compressors 71
Champion Power Equipment 127
Coats 88-89, 91, 98, 100, 104, 121
CoolBoss
CPS 14, 16-17, 23, 120
Crushproof Tubing Co

CIA
Cutting Edge 85
Duralast 5-9
Ecotechnics 15-16
Energy Logic
FIX-A-THRED
FJC Inc
Flexzilla 65, 76
Forney Industries 128-129
Forward Lift
GearWrench 131, 144
GreatLite 63, 65
GreatNeck 64, 132, 138-139
H&S Autoshot 128, 130
Hardware Machinery 23, 51, 145
Hofmann 86-87, 89, 98, 101
Homak
Hunter Fans12
Ilco126
Ingersoll Rand 72-74
Innova
IPC127
Jackson 129, 146
John Dow 13, 36, 46, 142, 145
Ken-Tool 121, 125
Knipex
Lanair
Lang
Lincoln
121, 124
Lisle 39-40, 42, 46, 48, 53-54,
56-57,60-61,105,112,140-141,146

LIVEITIOIS
Mahle 14, 16, 37, 45
Manatec
Marson 51
Mastercool 11, 14, 16-24, 27,
43, 46, 112, 120
MaxJax 95
Mi-T-M 71, 127
Midtronics 66
Mighty Seven/M7 72-74
Mityvac 32, 34-35, 111
MotorVac 31, 37, 113
OEMTOOLS10, 16-20,
22-24, 27-28, 33-64, 66, 69, 72-85,
87, 95, 102-108, 110-113, 116-119,
121-126, 128-144, 146
ONE-Direct Sensors 102
Phoenix Systems 111, 113
Portacool
Power Probe
Pro-Cut
QSP59, 87
Quality Lifts 91
QuickJack Lifts 95
Ranger39, 83-84, 97, 99,
101, 109, 125
Rapidair
Redline 27
Robinair
Rotary 88, 92, 98, 121
SAS 146-147
Schrader

Shark 39, 77-78, 80, 96,
104, 110, 124, 129
Sheffield
Slip-N-Grip
Solar
SRI 124-125
Steck
Streamlight 65
SUNEX75
Sunfire
SUR&R31, 40, 46, 145
Sure Shot
SureBilt
Sylvania65
Symtech
ΓΕΧΑ 15, 29, 120
Γhexton 44
Fitan
ΓMR/The Main Resource 104
ΓΟΡDON 26, 30, 66-68
Fraxion
Гuxedo
JView 21-22, 45
/iking 82, 117
/IM Tools
Water Works 125
Wiha Tools31
(tra Seal

CHECK IT OUT! OVER 70 PRODUCTS

OEM TOOLS

AC Recovery Hose Sets	.19-20
500 CC Extraction and Filling Pump	34
Dual Mode Work Lights and Flashlights	63
Heavy Duty Floor Jacks	81
1500 Lb. Wheel Dollies	82
Double-Scissor Lifting Table Cart	85
4 Drawer Rolling Tool Cart	116
Shop Presses and Accessories	123
Spark Plug Thread Repair Kit	140
8 Pc. Tap Socket Set	141
Adjustable Shop Stool	144





Gear Oil Dispensers and Assembly35

Duel Fuel Powered Generator 127



Welders, Torch Kits and Accessories...128-129



30 Ton Super Duty Air/Manual Shop Press

SKU **1525570** 29001

1,39999

Protective Guard aximum Safetv

See More **SHOP EQUIPMENT** on Pages 123-127

8 Piece Press Accessory Kit

SKU **1525566** 29002

• Includes: 2 Press Plates, 5 Punches, a Quick Change Adapter Chuck and a Bearing Shield



OEM TOOLS

Adiustable Hydraulic Shop Stool SKU **751712**

24912





OEM TOOLS



Leg Color May Vary

360° Rotating Seat

See More **SHOP SUPPLIES** on Pages 142-145

190 MP MIG Stick **TIG Welder**

SKU OUTSIDE BUY/EPO FRN323

• 4-in-1 Multi-Process Machine (MIG/Stick/Flux-Core/DC TIG, TIG Torch Not Included)

• Includes: 6' Power Cable, 8' Stick Electrode Holder, 8' Ground Cable and Clamp, 120V-240V Adapter Cord,

6' Gas Hose. 10' MIG Gun, Gas Regulator, Spare .030" and .035" Tips



See More **WELDING** on Pages 128-129

LED Light with Auto Sensor

SKU **1525569** 32122

100

· Auto Sensor Automatically Turns Light Off When Sensor is Covered

> LIGHTWEIGHT **5.2** oz.









80

See More **LIGHTING** on Pages 63-65

4 Ton Hydraulic Service Jack

SKU **1525558** 29003

- Min. Height: 4.33"
- Max. Height: 20.28"



2 Ton Off-Road Jack

SKU **1525571 90099** 29004

• Max. Height: without Extension: 17-15/16", with Extension Stage: 24-3/16"



660 Lb. Double-Scissor **Lifting Table Cart**

SKU **1525568** 24789

• Double Scissor Mechanism Raises the Table from 13.8" to 50.6"

. Large 32" x 20" Platform Fits a Wide Range of Items



See More JACKS & HYDRAULICS on Pages 81-85

1500 Lb. **Wheel Dollies Set**

SKU **814384** 24858

OEM TOOLS

• 4 Swivel Nylon Casters Give Mobility in All Directions, Roll Smoothly and are Safe for Epoxy Floors

• HD Steel Plate Construction for a Long Life



Duralast NEW TOOLS



- Features sockets made of impact grade alloy steel for increased durability and a longer life
- The impact sockets are heat-treated for added strength and wear protection
- The durable black oxide finish is designed for impact use and provides corrosion resistance
- Features an off-corner loading design which puts force on the flats of fasteners for improved durability and reduced fastener rounding
- Set Includes: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, and 30mm sizes in standard and deep lengths

Duralast



- Features a swivel Z driver with 1/4" hex and 1/4-in square drive ends
- The swivel Z driver has flex heads able to rotate 180 degrees for access in tight spaces, and can be used for driving both sockets and insert bits
- Sockets feature an off-corner loading design which puts force on the flats of fasteners for improved durability and reduced fastener rounding
- Set Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 6mm, 7mm, 8mm, 10mm, 12mm, plus 10 insert bits
- Set is guaranteed for life

Duralast

5PC 1/2" Drive Torque Limiting Extension Set SKU 1413265

53⁹⁹



- Includes sizes covering between 65 ft-lbs and 140 ft-lbs
- Designed to limit the amount of torque applied to a fastener when used as intended with impact wrenches
- Made of impact grade alloy steel for increased durability and a longer life
- · Heat-treated for added strength and wear protection
- Set Includes: 65 ft-lbs, 80 ft-lbs, 100 ft-lbs, 120 ft-lbs, and 140 ft-lbs

Duralast



- Steel striking cap designed for hammer striking, with shanks that extend through the handle to the steel striking cap
- $\bullet\,5$ inch design for access in tight spaces, and includes pocket clip for convenience
- Angled tip gives increased leverage and access to confined areas
- Black phosphate coating provides corrosion resistance
- Ergonomic dual material handle provides a secure, comfortable grip

Duralast Mechanic's tool sets

Duralast

90PC EVA Mechanic's Tool Set SKU 1382518

64⁹⁹



Duralast

9PC Tire Changing Kit SKU 1382480

99⁹⁹



- 1/4-in and 3/8-in drive mechanic's tool set
- EVA foam provides an easy and organized storage solution that can be placed directly into a toolbox
- Includes 100 position ratchets (1/4-in and 3/8-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- 1/2-in drive sockets, breaker bar, extension & torque wrench
- Torque wrench has range of 50 250 ft/lbs
- 12-point deep well sockets fit into wheel recesses and a 5 in. extension provides access for inset wheels or for use on vehicles with fender flares

Duralast

265PC Mechanic's Tool Set

SKU 1077624

- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



Duralast

180PC Mechanic's Tool Set SKU 52378

119⁹⁹



- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



- 1/4-in and 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



- 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength



- 1/4-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength
- Premium S2 steel bits for durability

Duralast Breaker Bars



- Duralast Breaker bars feature a flexible drive tang that rotates 180 degrees for for use at multiple angles
- Ideal for breaking free stuck fasteners
- Ergonomically designed handle provides a secure grip
- Alloy Steel heat treated for superior strength
- Professional, full polish chrome finish provides resistance to corrosion



1/2" Drive Ratcheting Breaker Bar

SKU 1327044



35⁹⁹

- Features a 45-tooth ratcheting head (with 8 degrees ratcheting arc)
- Includes reversing collar to change between tightening and loosening directions
- Flex head square drive rotates 180 degrees for access
- Forged Alloy Steel heat treated for superior durability and strength
- Chrome finish provides corrosion resistance and added durability

Duralast

1/2" Drive Breaker Bars



2879 24 INCH SKU 914046

- Forged Alloy Steel heat treated for superior durability and strength
- Chamfered square drive lead-in helps provide easy placement of sockets onto drive
- Full polished chrome finish ratchet easily wipes clean of oil and dirt
- Chrome finish provides corrosion resistance and added durability

Duralast

3/8" Drive Breaker Bars

1619
2339
181 NCH

- Forged Alloy Steel heat treated for superior durability and strength
- Chamfered square drive lead-in helps provide easy placement of sockets onto drive
- Full polished chrome finish ratchet easily wipes clean of oil and dirt
- · Chrome finish provides corrosion resistance and added durability

Duralast



- Breaker bar can collapse down to 10 inches and extend all the way to 15 inches to provide greater access and leverage for whatever obstacle a job throws your way
- \bullet Extendable handle provides greater access for hard to reach areas and greater leverage
- Forged Alloy Steel heat treated for superior durability and strength
- Chamfered square drive lead-in helps provide easy placement of sockets onto drive
- Full polished chrome finish ratchet easily wipes clean of oil and dirt

Duralast tool storage

Duralast

42 in. 4-Drawer Top Chest, Blue **SKU** 1354163

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- Built-in power strip (4 outlets & 2 USB ports)
- 7,668 cubic inches of storage
- 400 lb. total weight capacity
- Combine with 1354168 (sold separately)
- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers
- 5"x2" heavy-duty casters to support up to 1,200 lbs.
- 10,532 cubic inches of storage
- 800 lb. total weight capacity
- Combine with 1354163 (sold separately)



42 in. 9-Drawer Tool Cabinet, Blue SKII 1354168

Duralast

30 in. 5-Drawer **Mechanic's Cart BLUE SKU** 1354167 **BLACK SKU** 1354164



- · High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 15,000 cubic inches of storage
- 700 lb. total weight capacity

Duralast

30 in. 4-Drawer **Technician Cart**

BLUE SKU 1354165 **BLACK SKU** 1354166



- · High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 12,600 cubic inches of storage
- 580 lb. total weight capacity

SPECIAL DEALS

Duralast

1/4", 3/8", 1/2" Drive 435PC Mechanic's Tool Set

SKU 1089589



\$1.850 Value

- Features 237 Chrome Sockets, 51 Wrenches, 42 Impact Sockets, 6 ratchets & more!
- The most tools for your money, all guaranteed for life

Duralast

1/4", 3/8", 1/2" Drive 335PC Mechanic's Tool Set



- Features 210 Chrome Sockets, 41 Wrenches, 3 Ratchets & more!
- · Professional Grade Tool Selection, All Guaranteed for Life

Duralast 10PC 1/4", 3/8" Drive 10MM Socket Set

SKU 582151

8



- The Duralast 10pc 10mm socket set takes the need of the 10mm socket, and provides a solution for any application
- · Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast **9PC Triple** Square Bit Set

SKU 1077622



- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage
- Full polished chrome finish socket easily wipes clean of oil and dirt

Duralast 36PC Master Bit Socket Set

SKU 569654



- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Full polished chrome finish socket easily wipes clean of oil and dirt
- Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage

Duralast LIFT EQUIPMENT & BATTERY CHARGERS



3 Ton Aluminum Floor Jack





3-1/2 Ton Professional Foldable Garage Jack



22999

Duralast

2.5 Ton
Jack &
Stands Kit
SKU 562996

- 2.5 ton capacity
- 2.5 ton stands

Duralast



- 3 ton capacity
- Dual piston pump with universal release
- High lift height

14999

Duralast

2.5 Ton Aluminum Steel Garage Jack SKU 979807



- 2.5 ton capacity
- Aluminum design for lightweight
- Dual pump piston with universal release for controlled loads

Duralast

6 Ton Jack Stands SKU 234799

59⁹⁹



- Full welded heavy gauge steel base
- Large Cast iron ratchet pawls for secure locking
- Multiple height positions

Duralast


250 Amp 12 Volt Battery Charger SKU 1277303

- The DL-250D is compatible with 12-volt standard, lithium, AGM, gel, and deep-cycle batteries
- The 250-amp engine start is strong enough to jump start cars, SUVs, trucks, and boats
- Manual operation controlled by 135-minute timer and manual rate selection knob
- Built-in ammeter lets you monitor the complete charging process



Duralast

Lithium Battery Booster/Jump Pack SKU 567656



 150-PSI air compressor features a digital pressure gauge making it easy to inflate tires, toys, mattresses, and more

 The 2.4-amp USB port charges smartphones and other mobile devices two times faster than a standard USB charger"

9999



9

Raise Productivity

Unique high efficiency propeller design is quiet and delivers airflow over long distances.

Keep your technicians cool and comfortable.









Evaporative Coolers

5300 CFM SKU **213172** 23969

- 1/3 HP 3 Speed Motor
- Water Capacity: 14.6 Gallons
- Cooling Area: 1,600 Sq. Ft.
- Dimensions: 45" x 17" x 28"
- · Weight: 56 Lb.
- . GFCI Plug for Safe Outdoor Use

3100 CFM

SKU **213184** 23968

- 1/5 HP 3 Speed Motor
- Water Capacity: 10.3 Gallons
- Cooling Area: 950 Sq. Ft.
- Dimensions: 37" x 17" x 25"
- · Weight: 39 Lb.
- . GFCI Plug for Safe Outdoor Use

Replacement **Media Sets**

For 23969/23977 5300 CFM

SKU **1485036** HESCP610

For 23968/23976 3100 CFM

SKU **1485034** HESCP370





OEM TOOLS

Customer Responsible For Offloading, Liftgate Service Available.

OEM TOOLS

OSCILLATING

Oscillating Wall Mount Fans

- Powerful 3-Speed Motor
- Easy to Assemble and Wall Mountable
- Oscillating Function Provides Effective Air Circulation

24" Indoor Fan

SKU **592383 0EM24883**

• CFM: 6500

24" Outdoor Fan

SKU **949553 0EM24893**

• CFM: 6800

• IP44 Water Resistance Rating


30" Indoor Fan SKU **592385 0EM24884**

• CFM: 9500

30" Outdoor Fan

SKU **949582 0EM24894**

- CFM: 7200
- IP44 Water Resistance Rating



Oscillating Pedestal Fans

• 5 Aluminum Blades • 6' UL Listed Power

Cord

20¹¹ SKU **688197**

0EM24871 • CFM: 4500

30"

SKU **592248 0EM24885**



24999



Floor Fan

20" High Velocity Floor Fan

TILT

SKU **688200 0EM24870**

• CFM: 4500

• Precision-Balanced Aluminum Fan Blades and Energy-Efficient Motor Optimize Airflow Output

 3-Speed Motor Allows Operator to Control Airflow Volume

. 5' UL Listed Power Cord



OEM TOOLS

Barrel Fan

42" Direct Drive Barrel Fan

SKU **344969 0EM24879**

- CFM: 12,718
- · 2-Speed, Direct Drive Motor Allows Control of Airflow Volume
- 3 Aerodynamic Aluminum Blades Produce Optimal Airflow Output



PORTACOOL

PEAK COOLING, INTELLIGENT CONTROL

- Portacool APEX™ Series
- Setting the STANDARD for **Auto Shop Cooling**
- New HydroTek[™] Evaporative Media - designed to **MAXIMIZE** cooling performance with less maintenance
- Control Your Comfort with COOLSYNC™ - Sync your Portacools to your smartphone for intelligent control
- Fan Speed
- Wind Direction
- Water Control
- Group Syncing
- Scheduling





PRCA05001A1

Apex 500

SKU 1392317 PRCA05001A1

- . Cooling: Up to 500 Sq. Ft.
- Velocity: 40 MPH
- Air Flow Reach: 55 Ft.
- · Water: 13 Gal.

Apex 700

SKU 1392315 PRCA07001A1

- Cooling: Up to 700 Sq. Ft.
- Velocity: 37 MPH • Air Flow Reach: 60 Ft.
- · Water: 22 Gal.



PRCA12001A1

Apex 1200

SKU **1392332** PRCA12001A1

- Cooling: Up to 1200 Sq. Ft.
- Velocity: 25 MPH
- . Air Flow Reach: 40 Ft.
- Water: 40 Gal.

Apex 2000

SKU **1392329** PRCA20001A1

COOL BOSS

- . Cooling: Up to 2000 Sq. Ft.
- Velocity: 28 MPH · Air Flow Reach: 60 Ft.
- · Water: 45 Gal.

Built-In Bluetooth® Audio Player and Speakers

Wireless Remote Control



PRCA65001A1

Apex 4000

SKU 1392335 PRCA40001A1

- . Cooling: Up to 4000 Sq. Ft.
- Velocity: 25 MPH
- . Air Flow Reach: 50 Ft.
- Water: 55 Gal.

Apex 6500

SKU 1392341 PRCA65001A1

- Cooling: Up to 6500 Sq. Ft
- Velocity: 24 MPH
- · Air Flow Reach: 40 Ft.
- · Water: 66 Gal.

Evaporative Coolers

- 80W 4000 Lumens Adjustable LED Floodlight
- Anion Negative Ion Air Purifier
- Low Level Shutoff

SKU 1360694 CLBCB-12SL

- Max. Airflow: 1,565 CFM
- . Cooling Area: 650 sq. ft.
- Fan Diameter: 12'

CB-16L

CB-12L

SKU **1275460** CLBCB-16L

2,59999

- Max. Airflow: 4,950 CFM • Cooling Area: 1,125 Sq. Ft.
- Fan Diameter: 16"

CB-36L

SKU **1275465** CLBCB-36L

- Max. Airflow: 12,615 CFM . Cooling Area: 3,125 Sq. Ft.
- Fan Diameter: 36"

CB-14L

SKU **1400037**

CLBCB-14SL

- . Max. Airflow: 2,300 CFM
- Cooling Area: 850 sq. ft.
- Fan Diameter: 14'

CB-28L

SKU **1275461** CLBCB-28L

- Max. Airflow: 9,020 CFM
- . Cooling Area: 2,125 Sq. Ft.
- Fan Diameter: 28"





We Offer the Full Line of Portacool and Cool Boss Evaporative Coolers and Accessories

Blower Fans

Mastercool:

300 CFM Blower Fan

SKU **1392323** MSC20300-A

- 120 Volts, 60 Hz
- For Indoor or Outdoor Use
- 3-Speed Switch (High, Medium, Low)
- 4-Position Adjustment Feet
- 8.5 Ft. Cord Length



Heater Attachment for 300 CFM Blower

SKU OUTSIDE BUY/EPO MSC20300-HTR

- Converts Your 300 CFM Portable Blower into a Heater for Your Garage or Work Space
- 1320 Watts, 5000 BTU
- Fits Many Popular Brands (300 CFM Only, Not for 1,200 CFM Fans.)



For Outside Buy/EPO, Call 901-300-4878

Industrial Fans



More Air, Less Noise Means Improved Comfort and Productivity

- Output: 43,000 CFM
- 43.4 DB
- 110V

AirMobile 59" Fan SKU OUTSIDE BUY/EPO

AMS81011300

• Industrial Grade Casters



AirFocus 59" **Variable Speed Fan** SKU OUTSIDE BUY/EPO AMS81011304

2,98999

· Wall or Ceiling Mount

AirFocus 59" **Single Speed Fan** SKU **OUTSIDE BUY/EPO** AMS81011308

2,54999

Wall or Ceiling Mount





ECO Fans Available in Diameters: 8' to 24'



14' Kit

SKU **OUTSIDE BUY/EPO** HNT81011517-1P

. Highest Performance and Versatility

Direct-Drive Motor

• Whisper-Quiet Air Circulation

Titan Fans Available in Diameters: 14' to 24'

Hunter Fan Kits Include: Down Rod, HMI Controller and VFD Control Panel

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Exhaust Hoses

• Direct-Drive Motor

· Whisper-Quiet Air Circulation

Flarelock Hoses

• Made Exclusively for Cars and Small Trucks

• End is Flared to Permit Connection of 2 or More Links at a Time

2.5" x 11'

SKU **977557** ACSFLT250

3" x 11'

3.5" x 11'

SKU **977589** ACSFLT350

SKU **977559**

ACSFLT300

4" x 11'

SKU **977590 229 99** ACSFLT400

3" Y-Assembly Kit with F300 Adapter

SKU **OUTSIDE BUY/EPO** ACSYA300

24999

🚰 CRUSHPROOF TUBING COMPANY **Door Port Adapters**

For 2.5" Hose (Rubber)

SKU **977551** ACSDF25

• Rubber Garage Door

Port Adapter • Designed for 2-1/2" ID

For 3" Hose (Aluminum)

SKU **977552 49**99 ACSADF30

· Aluminum Port Allows Hose to Be Vented Through the Door



For 4" Hose (Aluminum) SKU **977554**

ACSADF40

• Use on 1" Thick Doors



Bell Hose Adapters

• Designed for Easy Adapting to All Sorts of Tailpipes

Connects with Ball and Snap

2.5" Adapter

SKU **97754**4 ACSRA250

3" Adapter SKU **977545**

ACSRA300



2.5" Service Station Kit SKU **977547**

- ACSDSS25 • 2 Each - 4' x 2-1/2" Hoses
- 1 Each 6' x 2-1/2" Hose • 1 Each - 2-1/2" Rubber "Y" Connector
- 2 Each Straight Tailpipe Adapter, Hook and Chain
- 1 Each Splice Connector



3" Service Station Kit

SKU **977548** ACSDSS30

• 2 Each - 4' x 3" Hoses

• 1 Each - 6' x 3" Hose • 1 Each - 3" Rubber

"Y" Connector 2 Each - Straight Tailpipe Adapter, Hook and Chain

• 1 Each - Splice Connector



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Shop Heaters



On-board air compressor



Burn No.2 to 90W and synthetics



Small footprint

Stop paying to have your waste oil hauled off! Save and burn it for FREE heat this winter.

75H Waste Oil Furnace with Built-In 10 Gal. Tank							
URNACE	BTUs	HEATS UP TO	PART NO.	PRICE			
EL-75	75,000	1,750 Sq. Ft.	ENL11075104	3,999.99			

Waste Oil Heater Complete Systems*							
FURNACE	BTUs	HEATS UP TO	PART NO.	PRICE	Reg. Price	Savings	
EL-140	140,000	3,500 Sq. Ft.	ENL01140103	11,399.99	12,049.99	\$650	
EL-200	200,000	5,000 Sq. Ft.	ENL01200104	12,649.99	13,349.99	\$700	
EL-350	350,000	8,500 Sq. Ft.	ENL01350104	14,399.99	16,049.99	\$1,650	

^{*}Complete systems include waste oil furnace and 250 gallon tank, swing-away burner with built-in air compressor, low-fuel cutoff, draft gauge, drain valve and Class A flue kit. Not for sale in CA

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878





Lanair

=िरताराचेशाचे श्रचराचणराशाशाना

FURNA



FREE Strainer Pan & Tank Gauge Included!

	Heater Package*	BTUs	Heats up to	Part Number	Price
	XT1503	150,000	3,500 sq. ft.	LANXT150C	10,249.99
Thru-roof chimeny	XT2003	200,000	5,000 sq. ft.	LANXT200C	10,599.99
	XT2503	250,000	8,500 sq. ft.	LANXT250C	13,549.99
	XT3003	300,000	10,00 sq. ft.	LANXT300C	14,299.99

* Packages Include 215 Gallon Tank and 6" Chimney Kit.

For Outside Buy/EPO, Call 901-300-4878

Not For Sale in CA



Sunfire

Portable Radiant Heaters

- Quiet, Clean, Odorless
- Safe for Indoor Commercial Use

80,000 BTU

SKU OUTSIDE BUY/EPO SFRSF80

- Heats up to 1,900 Sq. Ft
- Diesel or Kerosene
- 6 Gallon Tank

120,000 BTU

SKU OUTSIDE BUY/EPO SFRSF120

- . Heats up to 2,800 Sq. Ft
- Diesel or Kerosene
- 14 Gallon Tank

150,000 BTU

SKU **OUTSIDE BUY/EPO** SFRSF150

- Heats up to 3,500 Sq. Ft
- Diesel
- 19 Gallon Tank

SUNFIRE





Exhaust Extraction

Portable Exhaust Extraction System SKU OUTSIDE BUY/EPO **DOWEV5100**

• Works with Standard 3" Exhaust Hoses and "Y" Hose Adapters

· Captures Fumes and Discharges Them Safely Up to 30' Away

 Mobile Base Makes it Easy to Position and Move Around the Shop

- Uses Standard 110V Current
- Not for Use on Diesel · Optional "Y" Hose
- Adapter Available for Dual-Exhaust Vehicles



AZG0225

lohnDow Industries

FOR MORE DETAILS ON RECOVERY MACHINES GO TO AZTOOL1.COM

Recovery Machines



Mastercool World Class Quality"	Semi-Automatic R134a Recovery Machine SKU 1368632 MSC1100	Automatic R134a Recovery Machine SKU 1368636 MSC2100	Automatic R134a Hybrid Recovery Machine SKU 1368634 MSC3100	Automatic R1234yf Hybrid Recovery Machine SKU 1368616 MSC4100
Wi-Fi Capability	✓	✓	✓	✓
Refrigerant Database	Optional	✓	✓	✓
Built-In Tank Heater	✓	✓	✓	✓
Vacuum Pump	3 CFM	6 CFM	6 CFM	6 CFM
Dust Cover	\checkmark	✓	\checkmark	✓
Hose Flushing			\checkmark	✓
Built-In Refrigerant Identifier				✓
Automatic Oil Injection		✓		
E-Printing Capability	Optional	Optional	✓	✓
Price	<i>3,799</i> ⁹⁹	4,749 ⁹⁹	<i>5,049</i> ⁹⁹	<i>6,549</i> ⁹⁹

ArcticPRO®



	Refrigerant 134a			Refrigerant 1234yf	
MAHLE	ACX-2150 R134a Recovery Machine SKU 213170 MSSACX2150	ACX-2180 R134a Recovery Machine SKU 213168 MSSACX2180	ACX-2180H R134a Hybrid Recovery Machine SKU 213203 MSSACX2180H	ACX-2250 R1234yf Recovery Machine SKU 213151 MSSACX2250	ACX-2280 R1234yf Recovery Machine SKU 1187032 MSSACX2280
Automatic Oil Drain	✓	✓	✓	✓	✓
Automatic Air Purge	✓	✓	✓	✓	✓
Included Database	Optional	✓	✓	Optional	✓
Automatic Oil and Dye Injection	✓	✓			
Includes Refrigerant Identifier				√**	√ *
Phone Application	Optional	✓	✓	Optional	✓
Price	4,399 ⁹⁹	<i>5,099</i> ⁹⁹	<i>5,099</i> 99	<i>6,349</i> ⁹⁹	7,249 ⁹⁹

On-Board Integrated Thermal Printer (Optional) *Integrated **Non-Integrated



CPS.	R134a SKU 1407803 CPSMSX134	R1234yf SKU 1407806 CPSMSX1234	R134a/R1234yf SKU 1407510 CPSMSX3030	Heavy Duty R134a SKU 1407805 CPSMXHD
Fully Automatic	✓	✓	✓	✓
Onboard Oil Injection	✓			
High Capacity Oil-less Compressor	✓	✓	✓	✓
Vehicle Database Included	✓	✓	✓	✓
10 Ft. Service Hoses	✓	✓	✓	18' Hose
Includes 2 Tanks and 2 Sets of Hoses			✓	
Wi-Fi and Bluetooth Enabled	✓	✓	✓	✓
Touch Screen	7" Hi-Res	7" Hi-Res	7" Hi-Res	7" Hi-Res
Includes Refrigerant Identifier		✓	✓	
Converts Between R134a and R1234yf in 10 Min.			✓	
Price	<i>5,149</i> 99	<i>6,699</i> 99	8,799 ⁹⁹	7,249 99

Recovery Machines



TEXA	750R R134a Recovery Machine SKU 1282745 TEX211450	760 R1234yf Recovery Machine SKU 1282756 TEXA17910	780 Dual Gas Recovery Machine SKU 1282809 TEXA17810
Automatic Oil Drain	✓	✓	✓
Automatic Oil and Dye Injection	✓		
10 in. Multi-Touch Display		✓	√
R134a Management	✓		√
R1234yf Management		✓	✓
Vehicle Capacity Database	✓	✓	✓
Software Update Over Wi-Fi		✓	√
Push-Pull Recovery	✓	✓	√
Fully Automatic Operation	✓	✓	✓
Price	<i>5,399</i> 99	<i>8,749⁹⁹</i>	10,549 ⁹⁹

ECOTECHNICS/



Description	Hybrid Ready R134a SKU 1339733 HOFEEAC820B	Hybrid Ready R1234yf SKU 1335790 HOFEEAC830B	Eco Dual Gas A/C Service Station SKU 1335792 HOFEEAC800
Refrigerant Type	R134a	HF0-1234yf	R134a + HF01234yf
Refrigerant Tank	30 Lb.	30 Lb.	30 Lb. + 30 Lb.
Command Valves	Automatic	Automatic	Automatic
Display	5" Touch	5" Touch	7" Touch
Database	✓	✓	✓
Printer	✓	✓	✓
Status Light	✓	✓	✓
Hybrid Function	✓	✓	✓
Price	4,799 ⁹⁹	<i>6,399</i> 99	10,499 ⁹⁹

ROBINAIR



Description	AC1234-4 Premier R1234yf SKU 1212384 R0BAC1234-4	AC1234-9 Connected R1234yf ACS SKU 1212383 ROBAC1234-9	34288NI Economy R134a SKU 221185 R0B34288NI	34788NI-H Premier R134a Refrigerant for Hybrid and Non-Hybrid Vehicles SKU 751572 R0B34788NI-H	34788NI Premier R134a Refrigerant SKU 751569 R0B34788NI	34998 Connected R134a ACS SKU 1212385 R0B34998
Operation	Automatic	Automatic	Semi-Automatic	AutomaticHybrid VehicleApplications	Automatic Auto Oil Injection	Automatic Auto Oil Injection
Display	4.3" LCD Display	10" Hi-Res Touch Screen	4.3" Full Color Display	4.3" Full Color Display	4.3" Full Color Display	10" Hi-Res Touch Screen
Printer	ROB30038 (optional)	Wireless Printing	ROB30038 (optional)	ROB30038 (optional)	ROB30038 (optional)	Wireless Printing
Bluetooth and Wi-Fi		✓				√
Price	6,595 ⁹⁹	7,499 ⁹⁹	4,149 ⁹⁹	4,999°°	4,999 ⁹⁹	5,999°°

A/C VACUUM PUMP KITS - BETTER VALUE FOR YOUR MONEY



SKU **850564** 68991

• Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve, Large Diameter **Dual Scale Thermometer**



Starter A/C Vacuum Pump Kit - R134a

SKU 1400034 68950

. Includes: 1.8 CFM, 100 Micron Single Stage Vacuum, Professional Quality Extruded Aluminum Manifold with 72" Hoses, High Quality Manual Couplers and R134a Can Tap



R134a and R1234yf **Spark-Free A/C Vacuum** Pump Kit

SKU **1400036** 68951

• Includes: 6 CFM, 75 Micron, Spark-Free Single Stage Vacuum for Use with R134a or R1234yf, Extruded Aluminum Manifold Gauges, 72" Hoses with High Quality Manual Couplers, R1234yf Conversion Couplers That Convert R134a Manifold and Hoses to R1234yf, 1/2" ACME Right Hand to 1/2" ACME Left Hand Tank Adapter, 1/4" SAE x 1/2" ACME Hose to Vacuum Pump Adapter and R134a and R1234yf Can Tap

REG. \$404.98 When You Buy the Kit

▼ Mastercool:

OEM TOOLS

Recovery Machine Filters/Maintenance Kits







MAHLE

ECOTECHNICS)

SKU	Part Number	Brand	Fits	Price
522875	R0B34430	Robinair	17700A, 34450, 34700, 34134Z	133.99
414883	R0B34724	Robinair	34288, 34788, 34788NI, 34788NI-H, 34988, 347002, 341342	<i>89.99</i>
752703	R0B13172	Robinair	Maintenance Kit for Models Using 34724 Filter - Includes Oil	<i>159.99</i>
186483	CPSARXF5	CPS	FX and AR Series CPS Equipment	<i>89.99</i>
1149172	CPSFX3030X1	CPS	Includes FX Series Filter, Vacuum Pump Oil and Coupler O-Rings for FX134A	139.99
389222	MSC69788FLTPK	Mastercool	69788, 69789 and 69789-H	<i>209.99</i>
199681	MSCCOM1FLTRPK	Mastercool	Commander 4000 and 4000x	<i>159.99</i>
199675	MSCCOM2FLTRPK	Mastercool	Commander 1000, 2000 and 3000	199.99
1149182	MSS3608325400	Mahle	ACX2180, ACX2180H and ACX2280	119.99
207349	MSS268077600	Mahle	ACX1120H, ACX1150, ACX1150H and ACX2120H	119.99
207508	MSS3608273900	Mahle	ACX1280, ACX2150 and ACX2250	114.99
818739	RTI3608213300	Mahle	RHS980 and ACX1180	119.99
1406968	HOFEEAC33023B	EcoTechnics	HOFEEAC800, HOFEEAC810, HOFEEAC820B, HOFEEAC830B	<i>99.99</i>

When You Buy the Kit

Portable Recovery Systems

R-134 Twin Turbo Complete Recovery Machine

SKU **OUTSIDE BUY/EPO** MSC69360

- Largest Volume Recovery Rate on the Market
- For Use with All Refrigerants Including R410A

 Injection Molded High Density Polyethylene Case for Maximum Durability Safety High Pressure

Switch Revolutionary Double Piston 0il-Less Compressor



R1234yf Twin Turbo Complete Recovery Machine

SKU **OUTSIDE BUY/EPO** MSC69360-YF

- · Revolutionary Double Piston Oil-Less Compressor
- · Largest Volume Recovery Rate on the Market

• Includes: 30 Lb. DOT Tank, Sight Glass, R1234yf Low Side Coupler, Oil Drain Bottle and R1234yf Blue and Yellow Hoses



R134a/R1234yf Complete A/C Recovery Set

SKU OUTSIDE BUY/EPO MSC69372

- · Built with the Safest Spark-Free Components
- Includes All Hoses and Couplers Needed to Recover, Cleanse and Remove the Oil from R134a and R1234yf Automotive A/C Systems
- 30 Lb. DOT Tank for R134a and 30 Lb. DOT Tank for R1234yf Refrigerants Included with Each Unit (Refrigerant Sold Separately)
- 115V/60 Hz
- 1/2 HP Oil-Less Compressor
- Compatible Refrigerants: All CFCs, HCFCs and HFCs



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Vacuum Pumps

1.8 CFM Single Stage Vacuum Pump

SKU **466312** 24500

- Motor: 1/4 HP. 110V
- Ultimate Vacuum Rating: 100 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 6.7 Oz. (200 mL), Included
- Internal High Volume Cooling Fan for Extended Use



4 CFM Single Stage Vacuum Pump SKU **466305** 24501

- Motor: 1/3 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Single Stage Vacuum Pump

SKU **466306** 24502

- Motor: 1/2 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Spark-Free Vacuum Pump SKU **213133 259**99

- 24642 • Motor: Spark-Free 1/2 HP, 110V
- Ultimate Vacuum Rating: 75 Microns
- 3 Inlet Ports: 1/4" Flare, 1/2" ACME and 1/2" ACME LH
- Oil Capacity: 330 mL, Included
 Internal High Volume
- Cooling Fan for Extended Use
- Can Be Used with R1234vf Refrigerant



Black Series 1.8 CFM Single Stage Vacuum Pump

SKU **1414397** MSC90059-BL

- 80 Microns
- 1/4 HP
- 110/120 V. 60 Hz
- T-Fitting 1/4" FL-M x 1/2 ACME-M



🕶 Mastercool:

▼ Mastercool:

1.8 CFM Deep Vacuum Pump SKU 1330695 MSC290059RCL

▼ Mastercool:

- 1.8 CFM Deep Vacuum Pump
- 1/4' and 1/2' Fittings
- For Use with Multiple Refrigerants



─ Mastercool::

3 CFM Single Stage Vacuum Pump

SKU **1392324** MSC290062

- Large Fan Keeps Vacuum Pump Cooler and Extends Life
- 1/4" SAE and 1/2" ACME Port Access
- 110-120V, 60 Hz Voltage



6 CFM 2 Stage **Vacuum Pump**

SKU **OUTSIDE BUY/EPO** MSC900662V-BL

- 15 Microns
- 1/2 HP
- 110/220 V. 50/60 Hz
- Includes: 3 Inlet Ports: 1/4", 3/8" SAE and 1/2" ACME



Spark-Free 6 CFM Vacuum Pump (Single Stage)

SKII 1400035 MSC90066BLSF

- 80 Microns
- 1/3 HP
- 110/120V. 60HZ
- T-Fitting 1/4" FL-M x 1/2 ACME-M



Air-Operated Vacuum Pump

SKU **544730** 24533

• Includes: 1/2" ACME (R134a)

- and R12 Connectors • Air Pressure Range:
- 75 to 180 psi • Air Consumption: 4.2 CFM @ 90 psi
- Vacuum Capacity: 28.3" of Mercury @ 90 psi



Vacuum Pump Oil (8 Oz.)

SKU **363429** 24399

For Outside Buy/EPO, Call 901-300-4878

- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- · Compatible for Use in Pumps Made by Most Manufacturers







SKU **517580** CPSVP0Q12




- Compatible with Most Pumps
- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



AZG0225





Manifold Gauges

R1234vf Manifold Gauge and Hose Set

SKU **752518** 24559

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers



Dual Aluminum R134a/R1234yf Gauge Set SKU **1335797** 1/1/99 25130

• Includes: 72" Hoses, Manual Couplers and Can Tap Valves with 1/2" ACME Fittings for Use with Both R134a and R1234yf Refrigerants



OEM TOOLS

OEM TOOLS

R134a Brass Manifold Gauge Set

SKU **752520 74** 99 24563

- High Quality Brass Body with Sight Glass
- Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" Hoses (3,000 psi Burst. 600 psi Working Pressure)
- Snap Style Quick Couplers



R134a A/C Manifold Gauge and Hose Set 0099

SKU **466319** 24527

• Easy-to-Read 2-3/4" Spring Dampened Gauges to Reduce Flutter

Extruded Aluminum Manifold

• 72" Hoses with Manual Couplers



Deluxe R134a Gauge Set

SKU **1282751** MSC289772CL

- Solid Block Extruded Aluminum Manifold
- 72" Long Hoses with Manual Couplers
- . Gauge Guards for Protection



Dual R134a, R-12 Manifold Gauge Set

SKU **1335804** MSC293996PBCL

- Solid Block Extruded Aluminum Manifold
- 96" Long Hoses with Manual Couplers
- · Gauge Guards for Protection
- Silicone Dampened Calibratable Gauges
- Extra Long Hose for Access to Heavy Duty Buses, Fleet and Refrigerated Trucks Systems



R134a Aluminum Manifold Kit with Dve Injector

SKU **290023** MSC89660UV

• Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



▼ Mastercool∴

Dual R134a/R1234yf Brass Gauge Set

SKU **1142631** MSC66661AYF

- 2-1/2" Silicone Dampened, Recalibrateable Gauges
- Extra Access Port for Vacuum Line
- R1234yf High and Low Side Quick Couplers R134a High and Low Side Economy Couplers 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter (2) 12 mm-M x 14 mm-F R1234yf Adapters Set of 3 - R134a Standard Hoses



R1234yf Aluminum Manifold Gauge Set

SKU **505065** MSC83272

- Ideal for Shops That Want to Wait to Invest in New AC Service Stations Adapted for R1234yf
- Contains Manifold, 3 Service Hoses, 2 Service Couplers LT/HT



Dual Aluminum R134a/R1234yf Gauge Set

SKU **1086254** MSC89661AYF

- Professional Extruded Aluminum Block
- 2-1/2" Silicone Dampened, Re-Calibrateable Gauges
 Free-Floating Piston Type Valves Reduce 0-Ring Wear
- · R1234yf High and Low Side Couplers with Extended Disconnect Protection Sleeve
- Standard Hoses, R134a Manual Couplers, R1234yf Couplers, 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter, (2) 12 mm-M x 14 mm-F R1234yf Adapters



Can Taps

R1234yf **Self-Sealing Can Tap**

SKU **213178** 24553


R134a **Can Tap Valve** SKU **466315**

24524



OEM TOOLS

4-Way Side Can Tap SKU **1103203** FJC6842



- and Oil Change Cans
- Fits Cans with 2-7/8", 2-1/2" and 2" Diameter
- Includes: 1/2" ACME LH, 1/2" ACME and 1/4" Flare Male Fitting with Check Valve



Refrigerant and Oil Charge Side Can Tap

SKU **466313** 24523

- Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip with Positive Lock
- Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



3-In-1 Side Mount Can Tap Valve

SKU **290033** MSC85530

- Unique Design will Work on All R134a (2-7/8") R12 (2-1/2") and Oil Charge (2") Cans
- Outlet Port Offers a 1/2" ACME and 1/2" FL Fitting with an Internal Check Valve to Prevent System Backflow



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Electronic Leak Detection

A/C Refrigerant Leak Detector

SKU **466307** 24510

- Detects All Types of Halogenated Refrigerants
 Sensitive to 0.1 Oz. per Year Single Color LED Display with 7 Level Leak Alarm
- · Flexible Stainless Steel Probe to Reach Almost Any Space
- Includes Spare Sensor Tip
- Works with 1234yf

Raptor Refrigerant Leak Detector SKU **916550**

MSC56100

- Features 3 Sensitivity Levels and 5 Detection Levels
- Detects Leaks as Small as 1/10 Oz. per Year
- Detects All Refrigerants (CFC, HCFC, HFC)
- Flexible 16" Probe for Hard-to-Reach Areas
- · Works with 1234yf







Black Series Infrared Refrigerant Leak Detector

SKU OUTSIDE BUY/EPO MSC55600-A

- · Easily Select Sensitivity Levels with a Maximum Sensitivity Up to 0.14 Oz./Yr.
- TFT Screen Provides Clear and Easy Readings That Show Leakage, Sensitivity, Battery Level and Sensor Fault Indicators
- Designed to Meet EN14624, SAE1627, SAE2791 and SAE2913 Standards

For Outside Buy/EPO. Call 901-300-4878



Mastercool.

▼ Mastercool∴

Inspector 2-in-1 Electronic/UV Leak Detector SKU **916553**

MSC56200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) Per Year
- Built-In Ultra-Bright UV Light at End of Probe Allowing Easy Access into Tight Areas
- Works with 1234vf

OEM TOOLS



Manifold Gauge Repair

OEM TOOLS

Replacement Gauge High Side for A/C Manifold

SKU **481705 1099** 24530

- Replacement High Side Gauge Fits 0EMT00LS® and Other Brands of A/C Manifolds Used to Service A/C Systems on Cars
- 1/8" NPTF Male Threads

· Reads 0 to 500 psi



Replacement Gauge Low Side for A/C Manifold SKU **481709** 24531

• Reads 0 to 120 psi and 0 to 30" Hg



RI34a/RI2 Charging Hose Repair Kit

SKU **295557** MSC91334-A

• 50 Piece Assortment of Replacement Gaskets, 0-Rings, Depressors for Charging Hoses and Adapters



A/C Manifold Upgrade Kit

SKU **1043688**

68903

• Includes: 3-in-1 Side Mount Can Tap Valve, R134a Manual Coupler Set, 1234yf Self Sealing Can Tap, 1/2" ACME Hose Set 72". R134a to



R1234vf Manifold/Hose **Adapter Assortment**

SKU **1142732 1099** 25091



- Includes: 1/2" LH ACME Female x 1/4" Male Flare, 1/2" ACME Male x M12 x 1.5 Male, 1/2" ACME Female x M12 x 1.5 Female, 1/4" Male Flare x M12 x 1.5 Male, 1/2" LH ACME Female x M14 QDK, 1/2" LH ACME Male x 1/4" Female Flare
- Includes Organizer Case with I.D. Labels







OEM TOOLS

OEM TOOLS

72 Pc. Valve and Gasket Set SKU OUTSIDE BUY/EPO 14 99

• Includes: 50 Common Gaskets for 134a Hoses and Manifold Sets. 10 Replacement Valves and 10 Replacement Valve Cores

• Includes: Valve Core Replacement and Installation Tool and Organizer Case



For Outside Buy/EPO, Call 901-300-4878

Hoses

R1234yf 72" Hose Set

SKU **1142322** MSC83372

• Working Pressure: 800 psi

- Burst Pressure: 4,000 psi
- For Use with R1234vf
- Meets J2888, EPA, SAE and UL Standards
- Includes: 1 ea. Blue/Red 72" 12 mm-M x 12 mm-M and Yellow 72" 12 mm Fitting x 1/2 x 16 ACME LH

96" R134a Red Hose

SKU **489152**

MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"

96" R134a Blue Hose

SKU **489151** MSC84961

1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"

96" 2 Pc. 1234vf **Recovery Hose Set**

SKU **85829** 25010



OEM TOOLS

• Includes 96" Set Blue/Red 12 mm-M x 12 mm-M

72" R1234vf Hoses SKU **85803**

3499 25009



• Includes: (2) 72" High/Low Charging Hoses with 12 mm Male Fittings and 72" Charging Hose with 12 mm and 1/2" x 16" Left Hand Acme Fitting

• Meets or Exceeds SAE J2888 Standards

Meets or Exceeds SAE J2888 Standards

72" R134a Hose Set SKU **752516**

• 72" R134a 3 Hose

24558

• Set Color Coded: Red, Yellow and Blue

72" 1/4" Hose Set

SKU **752515 7999** 24557

- 72", 1/4" SAE 3 Hose
- · Color Coded: Red, Yellow and Blue





A/C Couplers

R134a Manual Coupler Set

SKU **362980** 24396

- All Metal Construction for Extra Durability
- 6-Ball Coupler for Secure Grip
- Includes: Adapter for Use with R12 Hoses



OEM TOOLS

R134a High Side **Manual Coupler**

SKU **347267** 24395

R134a Low Side **Manual Coupler**

SKU **347266** 24394

Manual R134a Safety Lock Coupler

- **▼** Mastercool[®]
- Suitable for Use On All R134a Systems
- Safety Lock Ensures That Hose Remains Connected During Operation
- Meets All SAE, UL and EPA Requirements for Containment of Refrigerant

High-Side. 1/4" FL-M x 16 mm

SKU **695636** MSC82834-SLE **39**

Low-Side, 3/8" FL-M x 13 mm

SKU **695637** MSC82934-SLE

1234yf Manual Coupler Set with 134a Hose Adapters and Acme Adapter SKU OUTSIDE BUY/EPO 3999

25093

- . Couplers Have 12 mm F Threads to Connect to 1234yf Hose Connections
- Two 12 mm M to 14 mm F Brass Adapters Included for Use with 134a Hoses
- Includes: 1/2" M to 1/2" F Left Hand Acme Adapter



OEM TOOLS

R1234vf High-Side **Coupler and Adapter Set** SKU **OUTSIDE BUY/EPO** 25094

Coupler and Adapter Set SKU **OUTSIDE BUY/EPO** 25095

R1234yf Low-Side

For Outside Buy/EPO, Call 901-300-4878

Conversion Coupler

Set R134a to R1234yf SKU **752527** 24561

- 1234yf Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to R1234yf
- Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter





R134a Refrigerant Tank Adapter

SKU **850565** 24554

- Male Low-Side R134a to Female 1/2" ACME
- Attaches to Virgin Tank and Low-Side Service Coupler



R1234yf Low Side Tank Adapter Assembly SKU **1103204**

25086

- · Used to Fill Refrigerant from R1234yf Cylinders
- · Attaches to Virgin Tank and Low Side Service Coupler
- This Fitting Does Not Have a Valve Core or Valve Core Depressor

✓ Mastercool[®]



SKU **600806** 24509

• 1/4" SAE x 1/2" ACME Female LH Thread



✓ Mastercool:

Valve Core Tools

OEM TOOLS

A/C Valve **Core Tool**

SKU **466314 4999** 24555

• Double Ended Valve Core Tool to Service Both Standard and Large Bore R134a and R12 Cores



SKU **466321** 24529

- · Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant
- Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports
- Includes Blow Mold Case



Universal Valve Core Remover/Installer for R1234yf

SKU **1043686** MSC58490-YF



- Ball Valve Design with Stainless Steel Ball Provides Smooth Movement and Durability
- Kit Covers 17 mm and 14 mm High and Low Side Service Ports
- Includes: Valve Assembly, High Side 17 mm Connector, Low Side 14 mm Connector, Standard Valve Core Shaft, GM Large Bore Valve Core Shaft and Eaton R134a/ R1234yf High Side Valve Core Shaft



Universal Valve Core Remover/Installer for R134a/R12

SKU **1142576**

MSC58490 • Kit Covers All R12 and R134a System Valve Cores

- for Standard, JRA, Eaton and GM Large Bore • Includes: Valve Assembly, R134a High Side 16 mm Connector, R134a Low Side 13 mm Connector, 1/4" FL Swivel Connector, Adapter 1/4"-M x
- 3/16"-F High Side GM/Ford, Adapter 1/4"-M x 1/8"-F High Side Ford and Blow Mold Case



A/C Service Tools

A/C Condenser Fin Comb Straightener/Cleaner

24526

20



- · Clean and Straighten Condenser and **Evaporator Coils**
- . Compact Design for Confined Spaces

• 6 Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch



Valve Core Tool Set (2 Piece)

SKU **1209377** 22589

· Designed for Removal and Installation of Schrader Style Valve Cores



A/C Clutch Holding Tool

SKU **1392339** 26550



- · Adjustable Pins to Fit Various Compressor Clutches
- Compatible with Domestic and Import Vehicles








A/C Clutch Hub **Puller and Installer**

SKU 1103539 37150



• Includes: Orifice Tube Extractor Tool Set



VALUE: \$29.99

26 Piece Master Orifice Tube Assortment

24564

With Purchase of: 37150

Offer Good While Supplies Last Through June 30, 2025





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

SpotGun® Jr.

SpotGun[®] Jr. Univ. Oil/UV Dye Kit for R134a/R1234yf - 1 Oz.

SKU **1368623 UVU390100**

199⁹⁹

- Works with Both R134a and R1234Yf Refrigerant Systems
- 4 Universal Oil Cartridges (1 Oz.)
- 2 ExtenDye[™] Cartridges (1 Oz.)
- 2 LeakGuard[™] OneShot Cartridges (1 Oz.)
- 2 Low-Side Service Adapter Hoses and R134a/R1234vf Couplers



SpotGun[®] Jr. Univ. Oil/UV Dye Kit for R134a/R1234yf -

1 **Oz. with UV Lite** SKU **1400039**

UVU390200

25499

- Works with Both R134a and R1234Yf Refrigerant Systems
- Includes UV Phazer (AAA) UV Lite and UV Enhancing Glasses
- 4 Universal A/C Oil (1 Oz.)
- 2 ExtenDye[™] Cartridges (1 Oz.)
- 2 LeakGuard[™] OneShot Cartridges (1 Oz.)



A/C ExtenDye[™] Cartridge

- SAE J2297 Certified Super Concentrated UV Dye
- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and Decrease Friction
- Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance
- · Works with SpotGun® Jr. Injection System

A/C ExtenDye™ Cartridge 1 Oz. (4 Pack)

SKU **1362004 UVU399020A 54 99**



A/C ExtenDye™ Cartridge .25 Oz. (6 Pack)

ŠKU OUTŠIDE BUY/EPO UVU399006A

5499



Universal PAG 46 Oil for R134a 10z. Cartridge (12 Pack)

SKU **1407808 84 99 UVU399046**

- OEM Approved
- Works with SpotGun® Jr. Injection System
- Formulated to Work with R1234yf, R134a and Hybrid Safe
- Sealed Cartridge Assures Clean Oil Delivered to Vehicle A/C System
- Injection System Measures the Correct Dosage



Universal PAG 46 Oil R1234yf -1 Oz. Cartridge (4 Pack)

SKU OUTSIDE BUY/EPO UVU399046YF

4999

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

SpotGun®

SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf - 8 Oz. without UV Lite

SKU OUTSIDE BUY/EPO UVU490100

169⁹⁹

- Works with Both R134a and R1234Yf Refrigerant Systems
- 1 Universal Oil Cartridge (8 Oz.)
 1 ExtenDye™ Cartridge (8 Oz.)
- Service Maintenance Stickers
 2 Low-Side Service Adapter Hoses and R134a/ R1234yf Couplers



SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf - 8 Oz. with UV Lite

SKU OUTSIDE BUY/EPO UVU490200

224⁹⁹

- Works with Both R134a and R1234Yf Refrigerant Systems
- 1 Universal Oil Cartridge (8 Oz.)
- 1 ExtenDye™ Cartridge (8 Oz.)
- UV Phazer™ Black (AAA Batteries Included) UV Enhancing Glasses



Wiew.

A/C ExtenDye™ Cartridge - 8 Oz. SKU OUTSIDE BUY/EPO

UVU499108A

69⁹⁹

- Works in R134a, R1234yf Systems and is Hybrid Safe
 Contains Friction Modifier
- Contains Antioxidant to
 Prolong Oil Life
- Fits Competitive Guns



Mastercool

Professional UV Leak Detection Kit with 12V/50W UV Light

SKU **290041 MSC53351**

99⁹⁹

- 12 Volt/50 Watt UV Leak Detector
- 1 Oz. Coolant Dye, 1 Oz. Oil/ATF/Fuel Dve. Dve Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels



Universal Concentrated Dye Cartridge 1 Oz. (5 Pack)

SKU **505040 MSC53810-5**

9999

- 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle





Rechargeable UV Flashlight SKU OUTSIDE BUY/EPO 999

MSC53518UV



- High-Intensity LED Ensures Superior Illumination for Accurate Leak Detection
- 2W Lamp Power: Provides Powerful Performance In a Compact Design
- UV Intensity: 154-170 μW/cm², Comparable to a 50-Watt UV Flashlight

• UV Wavelength: Operates At 390-400 Nm for Optimal Detection

· Rechargeable Battery: Delivers 3 to 5 Hours of Continuous Use

• Backup Power Option: Includes Holder and 3 AAA Batteries

For Outside Buy/EPO, Call 901-300-4878



UV Phazer Professional 395nm Leak Detection Light

- Adjustable Zoom Lens Allows for Focusing Light Intensity In a Smaller/Larger Area for Precision Viewing
- · Rechargeable Li-ion Battery

Black

SKU 1405963 UVUEW40395

- High Output True UV LED Light
- Precise, True UV Wavelength and Bandwidth to Optimize the Fluorescence of UV Dyes
- . Max. Run Time: 4 Hrs.



SKU 1400042 UVUEW50395

- UV Dye Shines Brighter with the Phazer Neo Than Any Other UV Light
- Water Résistant
- Max. Run Time: 5 Hrs.



UV Leak Detection Light and Glasses

SKU **213144** 24516

1999

- . Compact UV Leak Detection Pen Light
- Can Be Used with All Types of UV Leak **Detection Dyes**
- Yellow Lens Protective Glasses Enhance Visibility of Leaks





2 AA

Magnifying Glass with 5 LED and 1 UV Light

SKU **191688**

. Compact Magnifier with 5 LED Lights and a Super Bright UV Light

UV Light Detects Dyes



OEM TOOLS

Refillable Injectors

OEM TOOLS

In-Line Dye and Oil Injector SKU **466322 39**99 24532

- Add Up to 2 Oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant
- 1/2" ACME Fittings to Fit Most R134a Systems
- Use with UVU499008A A/C ExtenDye[™] Bottle (8 Oz.)



OEM TOOLS

R12 and R134a **Hand Turn Dye Injector**

SKU **466320** 24528



- . Injects Dye or Oil into R12 or R134a Systems
- · Refillable, Capacity: 2 Oz.
- Includes: R134a Quick Coupler
- Use with UVU499008A A/C ExtenDye[™] Bottle (8 Oz.)



Pourable Dyes

25465

A/C ExtenDye™ Bottle - 8 Oz. SKU **OUTSIDE BUY/EPO** UVU499008A

• SAE J2297 Certified Super Concentrated UV Dye

- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and Decrease Friction
- . Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance

For Outside Buy/EPO, Call 901-300-4878



OEM TOOLS R1234yf Hand Turn

SKU **213158** 24517

RA 99

- Easy to Operate Hand Turn Injection
- Durable Aluminum Construction with Laser Etched Filling Guide

Oil and Dye Injector

- Includes R1234yf System Coupler
- 2 Oz. (60 mL) Capacity
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



Refillable Universal Dye Injector for R1234yf

MSC53123-YF **149**99 SKU **764999**

- · Refillable, Any Dye or Oil Can Be Used
- · Easy Twist Injection System
- Precise Injection Control



✓ Mastercool

PAG 100 Oil with A/C ExtenDye™ 8 Oz. Bottle (4 Pack)

• Pinpoint Leaks in Engine Oil, Transmission,

Hydraulic, Power Steering, Gasoline and

SKU OUTSIDE BUY/EPO UVU488100PBD4

Multi-Purpose Dye SKU **1392316** UVUB483206

Diesel Fuel Systems

- PAG 100 0il
- Contains ExtenDve for Leak Detection
- A/C ExtenDye Includes Additive Package to Reduce Wear
- A/C ExtenDye Will Extend Component Life and Improve A/C Efficiency
- Formulated to Have the Correct Dye/Oil Performance

For Outside Buy/EPO, Call 901-300-4878



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Orifice Tube

OEM TOOLS

26 Piece Master Orifice Tube Assortment

SKU **851868** 24564

- Covers Most Vehicles That Require Air **Conditioning Orifice Tubes**
- Includes: Chrysler (Orange, Purple T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow), Jeep (Green - White) and Volvo (Yellow)



A/C O-Ring Assortment

270 Piece A/C **0-Ring Kit**

SKU **271196** 68141

OEM TOOLS

· Great O-Ring Set for Most Automotive and Refrigerant Applications



Kit Contains 270 O-Rings in a Variety of SAE Sizes



✓ Mastercool≗

⋘ Mastercool≗



Digital Scales

Digital Refrigerant Scale (240 Lb. Capacity)

SKU **752521** 24560

- High-Visibility .75" x 2.5" LCD Backlit Display • 3 Units of Measure: Kg/Oz./Lb.
- · Automatic Shut-Off After 10 Minutes, Backlight Will Shut Off After 3 Minutes
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product in or Out of the Protective Case



Black Series Electronic Charging Scale with Bluetooth

SKU **290029** MSC98210-BL

- Includes Bluetooth Wireless Technology
- · Capacity: 243 Lb.
- Accuracy: ≤±0.05% of Reading
- Resolution:
- 0.05 Lb./0.5 Oz./0.01 kg
- · Rugged, Non-Slip Platform



A/C Flush

A/C Flush Machine SKU OUTSIDE BUY/EPO CPSAFM100

- Air Operated 8' Hoses to Reach Any System
- · Forward or Reverse Flush without Changing Hoses
- 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
- · Universal Couplers Allows Connection to Most Types of Connections
- · Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter



For Outside Buy/EPO, Call 901-300-4878

MASTERCLEANSE A/C Flush Machine

SKU OUTSIDE BUY/EPO MSC69900

- Designed to Flush All HVAC/R and Automotive Systems
- Pump Power: 0.4 HP; Flow Rate: 4 Gal/Min.
- · Stainless Steel Ball Valve Controls
- 1/4" SAE Connection
- Pump Equipped with Mechanical Seal and PTFE Gasket
- 110 VAC

For Outside Buy/EPO, Call 901-300-4878

Adapter Kit

SKU **481575** MSC69925

- · Isolates A/C System Components for Closed Loop Flushing
- · Flush Individual Components without Removing Them from the Vehicle
- Install Adapters on A/C Line Ends to Allow Attachment of Flushing Equipment



A/C Flush Kit

SKU **1103579**

- Uses Shop Air to Pressurize the Solvent to Thoroughly Clean the System
- Simple, Effective and Easy to Use
- Attached Nozzle Directs the Solvent without Sprayback
- · Includes: Canister, Hose, Blowgun, Rubber Tip and Cylinder Cap
- Solvent Purchased Separately

A/C Flush Solvent

Bottle (32 Oz.)

SKU **695650** MSC91049-32

1 Gallon

SKU **695653** MSC91049-128


MSC91049-32







MSC91049-128



OEM TOOLS

A/C Hose and Line Repair

OEM TOOLS

Heavy Duty Ratcheting Hose Cutter SKU **466311**

24522

- · Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts
- · Ratcheting Action Makes it Faster and Easier to Use than Other Cutters
- · Cuts Rubber Hose and PVC Up to 1-1/2" OD
- · Wide Hooked Jaws Hold **Tubing Securely**



OEM TOOLS

Ratcheting Tubing Cutter

SKU **466309** 24520

- · Ratcheting Action is Ideal Where Space is Limited
- Cuts 1/4" to 7/8" Tubing
- Spare Cutting Wheel Included



▼ Mastercool:

Thermometers

Thermal Imaging Camera

SKU **213193** 24552

- Temperature Range: -4°F to 1,202°F (-20°C to 650°C), Selectable Temperature
- · Captures Thermal Images and Saves to MicroSD Card (Not Included)
- 3 Selectable Color Palettes
- 1.8" LCD Color Display
- Includes Storage Pouch and Mini USB Cable



OEM TOOLS

Hand-Held Hydraulic Crimper Kit for A/C Hoses

SKU **OUTSIDE BUY/EPO** FJC2806



- Includes Complete Set of Dies
- For Hose Sizes: #6, #8, #10, #12 and Reduced Barrier Hose Sizes
- Hand-Held, Hydraulic Tool Ideal for Shop and Field Applications

 Custom-Molded **Protective Case**



For Outside Buy/EPO, Call 901-300-4878

Manual Style A/C Hose Crimper. **Bench or Vise Mounted**

SKU **290028** MSC71550

- Manual Style A/C Hose Crimper
- Mount to Bench Using Holding Fixture or Place in Vise
- Includes: 71500 001 Yoke Assembly, 71550 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die Set - #6 (5/16"), 71500 - 8 Die Set - #8 (13/32"),

71500 - 10 Die Set - #10 (1/2"), 71500 - 12 Die Set - #12 (5/8") and 71500-PB Custom Mold Box Carrying Case



Non-Contact Infrared Thermometer

SKU **951642** 25245

- Point-and-Click Non-Contact Thermometer Uses a Laser Pointer to Give Precise Temperature Readings Ranging from -58°F to 716°F (-50°C to 380°C)
- Laser Pointer Identifies the Spot to Be Measured and Provides Accurate Temperature Measurements from a 12:1 Distance-to-Spot Ratio (Emissivity 0.95 Preset)
- Lightweight and Easy to Operate with an LCD
 Backlit Display That Makes it Effective Even in Low **Light Situations**
- Auto Power-Off Feature Conserves Battery Power by Shutting Thermometer Off After 7 Seconds of Non-Use
- · 9V Battery Included (Typical Battery Life: 22 Hours in Non-Laser Mode, 12 Hours in Laser Mode)



AIRSEPT

AirSept® Line Repair

SAVE TIME & MONEY!

FIX or TERMINATE a Line in 5 MINUTES!



AIR76526 • Quickly and Effectively Blocks A/C Lines at the Damage Point or at

the Front System "Y" Block Off Leaking Rear **Evaporators and Failed** System Components

 Include One Each: 5/16" 3/8",1/2", 5/8" and 3/4" SAE Kits



Line Terminator SAE/Metric (10 Pack)

SKU **504124** AIR76530

• Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"

 Block Off Leaking Rear Evaporators and Failed System Components

 Includes One Each: 5/16". 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm



CERTIFIED .eak-free

UP TO 2,600 psi

OE-APPROVED REPAIR SOLUTION INSTALLS IN MINUTES, NO SPECIAL TOOLS, NO GLUE

Line Splice Straight SAE/Metric (10 Pack) SKU **504103 284 99**

AIR76051

• Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm,

12 mm, 15 mm and 16 mm



Line Terminator Rear A/C Blockoff Kits

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- . Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines



SKU	Part #	Size	Price
504149	AIR76502	3/8" Line	26.99
504146	AIR76501	1/2" Line	26.99
504150	AIR76503	5/16" Line	26.99
504152	AIR76504	5/8" Line	30.99
504154	AIR76505	3/4" Line	35.99
329221	AIR77508	8 mm OD Line	26.99
329219	AIR77510	10 mm OD Line	26.99
329231	AIR77515	15 mm OD Line	30.99
329230	AIR77516	16 mm OD Line	30.99

Line Splice Straight Repair Kit

- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough Automotive Applications
- . HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- . Burst Tested to 2,600 psi



SKU	Part #	Size	Price
504140	AIR76003	5/16" Line	<i>35.99</i>
504138	AIR76002	3/8" Line	<i>35.99</i>
504136	AIR76001	1/2" Line	35.99
504143	AIR76011	5/8" Line	44.99
504132	AIR77008	8 mm Line	35.99
504155	AIR77010	10 mm Line	35.99

Smart Splice[™] Line to Hose

- Leak-Proof Line Splice[™] Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Also Works for Heater and Coolant Lines
- Install in 5 Minutes



SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	<i>35.99</i>
504128	AIR76702	3/8" Line to #6 Hose	35.99
OSB/EPO	AIR76704	5/8" Line to #10 Hose	44.99

For Outside Buv/EPO. Call 901-300-4878

ALLDATA Diagnostics®

Your all-in-one scan tool solution with the power of ALLDATA built in

Turns any tablet into a pro-level scan tool

Includes VCI hardware PLUS unlimited scans

Seamless access to ALLDATA's #1 repair info

Do quick vehicle scans from your phone

SEE IT IN ACTION (888) 726-3211

ALLDATA.com

ALLDATA

AUTOMOTIVE INTELLIGENCE®

©2025 ALLDATA LLC. ALLDATA, Automotive Intelligence, ALLDATA Repair, ALLDATA Collision, ALLDATA Diagnostics, ALLDATA Shop Manager, ALLDATA Tech-Assist and ALLDATA Mobile are registered trademarks and ALLDATA Manage and ALLDATA Community are marks of ALLDATA LLC. AutoZone is a registered trademark of AutoZone IP LLC. All other marks are property of their respective owners.

TopDon

6" Bluetooth Scan Tool with Service Functions & CAN-FD

SKU **OUTSIDE BUY/EPO** TPDAD800BT2

- **399**99
- FCA SGW Support
- 28+ Special Services for Your Productive Days
- · Wider Coverage, Faster Solutions
- . Cut the Cord, Work Without Limits
- All Systems Covered, All Issues Addressed
- Real-Time Performance Tracking with Live Data
- Effortless Organization, Ergonomic Excellence
- . Identify, Record, and Share with Ease
- . Take Advantage of the Feedback Feature to Communicate Any Issues You Encounter



For Outside Buy/EPO, Call 901-300-4878

T-Ninja Pro Key Programming Via OBD2

SKU 1340225 **TPDNINJAPRO**

- · Pin Reading and Key Learning
- Remote Control Learning
- Deletes Keys
- All Keys Lost
- · Reads and Clears Fault Codes
- Supports Wireless and Wired **Dual Connectivity**



TOPDON®

Phoenix Smart Diagnostic System

SKU **1331482** TPDPXSMART

- · Android Based OE-Level Coverage
- 10.1" HD Touch Screen
- TOPOLOGY Feature for **Enhanced Diagnostics**
- SmartLink VCl -Adds CanFD, DolP, J2534, RP1210
- · Codes/Data/Bi-Directional/ Special Functions/Coding/ **Programming**



Phoenix Max Diagnostic System SKU **1331492 TPDPXMAX**

• Includes A 4-Channel Oscilloscope

- Supports Cloud-Based Programming For 9+ Brands, Including: Mercedes-Benz, BMW, Audi, Volkswagen/ Skoda/Seat, Porsche, Jaguar/Land Rover, Nissan, Subaru and Renault
- . Supports 9V to 24V Vehicle Models, Configuring Both Passenger Cars and Heavy Trucks
- Heavy Duty Housing with IP65 Standards
- Auto VIN Technology Automatically Uses the Right
- Diagnostic Software After Identifying the Vehicle Through Its VIN



UltraDiag 2-in-1 Diagnostic Scanner and Key Programmer

SKU **1368629 TPDULTRADIAG**

- Full-System Diagnostics
- 8 Reset Functions: Oil, Throttle Adaptation, EPB, Steering Angle,
- DPF Regeneration, ABS Bleeding, BMS and Airbag

 Key Programming Functions: Number of Keys, PIN Reading, Key Learning, Remote Control Learning, Delete Keys and All Keys Lost



Transponder and Remote Tester Tool

SKU OUTSIDE BUY/EPO **TPDT-DARTS**

- · Allows Either USB or Battery **Powered Function**
- Supports Transponder Chips
- Supports 100+ Transponder Chips
- Includes: Quick Guide and a USB Type-C Cable



For Outside Buv/EPO. Call 901-300-4878

5" Thermal Imaging Camera Tablet SKU **OUTSIDE BUY/EPO** TPDTC003

- · Superior Image Quality with an IR Resolution of 256 x 192
- . Highly Accurate Temperature Readings
- · Expanded Capabilities with OTG Functionality
- Optimized Testing Range



For Outside Buy/EPO, Call 901-300-4878

SHARED SERVICE FUNCTIONS

Oil Reset

EPB - Electronic Parking Brake BMS - Battery Management System SAS - Steering Angle Sensor Immo Keys - Immobilizer & Keys Brake Bleed

DPF - Diesel Particulate Filter

Injector Suspension Throttle ABS/SRS VGT Learn

Relative Compression Window / Door / Roof Seats

Odometer MaxiCheck® MX900 SKU 1369200 **\$505**00 Part #MX900

Language Change Headlamn **CHG Tire Size** Speed & PTO Cylinder Trans Adaption Airbag Reset Clutch A/F Setting **Resolver Sensor Calibration Automatic Start/Stop Electronic Water Pump Start** FGR

Transport Mode **HV Battery**

ACC A/C Rain/Light Sensor **Reset Control Unit** CCS/ACC VIN Coolant/Refrigerant Change **Sunroof Initialization TEC** learn HV De-energization/Energization All System Auto-Scan

FRM Reset

MaxiTPMS® TS900 SKU 1337325 **\$795**00 Part #T\$900



	MAXICHECK MX900	MAXITPMS TS900
OPERATING SYSTEM	ANDROID 11	ANDROID 11
SOFTWARE UPDATES	1 YEAR FREE	1 YEAR FREE
AUTOMATIC DETECTIONS	AUTO-VIN/SCANVIN	AUTO-VIN/SCANVIN
VEHICLE COVERAGE	US, ASIAN & EUROPEAN 1996 & NEW	US, ASIAN & EUROPEAN 1996 & NEW
OBDII TEST MODES	PERFORM BI-DIRECTIONAL ACTIVE TESTS AND SPECIAL FUNCTIONS	PERFORM BI-DIRECTIONAL ACTIVE TESTS AND SPECIAL FUNCTIONS
DIAGNOSTICS & SERVICE	ALL SYSTEMS / 40+ SERVICES	ALL SYSTEMS / 40+ SERVICES
VEHICLE CONNECTIVITY	CORDED	BLUETOOTH VCI
TPMS DIAGNOSTICS	-	INCLUDED WITH ENHANCED TPMS STATUS SCREEN
TPMS SENSOR Compatibility	-	AUTEL BLE SENSOR FOR TESLA + program autel MX-sensor 1-sensors

CALL YOUR COMMERCIAL SALES MANAGER FOR CURRENT DEALS & ORDERING

AUTEL

REDLIN

DIAGNOSTICS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Smoke Leak Detectors

ReadySmoke™ Leak Detector SKU **OUTSIDE BUY/EPO**

RED95-0400

- Pinpoint Intake, Exhaust and Other EVAP Leaks In Minutes
- Flow Meter Identifies Minute Leaks at and Below .010" in Diameter
- Easy Fill Dipstick Style Fluid Port
- Includes: (2) 2 Oz. OEM-Approved Vapor Producing Fluid, EVAP Service Tool Kit, Halogen Inspection Light, Cap Plug Kit, Standard Cone Adapter and Storage Case





REDLINE

For Outside Buy/EPO, Call 901-300-4878

Smoke Pro Air™

SKU **1340239** RED95-0075



- Features an Onboard Micro Air Compressor for Total Portability and Includes All Needed Accessories
- Uses OEM-Approved Fluid to Produce a Visual Vapor That is Free of Dyes and Contaminants
- Detects Leaks as Small as 0.010" and Performs Air Leak Decay Test



Smoke Pro® Total-Tech®

SKU OUTSIDE BUY/EPO RED95-0003C

- · Find ALL Types of Leaks
- Greatly Reduce Diagnostic Time
- One Simple Connection Diagnoses an Entire System in Seconds
- . Eliminate Comebacks by Verifying That Leaks are Completely Repaired
- Includes Easy INTAKE

Warranty: 2 Years For Outside Buy/EPO, Call 901-300-4878











SKU **598274** 24536

- · Conforms to Any Shape
- Intake/Exhaust: Square. Round. Oval or Rectangular
- Works with Most Automobiles and Light, Medium and Heavy Duty Trucks
- · Replacement Bladder Available

Use with All Smoke Machines



OEM TOOLS

EasyConnect® Test Kit

SKU **1189091**

REDLINE

RED96-0190

- Forms a Complete Seal for Effective Leak **Testing without Disturbing Other Components**
- Comes in a Compact and Durable Storage Case
- Compatible with Any Smoke Machine . Includes: 4 Different Sized Adapters with
- 4 Add-On Components



Easy INTAKE™ SKU **696477** RED95-0082

- Compatible with Any Smoke Machine
- · Block Off Bladder Conforms to Any Shape Intake/Exhaust





Fluid (8 Oz.) SKU **802333** RED96-0039

> · Contains No Dye or Other Contaminants

Smoke Producing

· Works in Most EVAP **Smoke Machines**





EasyEVAP™ Universal Filler Neck Connector

SKU **343405** RED95-0030

- . Compatible with Any Smoke Machine and Removes Cleanly from the Gas Cap
- · Essential Tool for Late Model Cars with Fuel Tank Rollover Valves



✓ Mastercool:


Digital Dual Smoke Machine SKU OUTSIDE BUY/EPO MSC43066

- High-Precision Gas Pressure Sensor **Ensures Accurate Data**
- 3 Built-In High-Power Air Pumps, Offers Faster and Thicker Smoke Generation
- Pressure Regulated at 0.44-0.5 psi for Safe EVAP Testing, Maximum Out 20 psi for High Pressure Testing
 • Accessories Include: Full Set of Block
- Off Caps, Schrader Valve Remover/ Installer, Service Port Adapter Hose, 2 Oz. Smoke Producing Fluid and Bladder for Intake Testing





Evap Diagnostic Smoke Machine SKU **OUTSIDE BUY/EPO** MSC43060EV



- Pressure Decay Gauge 0-30" H20 (70 mbar)
- Flow Meter:
- 0 to 0.040" (0 to 1.0 mm) Input Pressure:
- Max. 100 psi (8.2 bar)
- Built-In Pressure Regulated at 0.5 psi



For Outside Buy/EPO, Call 901-300-4878

For Outside Buy/EPO,

AZG0225

Diagnostic

Compression Tester Gauge Set

SKU **1103601** 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determine Engine Mechanical Condition



Exhaust Back Pressure Tester/Gauge

SKU **1103604** 37263

- Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- Test for Restricted Exhaust Systems



8 Piece Noid Light Set SKU **1103589**

- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2
- See-Through Design to Check Electrical Pulses



Oil Pressure Gauge Set

SKU **347229** 27262

37161

- For Use on Diesel and Gasoline Engines
- Includes Standard and Metric Adapters Found on Most Cars and Trucks
- 2-1/2" Easy-to-Read Gauge with Protective Boot
- Range: 0-100 psi, 0 to 7 Bar



OEM TOOLS

Automotive Tune-Up and **Brake Bleed Kit**

SKU **466495** 25138

- · Useful for a Wide Range of Fluid Extraction and Diagnostic Tasks
- · Allows a Single Person to Bleed Brake Fluid
- lace Automotive Systems Under Vacuum to Check for Leaks
- Includes Hoses, Adapters and Translucent Collection Cup





MaxiSYS® DIAGNOSTIC SOLUTIONS

- Most comprehensive vehicle coverage in aftermarket scan tool
- Dynamic topology module mapping for supported vehicles
- Octacore processor and 128GB-256GB memory
- Advanced VCMI including 4-channel scope on MSULTRA and MS919
- Programming and flashing with included J2534 pass-through box (with OE subscription)
- · Remote Expert allows for remote programming, flashing, and reporting capabilities



MaxiSYS® MSULTRA

SKU 1092018 Part #MSULTRA \$5,69500

MaxiSYS® MS919 SKU 1093326 Part #MS919 \$4,74500

MaxiSYS® MS909 SKU 1094086 Part #MS909 \$3,79500

REMOTE EXPERT ACCESS

PROGRAMMING/FLASHING

COLOR CODED MODULE TOPOLOGY

SPLIT SCREEN FUNCTION

VCMI 5-IN-ONE DEVICE /CI, OSCILLOSCOPE, MULTIMETER WAY GENERATOR, CAN BUS CHECI

MaxiSYS® \$6,19500 SKU 1267097 Part #MSIII TRAFV

Maxi⁹ MS90 **SKU 126**

•

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
SYS® \$4,29500 17098 Part #MS909EV	




MaxiVIDE0® MV480 SKU 1137680 Part #MV480 \$35500

- Record/Playback Images & Videos
- 4.1" Color LCD Display
- . Dual Front and Side Cameras for Wider Viewing Angle

AutoLINK® AL549 SKU 789375 Part #AL549 \$6900

. Universal OBD II and ABS Code Reader

- Read & Erase Codes, View Freeze Frame and Live Data
- . Supports all 10 Modes of OBD II
- . Compatible with U.S., Asian, and European vehicles, 1996 & Newer



AutoLINK® AP2500 SKU 1414288 **\$65**00 Part #AP2500

- Read/erase codes, view Freeze Frame & Live Data, perform Emissions test
- Includes Bluetooth dongle for vehicle connection.
 Download FREE MaxiAP Diag app
- · Vehicle health check includes engine oil life, average fuel consumption, and brake pad life.
- All Systems diagnostics on first vehicle brand.
- Additional coverage can be added with in-APP purchase.



MaxiVIDEO® MV460 SKU 1089243

• 3.5" Color LCD Display

Part #MV460 **\$255**00

- Read/Erase Engine DTCs
- One-Touch I/M Readiness /LFD Indicator
- Display Live & Freeze Frame Data





MaxiSYS® MS909CV Part #MS909CV \$5,45000

• For Class 1-8 Commercial Vehicles

& Agricultural Vehicles

- . Topology Mapping on Select Models • Engine Coverage for Construction
- NEW MaxiSYS® MS906 MAX
- SKU 1507706 Part #MS906MAX **\$1,595**00 • 10.1-inch professional diagnostics and service tablet
- Perform all-systems diagnostics Bi-directional Active Tests and

Special Functions



MaxiCheck® MX900 SKU 1369200 **\$505**00 Part #MX900

- Read & Erase Codes
- Bidirectional Active Tests and Special Functions
- 40+ Function Service Menu



MS919

•

•

UITRA

•

MS909

- IMMO and Key Programming Bundle
- Program IMMO & Keys for U.S., Asian & European Vehicles
- IM608PROII Tablet, XP400Pro, Wireless JVCI, IMKPA Key Programming Adapter Kit





- Fast and Portable IMMO & **Key Programming Tablet**
- Includes the XP200 Key Programmer







- touchscreen tablet with 2 IKEYS
- Program Autel's IKEY universal keys as smart key replacement for 3,000+ vehicles
- One-minute Key generation, Easy key button customization







TEXA

Axone Light Car Diagnostic Kit (NANO) SKU OUTSIDE BUY/EPO TEXAXLTAKN 3,699 99

The Navigator NANO S can perform diagnostic operations on all major brands of cars and light commercial vehicles. It is the perfect entry level scan tool for automotive repair shops.

- · Axone Nemo Light Rugged Tablet
- Navigator NANO S VCI
- IDC5m Car Software License
- · Rugged Carrying Case with Custom Foam
- Motor TruSpeed Repair included



The TXT MULTIHUB is TEXA'S flagship scan tool. It is IP53 Certified, can handle Doip, Can-FD, J2534/RP1210 protocols and more. Perfect for advanced diagnostics and shops that want the capability to work in more than one environment from the same device.

- · Axone Nemo Light Rugged Tablet
- Navigator TXT Multihub
- IDC5m Car Software License
- · Rugged Carrying Case with Custom Foam
- · Motor TruSpeed Repair included





TruSpeed Repair





Both packages offer a complete diagnostics solution:

Access repair information (including torque specs, torque sequences, fluid type, capacities), read and clear codes, view live data, wiring diagrams, maintenance resets, adaptation value resets (engine, brake systems, transmission), cylinder tests, idle learning and much more.

WHY TEXA?

- Lifetime equipment warranty with active software subscription.
- Built by TEXA to the highest Tier 1 0EM standards.
- Secure Windows-based architecture, not Android.
- With TEXA, YOU own your data.
- Need help? You can rely on TEXA's U.S. based support team to be responsive and knowledgeable.

Try us! Call to set up a demo.

For Outside Buy/EPO, Call 901-300-4878

ALIGNMENT WITHOUT LIMITS DIAGNOSTICS + DIGITAL INSPECTION

MaxiSYS® IA900WAT Intelligent Wheel Alignment with MSULTRA Tablet SKU 1281937 Part #IA900WAT \$23,21900

- Intelligent 4-Wheel Alignment System
- AutoVIN with Pre-Scan Health Check

PACKAGE

- · Cameras automatically track vehicle height on lift
- · Alignment spec coverage from 1979 to current
- Includes 24" touchscreen display and MSULTRA tablet
- Optional step by step guidance increasing workflow efficiency
- Illustrated alignment instructions, live readings, required tools, & adjustment locations
- Integrates with TPMS and tire tread depth tools
- Add-on LDW and All Systems ADAS Packages available





- Frame capable of performing 4-Wheel alignment & ADAS calibration
 Includes ADAS Lane Departure Warning
- camera calibration targets

 Includes MaxiSYS ULTRAADAS wireless touchscreen tablet with Alignment and
- ADAS Calibration software

 Illustrated alignment instructions, live
- Illustrated alignment instructions, live readings, required tools and adjustment locations display on a single screen

MaxiSYS® ADAS IA900WA with All Systems Targets and MSULTRAADAS Tablet SKU 1268177 COO OCC00

NO 1268177 Part #IA900AST \$39,966⁰⁰ Includes same features & functions as IA900LDWT plus...

 Includes LDW, AVM, NVS, ACC, BSD, LIDAR, and RCW targets/calibration components

MaxiSYS® IA700 Modular ADAS Calibration Frame With Wheel Alignment pre-Check And Optical Positioning SKU 1484478 Part #IA700T

 Includes a MaxiSYS 909, an advanced diagnostics tablet with a wireless VCI and J2534 pass-thru device that supports the latest vehicle protocols, and an ADAS calibration software upgrade card for static and dynamic ADAS calibration coverage for most U.S.,

- Frame features robotic crossbar and six-high definition positioning and tracking cameras for optical target positioning and prompting unlevel floor compensation.
- · Frame disassembles quickly for easy transport or space-saving storage.
- Includes four tire clamps with camera targets, a steering wheel lock, brake chocks, power supply, alignment aid, and frame cover.

MaxiSYS® IA700 Lane Departure Warning Package \$26,31100 SKU 1484479 Part #IA700LDWT



Asian, and European ADAS-equipped vehicles.

Same features & functions as IA700T plus...

Includes Lane Departure

Includes Lane Departure
Warning patterns and targets
for calibration of MercedesBenz, Nissan, Infiniti,
Hyundai, Kia, Toyota, Lexus,
Mazda, Mitsubishi, Subaru,
Volkswagen, Audi, and Alfa
Romeo camera-equipped
vehicles

WWW.AUTEL.COM | @AUTELTOOLS





Multimeters and Test Kits

Power Probe III Professional Electrical Test Kit

SKU 1330691 PWPPPROKIT01

- Supplies Power and Ground for Functional Component Testing
- CAT-IV 600V Hybrid Safe AC/DC Voltmeter
- Measures Resistance to 60M Ohms
- Measures Current from .001 Amps to 10 Amps



VALUE: \$84.99

High Power Butane Torch PWPPPBT

With Purchase of: PWPPPROKIT01

Offer Good While Supplies Last Through June 30, 2025



Power Probe III Circuit Tester

SKU OUTSIDE BUY/EPO PWPPP3CSRED

- Digital Voltmeter
- Continuity Tester
- 20' Jumper Lead Set
- Relay and Component Tester
- · Removable Probe Tip Adapts to Any 4 mm Lead
- 2 Bright LED Lamps
- Quickly Supply Power and Ground to the Tip

For Outside Buy/EPO, Call 901-300-4878



PWPPP319FTC **189**99

- Relay and Component Tester
- Voltmeter and Continuity Tester
 Carbon Fiber Design Housing
- Audio Tone
- 20' Jumper Lead
- Works on 12V to 24V Sources

Other Colors Available on AZTOOL1.com



Power Probe III with Lead Set

SKU **1330690** PWPPP3LS01

- Supplies Power and Ground
- Digital Voltmeter with Min./Max. Voltage Capturing
- 4 mm Banana Jack
- 20 Ft. Power Lead



Power Probe IV with Case

and Accessories SKU **802331**

PWPPP401AS 30999

- Supplies Power and Ground for Functional **Component Testing**
- · Digital Volt and Ohmmeter
- for Circuit Testing

 Large Color LCD Screen with Easy to Navigate User Menu
- AC-RMS, AC Peak-to-Peak, Frequency and Pulse Width for Signal Testing
- Fuel Injector Tester for Easy Circuit Diagnosis
- PCM/ECM Driver Supplies Safe Voltage for Testing Circuits



Power Probe® III Master Combo Kit

SKU **1105994** PWPPPKIT03S

- Power-Up Components
- · Audible Monitoring of Electrical Signals Voltmeter
- 12V to 24V Range
- Bad Ground Indicator
- Continuity Tester Relay and
- Component Tester Trace Short and

Open Circuits



Power Probe IV Master Kit

SKU 1330692 PWPPPKIT04

- Supply Power or Ground for Functional Component Testing
- Self-Resetting Thermal 8 Amp Circuit Breaker
- Multiple DC Volt Readings on the Same Display
- Quickly Determine if the Circuit is Open or is Shorted



Reprogrammers

Programmer and Power Supply Bundle

SKU **OUTSIDE BUY/EPO TPDRLINKBNDL**

Simplify Your Diagnostic Process and Elevate Your Capabilities

- Highly Compatible with OE-Level Diagnostic Software for Performing Diagnostic, Programming and Coding Tasks
- One-Click Installation of OE-Level Diagnostic Software Drivers and Online Upgrades
- ECU Programming Voltage Stabilizer
 Suitable for All Types of 12V and 24V Lead-Acid Batteries, with a Wide Battery Capacity Range from 5 to 90 Amps
- Includes: T90000 Smart Battery Charger/Power Supply, T90DC Tornado90000 9.5' DC Cable Extension and RLINKLITE J2534 Compliant Passthrough Programming Device

For Outside Buy/EPO, Call 901-300-4878



REG. \$1,749.97

When You Buy the Kit



- ECU Programming Power Supply
- 9 Step Smart Charging with Thermal Compensation
- Charges 12V and 24V AGM, WET, GEL, MF, CAL and EFB Batteries
 Protects Against Reverse Polarities, Reverse Charges,
- Short Circuits, Overheating and Over-Voltages
- Current Range: 5-90 and 5-45A
- Voltage Range: 11-15.8V and 22-31.5V
- Cables: AWG18-70"

TPDT90000

VALUE: \$99.99

Tornado90000 9.5' DC Cable Extension

TPDT90DC With Purchase of: TPDT90000

Offer Good While Supplies Last Through June 30, 2025



TOPDON®

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

LANG

TU-113PB Fuel Injection Pressure Tester

SKU **1330689** LNGTU-113PB

and Import Vehicles

. Works on Most Domestic



TU-24A-PB Three Way Exhaust and Back Pressure Kit

SKU **1331498** LNGTU-24A-PB

- · Allows Quicker and Accurate Testing for Blockages in Catalytic Converters, Mufflers, etc.
- Test in 3 Different Access Points: Oxygen Sensor, Exhaust Pipes and Air Injection System



TU-550 Master Fuel Injection Pressure Tester

SKU **1330693** LNGTU-550

LANG

· Covers All Domestic and Foreign Platforms 1988 to Present



Does Not Include Cis and TBI Adapters

Fuel System Cleaners

MOTORVA®

Carbon Clean 1000

SKU OUTSIDE BUY/EPO MVC500-0220

1,95999

- · Complete, Through the Rail, Fuel System **Decarbonizing Service**
- · Fuel Rail Hookup Provides the Most Effective Results
- Online Application Guide
- Unique Time Saving Adapter System
- · Cleans Fuel Injectors, Combustion Chamber and Intake Valves
- Works with MV5 (400-0050) Fuel System Cleaner

MV5 Press Gas/Petrol Fuel System Cleaner 17 Oz. (6 Pk.)

SKU OUTSIDE BUY/EPO MVC400-0050

For Outside Buy/EPO, Call 901-300-4878



SURR

SUR&R®

S-Hook Sprayer

SKU **1149152** SURS-TOOL

- Nozzle End Produces Fine Mist Spraying Action for Thorough Cleaning of the Air Intake
- Helps Improve Fuel Performance
- Removes Carbon Build-Up
- For Use with SURFIC203



Fuel Injection Cleaner Kit

SKU **1137808** SURFIC203

- . Makes Connections Quickly and Easily Using S.U.R.&R.'s Exclusive Quick Connects
- Holds Up to 18 Oz. of Canister Cleaning Solution
- Cleans More Thoroughly Than Aerosol Methods . Easy to Connect and Use with Shop Air
- For Top Engine and Throttle Body Cleaning



New EV Tools - Contact Us for Additional EV Specialty Tools 901-300-4878

7 Pc. Pliers and Screwdriver **Tool Set-1000V Insulated Pouch Set**

SKU OUTSIDE BUY/EPO KNP9K989825US

24Q⁹⁹

• Set Contains 4 Pliers and 3 Screwdrivers in a Roll-Up Nylon Material Pouch



10 Pc. Pliers and Screwdriver Tool Set, **1000V Insulated**

15 Pc. Tool Roll Bag, 1000V Insulated

· Pouch is Secured with a Quick Release Fastener Once

. Includes 15 Insulated Tools for Working on Electrical Installations in a Roll Made Pouch Made of

SKU **OUTSIDE BUY/EPO** KNP9K989830US

SKU OUTSIDE BUY/EPO

Hard-Wearing Polyester Fabric

• Set Contains 5 Pliers and 5 Screwdrivers in a Shock-Resistant Plastic Case



10 Pc. Socket Set, 3/8" Drive, SAE, 1000V Insulated

SKU OUTSIDE BUY/EPO KNP989911S3

- . Includes 10 Insulated Tools for Working on Electrical Installations 3/8" Drive SAE in a Shock Resistant Plastic Case • Foam Insert with Precise Recesses for Holding the Tools
- All Tools 100% Tested and Meet 1000V Insulated
- Requirements

Insulated VDE Combination Pliers



TITAN

KNIPEX

• Tested to 10,000 Volts AC for Maximum Safety GS/VDE Certification and Tested, Certified to 1000 VAC

• Individually Certified to EN 60900

• TPR Ergonomic Cushion Grips

SKU OSB/EPO TIT73326

SKU OSB/EPO TIT73327



SKU OSB/EPO TIT73328

Rolled Up All Insulated Tools Meet the Requirements of ASTM F1505

10 Pc. Insulated Socket Set 1/4" Drive, Metric SKU OUTSIDE BUY/EPO

WIH31393

KNP989913

• Insulated 1000 Volt Rated 10,000 Volt Tested

• Meets ASTM F1505

• Professional Series Long Life Insulated

• High Visibility Coatings on Sockets

• Double Covered Insulation Red



AZG0225

Over Yellow Includes: 5 mm to 14 mm

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

wiha 🕾

Mityvac[®]

Professional Compression Test Kit

SKU **972276** MITMV5530

11499

Everything You Need to Perform Cylinder Compression Tests on Motorcycles, Marine and Small Engines and an Air-Hold **Adapter for Performing Valve Seal Repairs**

· Adapters Include: 10 mm, 12 mm, 14 mm and 18 mm

- · Extended Hoses for Hard-to-Reach Cylinders
- Large 2-3/4" Easy-to-Read Gauge
- Quick Disconnect **Fittings**



Silverline Elite Test Kit

SKU **988888** MITMV8500

• Provides Either Vacuum or Pressure with Equal Precision and Convenience

 Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer.

Evacuation, Sampling and More Includes

Components Needed to Perform Hundreds of Diagnostic and Mechanical **Tests**



Power Steering Adapter Kit

SKU **752069** MITMVA670

- Words with a Hand Vacuum Pump
- Helps Remove Trapped Air in the Power Steering System
- Includes: Universal Power Steering Adapter (MVA660), GM Power Steering Adapter (MVA661), Ford Power Steering Adapter (MVA662) Works with a Hand Vacuum Pump Helps Remove Trapped Air in the Power Steering System



Digital Gas Engine Compression Test Kit

SKU **383182** MITMV**5532**

- Stores Maximum Compression Value for Up to 12 Cylinders
- 3 Minute Auto Shut-Off
- · Sealed, Grease and Oil-Resistant Gauge Face Prevents Contamination of Electronics
- · Displays Values in psi, Bar and kPa



Diesel Digital Compression Test Kit

SKU **988885** MITMV5535

- · Features an Electronic Tester that Memorizes Peak Values for Each Cylinder Injector Adapter
- . Includes: (2) Injector Adapters and (4) Glow Plug Adapters for Testing Most Modern Diesel Cars and Light Trucks Sold in the U.S.



Ford 6 Liter Adapter SKU **972279**

- MITMVA5610 · Glow Plug Adapter -
- M14 x 1.25 • International VT365
- · Ford Power Stroke,



INNOVA

OE-LEVEL DIAGNOSTIC TOOLS US-BASED SUPPORT

RepairSolutionsPRO

INNOVA® DIAGNOSTIC TOOL 7111

SKU#1062521

- · FREE access to RSPRO Built-in
- · Secure Gateway access on 2018 & newer FCA vehicles



INNOVA® 2.8"

CAMERA

SKU#1392578

3381

LCD INSPECTION

manager for pricing. STORE STOCKED

- OEM/Enhanced Diagnostics
- · Active Tests and Special Functions
- Removeable VCI - Wireless Diagnostics



database with verified fixes and repair tips.

manager for pricing.



Accessories Included:

Magnet, Hook and Mirror

Contact commercial sales

STORE STOCKED

IMAGING CAMERA 3361

SKU#1407324

· Target & record temperatures and thermal data with

- · Easily inspect vehicle cooling systems, HVAC, brakes and more
- and laser

RepairSolutionsPRO

manager for pricing

STORE STOCKED

Warning Light

+ Live Data

Service Check and

OEM Level DTCs

· Active Tests and

INNOVA® DIAGNOSTIC TOOL SDS50

SKU#1269649

- FREE access to RepairSolutionsPRO
 - · All Systems Scan



fixes and repair tips.

database with verified

Contact commercial sales manager for pricing

STORE STOCKED

advanced infrared technology

INNOVA® INFRARED THERMAL

- Built-in flashlight



RepairSolutionsPRO

INNOVA® DIAGNOSTIC TOOL SDS43

SKU#1269650

- · FREE access to RepairSolutionsPRO



MULTIMETER

· Tests alternators, diodes,

solenoids, breaker points,

wiring, switches and more

prevents damage to ECU

Frequency, Temperature,

Pulse Width, Duty Cycle

• 10 MegOhm impedance

Measure RPM, Dwell,

Accessories Included

3340

SKU#94874

INNOVA® AUTOMOTIVE DIGITAL

· Multiple Report Types

STORE STOCKED · Service Check and

Warning Light · Bi-Directional /

Contact commercial sales

manager for pricing.

- Active Tests + Special Functions
- OEM Level DTCs + Live Data
- REPAIR SOLUTIONS

Automotive repair database with verified fixes and repair tips.

Contact commercial sales

manager for pricing.

STORE STOCKED

RepairSolutions2 Contact commercial sales

INNOVA® DIAGNOSTIC TOOL 5160RS

SKU#1009353

- · Bi-Directional / Active Tests
- · Steering Angle Reset
- · Vehicle Network Scan
- Electronic Parking
- Brake Assist · Oil Light Reset



Find the right fix and get the right parts instantly.

manager for pricing.

STORE STOCKED

INNOVA® COMPRESSION **TESTER PLUS** Contact commercial sales

3614

SKU#273351



- · Large, 2-1/2" dial face
- 10mm,12mm and 14mm long reach adaptors



manager for pricing

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

Grease Guns

- · Cast Iron Pump Head for Added Strength and Durability
- Multiple Filling Options to Support Suction, Filler and Cartridge Loading
 Heavy Duty Follower Spring Allows Easy Priming and Efficient Pumping
- Precision Fit Plunger Prevents Grease Bypass and Resists Scoring

OEM TOOLS



Mini Pistol with Extension	Mini Lever Action	Lever Action Clear	Lever Action	Pistol Grip with 18" Extension Hose	Pneumatic with 18" Extension Hose
SKU 1207892 87207	SKU 1207896 87206	SKU 1207899 87204	SKU 1362012 87201	SKU 1207888 87203	SKU 1207901 87205
• Includes 6" Extension • 2,900 Max. psi	• 4,000 Max. psi	• Includes 7" Extension • 10,000 Max. psi	• Includes: 6" Steel Extension • 7,000 Max. psi	Pistol Grip Handles Supports One Handed Operation 6,000 Max. psi	Includes 5.5" Extension Air Operated for Continuous Lubrication Flow 6,000 Max. psi
19 ⁹⁹	19 ⁹⁹	29 99 REG. \$39.99 Offer Good Through June 30, 2025	19 99	34 ⁹⁹	39 99

Grease Gun Accessories

7 Piece Grease Gun Accessory Kit

SKU **978118 44 9 25711**

 Includes: Press-On 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-On 90° Coupler, Rubber Tip Nozzle, Needle Nozzle and 60° Coupler



Extension Hoses with Spring Guard

• Premium Grease Hoses for Manual and Air-Operated Grease Guns

18¹¹

- Spring Guard for Added Rigidity to Prevent Kinking
- Max. Working Pressure: 4,500 psi
- Burst Pressure: 12,000 psi
- Accessory Thread: 1/8" NPT

12¹¹

SKU **1207902 87220**

999

SKU **1207887 87221** **10**99

36"

SKU **1207893 11 9 87222**

70 Piece Grease Fitting Assortment

SKU **577685 25752**

17⁹⁹

• 70 Assorted Grease Fittings in 6 Popular Sizes



OEM TOOLS

Bearing Packer

SKU **1055505 26540**

18⁹⁹

- Quickly Flushes Out Old Grease and Repacks Bearings with New Grease
- Transparent, Impact Resistant Cup Allows User to Clearly See Grease Level
- Works on Bearings with Up to 3-1/2" Outside Diameter



Universal Bearing Packer SKU 1339731 1299

25081
• Connects to Any Grease Gun

 Services Most Roller and Ball Bearings

 Forces Out the Old Grease and Evenly Injects Fresh Grease



Lincoln

20V Li-ion PowerLuber Kit SKU **751676**

LIN1884 499

- Delivers Grease at Up to 10,000 psi
- Built-In LED Illuminates the Work Area
- Includes: Grease Gun, 2 Batteries, Charger and Case
- 36" Flex Hose



12V Li-ion PowerLuber KitSKU **605324**LIN1264 **354**99

- Li-ion Battery for Maximum Power and Efficiency
- Delivery at Up to 8,000 psi
- Built-In LED Illuminates Dimly Lit Areas
- 30" Grease Hose



Fully Automatic Pneumatic Grease Gun

SKU **445386** LIN1162

- Fully Automatic, Continuous Operation
- 30" High-Pressure Hose with Coupler and Attachment Clin
- Pump Ratio: 40:1 at 150 psi
- Max. Grease Pressure: 6,000 psi



Super Pistol Grip SKU 445385

LIN1134

- 18" Whip Hose • Includes Rigid Pipe
- Variable Stroke Design
- 7,500 psi
- Filler Nipple/ Bleeder Valve



Professional Lever Grease Gun with 18" Whip Hose and Coupler

SKU **522903** LIN1147

 3-Way Loading: By Cartridge, Bulk Load and Suction Load



FLUID HANDLING

Fluid Extractors

Change fluids quickly and easily anytime. No mess, no clean up. Simply remove the dipstick and insert the tube.

OEM TOOLS

AII **OEMTOOLS** Fluid **Extractors Include:**







- Single Piece Reservoir Structure Features a Leak Proof Bottom
- Overflow Shut Off Valve Prevents Fluid from Overflowing
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant and Power Steering Fluid
- Updated 41" Extended Dipstick Hose Adapter for Longer Reach and Broader Applications

Manual Fluid Extractors

· Reservoir with Hand Operated Pump to Tackle Big Jobs





2.1 Gallons (8.4 Qts.) SKU **666877**

24936

2.5 Gallons (10 Qts.) SKU **547010** 24397

Pneumatic/Manual Fluid Extractors

- Working psi: 85; Max. psi: 120
- Air Consumption: 6.5 CFM





1.5 Gallon (6.3 Qts.) SKU **666978**

24937

2.5 Gallon (10 Qts.)

SKU **666881**

Brake Bleeder Adapter Hose for Fluid Evacuators

SKU **568479** 24446

• Use with OEMTOOLS Fluid Evacuators, Converting Them into One-Person Vacuum Brake or Hydraulic Clutch Bleeders

• Universal Bleed Screw Adapter

Main Suction Hose Replacement

SKU **1442592** 24938-1

· Replacement for OEMTOOLS 24938, 24937, 24397, 24389 and 24936



Replacement Dipstick and Tube Adapters

SKU 1442595 24938-2

7999

• 1/4" x 17" PVC Hose

SKU **1442583** 24938-3

• 1/4" x 41" Nylon Hose

Fluid Evacuators

PneumatiVac Fluid Evacuator (2.3 Gallon)

SKU **497203** MITMV7300

- · Operates on Compressed Air
- Independent Air Shut-Off Valve



Fluid Evacuator Plus SKU **497200**

MITMV7201

- · Evacuates or Dispenses at the Push of a Button
- Integrated 2.3 Gallon (8.8 Liter) Capacity Reservoir
- Durable, Chemical Resistant Polyethylene Construction
- Dipstick Tube Adapters Included



Fluid Evacuator (1.9 Gallon)

SKU **594882 MITMV7400**

- Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir
- · Evacuates All Kinds of Fluids Including Engine Oil, Transmission Fluids, Gear Oil, Coolant, Brake Fluid and More



Fluid Extractors and Fillers

mituvac...

1.5 L Fluid **Extractor/Dispenser**

SKU 606541 MITMVA6852

- Simple Manual Syringe-Type Action Quickly and Cleanly Extracts or Dispenses Fluid
- Integrated Valve and Cap to Prevent Spills and Leaks
- Compact, Streamlined Design Allows Access into Tight Spaces
- Ideal for Evacuating or Topping Off Fluid Reservoirs
- · Easy to Clean: Hose and Seals are Simple to Replace

mituvac.

Extraction Syringe SKU **OUTSIDE BUY/EPO** MITMVA6853

1.5 L Fuel

- · Ideal for Evacuating or Priming Diesel Fuel Systems
- 2 Adapter Hoses: 10 mm Male to 3/8" or 5/16" Female Fuel System Connections
- 3 Male-to-Male Adapters: 10 mm Male to a Barbed, 3/8" or 5/16" Male Connection

For Outside Buy/EPO, Call 901-300-4878



Manual Fluid Extractor and Filler (7 Oz./.21 Qt/200 mL)



- Used to Extract and Refill Many Common Automotive Fluids, Including Brake Fluid
- Dual Scale Molded into Cylinder Body (Qt./mL)
- Includes Extension Tube for Accessing Hard-to-Reach Filler Necks and Reservoirs

500 CC Extraction and Filling Pump

SKU **OUTSIDE BUY/EPO**





Fluid Siphon Pump SKU **568475** 24863


. Transfer Fluids Easily Use to Transfer Gas, Water, Oil and Other Non-Corrosive Liquids

• Hose Reach: 6' with 1/2" Diameter




Transmission Fluid FIII Adapter

SKU **1125880** 25740





OEM TOOLS



OEM TOOLS

Fluid Management

OEM TOOLS

Manual ATF Filler System SKU **526508 999**

24441

- Complete System for Servicing Sealed Automatic Transmissions
- Includes Adapters to Fit Ford, BMW, Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes-Benz Transmissions
- Reservoir Capacity: 3 Liters (3.1 Quarts)
- Fluid Dispensing Hose Features a Swivel Connector and Fluid Dispensing Shut-Off Valve

 Comes with Belt Attachment for Storing All of the Adapters on Dispenser Adapters Included: DSG M24 x 1.5, CVT M22 x 1.5, CVT M12 x 1.5,



ATF Refill Kit, 5 L

SKU **265092** MITMV6410A

- Fluid is Dispensed Under Pressure for Smooth Continual Flow
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Internal Pump Components are Sealed Against Exposure to Fluids

 Flow Control Valve is Conveniently Located Near Fluid Output

 Features Integrated Safety and Manual Pressure Relief Valve



Pneumatic ATF Refill Kit, 10 L

SKU **1330680** MITMV7412

• Utilizes Compressed "Shop-Air" to Produce Pressure for Fluid



ATF Refill Adapters with Hose

SKU 1361999 MITMV7216A

Quickly Converts the Mityvac MITMV7201 Fluid Evacuator Plus into a **Professional Tool for**





Gear Oil Dispenser Bottle and Tubing Kit SKU **OUTSIDE BUY/EPO**

MITMVA577

22499



- . Bottle and Dispensing Equipment Included with Most Automotive Fluids (Except DEF)
- Fluid Level Indications on Reservoir to Monitor Fluid Levels
- Compatible with MV7100 and MV6400 Lids
- 10 Liter Reservoir for Larger Dispensing/ Longer Refill Intervals
- Compressed Air Moves Fluids-Reduces Risk of Contamination

mituvec_

For Outside Buy/EPO, Call 901-300-4878



mituvac...







Pneumatic Powered Gear Oil Dispenser SKU OUTSIDE BUY/EPO

MITMV7454

42999

- 10 Liter Pneumatic Pump Gear Oil Dispense Bottle with Low Restriction Hose. Valve and
- Powered by Compressed Air
- 10 Liter Reservoir for Larger Dispensing/Longer Refill Intervals
- Can be Pressurized and Disconnected from Compressed Air Source for Convenience
- · Easily Replaceable Tubing for Repair or Customization of Unit to Job Requirements

For Outside Buy/EPO, Call 901-300-4878



Mituvac_

Hand Pump Powered **Mituvac Gear Oil Dispenser**

SKU OUTSIDE BUY/EPO MITMV7455

- 10 Liter Hand Pump Gear Oil Dispense Bottle with Low Restriction Hose, Valve and Nozzle
- 10 Liter Reservoir for Larger Dispensing/Longer Refill Intervals
- Hand Pump Supplies
- Compressed Air to Power Unit · Manual Pump to Compress Air; Nothing but Pressurized Air Moves Fluid which Lessens Risk of Contamination
- · Fluid Level Indications on Reservoir to Monitor Fluid Levels

For Outside Buy/EPO, Call 901-300-4878



SKU **265093** MITMV6400

Universal Fluid



Dispensing System

- Adds Air Above the Fluid Level to Prevent Aeration
- Pressure Gauge Indicates Fluid Dispensing Pressure
- Safety and Manual Pressure Relief Valve
- Vehicle Adapters Not Included



Dispensing Hose Assembly

SKU **OUTSIDE BUY/EPO** MITMVA595

 Replacement Hose for MITMV7454. MITMV7455 and MITMVA577

For Outside Buy/EPO, Call 901-300-4878







OEM TOOLS

Battery-Operated Liquid Transfer Pump

SKU **1414413** 87230

- . Move Liquids Safely and Easily with this Convenient Handheld Pump
- Use in Garage, Aquariums, Home and Yard
- Pumps Up to 6 Quarts of Liquid per Minute
- Battery Operated (2 "D" Batteries)



AZG0225

FLUID HANDLING

Lever Action Pumps

OEM TOOLS

Lever Action Hand Oil Pump

SKU **462495** 24381

- Oil Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, Heavy and Light Oils. Diesel and Kerosene
- Built-In 1-1/2 and 2" Bung for Use on 16 to 55 Gallon Drums with Either Opening
- Not for Gasoline or DEF



Lever Action Barrel Pump -Polypropylene SKU **688036**

24471 Lever Action Pump,

- Self-Priming
- · Ideal for Diesel, Kerosene, Lubricants and Other Oils Not for Gasoline.
- Water Based Chemicals or DEF Maximum Flow
- Rate: 12 Oz. per Stroke Maximum Viscosity:

40 Wt. Oil



OEM TOOLS

Lever Action Barrel Pump Polypropylene Stainless Steel Rod

SKU **688038 39**99 24472

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- · Not for Gasoline or DEF



OEM TOOLS Lever Action Barrel

Pump - Ryton® Stainless Steel Rod SKU **688037**

24473 • Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and

Acids Including DEF Not for Gasoline



Lever Action Barrel Pump

SKU **970530** LIN1340

• Pumps Non-Corrosive Fluids, Not for Gasoline

LINCOLN

• Telescoping Tube for 16 to 55 Gallon Drums





LINCOLN

Rotary Pumps

OEM TOOLS

Rotary Barrel Pump SKU **462486**

- 24382 • Fluid Transfer Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils,
- ATF. Diesel and Kerosene Not for Gasoline or DEF



OEM TOOLS

Polypropylene Rotary Drum Pump

SKU **688035** 24470

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- . Not for Gasoline or DEF



Manual Rotary Oil Pump with Hose for

55 Gallon Drums SKU **265089** LIN1385H

• Includes: 8 Ft. x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger: Seal Tight Telescoping Pick-Up Tube with Strainer for 16 to 55 Gallon Drums with 2" Bung



SKU **462977** LIN1385

Hose Not Included

Drum Not Included

JohnDow. Industries

LINCOLN

Manual Rotary Fuel Pump with Hose for **55 Gallon Drums**

SKU **265088** LIN1387

38499

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline. Diesel. Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids. Hydraulic Oils and ATF



Drum Not Included

Drum Wrench

Aluminum **Drum Bung Wrench**

SKU **1267963 20**99 22664

OEM TOOLS

- · Comfortable and Textured Grip for Ease of Use
- · Non-Sparking, Non-Corrosive Aluminum Construction
- · Fits Most Steel and Plastic Caps, Including 3/4" Vent Plugs
- Effortlessly Opens and Tightens Bungs to Guarantee Drum Contents are Safe
- Opens 10, 15, 20, 30 and 55 Gallon Barrels



Fuel Transfer Pump

25 Gallon Steel

Gas Caddy SKU **360585** DOWFC25GC

74999

- UL Approved
- 25 Gallon Tank is Constructed of 14" Gauge Steel for Use with Unleaded Gasoline, Kerosene, Ethanol E85, Diesel and Bio-Diesel Fuels



DEF Pump

Lift Action Pump

SKU **1142361** LIN1390

 Transfers Popular Shop Fluids Including Acetone, Antifreeze.

Windshield Washer. Thinners and More Includes NPT and

- **Buttress Threads for** Steel and Plastic Drums · Adjustable Bung Type Fits 15, 16, 30 and
- 55-Gallon Drums Welded Ground-Post for Safe Dispensing of Volatile Fluids
- Premium Grade 316 Stainless Steel
- · Self-Priming

Grease Pump LINCOLN

Manual **Gear Lube Dispenser** SKU **174166**

LIN1293

• 5' Hose, 13" Pump Tube

LINCOLN

- Fits 25 to 50 Lb. 5 Gallon
- Containers
- · Delivers 1 Oz. per Stroke





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Fluid Exchangers

MAHLE

ATX280 Trans Fluid Exchange Unit SKU **OUTSIDE BUY/EPO** MSS4008002300

- 7" Touchscreen LCD Display with Graphical Interface
- Onboard Additive Tank for Detergent/ Oil Injection



Trans-Tech 4 Plus SKU **OUTSIDE BUY/EPO** MVC500-1125B

- · Automatic, In-Line Exchange Through Vehicle Cooler Line
- ATF Exchange Through Vehicle Transmission Dipstick
- Drain Pan Feature • 26 Quart New Fluid Reservoir
- High Volume Pump for Rapid and Efficient Service
- · Comes with Standard Set of Adapters
- Uses MVC400-0137 2-Part ATF Cleaner and Conditioner Fluid

Fluid Not Included



MOTORVAS

Lube Tech Set

SKU **227302 | 24965**

1,699 REG. \$2,262.20

Includes 160 of the Most Common Tools in Tool Cart

• SAE and Metric, 1/4", 3/8" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More



OEM TOOLS







Cart Style and Color May Vary Offer Good Through June 30, 2025

Fluid Not Included

BFX-10 Brake Fluid Exchanger

SKU OUTSIDE BUY/EPO MSS4258001600

1.249⁹⁹

- Suitable for ABS, ESP, EDS and SBC
- Hydraulic Pump • Two
- Universal Adapters Included

Fluid Not Included

MAHLE

BFX-20 Brake Fluid Exchanger

SKU OUTSIDE BUY/EPO MSS4258001400

- Hydraulic Pump
- Suitable for ABS, ESP, EDS and SBC
- · Adapters Included



Fluid Not Included

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO Call 901-300-4878

Oil and Grease

Lynx 3:1 Universal Stub Pump SKU OUTSIDE BUY/EPO

BAL1110-007

- · Reliable Air Motor Design that Features Corrosion Resistant Materials
- Double-Acting Pump Design for Smooth and Accurate Fluid Delivery

• Includes: 2" Bung-Adapter



Oil Control Handle with Digital Meter

SKU **1485049** BAL3330-159



- Exclusive "Memory" Flex Enables the Extension to Bend Into Any Desired Shape
- Replaceable Electronic Circuit Board and Face Plate
- Ergonomically Designed Grip Handle Reduces Fatigue for Technicians

50' EVO Reel, Lynx 5:1 HD Pump, 275 Gal SKU **OUTSIDE BUY/EPO**

BAL1135-017

- Double Wall Construction
- UL 2258 Certified
- · Compatible Fluids: DEF. Diesel and Lubricants
- · Compact Design
- Package Assembled from Factory



5:1 HD Oil Pump Drum Package SKU **OUTSIDE BUY/EPO**

BAL1131-069

- · Reliable Air Motor Design that Features Corrosion Resistant Materials
- · Includes: Heavy-Duty Drum Cart with Semi-Pneumatic 10" Tires. Front Caster with Brake to Steady Cart While in Use, 50' x 1/2" Hose Reel and Electronic Metered Handle

Drum Not Included



Lynx 55:1 Pump Package SKU OUTSIDE BUY/EPO BAL1151-036

- Reliable Air Motor Design that Features Corrosion Resistant Materials
- Double-Acting Pump Design
- Optional Hose Reel Mounting Kit



Drum Not Included

Inside View



OIL CHANGE

Oil Drains

LINCOLN

18 Gallon **Rolling Oil Drain**

LIN3601

- · All Steel Design Includes Reinforced Caster Supports
- 14" Telescoping Bowl: Range of 45" to 72"
- Preset Air Regulator (Up to 150 psi)





• Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs

25 Gallon Used Fluid Combo

• Includes: Mercedes-Benz, BMW and VW Dipstick Tube Adapters and 6 Evacuation Wands of Varying Flexibility, Diameter and

Lenath Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

Drain/Evacuator

LIN3639

SKU **543345** *R***24** 99

• Min. Height: 60" • Max. Height: 74"

25 Gallon Used Fluid Evacuator

SKU **543344** LIN3637

25 Gallon Used Fluid Gravity Drain

SKU **543350** LIN3635



OEM TOOLS **18 Gallon Rolling Oil Drain**

SKU **667005** 87042

29999



- Funnel Capacity: 2.6 Gallons
- Funnel Diameter: 17" . Min. Height:
- 44.5" Max.



OEM TOOLS 21 Gallon Oil **Drain Vacuum and Extractor** SKU **546658**

24862 • Designed for the Collection of Used Fluids from Lift Mounted Vehicles or by **Evacuation Directly from Fluid Reservoirs** or Dipstick Tubes

• Funnel Diameter: 15'

- Funnel Extension Adapter: 22"
- Funnel Height Adjustment: 45" to 62"
- Includes 5 Extraction Tubes: 7 mm x 35"; 6 mm x 29"; 6 mm x 23": 6 mm x 22" and 3/8" x 15"



OEM TOOLS

9 Gallon Upright Portable Oil Drain

SKU **908386** 87032

- Adjustable Drain Height: 32" to 62"
- Funnel Diameter: 17¹
- · Features Built-In Drain Valve and Evacuation Spout
- 4 Heavy Duty Casters for Easy Transport




Tool Tray



18 Gallon Upright Portable Oil Drain

SKU **908388** 87031

- Adjustable Drain Height: 54" to 70"
- Funnel Diameter: 18"
- Features Built-In Drain Valve and **Evacuation Spout**
- 4 Heavy Duty Casters for **Easy Transport**
- Includes: Tool Holder





OEM TOOLS



21 Gallon

SKU **544817**

24861

Funnel

Diameter: 15"

· Funnel Extension

Diameter: 22" • Funnel Height

Waste Oil Drain

Requires Only Shop Air

• Pressurized Self-Evacuation Feature

• Large Diameter Funnel Includes a Removable

Filter Screen and Wide-Mouth Extension


Large Funnel



Catches Fluids without Spills







VALUE: \$19.99

Mini Lever **Action Grease** Gun 87206

With Purchase of:

87032

Offer Good While Supplies Last Through June 30, 2025





OEM TOOLS



OEM TOOLS

23 Gallon Anti-Freeze Drain

SKU **1485042** BAL4110-025

• Powder-Coated Green

Used Fluid Drains

• 3/4" Cam-Lock Fitting





23 Gallon Oil Drain

- SKU **1485039** BAL4110-024
- Powder-Coated Black
- 1" Cam-Lock Fitting



• All-Steel Tank and Base • Easy-to-Use Patented Cantilever Mechanism

Premium Drains Capture Used Fluids and Transfer Them to Any Bulk Storage Tank Using a Cam-Lock Kit and Evacuation System

::::

Oil Change Kit

Oil Change Lube Tech Kit SKU 1169108 | 68916

• Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 10L Oil Jug, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses, 18 Gallon Upright Portable Oil Drain and 10 Piece Metric Cap Wrench Set





REG. \$393.91 OVER

When You Buy the Kit

Accessories

Prevents Splashing of Hot Oil

Oil Drain Splash Pads

. Keeps Work Areas Clean While Changing Transmission or Other Oils

Allows Hot Oil to Drain Through Porous Pad



22" Square SKU 1340219 SHA73851

Transmission

Drain Pan

SKU **908383**



OEM TOOLS

Filter Crusher

Industrial 10 Ton Oil Filter/Can Crusher

18 Gallon Oil Drain

SKU OUTSIDE BUY/EPO 2,19999

• Reduces Used Oil Filters to 1/4 of the Original Size

- 20,000 Lb. Crushing Power
- 100% Air Operated for Minimal Maintenance
- Save on Disposal Costs and Storage Space
- · Automatic Safety Door Stops Operation When Opened
- Pressure Regulator and Air Moisture Separator Come Standard
- Transparent Door for a Convenient View of the Crushing Process
- Welded Steel Plate Construction

Used Oil Evacuation

• Exclusive X-Shape Bevel in Press Head Pre-Aligns Filters for Absolute Vertical Press

For Outside Buy/EPO, Call 901-300-4878



Ranger.

• Includes All Necessary Fitting, Brackets, Valves, Hoses and Components for Seamless Integration with Air System and Fluid Collection/Discharge Processes

SKU **1485050** BAL1121-025

1" Evacuation Package for Used Oil SKU **1485032**

Evacuation Package for Used Antifreeze

BAL1121-024


























Super Transmission Drain Funnel

SKU **291377** LIS17902

- Extends the Catch Area of Any Lift Drain • Fits the Ford E 40D
- Dimensions: 24" x 36"









AZG0225

OIL CHANGE

Oil Filter Tools

Swivel Oil Filter Wrench

OEM TOOLS

SKU **1125870** 87115

- Fits Oil Filters 4-3/4" to 5-3/4"
- 1" Wide Stainless Steel Band



Auto Fit Filter Pliers

SKU **1339727** 87164

• Suitable for Filters with 2.4" to 5" Diameters

OEM TOOLS

- Long Reach Slip Joint Design
- Precision Machined Jaw
- Non-Slip Comfort Grip



OEM TOOLS 3 Jaw Adiustable **Magnetic Oil Filter Wrench**

1999

SKU **908387** 25101

- Oil Filter Diameter: 2.4" to 3.6" (60 mm to 93 mm)
- Secure Magnetic Attachment
- · Spring-Loaded Legs for a Secure Grip
- Includes 3/8" to 1/2" Drive Adapter



3 Jaw Adiustable **Filter Wrench**

SKU **1339734** 87160

- Works on a Variety of Vehicles
- Fits Oil Filters 2-1/2" to 4-1/2" (63.5 mm to 114 mm)
- Fits 3/8" Drive Ratchets and Extensions
- Perfect for Removing Hard to Reach Filters



OEM TOOLS

4 Piece Swivel Oil Filter Wrench Set

SKU **1414418** 87117

- Fits Oil Filters 2-3/8" to 2-7/8", 2-7/8" to 3-3/8", 3-3/8" to 3-3/4" and 3-3/4" to 4-3/8"
- . Dimpled Band with 3 Sets of Grippers to Hold Filter Securely in Place
- 1" Wide Stainless Steel Band for a Strong Grip and Slip Resistance
- Rubber Cushioned TPR Grip for Comfort and Safety in Tight Places
- Includes OEMTOOLS 87111. 87112, 87113 and 87114

OEM TOOLS

4-in-1 Steel Oil **Filter Wrench**

SKU **1189097** 87116

4 Interchangeable **Swivel Bands**

- Size Range 2-3/8' to 4-3/8" (60.3 mm to 111.1 mm)
- 1 Swivel Handle with 4 Stainless Steel Bands
- Bands are Easily Removed and Installed

OEM TOOLS





180° Swivel **Joint Reaches** Impossible Places

OEM TOOLS

2 Detent Pins Help **Quickly Remove and Install Bands**



OEM TOOLS

2-3/8" to 5" **Oil Filter Pliers**

SKU **757057** 25324

- Removes Stubborn Oil Filters from Gas or **Diesel Engines**
- . Long Reach Slip Joint Design Precision-Machined Jaw
- Non-Slip Comfort Grip
- 14" Length

2-1/2" to 4-5/8" Oil **Filter Pliers** SKU **548380** 25320

13⁹⁹

- 20° Jaw Bend for More Applications
- Jaw Teeth for Sure Grip
- 12" Length



KU OUTSIDE BUY/EPO 37119

- For Use with 3/8" or 1/2" Drive Tools
- Fits Oil Filters Over 8" in Diameter
- . Heavy Duty 27' Nvlon Strap





For Outside Buy/EPO, Call 901-300-4878

15" Chain Wrench SKU **452624**

22659 **39**99

- Great for Stubborn Oil Filters
- . Designed for Tight Spaces
- Double-Action Allows Use in Either Direction
- Capacity: 5-1/2" Diameter
- 15" I-beam Handle

Heavy Duty Truck Oil Filters

- Extra Wide Band for Secure Grip
- 1/2" Drive Tools



SKU	Part #	Range	Price
344322	25231	4-1/8" to 4-5/8" (104 to 118 mm)	19.99
344323	25232	4-5/8" to 5-1/4" (118 to 134 mm)	19.99
344324	25233	5-1/4" to 5-3/4" (134 to 142 mm)	21.99

Oil Filter Plug for Cummins OEM TOOLS SKU 1340221

87168

- Perfect Tool for Installing and Removing Oil Filters
- Compatible with Dodge 6.7 Diesel Engines
- · Prevents Oil Leaks When Removing Oil Filters from Engines
- · Hard Plastic Construction for Maximum Strength and Durability
- · Wide U-Shaped Handle for Added Grip and Control



OEM TOOLS

Filter Removal Cup

• Specifications: 6" x 6" x 6" (34 Oz. or 1 Liter), Volume Sufficient to Hold Typical Size Filters Commonly Used on Cars, SUVs, Light Duty Trucks and Vans

· Safely Holds Oils, Fuel (Gasoline, Diesel, Biofuels), Brake Fluid. Antifreeze and Other Hazardous Fluids



1 Pack

SURFC5

SKU 1089033 2999



2 Pack SKU 1245617 SURFC5PK2

REG. \$59.98 SAVE **S** When You Buy the 2 Pack

SUR!R.

Swivel-Gripper "No-Slip" Filter Wrench - 9 Pack

SKU **1339725** LIS57160

• Includes: (2) 2.375" - 2.625 **Import Wrenches** (2) 2.875" - 3.250" **Small Wrenches** (3) 3.500" - 3.875" Standard Wrenches (2) 4.125" - 4.500' Large Wrenches



OEM TOOLS

Cap Style Filter Wrenches

Tovota/Lexus Oil Filter Cap Wrench Set

SKU **383457** 25409

- Sizes: 64 mm, 73 mm and 74 mm
- . Comes in Sturdy Blow Mold Case

9 Piece Oil Filter Cap Wrench Set 27199

• Includes: 5 Chrome Plated Aluminum Wrenches (64.5 mm - 14 Flute Toyota, 64.5 mm - 14 Flute Toyota/Lexus, 88.8 mm -15 Flute Hyundai/Kia. 74.2 mm - 14 Flute European, 86.6 mm - 6 Flute European), (1) 63 mm to 83 mm Adjustable Filter Wrench for Universal Applications, 3 Forged Low Profile Oil Filter Sockets (27 mm, 32 mm and 36 mm) and 3/8" Drive Application Chart for Quick Reference



000

Make	SKU	Part #	Size	Price	
BMW/Volvo	255675	25453	86.6 mm – 16 Flutes	19.99	
Hyundai/Kia	255659	25454	88.8 mm – 15 Flutes	25.99	
Toyota/Lexus	255634	25451	64.5 mm – 14 Flutes	10.99	
Toyota/Lexus	1340227	87131	64.5 mm – 14 Flutes	9.99	
Mercedes-Benz Sprinter/VW/Audi Porsche/Mazda	1340230	87132	74.2 mm – 14 Flutes	4.99	•
Mazda/Ford	1340228	87133	75.6 mm – 14 Flutes	4.99	
Chrysler	1340234	87134	84 mm – 14 Flutes	23.99	•
Volvo	1340237	87136	88.8 mm – 15 Flutes	21.99	
Land Rover	1340238	87137	90 mm – 15 Flutes	22.99	

10 Piece Metric Cap Wrench Set SKU **1189096**

87151

- Painted for Rust Resistance
- Includes: 65/67 mm 14 Flutes, 80 mm - 15 Flutes, 68 mm - 14 Flutes, 86 mm - 16 Flutes, 74/76 mm - 15 Flutes, 93 mm - 15 Flutes, 76 mm - 14 Flutes,
 - 93 mm 36 Flutes, 76 mm 30 Flutes, 100 mm - 15 Flutes
- Comes in Sturdy, Green Blow Mold Case




Drain Plug Tools

14 Piece Drain Plug Socket Set

SKU **818568** 25374

- . Designed for Both Foreign and Domestic Vehicles Including: BMW, Ford, Mazda, Mercedes-Benz, Nissan, Peugeot, Renault and More
- Ideal for Removal of Oil Drain Plugs from Manual Transmissions, Transfer Cases, Differential Housings and More
- Includes Hex: 9, 10, 12, 14 and 17 mm; Square: 7, 8, 11, 13 mm, 5/16", 3/8"; Female Square: 10 mm; Male Triangle: 10 mm; Tamper-Proof Triple Square: 16 mm



8-in-1 Oil and Lube Multi-Wrench

- Designed to Fit Most Oil Drains, Transfer Case and Differential Plugs
- Features Offset Head Design with Yoke Support for High Torque Applications

SKU **1442594** CTA2495K





 Sizes: 12, 13, 14, 15, 16, 17. 18 and 19 mm









OEM TOOLS



- Male Square and Hex
- Square: 8 mm, 10 mm, 3/8" and 1/2"
- Hex: 10, 12, 14 and 17 mm

3 Piece Plastic Oil Drain Plug Removal Set

SKU **1207894** 25098

- · Safely and Easily Removes Plastic Oil Drain Plugs on Late Model Ford, Volkswagen, BMW and Audi Cars
- Does Not Cause Damage to the Plug


OEM TOOLS

7 Piece Oil Filter Removal **Socket Set**

SKU **191682** 27197

Oil Filter Sockets

- 3/8" Drive
- Includes: 24 mm for Cadillac: 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra
- Comes in Sturdy, Green Blow Mold Case



OEM TOOLS

32 mm Oil Filter **Cap Socket**

SKU **548385** 25410

· Removes and Installs Oil Filters on 2.2 Liter GM Ecotec Engines Low Profile 1-1/4 In. Socket is Specially Designed for Operating Clearance 3/8" Drive





36 mm Oil Filter Socket for 6.0L Ford Diesel

SKU **110279** 25411

7 Piece Offset Oil Filter Cap **Wrench Set**

SKU **1145990** 87165

- 3/8" Drive Set Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, Saab; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra
- · Comes in Sturdy, Green Blow Mold Case

3 Piece Low Profile **Oil Filter Socket Set**

SKU **094803** 27204

- Includes: 27, 32 and 36 mm 3/8" Drive







OIL CHANGE

Oil Funnels


Magnetic Funnel Holder


98375

- Translucent 16.9 Oz. Reservoir Holds a Variety of Funnels Dual Magnetic Arms Attach the Holder Securely to Any Ferrous Surface
- . Magnets Securely Hold Up to 28 Oz. in Weight
- Swivel Design Allows for Easy Screw-In of the Receptacle Bottle
- Fits Standard One Quart Oil Bottle
- · End Cap Keeps Drips off the Floor









SURE-BILT

OEM TOOLS Oil and Transmission **Funnel**

SKU **547009** 87008



- Includes Screen and Dust Cap
- Length: 25"



lisle

• 10" Tall Translucent Funnel with a 6-3/4" Offset from Center of Mouth to Center of Spout

• Lid and Spout Cap Help Keep Funnel Contaminant Free

 Includes: Offset Funnel with Cap and Lid. Adapter for Transmission and Other Dipstick Tubes





For Outside Buy/EPO, Call 901-300-4878

Dispensers

8 Quart Dispenser Lid and Cap

STORE STOCKED

SKU **080078** LIS19702

• Spout Cap and Lid to Keep Out Contaminants

 Many Large SUVs and Trucks Now Require More Oil



10 Quart Oil Jug SKU **605325** 87018

• Safe for Automotive Oils and Fluids Convenient Carry and Pour Handles

Spill Proof Caps



OEM TOOLS

Flexible Spout Measuring Cans

- Designed for One-Hand Operation
- 14" Flexible Spout with Tapered Tip
- · Recessed Bottom Drains Fully and **Guards Against Punctures**
- Rolled-Edge Top Helps Prevent Spilling

5 Quart

SKU **298486** LING525

8 Quart SKU **298473**

LING528



Drain Pans

OEM TOOLS

16 Ouart Oil Drain Pan

• Heavy Duty Polyethylene Construction

· Features a Pour Spout and No-Splash Lip



Green

SKU **908389** 87034

Black SKU **908382** 87033

OEM TOOLS

2.8 Quart Low-Profile **Oil Drain Pan**

SKU **568474** 87017





OEM TOOLS

4.7 Quart Clear Oil **Drain Pan**

SKU **568469** 87013

• Built-In Level Scale Lets You See Fluid Level



Great for Transmission Fluid Changes

4.5 Gallon Black **Oval Drain Pan**

SKU 1142687 LIS17972

4.5 Gallon Green **Oval Drain Pan**

SKU 1142342 LIS17982





No Spill Oil Funnels

Universal Direct Fit No Spill Oil Funnel Set SKU **824884**

87039

• Set Includes: Universal Oil Funnel, Chrysler (87019), Ford/Mazda (87020), GM (87021), Honda (87022), Toyota/Lexus (87024), Subaru Adapter, Toyota/Lexus Adapter and 150° Extended Adapter (87027) and Storage Rack

• Funnel Screws Directly into Filler Neck

- . Threaded to Fit a Range of Import and Domestic Vehicles Older and Current Models
- Transparent Lower Chamber to Monitor Oil Flow
- · Wide Passage for Rapid Refilling



Includes Wall Mount Bracket and Drip Tray



Direct Fit Individual Funnels

SKU	Part #	Description	Price
824892	87019	Chrysler, Dodge and Jeep	23.99
824879	24879 87021 GM		18.99
824890	87022	Honda	21.99
824888	87023	Subaru	26.99
824886	87024	Toyota, Lexus, VW and Mercedes	26.99



COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Pressure Testers

OEM TOOLS

Universal Cooling System Pressure Test Kit SKU OUTSIDE BUY/EPO 27068

· Quickly and Easily Pressure Test Cooling Systems in Most

- Vehicles • Includes 3 Expandable Adapters that Take the Place of **Numerous Specialized Adapters**
- · Easy Lever Style Pressure Relief Valve
- · Prevents Damage to Plastic Reservoir Threads that Occurs When the Wrong Adapter is

For Outside Buy/EPO, Call 901-300-4878



★ Mastercool.

Offer Good Through June 30, 2025

- **PEG. \$79.99** Designed to Fit Most Passenger Vehicles and Light Duty Trucks
- Fits Both Radiators and Plastic Reservoirs
- Universal Design Works with Any Cooling System Pressure Pump
- Prevents Damage to Plastic Reservoir Threads That Occurs When the Wrong Adapter is Forced On
- Pressure Test Pump Not Included

Universal Cooling

SKU **434723**

27067

System Adapter Set



SKU **434722** 27069

- Quickly and Easily Pressure Test Cooling Systems in Most Vehicles
- · High Quality Pressure Pump Designed to Work with Most Cooling System Adapters
- Easy-to-Use Lever Style Pressure Relief



✓ Mastercool∴

Heavy Duty Cooling Test and Refill Kit

SKU **954220** MSC43014

• Includes: Vacuum Gauge, Sealing Collar, Valve, Rubber Gaskets and Coolant/Draining Hoses

- · Sealing Collar (with Rubber Cone) Offers a Wide Variety of Applications for Radiator Filler Necks
- Minimizes the Risk of Engine Overheating
- 2.3 Gallons per Minute Fill Rate





SKU **954231** MSC43306

- Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case
- · For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems
- Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks



27 Piece Master Radiator Pressure Test Kit

SKU **1053958** MSC43301-A

• Includes: 1 Blue Radiator Cap Test Connector R123/R125, 1 Black Radiator Cap Test Connector R123/R124, 1 Thermometer, 1 Universal Radiator Cap, 1 Vacuum Purge and Refill Tool, Coolant

Hose and Additional Installation Accessories, 1 Hand Pump and 19 Adapters (Nos. 2 to 4. 6 to 21) to Fit Most Popular Domestic and Import Cars and Trucks



Cooling System Adapters

Volvo, Saab, Jeep, Maserati, Ferrari SKU **133600** 27241R

- Fits Maserati and Ferrari Models (2000 Newer), Jeeps with Male Threads (1990 – 1994), Saab 900 (1978 - 1993), Saab 900 (Drop Top 1994), Saab 9000 (1987 – 1998), Volvos with Male Threaded Necks
- Diameter: 45 mm
- Thread Size: 3 mm

Radiator Adapter GM

SKU **133621** 27118R

 Fits Many GM, Chrysler, Ford, Jaquar and Freightliner Models



Audi and VW

SKU **133625** 27245R

• Fits Audi A4 (1996 - Newer), A6 (1998 - Newer), A8 (1997 - Newer), S4 (2004 - Newer), TT (2000 - Newer), Bentley (2006 - Newer), Lamborghini (2006 – Newer), Porsche Cayenne (2003 - Newer), Porsche Panamerà (2010 - Newer), Volkswagen Passat (1998 - Newer), Beetle (1998 - Newer), Golf and Jetta (1999 - Newer)



BMW 3, 5 and 6 Series **Radiator Adapter**

SKU **133825** 27252R

• Fits BMWs (2007 - Newer), 5 and 6 Series (2005 - Newer) and 3 Series (2006 - Newer)

Diameter: 52 mm

• Thread Size: 3 mm



OEM TOOLS

Mazda 3, Volvo \$40/V50 and Ford

SKU **133633 29**99 27249R

• Fits Land Rover LR-2 (2008 - Newer), Mazda 3 (2004 - Newer), Volvo S40 and V50 (2004 - Newer), XC60 (2010 - Newer), Ford Fusion and Escape (2012 - Newer)

• Diameter: 50 mm; Thread Size: 2.5 mm



Toyota, Lexus and Scion Radiator Adapter SKU **133632 2799**

27248R

• Fits Lexus LS (2007 - Newer), Toyota Celica (2000 - Newer), Spyder MR2 (2000 – Newer), RAV4 (2009 – Newer), Prius (2004 and Newer), Camry (2007 - Newer), Highlander (2006 – Newer) and Scion XB (2008 – Newer)

· Diameter: 34 mm; Thread Size: 3 mm



Acura, Chevrolet, Chrysler, Geo. Honda. Isuzu. Lexus. Mazda, Mitsubishi, Suzuki and Tovota

SKU 133624 27244R

· Fits Early Models with 32 mm Opening and a 9 mm Depth



BMW and Range Rover Radiator Adapter

SKU **133635** 27251R

AZG0225

• Fits BMWs 1988-2006. Land Rover and Range Rover Models 1995-2005

· Diameter: 52 mm

• Threads: 4 mm



Ford, Jaguar, Pontiac, Range Rover and Saab Radiator Adapter

SKU **133611 31 99** 27243R

- Fits Jaguar X Type (2002 Newer), Saab 900 (1994 – 1998), Saab 9-3 and 9-5 (1999 – Newer), Some Saturns and Other Vehicles
- · Diameter: 52 mm; Thread Size: 3 mm



VW

SKU **133609** 27242R

- · Volkswagens with Female Threaded Filler Necks (1990 to 1998)
- . Diameter: 57 mm; Thread Size: 3 mm



Ford, Jaguar and Mazda Radiator **Adapter**

SKU **133631** 27247R

- Ford Contour 1998-2000, Jaguar XJ8 1998-Up, Jaguar XK8 1997-2006. Mazda Tribute 2001-Up
- · Diameter: 52 mm; Thread Size: 3 mm





COOLING SYSTEM

Coolant Funnels

Professional No-Spill Coolant Funnel Kit

SKU **943142 39 99** 87043

- 5 Spring-Loaded Adapters for a Secure Fit
- Simply Select the Correct Adapter, Attach the Funnel and Fill
- Air-Release Tubes to Vent the System During Refilling Process
- Stopper Prevents Dripping When Removing the Funnel • Includes: Extensions and Adapters for
- Hard-to-Reach Surge Tanks



No-Spill Coolant Filling Funnel Kit SKU **802197 1099**

87007

- 4 Radiator Cap Adapters to Fit Most Passenger and Light Trucks
- Simply Select Correct Adapter, Thread Together, Attach the Funnel and Fill
- · Rotary Switch to Effectively Prevent Drips and Spills, and Stop Overflow and Bubbles
- Includes: 5 Adapters, (2) 45° Elbows and (2) 5" Extension Rods for Difficult-to-Reach Areas



No-Spill Coolant Filling Funnel Kit with Coolant Tester

SKU **1340229** 87045

- Includes 5 Direct Fit Cooling System Adapters to Fit Most Passenger Vehicles and Light Trucks
 • Includes: 45° Angled and 5" Extension Adapters
- for Accessing Hard-to-Reach Spots and Tester for Glycol Based Coolants
- Fluid Stopper to Prevent Drips and Spills When Removing from the Filler Neck



Leak Tester

Gas Engine Combustion Leak Tester

SKU **1103608 20***99* 37145

• Used to Test for Combustion Leaks That Result from Head Gasket, Cylinder Head and Engine Block Leaks

. Pulls Air from the Cooling System Up Through the Leak Tester; if Carbon Dioxide is Present, the Leak Tester Fluid Color Will Change to Yellow Signifying a Combustion Leak



OEM TOOLS

Combustion Leak Detector Fluid (8 0z.)

25739

STORE STOCKED



OEM TOOLS

Radiator Filler

2.4 Gallon Plastic Radiator Filler

SKU **754738** 87104

· Impervious to Oil. Gasoline and Antifreeze

 Stands Un to Extreme Weather

OEM TOOLS



STORE STOCKED

AirEvac Cooling System

AirEvac Cooling System Refiller SKU **568478**

24444

- Quickly Refills Cooling System and Eliminates Trapped Air
- Helps Prevent Come-Backs and the Threat of Engine Damage
- Universal Adapter Forms an Airtight Seal with Most Radiator and Coolant Bottle Necks
- · Performs Vacuum Leak Tests . Covers Most Radiator and
- Reservoir Types


 No Custom Adapters
- Required · Comes in Sturdy, Green Blow Mold Case



AirEvac Cooling System Kit

SKU **099292 29** 27066

OEM TOOLS



- · Refills Cooling System without Trapping Air That Causes Overheating
- · Universal Adapter Forms an Airtight Seal with Both Radiators and Coolant Reservoirs
- Self-Locking Quick Disconnects for Fast Assembly



Coolant Testing

Professional Series Ethylene Glycol Antifreeze Tester

SKU **750007** 24507

- For Testing Hot or Cold Ethylene Glycol-Based Coolants, Including Dex-Cool®
- · Easy-to-Read Discs are Magnified by Convex Design of the Clear, Thermal Resistant Plastic Barrel
- Disc-Type 16-1/4" Tester is Accurate at All Temperatures (Celsius



Flush Tools

Coolant System Flush Gun

SKU **1284967** 24719

REG. \$49.99

- Universal Nozzle to Fit Various Radiator or Heater Hoses
- Combines Water with Compressed Air to Quickly and Efficiently Flush Cooling Systems
- Comfortable Lever-Action Air Throttle with Lock-On Latch for Simple Attachment of Air Hoses
- Used for the Detailed Flushing of Debris and Contaminants from the

Cooling System During Repair and Maintenance

Offer Good Through June 30, 2025

Heater Core Backflush Tool SKU **511000 26**99 **THX356**



 Saves Costly Replacement of Most Stubbornly Cloqued Heater Cores



Made of Corrosion-Resistant Aluminum

· Basic Garden Hose Hook-Up Cleans Cooling Systems and Heater Cores without Disassembly


Cooling System Back Flush Tool

SKU **750008 999** 24506

- Non-Corrosive Aluminum
- · Easy to Use
- Connects to Standard Hose 1/2", 5/8" and 3/4" Hose Fittings
- Made of Non-Corrosive Aluminum



THEKTON



COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Cooling System Tools

6 Piece Hose Clamp Pliers Set SKU 1282734

27158

- · Services Most Ring-Type or Flat-Band Hose Clamps
- Clamps are Held Open with a Ratchet Locking Mechanism
- Includes: Regular Hose Clamp Pliers, Flat-Band Hose Clamp Pliers, Large Hose Clamp Pliers, Hose Remover Pliers, Angled Hose Clamp Pliers and Cable Hose Clamp Pliers





Clic-R Hose Clamp Pliers


SKU **1089038 1699** 25102

- · Easily Remove or Install Clic-R Type High Tension Clamps
- . Heavy Duty and Durable Steel Construction
- Clamps Commonly Found on BMW, Mercedes-Benz, Audi, VW and Other Cars and SUVs

5 Piece Hose Remover Set

SKU **1335785 19**99 26519

- Dual Durometer Handles for Comfort and Grip
- Hooks and Picks are Assembled from Carbon Steel for Strength and Durability
- · Perfect for the Removal of Coolant Hoses, Cotter Pins Brake Springs, Large Electrical Connectors and More



GM Water Pump Socket

SKU **OUTSIDE BUŸ/EPO** 27109

• Works on 1993-newer Cadillac Northstar 4.6L V8 Engine (1993-newer) and Oldsmobile Aurora 4.0L L47 V8 (1995-1999) 1/2" Drive

Black Oxide Finish to Resist Rust

· Chrome Vanadium Steel for Toughness



Master Freeze Plug Installer Kit

SKU **965837**

 Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines





Wiew.

Coolant Exchangers

MAHLE

VCX-1 Vacuum Coolant Exchanger

SKU OUTSIDE BUY/EPO MSS4708001900

- Extremely Fast Service Cycles Simple Hook-Up
- and Operation Flexible Adaptation for Most Makes and Models



MAHLE FluidPRO® MCX-2 **Multi-Coolant System Fluid Exchanger** SKU **OUTSIDE BUY/EPO** MSS4708003000

- Includes System Pressure Test Feature and "Hot Car" Radiator Cap Pressure Release
- Compatible with All Coolant Types for Adaptability

. Contains (2) 7.5 Gallon New Coolant Tanks and (1) 15 Gallon Waste Tank

Providing Simple, Rapid Switching from One Coolant to Another

• 3 Minute Service Time for Increased Productivity



Coolant Not Included

Vacufill Air Operated Coolant Exchanger with Drain Pump

SKU OUTSIDE BUY/EPO UVU570000X

1,699⁹⁹

- Includes: Auxiliary Pump for **Emptying Waste Reservoir**
- Large 12 Gallon Waste Coolant Reservoir
- . Connects Easily to Engine
- Cooling Systems
 Large 3 Gallon New Coolant Tank
- · Eliminates Potential Airlock Problems
- Tests for Leaks While Under Vacuum







To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Line Repair Tools



3/16" Brake Line Kit SKU 662854 SURBR-EZ316

- 110 Piece Kit Includes Most Popular Brake Nuts, Unions and Adapters
- Made in USA
- UltraBEND Tubing Easy to Flare and Bend without Kinking
- Smooth Flares Create Better Fittings Seals, Reduces Potential for Leaks
- Includes: 110 Pieces Plus 25' of UltraBEND 3/16" Tubing
- Standard (SAE) and Metric Fittings Included



Deluxe Fuel Line Replacement Kit

SKU 662866 **SURKP1500**

- Repair or Replace 1/4", 5/16" or 3/8" Fuel Lines in as Little as 5 Minutes
- No Special Insertion Tools Required
- Thumb Release Convenience Includes 168 Pieces Plus 75' of Tubing
- No Specialty Tools Required
- Pressure Rated Up to 200 psi



SUR!R.

AIRSEPT

Universal Flaring Set

MSC72475-PRC **569**99



- Create Perfect Production Quality Flares
- Magnetic Adapter Holder Keeps Adapters in Place
- Tube and Die Set Stabilizing Arm for Easy Tube Forming
- Enlarged Die Set Compression Area for Better Grip of Dies



Fuel Line Repair Assortment Kit Dynamic

SKU **1392319 DYNDY-FLA-2**

- . Kit Includes 23 of the Top Selling Connectors, Fittings and Clamps
- 86 Total Pieces



Pro Series Repair Assortment SKU **1125882**

AIR78019

- · Everything You Need for Transmission and Power Steering Line Repair in One Convenient Kit - 16 Repairs
- 5 Minute Line Repair
- · Leak-Free to 2.600 psi
- OE Approved



Bubble Flaring Tool Kit

SKU **592261** 27214

• Designed for Metric Soft Steel Brake Lines Where an

OEM TOOLS

- "ISO" or Bubble Style Flare is Required
- · Forged Yoke is Made of Heat-Treated Steel
- Includes: Flaring Bar. All Adapters Needed for ISO **Bubble Flaring** and 4 Dies (4.75, 6. 8 and 10 mm)



Disconnect Sets

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece

SKU **004112** 25031

- 4 Piece Disconnect Tool Set for NAVISTAR® MAXXFORCE® Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines;
 1 Straight and (1) 90° Tool for 16 mm Fuel Lines



Fuel Line Disconnect Set SKU **OUTSIDE BUY/EPO**

26514

· Disconnects Fuel Lines and Spring Lock Couplings on Ford and Chrysler

Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"
High Quality ABS Plastic That Can Easily

- Stand Up to Daily Usage
- Includes Reusable Holding Tray
- . Easily Disconnects Air Conditioning and Quick Connect Fuel Lines

For Outside Buy/EPO, Call 901-300-4878



Line Disconnect Set

SKU OUTSIDE BUY/EPO 68941

- . Disconnects Fuel Lines and Spring Lock Couplings on Ford and Chrysler
- Sizes: 5/16",3/8", 1/2", 5/8", 3/4" and 7/8"
 High Quality ABS Plastic that can Easily Stand Up to Daily Usage
- Works on Fuel Lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
- Angled Handles for Easy Access to Tight Spots
- Sizes Include: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8" For Outside Buy/EPO. Call 901-300-4878



Angled Disconnect Set

SKU **291416** LIS39400

- Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines
- Works on Fuel Lines and Other Quick Disconnect Couplings on **Domestic and Import Vehicles**
- 6 Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Master Disconnect Tool Set

SKU **291413** LIS39900



- · Contains 8 Tools for A/C and Fuel Lines
- · Comes in a Blow Mold Case






Coolant Hose Removal Tool Set

SKU **383214** CAL244TNZ

- Used to Completely Fill the Void in the Connector to Release the Fastener
- 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces







Catyan

OEM TOOLS

SPECIALTY TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Spark Plug Service

3/8" Drive Magnetic Spark Plug **3 Piece Socket Set**



• Includes: 5/8", 9/16" and 13/16"



Spark Plug Sockets							
SKU	Part #	Drive	Size	Features	Price		
082923	22880	3/8"	9/16"	Magnetic	7.99		
082933	22887	3/8"	5/8"	Magnetic	9.99		
082929	22881	3/8"	18 mm	Magnetic	9.99		
082932	22883	3/8"	13/16"	Magnetic	9.99		
082934	22889	1/2"	13/16"	Magnetic	9.99		
082936	22895	3/8"	14 mm	12 Point Thin-Wall	9.99		

14 mm x 12 Pt. BMW Spark Plug Socket

SKU **814164 1 1 99** 22814

- · Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces
- Durable Chrome Moly Steel Construction
- Overall Length: 3.75
- Plug Retainer for a Secure Grip



SKU **300146** 22885



- Hard Chrome[™] Finish is Easy to Clean and Protects Against Rust Chamfered Ends Make Fastener Engagement Quick and Smooth
- . Magnetic and Won't Wear Out or Be Damaged By Oil
- Deep Marking for Easy Identification Knurling Position for Best Finger Gripping



SKU **300147** 22886



Jaws Adjust to Five Different Positions for

Adiustable Spark

Plug Boot Pliers

SKU **1340226**

25559

Easy Access to Spark Plug Boots Rubber Dipped Jaws Provide a Secure Grip for

Damage Free Removal of the Spark Plug Boot

Hardened Jaws Will Not Bend When Gripping

• Dipped Handle Grips for a Comfortable and Sure Grip



3/8" Drive 14 mm x 12 Pt. Extra **Long Spark Plug Socket**

SKU **814337** 22813

- · Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces
- Durable Chrome Moly Steel Construction
- 12" Extended Reach





12-POINT

Spark Plug Boot Pliers SKU **390900**

25542

· Designed to Remove Hard-to-Reach Spark Plug Boots

 45° Offset Jaws for Easy Gripping of Wires and Boots

STORE STOCKED

Spark Plug Wire Puller

SKU **532549** 25061

- · Insulates Hands from Electric Shock · Grips Directly on Boot to
- Prevent Wire Damage





IPR Socket, 3/8" Drive SKU **912334 14 99** 25280

· Remove/Replace IPR without Damaging the Connector

 Applications: Ford 6.0 L and Other **Diesel Engines**



Oxygen Sensor Socket Set SKU **1103591 71** 99 37110

• Special Purpose, Universal Slotted Socket That Services Hex Vacuum Switches and Oxvaen Sensors

 Includes Sockets for Most Applications: 3/8" Drive 7/8" (22 mm) Deep 3/8" Drive 7/8" (22 mm) Crowfoot 1/2" Drive 7/8" (22 mm) Deep Crowfoot





7 Piece Sensor Socket Set SKU **900823 59 99**

• Used for Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches

• Includes: 7/8" (22 mm) Offset Extended Oxygen Sensor, 7/8" (22 mm) Offset Oxygen Sensor Socket, 7/8" (22 mm) Vacuum Switch Socket, 7/8" (22 mm) Oxygen Sensor Socket, 1-1/16" (27 mm) Deep Oil Switch Socket, 1-3/16" (29 mm) Oil Sender Unit Socket and 1-1/16" (27 mm) GM Thermal Sensor Switch Socket

· Chrome Vanadium for Toughness





OEM TOOLS

Insulated Tools

10 Piece Insulated Screwdriver Set

SKU **1267942** 22593


27189

🕶 REG. \$29.99

- 1,000V VDE Certified Insulated Screwdrivers
- Insulated Grip Handle and Precision Handle for Added Efficiency
- Insulation Sculpted Directly Onto Blade for Permanent Bonding
- Quick-Release Mechanism for Effortless Blade Change
- Exchangeable Blades with a Slim Tip to Fit Tight Terminal Blocks
- Durable Tool Pouch Included for Easy Organization
- Includes 4 Slotted Blades

Offer Good Through June 30, 2025





AZG0225

Fuel Pump Tools

OEM TOOLS

OEM TOOLS

Fuel Tank Adapter

SKU **1407554** 24832

- . Makes Fuel Tank Removal Safe and Easy
- · Works with Most Transmission Jacks
- Includes: 2 Nylon Straps to Secure Tank

 Foam Rubber Pads Protect Tank

Bed Lifter

SKU OUTSIDE BUY/EPO 32999 STK35885



STECK

OEM TOOLS

. Designed to Lift Truck Beds Safely and Easily

. Lifting Brackets Adjusts to **Evenly Distribute Weight**



For Outside Buy/EPO, Call 901-300-4878

Fuel Tank Lock Ring Tool

SKU **751721** 24398

• Ford F150 Trucks (2004 - Newer); Chrysler/Dodge

Mini-Vans, PT Cruiser, Dakota, Durango (2004 - Newer); Chevy 1/2 Ton and 3/4 Ton Trucks (2004 - Newer)

Works with 1/2" Drive Ratchet or Breaker Bar



19 Piece Master Terminal Tool Set

13999

Terminal Blocks on Most Modern Vehicles

· Latest Tools for Coolant Sensors, Wiring Harnesses and

Relay Tester

Terminal Tools

SKU **447159**

27169

OEM TOOLS

OEM TOOLS

Relay Circuit Tester SKU **383450** 27211

• Cut Relay Related Diagnosis Time by 75%

- Identify at the Push of a Button if a Wire, a Part, or a Relay is Defective
- Test an Entire Circuit from the Battery to the Component
- Bypass Relays to Do Compression Test, Fuel Pressure Test, A/C Fill, etc.
- · Kit Includes: Tester, 6 Popular Relay Leads and 1 Universal Relay Lead
- · Comes in a Sturdy **Blow Mold Case**



Fuel Pump Module Spanner Wrench SKU **110278**

25156





Adjustable Multi-Arm Lock Ring Tool

SKU **1491306 20**99 25558

- Interchangeable Arms to Remove and Install the Retaining Ring on the Fuel Pump Module
- · Adjustable Arms to Easily Adjust to the Fitment of the Retaining and Locking Rings
- Slip Resistant Spanner to Limit Damage to the Lock Ring and Retaining Ring
- 3/8" Square Drive

OEM TOOLS



Throttle Depressors

Brake - Accelerator Pedal Depressor


SKU **802194** 24232

- . Holds Brake or Accelerator Pedal at Desired Position
- · Easy to Adjust
- . Extends to 24'
- Suitable for Many Diagnostic **Applications**



Steering Wheel Holder and Pedal Depressor Set

SKU **802195** 24231



- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



Throttle Pedal Depressor

SKU **222525** LIS48700

• Holds Throttle at a Constant RPM

- . Engage the Nylon Hook Under the Steering Wheel, Then Extend the Depressor Rod to the Accelerator Pedal
- Length: 40"

Relay Tools

Relay Puller Pliers

SKU **291342** LIS46950

- · For Removing Electrical Relays on Most Domestic and Import Vehicles
- · Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay



Relay Test Jumper Set II

SKU **291341** LIS60610

. Includes 4 Jumpers to Fit Many Popular Relays on Honda, Nissan Toyota, Newer Ford and GM Mini Micro Relays as well as International Trucks



Relay Test Jumper Set

SKU **291333** LIS56810

OEM TOOLS

- Includes 4 Jumpers to Fit the Most Popular Size Relays on Domestic and Import Vehicles
- . Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On







TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Wire Strippers

8-1/4" Wire Stripper/Cutter/Crimper/Bolt Cutter

SKU **312821** 25193

- AWG: 10, 12, 14, 16, 20 and 22 Stranded
- AWG: 8, 10, 12, 14, 16 and 18 Solid
- Crimps 7 and 8 mm Ignition Terminals



9-1/2" Terminal Crimping Pliers with Cutter

SKU **OUTSIDE BUY/EPO** 25196



- . Specially Hardened Wire Cutter in Nose
- Tapered Nose for Working in Confined Spaces
- For 10 to 22 AWG Wire Connect
- Plastic-Dipped Comfort Handles Minimize Fatigue



OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

7" Wire Stripper Crimper - Cutter

SKU **751657** 24452

- Strips 20-12 Gauge Insulated and Non-Insulated Wire
- Use for Wire Cutting and Stripping, as Pliers for Grabbing and Twisting or for Crimping of Insulated and Non-Insulated Connectors
- Industrial Finish with Red Textured Grips



6-in-1 Long Nose Pliers

SKU **177785** 22631

- Wire Strippers: 10, 12, 14, 16, 18, 20, 22 AWG
- Wire Crimper: 10 20 AWG
- · Ergonomic Pistol Grip for Added Leverage
- Ideal for Hard-to-Reach Spot

OEM TOOLS



Circuit Testers

Digital Display Circuit Tester

SKU **568468** 24451

- Detect Voltage, Power, Ground and Circuit Condition
- Display Provides Precise Voltage
- Voltage: 5 to 30V DC
- Computer Safe DO NOT Use on Airbags

Voltage Display

28

Coiled Cord Circuit Tester SKU **422468** 25886 • Circuit Tester with a Stretchable

and Retractable 12' Cord for Long Circuit Runs



OEM TOOLS

One Handed Wire Piercina Circuit Tester

SKU **422469** 25887

- Bright Hi-Vis 12' Heat and Oil Resistant Coiled Cord
- . Molded Strain Relief for Long Life
- · Hangs on Wire for Hands-Free Operation
- 6. 12 and 24 Volt Systems



OEM TOOLS

Memory Saver/Parasitic Drain Monitor

SKU **OUTSIDE BUY/EPO PWPPPDRAW**

- · Connects Via 16Pin OBDII Port and Supplies Power and Monitors the Vehicles Electrical System for Parasitic Draw · View and Record Data Via Bluetooth on Power
- Probe Link App Graphing Mode for Displaying Voltage and
- Amperage as a Wave Form
- Readings are Displayed on the LCD Screen
- Capable of Delivery Up to 10 Amps Continuous Current

For Outside Buy/EPO, Call 901-300-4878



ECT3000 Electrical Circuit Tracer

SKU **1392338** PWPECT3000B

· Automatic and Manual

Sensitivity Locking Arrow Indicates Direction to Short

· Signal Distance Indicator Bar

• 10 Minute Auto Shut Off

Eraonomic Housing



Windshield Tools

Compact Windshield Wiper Arm Puller

SKU **191681 1999**

- Easily Removes Wiper Arms on Most Domestic and Foreign Vehicles
- Will Not Damage Wiper Arm or Hood Cowling During Removal
- Features Turning Knob for Fast Work and Forged Body for Strength
- Compact Design Works Great in Tight Spaces



OEM TOOLS

OEM TOOLS

Window Holder

SKU **191670** 25309

- . Works on All Cars and Trucks with a Top Door Frame
- Loop Cable Over Door Frame and Attach Suction Cups to Each Side of Glass
- Window Glass is Securely Held Above the Door While Work is Performed





Universal Wiper Arm Puller

SKU **265136 2099** 25339

- For Pulling Front and Rear Wiper Tight Fitting Wiper Arms
- Suitable for Most Wiper Arms Including Audi[®], VW[®], BMW[®] Ford®, Chevrolet®, Mercedes-Benz® and Others
- Designed to Prevent Damage to Wiper Arm Nozzle



Double Head Suction Cups

SKU **291351 1 1 99** 24246

- Twin Head Suction Cups Help Remove Windshields
- ABS Rubber Cups Grab Ahold of Glass
- Flexible Handle Bends to Windshield
- · Quick Release Levers for One-Hand Operation



Window Molding Clip Remover

SKU **265130** 25338



- . Use to Release Body Molding Clips
- Double-Sided Design Works on a Variety of Clip Configurations
- . Made with Heat-Treated Carbon Steel for Strength



Caklan

OEM TOOLS

18" Professional Windshield Knife SKU **480782 70**99 CAL53100

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle



A7G0225







Tire Tread Depth Gauge SKU **954233** CEN3S402A

• Easy-to-Read Digital Display



· Spring-Loaded Plunger



Central TOOLS, Inc.

Central TOOLS, Inc.

24" Straight Edge

SKU **949552** 25355



• Durable Powder Coat Finish with Precision Ground Edge

• Hang Hole for Convenient Storage

• Includes Reusable Protective Edge



OEM TOOLS

. Large Easy to

SKU **864649**

25363

6" Electronic

Digital Caliper

Read LCD Display Zeroing Feature

OEM TOOLS

• Thumb Roller with Locking Device

Central TOOLS, Inc.

1" Dial Indicator Set SKU **954195 CEN3D101**

• Strong Magnetic Base

 Revolution Counter

• Full 1" Range



Central TOOLS, Inc.

Indicator Set with Flex Arms and Lock Pliers

SKII 954184 **CEN3D103**

- Locking Pliers for Mounting
- Flex Arm for Extra Reach
- Revolution Counter

• Full 1" Range



TOOLS

Central TOOLS, Inc. **Extended Range Bore Gauge**

CEN3D302

 Extended Range of 1.4" to 6"

 Lower Range for Small

 Reach Deep into Cylinders

SKU **954188**

Applications



0-5.5" Digital **Rotor Gauge**

SKU **954197** CEN3M430A

- Easy-to-Read Digital Display
- Pointed Anvil for Measuring Grooves

 Inch and Metric Readings



Digital Drum Gauge

SKU **954196 CEN3B531**



- Depth Stops to Improve Accuracy · Pointed Anvils for Grooves
- · Easy-to-Read Digital Display



Digital **Torque Adapter**

SKU **362559** 25684

- · Range: 19 to 99 Ft/Lb. (27 to 135 Nm)
- Comes in a Sturdy Blow Mold Case



25' Tape Measure

SKU **1414409** 25699



- 1" Extra Wide Blade
- 10' Standout Reach
- Magnetic End with Dual Hooks
- Heavy Duty Impact-Resistant Case



OEM TOOLS

Central TOOLS, Inc.

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Steck - Lockout Tools

BigEasy™ Glo with Easy Wedge Lockout Kit

SKU **964494 STK32955** **99**99

- Glow-In-The-Dark Yellow Allows You to See the Tool at Night or Through Tinted Windows
- Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo



BigEasy™ Carrying Case

SKU **227873 39 99** STK32935



Made of Soft, Yet Firm Material to Protect Your BigEasy Kit

- Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck




BigEasy™ Lockout Kit

SKU **964491** STK32900

49⁹⁹

- High Visibility Pink Powder Coating and Improved Non-Marring Wedge
- Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door
- Paint Protector Reduces Friction Between the Car Door and the BigEasy



BigEasy™ Easy Wedge (Inflatable)

SKU **964493 STK32922**

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy



Access Wools

Access Tools - Lockout Tools

Emergency Response Kit Long Case

SKU **1339730 AETERKLC**

199⁹⁹

- Most Popular Accessories, Gets into Any Vehicle
- Designed by First Responders
- Emergency Ready
- Includes: Quick Max Long Reach Tool, Flex Max, Button Master, Super One Hand Jack Tool, Super Air Wedge, Glassman Wedge and Button Strip Tool



Button Master SKU 1189051 AETRCBM

54⁹

- Flexible Coated Long Reach Tool
- Retractable Loop with Grip Cover
- Grab Vertical Door Buttons with Ease
- Approximately 38" in Length When Straightened
- Most Flexible and Versatile Version of All the Button Masters

One Hand Jack Set

SKU **1145698 AETOHJS4**

124⁹⁹

- Easy-to-Use Car Opening Kit
- · Soft Shielded Long Reach Tool That Won't Scratch Paint
- Air Wedge with Stiff Insert for Easy Insertion
- Vertical Button Tool One Hand Jack for Quick, Damage-Free Insertion of the Air Jack








Rivet Tools

500 Piece Aluminum Rivet Assortment

SKU **271150 68109**

 Includes: 1/8" and 3/16" Rivets 1/4", 5/16" and 3/8" Long



HARDWARE MACHINERY

† † † † † <u>†</u>

Industrial Hand Riveter SKU **291353** 799

SKU **291353 47**9**25921**

- For Use with Steel and Aluminum Rivets Noses: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)
- 18" Overall Size with Long Handle Provides More Leverage



Nut Rivet Set Metric

SKU **94888 MAR39303**

12999

- Includes the 39200 Thread-Setter Tool with 8-32, 10-32 and 1/4-20 Mandrels and Nosepieces and Wrench
- Contains 44 Assorted Klik Poly-Nuts





Big Daddy® Hand Riveter SKU **094886**

MAR39031 229 95



- Double Gear Reduction System Easily Sets from 1/8" to 1/4"
 Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets
- Comes with 5/32", 3/16" and 1/4" Nose Pieces Stored in the Body





Slide Hammer Pullers

5 Lb. Slide Hammer SKU **1103572** 54 99

• For a Variety of Pulling Tasks

- Chrome Plated Main Shaft



9 Way Slide Hammer Puller Set

SKU **1335798** 37191

11999

- Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs
- . Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 2-Way and 3-Way Cross Blocks
- Includes: Grip Wrench Adapter and Dent Puller Attachment
- Designed for Use with Other 5/8" x 18 Thread Slide Hammer Attachments






Rear Axle Puller Set SKU **094801** 27202

- Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks
- · Slide Rod and Adapters are 5/8" x 18 Standard Threads





VW/Audi Fuel Injector Puller Kit

SKU **1103636** 37383

- Includes: 1 Mini Slide Hammer, 1 Installation Tool, 2 Special Puller Attachments and 3 Knurled Collars
- · Comes in a Sturdy Blow Mold Case
- Used with All 2.0 L TSI/FSI/TSFI Engines



Multi-Purpose Puller

Multi-Purpose Bearing and Pulley Puller Set

SKU **900824** 27190

- Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More
- 20 Piece Set Includes: 6 Jaws, 2 Bar Housings 6 Bolts and 2 Retainers
- . Capacity: 6-10 Tons (Depending on the Jaws)
- Combine to Create 10 Different Pullers

OEM TOOLS



Retainer Remover

Brake Cylinder Retainer Remover

SKU **265111** 25268

- . Expands and Holds Special Retainer So the Brake Cylinder May Be Removed
- · Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



OEM TOOLS

OEM TOOLS

Lock and Snap Ring Pliers

Professional Internal/External Snap Ring Pliers

SKU **1340233** 25097

• Unique Jaw Design Makes it Easy to Switch from Internal to **External Configurations**

- For Both Internal and External Rings
- Alloy Steel and PVC Grip with Storage for Tips
- Includes: 3 Pairs of Tips and Hex Key, 1 Pair Straight Tips for 1.2 mm and 1.8 mm, 2 Pair 90° Tips for 1.2 mm and 1.8 mm





Angle Tip Lock Ring Pliers SKU **191055 20**99 25354

- · For Spreading Snap Rings Found on Brakes, Pedal Shafts, Clutch Shafts, Transmissions, Machine Tools and Piston Rings
- Constructed with Durable Drop Forged Steel Alloy
- · Spring-Loaded Jaws Feature a Scored Outside Edge for a Secure Grip
- · Vinyl Grip Handles for Added
- Comfort and Control
- Spread: 3/4'
- Length: 8-1/4"



10 Piece Snap Ring Pliers Set SKU **900819 71** 99 27180

 Includes: (2) 5-1/2" Bent Pliers (0.038" and 0.047" Tip), (2) 6" Straight Pliers (0.038" and 0.047" Tip), 7-1/2" Bent Pliers (0.070" Tip), 8" Straight Pliers (0.070" Tip), 8-1/2" Bent Pliers (0.090" Tip), 9" Straight Pliers (0.090" Tip), 1 Pick Tool and 1 Hook Tool

- · For Both Internal and External Rings
- Constructed with Heat-Treated Chrome Moly Steel
- Comes in Sturdy Blow Mold Case



2/3 Jaw Pullers

1 Ton Puller

- Standard Jaw Puller Made with Hi-Alloy Steel · Jaws Grip Tighter as
- Pressure is Applied Adjustable and Reversible
- Jaws with 2 and 3 Jaw Configuration

3" Spread

SKU **246386** 25902

4" Spread SKU **246387**

5 Ton

25903

SKU **516519** 27078











Cam/Crankshaft Tools

Crank Bolt Sockets

Deep Counter-Weighted Sockets Provide Increased Torque to Break Loose Stubborn Crank Bolts

 Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV. Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400 Vehicles and More

17 mm

SKU **912348** 25275

22 mm

SKU **070132** 25300

19 mm

SKU **1335801** 25290

26 mm

SKU **919500** 25278

lisle

21 mm

SKU **912343** 25273

27 mm

SKU **919497** 25279

SKU **919501** 25276



Universal **Pulley and Fan Clutch Holder**

SKU **547013** 27281

• Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes Adjustable Diameter: 1-1/2" to 8-5/8" Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm

Comes in Blow Mold Case



OEM TOOLS

5 Piece Master Cam/Timing Gear Clamp Set

SKU **383452 91 99** 27210

- Covers Most Single, Twin Cam and Quad Cam Engines
- · Locks Camshaft to Hold Valve Timing During Timing Belt Replacement



OEM TOOLS Ford Cam

Tool 1.6 Liter SKU **1103640** 37380

- . Designed to Hold the VCT Sprockets in Position During Timing Belt Installation or Camshaft Service · Alignment Tool Services:
- Ford Fiesta (2011 to 2014), Ford Escape (2013 to 2014), Ford Fusion (2013 to 2014), Ford Transit (2013 to 2014)



Ford 2.0 L, 2.3 L, 2.5 L **Cam Tool Kit**

6 Piece Crank Bolt Socket Set

• Provides Increased Torque to Break Loose Stubborn Crank Bolts

Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV.

Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus,

Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400

• Includes: 17, 19, 21, 22, 26 and 27 mm Deep

Counter-Weighted Sockets

Vehicles and More

OEM TOOLS

SKU **626108** 24448

• Applications: 2.0 L DOHC Engines Found in Ford and Mercury (1994 to 2003), 2.5 L DOHC, 2.3 L DOHC 4V and 2.0 L DOHC Engines in Ford, Mercury and Mazda (2004 to 2012) and 2.0 L DOHC Engines in Ford Probe (1993 to 1994)



OEM TOOLS

Ford Timing Chain DEMITOOLS **Locking Wedge Tool**

SKU **012647** 24207

- For 2005-14 5.4 L and 4.6 L 3V OE Type Tool Allows for Easy Cam Changes without Removing the Timing Cover
- Compact and Easy to Use
- OE Type Tool
- For 5.4 L and 4.6 L 3V (2005-2014)



DOHC Cam Lock Holder

SKU **291419** LIS36880

- . This Versatile Tool Easily Locks and Holds Both Camshaft Sprockets Firmly in Place
- · Preserves the Engine Timing During Belt or Chain Replacement



Pilot Bearing Puller

SKU **775523** 25089

. Use to Pull Pilot Bearing from End of Crankshaft

· Plate Prevents the Jaws is Applied

· Spread Range: 1/2" to 1-1/2"

· Reach Range:



from Spinning When Force

3/16" to 11/4"



SKU OUTSIDE BUY/EPO 27059

• Use with OEMTOOLS 37033 and 27202 Slide Hammer Pullers

Threaded with Both 5/8" x 18 and 3/4" x 16 Threads to Fit Most Slide Hammers



OEM TOOLS

Ford Master Timing Kit SKU OUTSIDE BUY/EPO CTA2221

• Includes: Harmonic Balancer Holder, Camshaft Alignment Tool, VCT Alignment Tool, Crankshaft Positioning Tool, Crankshaft Vibration Dampener Alignment Tool, 3 Pc. Wedges and Camshaft Timing Kit

 Services Ford, Mazda and Lincoln 1.4 L, 1.5 L, 1.6 L, 2.0 L, 2.3 L, 2.5 L, 3.0 L and 3.5 L Engines

For Outside Buy/EPO.



OEM TOOLS

Call 901-300-4878

Flywheel Turner

SKU **1207891** 25556

• Holds Flex Plates and Fly Wheels to Allow Clutch, Transmission and Crankshaft Service

• Spring Tensioned to Keep the Wrench Securely Engaged

· Sure Grip Handle



OEM TOOLS

Flywheel Locking Tool SKU **1335793 7799**

25557



• Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement

• Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation

• Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks




Universal Camshaft Bearing Tool

SKU **191677** 27143

• Removes or Inserts Camshaft Bearings in Nearly All Engines

- Set Includes: Driving Shaft, Driving Shaft Extension, Expander Unit, 5 Split Driving Plugs, 2 Driving Collars and Centering Cone
- Easy on Bearings
- Range: 1.125" to 2.69"





ENGINE SERVICE

Valve & Cylinder Head Tools

Combustion **Leak Detector**

OEM TOOLS

SKU 1103608 37145

- Test for Internal Combustion Leaks on **Gasoline Engines**
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- . Comes in a Sturdy Blow Mold Case
- Not for Use with Diesel Engines



Combustion Leak Detector Fluid (8 Oz.)

SKU **391381** 25739





Lever Valve

Spring Compressor

Makes Valve Component

Disassembly and Reassembly

• For Use with Valve Stems from

4.5 to 7.5 mm and 5/16" to 3/8"

Chrysler New World Engine

. Magnet in Tool Body Captures Keepers

New Smaller Size Works on Toyota 4 Cylinder and

SKU **662780** 24676

Installer Kit

SKU **011658**

Fast and Easy

LIS36050

Valve Keeper Remover and

- Lever Action Stavs Compressed for Easy Valve Lock Removal
- Included Adapters Fit Valve Retainer Diameters from 1" (25 mm) to 1-3/16" (30 mm)
- · Compression Range from 1-3/8" to 5-5/8' (35 mm to 142 mm)



fisle,

OEM TOOLS

Hydraulic O=MTOOLS Valve **Lifter Puller**


SKU **424904** 27146

Lisle

 Use for Removing Many Valve Lifters from Engine **Block**

Ford Valve Spring Compressor

SKU **626111 24** 99 24434



- · Works with Engine Removed or Installed. Cylinder Head On or Off
- Not for Triton 5.4 3V



OEM TOOLS

OEM TOOLS Valve **Spring Compressor**

SKU **552331 19**99 25064

· Compresses Valve Springs on GM V8 Engines with Stud-Type Rocker Arms without Having to Remove Cylinder Heads

Use with OEMTOOLS®



OEM TOOLS

OEM TOOLS **Ford Valve Spring Compressor** for 3-Valve Engines SKU **814391** 24429

- Designed to Compress the Valve Spring without Removing the Camshaft While Servicing the Cylinder Head in Ford 3-Valve Engines
- For Use with Ford 3-Valve 4.6 L and 5.4 L Engines



STORE STOCKED

Flexible Air Valve Holder

SKU **1392465** 25029

- For 14 mm and 18 mm Spark
- Plug Holes
- 14" Flexible Hose Reaches into Tight Areas



Push Rod Remover OEM TOOLS

SKU **459100 9099** LIS48300



GM V6 2.8L, 3.1 L and 3.4L · Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms



Torque Adapter. Diesel Head Bolt. Ford 6.0 L Power Stroke® Engines

SKU **298191 1899** 24208

- Eliminates the Need to Remove the Truck/Van Cab from the Chassis to Access the Rear Head Bolts
- Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging
- · Prevents Damage to the Rear Heat Shield
- Use with OEMTOOLS® 27309 3/4" Drive Torque Wrench and OEMTOOLS® 22398 18 mm Socket



24" Straight Edge

SKU **949552 199** 25355



OEM TOOLS

- Distortion on Engine Blocks, Cylinder Heads, Fly Wheels, Main Bearing Saddles, Cam Bearing Saddles, Cam Covers and Bell Housings
- Constructed with 1/4" Thick Cold Rolled Steel
- Precision Ground Edge to +/- 0.001"
- Durable Powder-Coat Finish
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



Engine Cylinder Hones

BC 180SC Flex-Hone Tool Kit SKU 213154 23999 BRM14353

- 10 Piece Kit Features Flex-Hone Sizes: 10 mm, 1/2", 5/8", 3/4", 7/8", 1", 1-1/4", 1-1/2", 1-3/4" and 2"
- · Complimentary Snap Back Hat, 1/2 Pint of Flex-Hone Oil and 1GB Flash Drive



SKU	Part #	Product	Cylinder	Price	
240	Part #	Product	Metric	SAE	Price
341226	BRMBC30018	Flex-Hone™ GB	76 mm	3"	<i>54.99</i>
341232	BRMGB31412	Flex-Hone™ GB	83 mm	3-1/4"	<i>54.99</i>
341239	BRMGB31212	Flex-Hone™ GB	89 mm	3-1/2"	<i>59.99</i>
341317	BRMGB33412	Flex-Hone™ GB	95 mm	3-3/4"	64.99
341325	BRMGB41812	Flex-Hone [™] GB	105 mm	4-1/8"	69.99
341332	BRMGB45812	Flex-Hone™ GB	118 mm	4-5/8"	<i>69.99</i>

ADDITIONAL SIZES AVAILABLE - CALL US AT 901-300-4878 OR VISIT AZTOOL1.COM



AZG0225

ENGINE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Harmonic Balancer Tools

Harmonic Balancer Puller Kit

SKU **818738** 25090

Unique Jaw and Returning Springs for Easy Positioning of the Puller

- Includes: Puller Body, 3 Jaw Puller, 3 Jaw Retaining Pins, 3 Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- · Used on Many GM, Ford, Mitsubishi and Chrysler Engines



OEM TOOLS

Harmonic Balancer Puller Tools SKU **1103576**

37187

- Includes: Yoke, Pressure Screw and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Ideal for Any Shop or Garage
- Pulling Balancers and More
- · Heat-Treated for Strength and Durability



Long Reach Harmonic OEM TOOLS **Balancer/Pulley Installer for GM, Ford and Chrysler**

SKU **1103550 1103550** 37306

- Use to Install Crank Pulley or Underdrive Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16 x 2.0 mm (GM), M14 x 1.5 mm (Dodge, Chrysler and Jeep), M12 x 1.75 mm (Dodge Chrysler and Jeep) and M12 x 1.5 mm (Ford)



Universal Pulley and Fan Clutch Holder

27281

SKU **547013** 64 99

- Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm

· Comes in Blow Mold Case



OEM TOOLS

Harmonic **Balancer Installer**

SKU **1103603** 37144

• Use to Properly Install Harmonic Balancers without Damage

OEM TOOLS

. Thread Adapters: 12 mm x 1.5. 14 mm x 1.5. 16 mm x 2.0, 7/16" x 20, 1/2" x 20, 9/16" x 18, 5/8" x 18, 3/4" x 16



OEM TOOLS

GM Harmonic Balancer Puller

SKU **213102** 25264

Time Saving Tool, No Need to Remove Radiator

- Designed to Remove Harmonic Balancers without Tapped Holes
- GM Applications: 5.3 L, 5.7 LS1, 6.0 LS2, 6.2 LS3, 7.0 L
- Chrysler/Jeep/Dodge: 3.5 L V6, 3.6 L V6, 4.7 L V8, 5.7 L V8 and 6.1 L V8



OEM TOOLS

Flywheel Locking Tool

25557

SKU **1335793 7799**

- Locks Flywheel in Place When Removing Harmonic Balancer on 6.6 L Duramax Engines with Allison **Automatic Transmissions**
- Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement
- Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation
- Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks



Honda/Acura **Crank Damper**

Holder Tool SKU **1069101** 26507

- For Removal and Installation of the Crank Bolt on Honda/Acura Engines
- . Use on Honda and Acura Engines (1990 - Newer)
- Designed to Hold Crankshaft Pulley to Install/Remove Crankshaft Pulley Bolt
- 50 mm Hex
- 1/2" Drive Works with Ratchet or Breaker Bar



2.7/5.2 L Ford **EcoBoost Long Reach Harmonic Balancer/Installer**

SKU **1392336** CAL38710

- Designed to Achieve Easy Installation of Harmonic Balancers on Ford Ecoboost
- Can Be Used On 2.7 L, 3.0 L, 3.3 L and 5.0 L Engines in Ford/Lincoln Cars, Trucks and SUV



Ratcheting Harmonic **Balancer Pulley Puller** SKU **1189050**

- Eliminates Need to Remove the Radiator
- Push Turn Click Design
- · No Need for Bolts

CAL38000

• Applications: FORD 5.0 Coyote, GM 5.3 L, 5.7 (LS1), 6.0 (LS2), 6.2 (LS3), 7.0 L and Most Three and Six-Spoke Harmonic Balancers/Pulleys



Hex Oil Pump Primers

- Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start
- . Connects to the Oil Pump Shaft Through the Distributor Hole
- For Use with 3/8" Reversible Drill



Ford 5/16" SKU **534545** 27062

Ford 1/4" SKU **534537**

OEM TOOLS

Piston Tools

Piston Ring Compressor SKU **013641**

24682

- 1-1/2" Deep, Low Friction Wrinkle Band
- Fits 3" to 5" Pistons





OEM TOOLS

Piston Ring Expander Pliers SKU **003509** 25083

- · Eliminates Piston Ring Damage and Distortion During the Installation and Removal Process Dipped Rubber Handles for Improved Grip
- Diameter Range: 3-1/8"(80 mm) to 4-5/8" (120 mm)





ENGINE SERVICE

Diagnostic

Compression Tester Gauge Set

SKU **1103601** 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determines Engine Mechanical Condition



8 Piece Noid Light Set

SKU **1103589** 37161

- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2
- See-Through Design to **Check Electrical Pulses**



Vacuum Pump Tester Power Steering and Brake Bleeder Set

SKU **1103570** 37070

- Brake Bleeding Kit Bleeds Brakes, Clutches or Other Hydraulic Systems
- Kit Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubina



OEM TOOLS

Exhaust Back Pressure Tester/Gauge

SKU **1**103604 **5**499 37263

- · Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- Test for Restricted Exhaust Systems



Gas Engine Combustion Leak Tester

SKU **1103608 29 99** 37145

- Test for Internal Combustion Leaks on Gasoline Engines
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- Designed for Professional Auto Mechanics and Heavy Duty **Applications**
- Not for Use with Diesel Engines
- Use with 25739 Test Fluid



Alternator Tools

Alternator Decoupler Pulley Tool Kit

SKU **300124** 27261

REG. \$24.99

- Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys • Tools May Be Used While the Alternator is On or Off
- Includes 2 Pulley Sockets and 3 Shaft Bits
- Comes in a Sturdy Blow Mold Storage Case

Offer Good Through June 30, 2025



Alternator Decoupler Pulley Service Set

SKU **1103629** 37275

- Removes and Installs Many Alternator Decoupler Pulleys on the Most Popular Vehicles
- · Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys





OEM TOOLS

Exhaust Donut Stretcher

SKU **390901** 25543

Exhaust Tools

- · Easily Grabs onto Mounting Rubber Rings or Doughnut Used on Many Exhaust Systems
- Features an Offset J-Hook
- Large Coated Handle for Comfort

• Designed for Both On and Off Cutting

Exhaust Manifold Spreader Set

SKU **504028** 25253TW0



- Use for Reinstalling the Manifold on Small-Block Chevrolets
- . Simple Way to Expand Warped Manifold to Align Bolt Holes
- . Helps Prevent Cross-Threading of Manifold Bolts
- · Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalignment



OEM TOOLS

OEM TOOLS

1-1/2" x 2-7/16" Tailpipe Expander

SKU OUTSIDE BUY/EPO 27027



OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

Tailpipe Cutter SKU OUTSIDE BUY/EPO 9099 27045

• Cushion Grip Handles

• Used to Cut Tail Pipe Range 3/4" to 3-1/4" (19-83 mm)

OEM TOOLS





SKU 213145 25251



• Designed to Remove Broken Exhaust Manifold Studs

- For Ford Triton 2V and 3V Engines 4.6L, 5.4 L and 6.8 L V10
- Drill Depth Gauge Marked on Each Adapter
- Interchangeable 2V and 3V Adapters
- Hi-Vis EVA Tray for Easy Storage and Organization
- Includes: Template, 2V Adapter, 3V Adapter, 2 Stud Alignment Pins, 3/16" and 1/8" Double-Sided Drill Bits and Stud Extractor



Exhaust Pipe Stretcher Kit

SKU **080137** LIS17350

- Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1-5/8" to 4-1/4" in Size
- Use with Impact Wrench to **Quickly Stretch Pipes**



For Outside Buy/EPO, Call 901-300-4878

Manifold Drill Template for GM EcoTec3 5.3 L and 6.2 L SKU **1125865**

- Removes Broken Exhaust Manifold Bolts without Damaging the Cylinder Head
- Tapered Bolts Allow You to Move from Hole to Hole without Moving Base Plate
- Screw Extractor Removes Broken Bolts
- Includes Bushing Drill Guide When Extractor Cannot Be Used





OEM TOOLS

ENGINE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com





Cam phaser knock on 4.6/5.4 L 3V engines is common in older models and can lead to bigger problems if not fixed. There are millions of trucks on the road with this problem, but until now, there have been few good options to permanently help fix the knock. This kit helps to eliminate any knocking noise heard from the front valve cover/timing cover related to the phasers. These all-in-one kits correct the cam phaser knock on ONE engine.

Stop Saying "No" to Business and Be **Confident Your Customers Will Be Satisfied!**



This Kit is the Only True, Long Term Repair for Ford Cam Phaser Noise on the Market

Cam Phaser Noise Repair Kits Include:

- Wedge Tool for Easier Installation
- Programmer with OBD-II Cable
- 2 OEM Quality Phaser Bolts
- 2 Lock Outs

• Fits Ford OEM Cam Phaser

lisle

Ford, Livernois and logos featured or referred to on this page are the property of their respective trademark holders I For Outside Buy/EPO, Call 901-300-4878

Fan Clutch Tools

Fan Clutch Wrench Set SKU **1103596**

37141

REG. \$79.99

- Works on Many of the Ford, Mazda, Dodge, Lincoln, Mercury and Jeep Makes and Models with the Original Fan Clutch Assembly
- Includes Wrench Sizes: 40 mm, 48 mm, 54 mm, 68 mm, 72 mm, 76 mm and 83 mm



Ford Cam Phaser Noise Repair Kit

SKU **OUTSIDE BUY/EPO**

LMEF1503V

Offer Good Through June 30, 2025

Universal Fan Wrench Set SKU **080554**

LIS43600



- . Hooked Wrench Design Holds Nuts and Bolts, Allowing the Technician to Easily Tighten/Loosen the Other Bolts
- · Double-Sided Spanner Style Holding Wrench Will Hold Pressed-On Pulleys on Many GM, Jeep and **Dodge Vehicles**




Pneumatic Fan Clutch Wrench Set

SKU **291409**

LIS43300

 Quickly Removes and Installs Fan Clutch When Repairing the Water Pump or Fan Clutch

 Includes Wrench Sizes: 32 mm. 36 mm. 40 mm; 7/8", 1-7/8" and 2"



Fan Clutch Service Set for Mercedes-Benz and BMW

SKU **512958** 27224

- Removes Lock Nuts on Thermo Viscous Fans Found on Mercedes-Benz, BMW and Many Ford Models
- Special Open-Ended Spanner to Allow Removal and Replacement of the Radiator Fan Hub
- The 3-in-1 Design Allows Servicing of 3 Separate Areas of Repair, Eliminating the Need for 3 Different Tools
- Hub Securing Bar Used for Securing Water Pump Hub from Rotating During R&R of Fan Clutch Nut
- Applicable: Mercedes M103, 104, 111, 119, 120 OM 602, 603, 605, 606; the 10 mm is Used for Adjusting A/C Belt Tension and R&R of Idler Pulley on Models 420, 560 with V-819 (1986 and Newer)
- Applicable: Mercedes M103 (6 CYL, M104 (6 CYL 4 VLV), M119 (8 CYL 4 VLV) M120 (12 CYL 4 VLV)



Pulley and Fan Clutch Holders

Fan Clutch Holding Tool

SKU **209526** 27171

- For Fan Clutch Repair and Service
- · Holds Water Pump Pulley while Servicing Fan Clutch Adjustable Jaws
- Fits Most Water Pump Pulley Bolt Patterns, Including Pressed-On Pulleys
- · Jaws Will Lock in Place, Securing
- Water Pump Bolts Longer Handle Provides Leverage for Extra Torque

OEM TOOLS **Universal Pulley and Fan Clutch Holder**

SKU **547013** 27281



- Fits Many Different Fan Clutches, Cam and Crank Pullevs with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- Mold Case



Stretch Belt Tools

Stretch Belt Installation Tool

SKU **227301** 24363

- Works on Both Large and Small Pulleys
- Clamping Jaw Allows User to Position Serpentine Belt without the Belt Slipping Out of the Tool



SKU **255866** LIS59370

- Unique Magnetic Faces Hold the Tool in Place on the Pulley
- Compact. One Piece Tool Can Be Used on the Front or Back Side of the Pulley



AZG0225

OEM TOOLS

CHASSIS & SUSPENSION

Ball Joint Service Kits

XL C-Frame Ball Joint Press Set

SKU **1142924** 25105

10999

• Ideal for Pressing Out Larger Ball Joints on Pick-Up Trucks: Toyota Tacoma and Tundra, Chevrolet 2500-3500 and Tahoe, Dodge Ram 2500-3500 and Ford F350-F550

• Extended C-Frame Allows Use of Multiple Larger Adapters That Standard C-Frame Presses Won't Fit

 C-Frame Constructed with Heavy Duty Forged Steel for Strength and Durability

 For Use with OEMTOOLS® **Ball Joint Press Kits** and Adapter



74 Piece Master Ball Joint Press Kit SKU **1207895**

37388

- · Adapters for Almost Every Car, Van, SUV and Light Duty Truck
- Comprehensive Kit with 70+ Adapters and C-Frame
- . Tough Heavy Duty C-Frame is Built to Last
- · 2 Heavy Duty Molded Cases are Designed for Storage and Mobility



OEM TOOLS



Hvdraulic Ball Joint Separator

VALUE: \$79.99

25219

Purchase of: 37388

Offer Good While Supplies Last Through June 30, 2025

21 Piece Master Ball Joint Press Set

SKU **1142406** 25104

- Removes and Replaces Press-Fit Upper and Lower Ball Joints on 2-Wheel Drive (2WD) and 4-Wheel Drive (4WD) Vehicles
- Includes Adapters with Specialized Cut-Outs to Maneuver Around Obstructions

• Includes Adapters Needed for Removing Upper and Lower Ball Joints on GM,

Ford and Chrysler 2WD and 4WD Light-Duty Trucks, Vans and SUVs

· Heavy Duty Forged Steel Alloy C-Frame for the Toughest Jobs — Ideal for Seized Joints



Master Ball Joint Installer/Remover Adapter Set

SKU **1103612** 37310

- Includes All the Receiver Tubes and Removing/Installing Adapters Needed to Work on Many GM, Ford and Chrysler 2 and 4 Wheel Drive Pick-Ups, Vans and SUVs
- Works on Press-Fit Upper and Lower Ball Joints

 For Use with 0EMTOOLS® Ball Joint Press Kits and Adapter



Ball/U-Joint Press with 4WD Adapter Set

SKU **1103607** 37089

- Remove and Replace Ball Joints on Many Vehicles
- C-Clamp Frame Press Also Removes and Replaces U-Joints
- Includes Adapters to Service 1/2 to 3/4 Ton 4 Wheel Drive Vehicles Equipped with Dana 44 Series Front Axle



Ball Joint Tools

Ball Joint Separator

SKU **1340232 20**99 37308

- Used for Separating the Ball Joint from the Spindle Support Arm on Domestic and Import FWD Vehicles
- · Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8"



Low Profile Ball Joint Separator

25112

- · Designed for Tight Access Where Many Ball Joint Separators Won't Fit
- For 2005+ Ford, Lincoln and Mercury Applications
- Impact Rated



Polaris ATV Ball Joint Tool

SKU **1142310** 24683

· For Removal and Installation of Upper and Lower Ball Joints on Sportsman XP, RZR and Ranger ATVs





OEM TOOLS

Hydraulic Ball Joint Separator

25219

SKU **177718 70***99*

- . Hydraulic Ram Rated to 8 Tons
- Jaw Capacity: 56 mm (2.25")
- Jaw Width: 22 mm (0.86")



Ball Joint Separator

26553

SKU **1207880 22**99

- · Separate Ball Joints from Spindle Support Arm
- Adjustable for Different Size Ball Joints • Max. Opening Range: 1-1/8" to 2-1/8"
- Fork Opening Measures 7/8"
- Steel Construction with Black Oxide Pins
- · Comes in a Sturdy Blow Mold Case



3/4" Drive Ball Joint Impact Socket 2-9/64" SKU **462494**

24215

• Used on Chrysler/Dodge Cars, Light Trucks and Vans

3/4" Drive Ball Joint Impact Socket 1-59/64"

SKU **662809** 24238



• Used on Chrysler/Dodge Mid-Size Cars, Light Trucks and Vans

C- F. 7 -

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com



Model 7600 Strut Spring Compressor

Branick

SKU **547959 BRA7600**

• Handles the Toughest **Applications** Min./Max. Spring

Diameters: 3.5"/11.5" · No Adapters Required

Cart for BRA7600

SKU **547960** BRA00-0137

Bench Mount for BRA7600

SKU **547962** BRA05-0125 **Mechanical Strut** Compressor SKU OUTSIDE BUY/EPO QSPMSC-1000 **Call for Price** • Designed to Handle Any Size Spring and Strut Assembly Adjustable Extra Strong Clamps for a Perfect Grip Top Mounted **Tool Tray** Standard Wall Mount · Safety Guard Included Optional Floor Mount and Third Hand Support Kits

For Outside Buy/EPO, Call 901-300-4878

Floor Mounting Hardware Not Included

No Special **Adapters Required**

Coil Spring Compressor

SKU **1103643** 37035

- Use to Safely Compress the Coil Spring on Most Cars and Light Trucks
- Can Also Be Used When Installing Coil Spring Spacers



OEM TOOLS Coil Spring Compressor Set

SKU **1103614** 37200

- · Forged Construction for Strength and Durability
- Removes and Installs Coil Springs Quickly and Safely
- · Compresses Coil Springs on Most Passenger Cars and Pickup Trucks



Strut Spring Compressor

SKU **1207884** 37036

REG. \$49.99

• Used to Compress Strut Springs During Cartridge Replacement

 Safety Latches Lock Spring in Place During Compression Hooks are Forged and Center Screw is Hardened for Longer Life

• Thread Length: 9

 Can Be Used with Varying **Coil Diameters** Up to 5/8'

OEM TOOLS



Offer Good While Supplies Last Through June 30, 2025

Suspension

OEM TOOLS

GM Upper Control Arm Knock Out Tool

SKU **420336** 24210

 Services Chevrolet and GMC 1/2, 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks (1989 to 2001) and All Wheel Drive Chevrolet Astro and GMC Safari

to 2002)



Shock Socket

OEM TOOLS

Volvo Shock Retaining Nut Strut Removal Socket Tool

SKU **300125** 24365

Volvo XC90 (2003-2010)

- Remove and Install Top Shock Retaining Nut on Volvo Models
- Applications Include: Volvo C70 (1999-2004), Volvo S40 (2000-2004), Volvo S60 (2001-2004), Volvo S70 Non-Turbo (1999-2000), Volvo S70 Turbo (1999-2000), Volvo S70 AWD Turbo (1999-2000), Volvo S80 (1999-2004), Volvo S80 V8 (2007-2008), Volvo S80 Turbo (1999-2006), Volvo V40 (2000-2004), Volvo V70 (1999-2007).



Front End Service Kit

OEM TOOLS

5 Piece Front End Service Kit

SKU **1267952** 26554

- Large and Small Pitman Arm Puller for Ball Joint Application
- Two Ball Joint Separators
- Three Tie Rod Pullers



Torsion Bar Tool

OEM TOOLS

OEM TOOLS

GM, Ford, Chrysler Torsion Bar Tool

SKU **1103600** 37278

- · Safely Loads and Unloads 5-Lug, 6-Lug and 8-Luq GM, Dodge and Ford Torsion Bar Suspensions for Key Replacement
- · Extended Long Reach "C-Clamp" for Use with 2011 and Higher GM Heavy Duty Trucks
- Includes Ford/Dodge Adapter



AZG0225

CHASSIS & SUSPENSION

Hub Bearing

Front Hub Service Set

SKU 1204178 68928

- Removes Front Hubs, Drums and Brake Rotors without Damaging the Wheel Bearing
- · Fits Most Domestic and Import Vehicles with Independent Front Wheel Suspension
- Jaws Spread Up to 14" with a 5" Reach
- Forged Frame Is Rated to 7 Tons
- Includes Sturdy, Green Blow Mold Case







REG. \$167.98

When You Buy the Kit

Master Wheel Hub and Bearing Remover and Installer Set

SKU **1103635 🛮 🧷 🕡 🗓 99** 37342

- For Removal and Installation of Front Wheel Hub on Most Vehicles
- Self Centering Design is Incredibly Durable and Easy to Use
- · Works on Front, Rear and All-Wheel Drive Vehicles
- Heavy Duty Thrust Bearing Reduces Effort and Extends the Life of the Pressure Screw
- · Includes: Adapter Shoes, Pusher Washers, Receiver Sleeves, Nut-Bolt and Heavy Duty Bearing



OEM TOOLS

Wheel Hub Removal Tool

SKU **1245618 69** 99 REG. \$86.99 25749

- Ideal For Removing a Frozen Hub Assembly without Damaging the Axle
- For Use on Many Axle Bolted Hubs Including Five, Six and Eight Lug Hubs
- Constructed from High-Quality, Impact-Resistant and Corrosion-Resistant Steel
- 2-5/8" Center to Center Hole Pattern
- 3/4" Steel Backing Plate and Reinforced Striking Plate for Long Life

Offer Good While Supplies Last Through June 30, 2025



SKU **094804** 27205

· Removes and Installs Wheel Bearings with Steering Knuckle and Strut Assembly

Still on the Vehicle · Eliminates Need f or Alianment



Tie Rod Tools

Master Inner Tie Rod Tool Set

SKU **344979** 27178

Works on Both Small Cars and SUVs

- Tube Handle Has an Inner Diameter of 2.125" to Service Small Cars, Pickups and Large SUVs
- Includes 12 Crowfoot Style Adapters, Sizes: 29 mm, 1-3/16", 1-1/4", 32.5 mm, 1-5/16", 33.6 mm. 1-3/8", 1-7/16", 1-1/2", 38.4 mm,



Tie Rod End Remover

OEM TOOLS

SKU **209525** 27175

OEM TOOLS

- Comes with Pressure Screw Tip Swivels for Damage Free Results
- Will Not Damage Tie Rod End Dust Boot
- Rust Resistant Finish



Inner Tie Rod Tool Kit

SKU **217377 44** 99 27185

· Removes and Installs Tie Rod End on Rack and

Pinion Steering
• Includes: 3/16", 5/16" and 7/16" Adapters



OEM TOOLS

OEM TOOLS

Inner Tie Rod Tool SKU **291414**

LIS45750

lisle

• 6 Sizes: 1-3/16", 1-1/4", 1-5/16", 1-7/16", 1-1/2" and 33.6 mm



Pitman Arm Puller

Pitman Arm Puller for Light Trucks

SKU **OUTSIDE BUY/EPO** 27170

- Services Cars and Light Trucks 3/4 Ton
- · Features Forged Adjustable Jaws and Two Clamp Bolts That Lock Jaws Together
- Pressure Screw Has Ball Head Designed for Striking



OEM TOOLS

Pickle Forks

Stepped Pickle Fork Set SKU **291410**

LIS41400

- 6 Tools in One
- Includes: 11/16", 15/16", 1-1/8"
- Forks and 2 Handles



5 Piece Tie Rod and Ball Joint Set

SKU **1103626** 37201

- Used to Remove Tie Rods and Ball Joints
- Includes: 11" x 1-1/8". 11-3/4" x 1-5/8" 11-5/8" x 1-7/16", 16" x 11/16" and 16" x 15/16"



For Outside Buy/EPO, Call 901-300-4878



CHASSIS & SUSPENSIO

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

CV Axle Nut Sockets

39 mm 12 Pt. Axle Nut **Socket for Toyota**

SKU **452638** LIS39650

. Applications: 2008-2010 Toyota Land Cruiser, 2008-2010 Toyota Sequoia, 2007-2010 Toyota Tundra and 2008 Lexus

Axle Nut Socket Sets

• Includes Sizes: 29, 30, 32, 34, 35, 36, 38 and 39 mm

6 Pt. SKU **1103577** 37320

12 Pt. SKU 1103460 37321



OEM TOOLS

See AZTOOL1.com for Full Line of CV Axle Nut Sockets

Bushing Tool Set

OEM TOOLS


OEM TOOLS

Manual Bushing Installation and Removal Tool Set

SKU **298214** 27212

2**4Q**99

- Comprehensive Kit for Fast and Effective Removal/Installation of Wheel Bearings/Suspension Bushings and Seals
- · Allows the Technician to Service a Wide Range of Bushings without Removing Components from the Vehicle
- · Comes with 20 Sleeves for Hundreds of Combinations
- External Sleeve Diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80 and 82 mm



Axle Tools

LX 570

CV Axle Puller Adapter SKU **OUTSIDE BUY/EPO** 27058

• Works with 0EMT00LS 37033, 37191, 27085, 27033 and Other Slide Hammer Pullers with

5/8" x 18 Threads



For Outside Buy/EPO, Call 901-300-4878

CV Axle Popper Set SKU **1189082**

37305

- . Includes: Axle Shim Tool and Fork/Wedge Tool
- Length: 13-3/4"
- · Used to Remove Axles from the Transmission, Ball Joints in the Suspension System and Tie Rods
- Fork Design Allows Mechanic to Exert Force Evenly on Both Sides of the Axle



5 Lb. Slide Hammer

SKU **1103572** 37033

- Use to Pull Bushings, Seals, Sleeves, Bearings, Flange-Type Rear Axles, Front-Wheel Drive Hubs, Dents and Pressed-In Bolts with Two or Three Jaw Puller Options
- Slide Rod is 3/4" x 16 Standard Threads



4WD **Spindle Puller**

SKU **143436** 27104

- Use with OEMTOOLS Slide Hammer 27033
- Fits Most Spindles 1-1/2". 1-5/8" and 2" on 4 Wheel **Drive Vehicles**
- · Heat-Treated for Strength
- Will Fit on 2 Puller Size Shafts 1/2" x 20 Threads and 5/8" x 18 Threads




Rear Axle Puller Set SKU **094801** 27202

• Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks

 Slide Rod and Adapters are 5/8" x 18 Standard Threads





Axle Spindle Threading Set SKU **1103645**

37233

• Use to Clean or Repair Axle Threads

• Set Comes with a Special Twist Shape That Provides Easier and Quicker Work

Sizes Included:

M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50. M24 x 2.00. 13/16" x 20 UNEF. 3/4" x 20 UNEF and 27 mm Extension Bar



Seal Tools

Transmission/Transaxle Plugs SKU 298196 24490

- Includes 5 Plugs to Seal Both Transmissions and Transaxles on Most Import and Domestic Vehicles
- Stepped Design for Retention and Positive Sealing
- Includes Side Gear Centering Pin for Ford Transaxles



Bearing Race and Seal Master Driver Set SKU **1103639**

37119

- Installs Most Standard Wheel Bearings and Races Includes Driver Sizes: 1.565"
- 1.750", 1.965", 2.325", 2.470" 2.555", 2.830", 2.995", 3.180" and Handle



Universal Seal Installer Set SKU **818737 34** REG. \$44.99 25082


- Knurled Long Handle
- Includes: 3" Driver, 2.5" Driver, Short Handle, Long Handle, Spider Insert, 5/16" x 1" Cap Screw, Large Spider, Small Spider and Washer
- Long Handle Provides Good Flexibility When Installing Pinion Seals



OEM TOOLS



Offer Good While Supplies Last Through June 30, 2025



AZG0225

CHASSIS & SUSPENSION

Power Steering Bleeders

Vacuum Pump Tester. Power Steering and Brake Bleeder Set

SKU **1103570 39**99 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid. Brake Bleeding Adapter Package, Steering **Pump Adapters and Tubing**



Power Steering Bleeder Set

SKU **434716 21 99** 27311

Reduce Comebacks

- Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes: 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump



Drive Line Tool

1/2" Drive **OEM TOOLS** (12 mm)**Ford Drive Line Impact Socket**

SKU **420319** 24212

· Applications Include Many Ford Drive Line Bolts

• 12 mm, 12 Pt.



Power Steering Pullers

Power Steering Pulley Remover/ Installer - Ford, GM, Chrysler SKU **1103578 34** 99

37031

- . Includes 2 Screws for Use on Most Ford, Chrysler, GM and VW Power Steering Pulleys
- Pulls Pullevs on GM Belt Driven Vacuum Pumps and Pressed-On Water Pump Pulleys of **GM V6 Engines**



Steering Wheel Puller SKU **1103540**

- · Designed for All Major Makes and Models
- Sizes Included: 1/4" x 28, 8 mm x 1.25, 5/16" x 18, 5/16" x 24, and 3/8" x 16



U-Joint Tools

OEM TOOLS

U-Joint Pullers

- · Easily Removes Seized U-Joint Cups on Most Passenger Vehicles and Light Duty Trucks
- . Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups

Automotive

SKU **949561** 24539

• Bearing Cup Outside Diameter: 1" to 1.25"

Intermediate

SKU **949565** 24548

 Bearing Cup Outside Diameter: 1.25" to 1.7"

Heavy Duty SKU **041474**

24538

. Bearing Cup Outside Diameter: 1.5" to 2.2"

Automotive Bearing Cup Installer

SKU **949571** 24549

- For the Installation of Bearing Cups on Light-Duty and Medium-Duty U-Joints
- . Efficiently Install 2 Bearing Cups in One Process
- · Contact Points **Feature Magnets** to Retain Bearing **Cups During** Operation



Spindle Nuts

GM Axle Hub Nut Socket

25967

SKU **298219 24** 99

- · Applications: GMT900 Silverado, Sierra HDCS, 2-Wheel (2WD) and 4-Wheel (4WD) Drive Cheyenne, Silverado, Escalade, Sierra and Avalanche Trucks with 10.5" or 11.5" Ring Gear
- Has 9 Pins to Fit GM New Style Retaining Nuts
- Unapproved Methods Can Damage the Bearing or Result in Shorter Service Life



Ford Rear Axle Nut Wrench

SKU **1392337** 27353

- Services 2003-Newer Ford F-250, F-350 and F-450 Super Duty Trucks with 10-1/2" Rear Axle
- · Same as Ford Part Number 205-448

1/2" Drive Socket

• Fits Adjusting Nuts Found

on Ford F150 Trucks

(1995 to 1996)

and Full Sized

Broncos with

Locking Hubs

Automatic

Bearing Locknut

SKU **231203**

25243

• Use with a 1/2" Drive Ratchet or Breaker Bar



1959-85 Ford F-Series 1/2- and 3/4-Ton Trucks and Full-Size Bronco; 1960-90 GM 1/2-Ton Truck and Full-Size Blazer/ Jimmy; 1969-89 Dodge 1/2-Ton Truck with Manual Hubs; 1969-72 International 1/2-Ton Truck

4WD Ford - Dodge Spindle Socket. 76 mm x 80 mm

• 1/2" Sa. Drive

SKU **603347** 25966

4WD Ford

SKU **603346**

25965

Spindle Socket,

66.5 mm x 80 mm

• Fits Ford F-Series 1/2-Ton Truck and

Full-Size Bronco with Manual Hubs;

1-Ton Trucks with Manual Hubs;

1995-Newer Ford F-Series 3/4-Ton and



OEM TOOLS

Toyota 8 Pin Front Hub Locknut Socket

SKU **298205** 25962

- Allows for Easy Removal and Installation of Front Hub Lock Nut without Damage to the Nut
- Applications: Toyota 4Runner 2WD (2007 to 2014), Toyota Sequoia (2008 to 2014), Toyota Tundra (2007 to 2014)
- 3/4" Drive



Dodge Hub Locknut Socket

SKU **344964** 25968

- Fits Dodge 1/2-Ton Pickup Trucks (1994-Newer) with Dana 44 Front Axle and Dana 60 Axle with a Vacuum Disconnect
- Designed to Accommodate the 1-11/16" (43 mm) Wheel Bearing Retaining Nut Which is Recessed into the Hub



Toyota 4 Pin Hub Locknut Socket

SKU **298224** 25969

- · Services High Torque Locknuts on Toyota 4WD Vehicles Having Free Wheel (Lock Out) Hubs
- Tacoma (1995-Newer); T100 and 4Runner (1996-Newer)
- Improved Design with Solid Pins for Increased Durability



HIGH-POWERED, RECHARGEABLE WORK LIGHTS

OEM TOOLS

Portable Dual Mode LED Work Lights with Multi-Position Mounting

• Dual Mode Features a Flood LED Work Light and a Directional Flashlight • 180° Magnetic Adjustable Base

SKU **1525555**

400 Max. Lumens

200

LUMENS Work Light

• USB-C Rechargeable



200 Max. Lumens

SKU **1525563 34** 99 32132

- · Heavy-Duty Belt Clip
- . Charging Time: 2.5 Hours

	LUMENS	
50 LUMENS WORK LIGHT	50 LUMENS LED LOW	200 LUMEN LED HIC
R	UNTIMES	
















600 Max. Lumens

SKU **1525559** 32126

- 360° Rotating Hanging Hook
- Charging Time: 3.5 Hours






Adjustable Base

AUTO ON/OFF

2 Pack Button LED Lights

SKU **1525557 24 99** 32129

- . Magnetic Base for Hands-Free Use
- Charging Time: 0.5 Hours
- Includes: Two LED Lights with Two Charging Ports, USB-C and Micro USB, and 1 Charging Cable




Mini Rechargeable LED Light

SKU **1525564** 32137

 Dual Mounting Options; Heavy-Duty Clip and

Dual Magnets Charging Time: 2.5 Hours





LED Light with Auto Sensor


200

12hrs

SKU **1525569** 32122

9hrs WORK LIGHT

- · Auto Sensor Automatically Turns Light Off When Sensor is Covered
- Dual Mounting Options; Heavy-Duty Clip and Dual Magnets
- Charging Time: 3.5 Hours



Flashlights

OEM TOOLS

Rechargeable Multi-Head All-in-One Work Light Kit

SKU **765525** 24648

SKU **884377** 24648E

• Quick-Attachment Coupler Allows for Easy Accessory Transition Between 3 Interchangeable Heads

Comes with USB Charging Cord, AC Adapter, 180° Swivel Hook and (1) 18650 Rechargeable Battery



Magnetic Rechargeable LED Work Light

25982

SKU **819644**

- 3W COB LED, Super Bright White Lights: 400 Lumens
- 3.7V 2200 mAh Li-ion Battery
- Runtime: 3 Hrs. (Work Light), 9 Hrs. (Torch Light)
- Powerful Magnets on the Back and Swivel Base
- Includes: USB Cable for Recharging











OEM TOOLS

E36 Cree Rechargeable Flashlight Kit

SKU **568461** EXPE36-E02

- Beam Distance: 300 Meters
- Impact Resistant Up to 1.5 Meters
- IPX-6 Water Resistant
- Includes: (1) 18650 Battery and Charger









LIGHTING



Underhood Lights

1,500 Lumen LED

SKU **1414960** ATD80050A



- 25 Ft. Cord Remains Flexible in Extreme Cold
- Rubber Covered Telescoping Brackets For Use on Hoods from 47" to 75" Wide

2,000 Lumen LED Corded/Cordless

SKU **1414959** ATD80357

- 40" Light Bar Provides 2000 Lumens of Bright Light
- Hooks Extend 55" to 83" to Fit New SUVs and Light Trucks
- 25' Removable Cord Remains Flexible in Cold Weather
- 2 Modes: High-2000 Lumens/Low-1000 Lumens
- 5200 mAh Li-ion Battery Provides Up to 2 Hours (High), Up to 4 Hours (Low) Runtime



STREMMLIGHT

Cord Reel

THE STATISTICS OF

50' Retractable Extension Cord Reel

SKU **1105991** LEGFZ8140503

- · Circuit Breaker with Reset **Button Prevents Breaker** Trip or Blown Fuses
- Oil-Resistant 14/3 AWG SJTOW Cord
- Lighted Triple Tap Outlet



Streamlights

Stinger LED with AC/DC

SKU **291368** STL75732

- 425 Lumens
- Runtime: 10 Hours
- Beam Distance: 322 Meters
- Four Lighting Modes: High, Medium. I ow and



Stylus Pro with White LED

- 48 Lumens
- Runtime: 7.5 Hours
- Waterproof Construction with an Unbreakable Polycarbonate Lens Pocket Clip

SKU **291362** STL66122

Black SKU **291408**

STL66118 Silver

SKU **291359** STL66121

Red

SKU **291358** STL66120



Pen Lights

Cree LED Pen Light

- 3 Modes: Low (50 Lumens), High (150 Lumens) and Strobe
- 80 Meter Beam Distance
- Anodized Aluminum Body is Impact and Water Resistant
- Battery Runtime: 6 Hours (Low), 3 Hours (High)
- Comes with 2 AAA Batteries and Tactical Clip

SKU **592188** 32838

Black

SKU **592184** 32835

Blue

SKU **592185** 32836

each

 $^1\mbox{Circana/U.S.}$ Retail Tracking Service, March 2, 2024 $^2\mbox{See}$ packaging for details $^3\mbox{Compared to SYLVANIA BASIC}$

Silver SKU **592183** 32839

Green

SKU **592186** 32837



GreatLite





2 AAA

SYLVANIA

#1 AFTERMARKET AUTOMOTIVE LIGHTING BRAND IN THE USA



SYLVANIA LED OFF ROAD LIGHTS





LIFETIME LIMITED WARRANTY²

Superior optical engineering Durable design

Water resistant (IP67 or IP69K)

LIGHTBARS + PODS

SYLVANIA LED

For powersports or fog use only

5 YEAR LIMITED WARRANTY²

Performance, Longevity + Style

PART NUMBERS: 9003 | 9005 | 9006 | 9007 | 9012 | H1 | H7 | H8 | H9 |



SILVERSTAR ULTRA

FARTHEST



DOWNROAD + WHITER LIGHT³



SILVERSTAR



FARTHER DOWNROAD WHITER LIGHT³



XTRAVISION





EXPERIENCE THE DIFFERENCE OF



NEW! SYLVANIA LED **SEALED BEAM LAMPS**

5 Year Limited Warranty² Direct replacement Engineered with OEM grade OSRAM LEDs

Available Part Numbers: H6024 | H6054





BATTERY SERVICE

Battery Testers

OEM TOOLS

Professional Series Battery Tester

SKU **750009** 24508

· Large Tester Uses Gravity with the Number of Floating Discs to Show State of Battery Charge Specific Gravity Levels are Printed on the Tough, See-Through



MIDTRONICS Advancing **Battery Conductance**

Tester SKU **291330** MIDPBT100

- Tests Both the Starter and the **Charging System**
- Tests 12V Automotive Batteries from 200 to 850 CCAs
- Durable Design for the Workshop or in the Field



OEM TOOLS Digital **Battery Analyzer** SKU **819073** 24359

- · Shows Available Power in CCA Starter and Charging System Testing Easy-to-Read Backlit
- LCD Screen · Voltage Range: 1.5-15VDC



STORE STOCKED

TOPDON[®] **BT MobilePro S Jump Start/Power Bank/BSC System Analyzer**

SKU **1485041 TPDBTMPROS**

- Turns Your Diagnostic Scan Tool into a Battery Tester
- Compatible to Phoenix Line of Diagnostic Scanners
- Battery, Cranking and Charging Tests
- Tablet Compatibility
- Test Voltage: 12V
- Test Range: 100~2000CCA

 Battery Type: Regular Flooded, AGM, EFB and GEL Test Standards:

CCA, BCI. CA, MCA, JIS, DIN and More



OEM TOOLS 100 Amp **Battery Load Tester**

SKU **203583** 24338

- · Conveniently Tests Batteries in Just 10 Seconds
- Battery Load Test: 100A (12V), 50A (6V)
- Designed to Work on Both 6V and 12V Batteries Up to 1,000 CCA
- Determines State of Charge, Cranking and Charging Volts
- Convenient Handle for Transport

BT600 Battery

SKU **1339732**

• 3.5" Color Screen • Built-In Thermal Printer

and Charging Tests

Thermal Printer

SKU 1442591

TPDBTPAPER

TPDBT600

Tester with Printer

· Performs Complete Battery, Cranking

· Large, Reinforced, Smoke-Free and

Quick and Accurate Test Results

Paper for BT600, BT300P

Spark-Free Copper Clamps



1'OPDON'

500 Amp Carbon Pile Load Tester

SKU **1168827** 24336

- Variable Load Capability to 500 Amps
- Tests Batteries to 1,000 CCA
- · Test Alternators, Regulators and Starters
- · Large, Easy-to-Read Gauges
- Heavy Duty Clamps



OEM TOOLS

12V Digital Battery Electrical System Tester with Printer

SKU **343373** ASC12-1015

- Tests Both Batteries Up to 1,700 CCA and Alternators
- Tests Starters and **Charging Systems**
- Backlit Digital Display
- 9 Languages
- Includes: Deluxe Case and Extra Print Paper



ASSOCIATED

12/24V Digital Battery Electrical System Tester with Printer

SKU **1491305** ASC12-2415

25121

• Tests Both Batteries Up to 2,000 CCA and Alternators

Battery Service Tools

Side Terminal Battery Wrench

• For Use with Side Terminal Batteries Found on Many GM and Other Domestic Vehicles



SKU **466513** 25287

• Length: 5-1/2"



10 mm and 5/16"

SKU **965838** 25282

• Length: 12"

2 Liter Battery Filler SKU **972771**

87010

· Automatic Shut-Off to Prevent Overfilling

 Fills Battery to Proper Level without Spilling



Battery Terminal Puller SKU **466489**

. Use to Remove Battery Terminal Clamp without Damaging the Battery Post

 Puller Will Also Work on Corroded Spring-Type Clamps



OEM TOOLS

Battery Nut Pliers

SKU **943134** 25123

- · Easily Tighten and Loosen Nuts
- Offset Handles
- · Serrated Jaws for a Firm Grip



Battery Carrier

SKU **002284** 25316

- . Designed to Grab, Lift and Carry Top Post and Side Terminal Batteries
- Grips Battery Widths from 5" to 7" with **Rubber Pads**

· Plastic Hand Grin Provides a Firm Hold



6 Piece Battery Service Kit

SKU **1168822** 6999 25110

• Includes: Battery Terminal Puller, 4-Way Post Cleaner, Battery Nut Pliers, Extended 5/16" and 10 mm Battery Terminal Wrench, 5/16" Side Terminal Battery Wrench and a Side Terminal Brush Organized in a Heavy Duty, Roll-Up Storage Sleeve







BATTERY SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Jump Starters

TOPDON

Battery Tester and Jump Start SKU **1368635**

TPDV2200PLUS

- . Jump Start Capacity: 8L Gas, 6L Diesel
- 2200A Peak Current for Jumps • Use the App to Perform **Detailed Battery Tests**
- 300 Lumen LED Light with Solid, SOS and Strobe Functions
- · Output Ports: Type-C: USB1, USB2. DC



JumpSurge 3000 Amp **Portable Jump Starter**

SKU **OUTSIDE BŪY/EPO TPDJS3000**

TOPDON

Sturdy Outer Housing Resistant to Water, Dust and Wear

- 45 Jumps on a Single Charge
- USB Quick Charge 3.0 Port

· Heavy Duty Smart Clamps



Kwikstart® 12 Volt Portable Power and Jump Start

SKU **850637** ASC6256

- · Peak Amp Output: 1700 Amps
- 360 CCA of Boost Assist
- (2) 12V DC Accessory Outlets to Power and/or Recharge DC Electronics

• 32" Heavy Duty Cables and USB Port



BASSOCIATED

30,000 mAh Lithium Jump **Starter for V10 and Diesel**

SKU **1268417 249**99 **CAL590**



- Vehicle Jump Starter and Backup Charger for Portable Electronics
- 800 Cranking Amps and 1800 Peak Amps
- 30,000 mAh High Capacity Li-ion Battery
- · Fast Charging with Low Self-Discharge Cycle
- Includes: Intelli-Clamps for Jumpstarting with Built-In Safety and Diagnostic Features



RULBTRAT



SKU **OUTSIDE BUY/EPO** SOLJNC770R

- Heavy Duty Clamps with 68" Cables
- 1700 Peak Amps; 425 Cranking Amps Dual USB Outlets to Charge
- Mobile Devices
- Master ON/OFF Switch

1700 Peak Amp **12 Volt Jump Starter**


SKU **OUTSIDE BUY/EPO** SOLJNC660



• 1700 Peak Amps; 425 Cranking Amps Heavy Duty Clamps with 46" Cables

S@LAR.





- Clore PROFORMER Battery Technology
- 3400 Peak Amps and 850 Cranking Amps - 12V
- 1700 Peak Amps and 425 Cranking Amps - 24V



S@LAR.

2-in-1 2200 Peak Amp Jump Starter and Tire Inflator

SKU 1485043 TPDV2200AIR

- Battery Capacity: 12000mah
- . Delivers a Powerful 2200A Peak Current with Up to 25 Starts Per Charge
- Capable of Jump-Starting Vehicles with Engines Up to 8.0 Liters for Gasoline or 6.0 Liters for Diesel
- Functions as a PD45W Fast-Charging Power Bank
- 400-Lumen LED Flashlight
- Tire Inflator Fills in Under 3 Minutes

TOPDON®



2-in-1 4500 Peak Amp Jump Starter and Battery/System Tester

SKU 1485040 TPDV4500PLUS

- Up to 45 Jump Starts on a Single Charge
- Test and Monitor Battery with App
- Peak Amps: 4500
- 500 Lumen Flashlight
- Outputs: Bidirectional TYPE-C, USB1, USB2
- IP65-Rated Casing
- Includes: D45W Charger Adapter. DC Adapter. DC Adapter and PD100W Cable

TOPDON®



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO Call 901-300-4878

Wheeled Chargers

Battery Charger 12V SKU **OUTSIDE BUY/EPO** S0L4735

- EZ View Control Panel
- 200 Amp Engine Starting Assistance
- 40 Amp Fast Charge Rate
- 5 Amp Setting for ATVs. Boats. Lawn and Garden Applications

Battery Charger with Engine Start 12/24V

SKU OUTSIDE BUY/EPO SOL4745 • 40 Amp 12V, 20 Amp 24V

Charge Rate S0L4735



S@LAR.

Smart Charger

30A Smart Charger and Power Supply


SKU **1442582** TPDT30000

- Suitable for Multiple Battery Types, Including AGM, LI, WET, GEL. MF CAL and EFB
- · 9-Step Smart Charging, Checks for Sulphation and Acid Stratification, Repairs Batteries, Prevents Battery Damage
- Works as a Stable Power Supply for 12V and 24V Devices
- Current Range: 12V-30A, 24V-15A, 6V-15A, 12V-10A
- Clamp Cable Length and Gauge: 7.2', AWG10



TOPDON®

One Charger Does It All



AZG0225

Associated Battery Chargers

BASSOCIATED

















Addo	JOED - AO	COUZ TAUN	AGGOOTZAGIVI	ACCECCOCCONICIT	Adol	_000007B A001		
Made in USA	Commercial Heavy Duty Fleet Duty Charger Charger/Analyzer		Heavy Duty Charger	Intel	Intellamatic® Charger and Reflash Power Supply			
	SKU 221248 ASC6002B	SKU 1414394 ASC6021AGM	SKU 662763 ASC6012AGM	SKU 344790 ASCESS6008 (Not Pictured)	SKU 343379 ASCESS6008MSK	SKU 343370 ASCESS6007B	SKU 662745 ASCIBC6008MSK	
Charger Type	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	
UL of CSA Continuous Amperage Charging Rate	100/80A	70/65/30A	70/60A	60A	60A	40A	60A	
Re-Flash Power Supply Output Amperage	N/A	N/A	N/A	70A @ 13.9V	70A @ 13.9V	45A @ 13.9V	70A @ 13.9V	
Crank Assist Amperage	400	205A	250	270	270	130	270	
Operating Charging Voltage	6/12/18/24V	6/12/24V	6/12V	12V	12V	12V	12V	
Battery Types	SLA	SLA, AGM, EFB	SLA, AGM, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, EFB, Li-ion, Gel-Cell	
Smart Charger	N	N	N	Y	Y	Y	Y	
Adjustable Charging Voltage	N	N	N	N	N	N	Y	
Adjustable Re-Flash Power Supply Voltage	N	N	N	Y	Y	Υ	Y	
Memory Saver Mode	N	N	N	N	Y	N	Υ	
DC Cable Length and Gauge	8' 4AWG	6.5' 4AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	
Warranty*	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	
Price	1.22499	874 ⁹⁹	679 ⁹⁹	979 ⁹⁹	1.11499	784 ⁹⁹	1.37999	

^{*}Two years bumper to bumper (B2B) manufacturer's warranty with five years transformer/rectifier for heavy duty battery chargers (6001A, 6002B, 6006, 6009 and 6012) and three years transformer/rectifier warranty for INTELLAMATIC wheeled smart chargers.

Power Supply

ASSOCIATED

12V - 90A Reflash **Power Supply and Charger** SKU **OUTSIDE BUY/EPO**

ASCESS6100

- . Adjustable Power Supply from 12.6V to 14.9V at up to 90 Amps
- Safe for All Batteries Including AGM. EFB, Li-ion and Gel
- OEM Vehicle Manufacture Approved
- 8.4 Ft. DC Leads





Smart Battery Charger/Power Supply SKU **1414398** TPDT90000

• ECU Programming Power Supply

- 9 Step Smart Charging with Thermal Compensation
- Charges 12V and 24V AGM, WET, GEL, MF, CAL and EFB Batteries
- Protects Against Reverse Polarities, Reverse Charges, Short Circuits, Overheating and Over-Voltages
- Current Range: 5-90 and 5-45A
- Voltage Range: 11-15.8V and 22-31.5V
- Cables: AWG18-70"

VALUE: \$99.99

Tornado90000 9.5' DC Cable Extension

TPDT90DC With Purchase of: TPDT90000 Offer Good While Supplies Last Through June 30, 2025



TOPDON[®]

120A Power Supply TOPDON® and Battery Charger

SKU **1485033** TPDT1200005

- Intelligent Current (5-120A) and Voltage (11-16.8V) Output Adjustment

 • 3 Major Charging Modes and
- 9-Step Smart Charging
- Compatible with Lead-Acid Batteries and Lithium Batteries
- Clamp Cable Length: 16 Ft.



BATTERY SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Booster Cables

20 Ft. 4 Gauge Booster Cables with Storage Bag SKU **1168815**

24335

- REG. \$39.99 • Extra Long 20 Foot Flexible Cables **Expands Your Reach**
- Tangle Free Design Ensures Quick and Easy Connections
- Insulated Clamps Fit Top and Side Post Batteries
- · Oil, Gas and Acid Resistant All Copper Wire
- Includes: Storage Bag

Offer Good Through June 30, 2025



BASSOCIATED

20 Ft. Extra Flexible Cables



6/12 Volt Charger

6/12V, 40A

ASSOCIATED

Standard Duty Wheel Charger

SKU **344795 129**99 ASCUS20

- 40 Amp Charger with 90 Minute Timer
- 40 Amp Continuous Rating at 6/12 Volts
- 200 Amp Cranking Assist and 330 Amps Boost
- · Fan Cooling Prevents Overheating
- UL Listed
- Two Year Manufacturer's Warranty



Bench Chargers

6/12V, 1A Maintainer SKU **765478** ASC9003A

- LED Lights Indicating **Charging Status**
- Includes 2 Sets of Charging Leads
- OEM Vehicle Manufacture Approved
- Safe for AGM, Gel Cell, **SLA Batteries**
- · Reverse Polarity Protected
- Overcharge Protection
- 1 Year Warrantv





6/12V, 15/2A Smart **Bench Top Charger**

SKU **850634** ASC3100A

- . Digital Display Shows Charging Voltage/Amperage or Time Remaining
- Safe for AGM. Gel Cell, SLA **Batteries**
- 100A Boost
- 1 Year Warranty





Safe In Any





BATTERY & ELECTRICAL ANALYSIS

MaxiBAS® BT609 SKU 1125832 **\$795**00 Part #BT609



- All System Scan, Read and Clear Codes
- Complete Service Menu 20+ Functions

MaxiBAS® BT608 Part #BT608 \$59500



- Via Built-in Thermal Printer
- AutoSCAN/VINScan for Quick Vehicle Identification & Battery Specifications



- Use with Smartphone or other Smart Device
- Support In-vehicle and Out-of-Vehicle Testing of Passenger Vehicle Batteries
- Test 6- and 12-volt Batteries: 100 2000 CCA
- Test 12- and 24- Cranking/Charging Systems
- Test Flooded, AGM, AGM Spiral, EFB & GEL Batteries



OBDII EXTENSION CABLE

SKU 1443473
Part #VCIEXTCAB \$2000

 Compatible with all OBDİl-compliant VCIs

 It keeps VCI in sight and is easy to retrieve and not forget after use



MaxiEV® ALT100L SKU 1442217 \$3,20000 Part #ALT100L

- Tests high voltage battery enclosures and high voltage thermodynamics systems such as coolant and A/C for leaks
- High-sensitive pressure sensing significantly improves test accuracy and stability
- Dual Pressure Display: Real-time display of current pressure and leakage fluctuations

ADVANCED **EV DIAGNOSTICS**

MaxiEV® CDT100 SKU 1443474 **\$7,999**00 Part #CDT100

- Wide-voltage design, suitable for discharge, charge, and activation testing of modules with different voltage levels
- · Set constant current and power, Charge and Discharge modes for varied applications
- · Displays single-cell maximum/minimum voltage and other data onscreen in graphs columns, and report forms



MaxiFV® ITS100 SKU 1442216 **\$580**00 Part #ITS100

- Tests high voltage wiring and components
- Test resistance measurement before loading into the vehicle
- · Helps identify issues like damage, deterioration, or contamination of the insulation

MaxiBAS® BTAK MaxiBAS® BTMS




- Battery Tester Accessory Kit . Digital Multimeter and Current
- Clamp Kit Measures Voltage, Current and Resistance









 Enables Vehicle Computer to Be Powered and Maintain Data When Connected to Backup Vehicle Battery

CALL YOUR COMMERCIAL SALES MANAGER FOR CURRENT DEALS & ORDERING

AUTEL

AIR COMPRESSORS

















Description and Part Number	3.5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB/EPO ABA3-2160V1	5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB/EPO ABA5-2160V4	5 HP 80 Gallon 230V Air Compressor, Single Phase SKU OSB/EPO ABA5-2180V4NS	5 HP 80 Gallon 230V Air Compressor SKU OSB/EPO ABAC5-2180V - Single Phase ABAC5-2380V - 3 Phase	7.5 HP 80 Gallon 230V Air Compressor SKU OSB/EPO ABAC7-2180V2 - Single Phase ABAC7-2380V2 - 3 Phase	13 HP 30 Gallon Honda Powered Air Compressor SKU OSB/EPO ABA13-30GH	10 HP 120 Gallon 230V Air Compressor, 3 Phase SKU OSB/EPO ABAC10-23120H
CARB Compliant	N/A	N/A	N/A	N/A	N/A	Yes	N/A
CFM at 100 psi	12.3 CFM (1 Technician)	15.4 CFM (1-2 Technicians)	15.4 CFM (1-3 Technicians)	18 CFM (2-3 Technicians)	27 CFM (2-4 Technicians)	23 CFM (1-3 Technicians)	35 CFM (3-6 Technicians)
Max. Pressure	135 psi	175 psi	175 psi	175 psi	175 psi	175 psi	175 psi
Heavy Duty, Low-RPM Cast Iron Pump	Cast Iron Cylinders	Cast Iron Cylinders	Cast Iron Cylinders	Yes	Yes	Cast Iron Cylinders	Yes
Magnetic Starter Mounted and Wired	Not Required	Not Required	Not Required	Yes	Yes	Recoil and Electric Start	Yes
High Flow Belt Guard	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Price	1,199 ⁹⁹	1,619 ⁹⁹	1,999 ⁹⁹	2,849 ⁹⁹	<i>3,649</i> ⁹⁹	<i>3,349</i> ⁹⁹	4,299 ⁹⁹

Premium Models

7.5 HP 80 Gallon 230V SKU **OUTSIDE BUY/EPO ABAC7-2180V2FF**

4,349⁹⁹

- Vertical 80 Gallon Tank
- Horsepower: 7.5 HP
- Power Supply (V/Ph): 230V/1
- CFM @ Max. psi: 24
- Max. psi: 176



////ABAC



34999

- Vertical 120 Gallon Tank
- · Horsepower: 10 HP
- Power Supply (V/Ph): 230V/3
- CFM @ Max. psi: 32
- Max. psi: 176

Premium Models Include: Low Oil Level Shut Off, **Auto Tank Drain and Belt Guard Aftercooler**

Rotary Screw Compressors

- High Performance with Low Energy Consumption
- Low Noise and Vibration LevelsFully Integrated Aluminum Block

Rotary Screw Compressors are an Ideal Solution for Applications Where There is Continuous Demand for **Dependable Compressed Air**



10 HP 131 Gallon 150 psi Screw Compressor with Dryer SKU **OUTSIDE BUY/EPO**

ABAAS-10503TMD

• 208V-230V-460V/3PH

• 34.1 CFM

15 HP 131 Gallon 150 psi Screw Compressor with Dryer SKU **OUTSIDE BUY/EPO**

ABAAS-15503TMD



7.5 HP 131 Gallon 150 psi **Screw Compressor** SKU OUTSIDE BUY/EPO

ABAAS-75501TM 6,849⁹⁹

- 230V/1PH
- 27.1 CFM





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

R COMPRESSORS

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-

Regulators/Filters/Drains

5 Stage Desiccant Filter/Dryer

SKU **543076 519 99** ARRC7612XL

- Includes: Gauge, Shut-Off Valve and (1) 1/2 Gallon of Desiccant
- Lowers the Dew Point to -30°F



NAME	SKU	PART #	PRICE
Replacement Desiccant Silica Gel, 1 Quart	OSB/EPO	ARR34189	24.99

1/2" Electronic Drain

SKU **543065** ARR5804



- . Automatically Drains Compressor Tanks, Receiver Tanks or Filters
- 110 Volt
- 6' Power Cord



Regulator with Gauge (1/4")

SKU **543086** ARRR262G

· Adjustment Range is 5 to 125 psig

Rated for 25 SCFM





Filter Regulator Lubricator (1/2")

SKU **543075** ARRC33354

- · Cleans, Dries and Lubricates Air Supply
- . Operating Pressure Range: 5 to 125 psi
- 40 Micron Element
- 142 CFM

Extend the Life of **Your Air Tools!**



Filter/Regulator (1/2")

SKU **543071** ARRB754G



- . Operating Pressure Range 5 to 125 psi
- 40 Micron Element
- 3 Position Non-Rising Adjustment Knob



Air Regulator with Gauge (1/2") SKU **543091**

ARRR354G

- Adjustment Range is 5 to 125 psig
- . Rated for 100 SCFM

	١	ì			
		ı			
ü		ľ			l
		L			ſ
я	•	9	ì.		ı
S	7	ñ	đ		ı
r.	5	2	Д		
۵,	ï	r			

NAME	SKU	PART #	PRICE
Regulator with Gauge (3/8")	543088	ARRR353G	74.99

BelAire

5 HP 60 Gallon 230V Air **Compressor, Single Phase**

SKU OUTSIDE BUY/EPO IMC4916V

- 15.4 CFM @ 100 psi
- 165 psi Max. Pressure
- · Cast Iron Cylinders
- 2 Stage Pump
- No Start-Up Kit Required
- High Flow Belt Guard
- Warranty: 2 Year Factory



5 HP 80 Gallon 230V Air

Compressor. Single Phase

SKU OUTSIDE BUY/EPO IMC418V



- 18 CFM @ 100 psi
- 175 psi Max. Pressure
- Solid Cast Iron 2 Stage Pump
- · Magnetic Starter Included
- Fully Enclosed Belt Guard
- · Warranty: 2 Year Factory



Champion®

- 100% Cast Iron Pump with Alloy Steel Reed Valves
- · Warranty: 1 Year Unit Parts and Labor, 2 Years Pump Parts and Labor

5 HP 80 Gallon RV Series VRV5-8

SKU **OUTSIDE BUY/EPO** CHCRV215AS01

- 230V/1ph
- 17.0 CFM @ 175 psi
- 3600 RPM Motor, No Starter Needed

5 HP 80 Gallon RV Series VRV5-8 with Starter SKU OUTSIDE BUY/EPO

CHCRV215AS07

- 230V/1ph
- 16.5CFM @ 175 psi
- . 1800 RPM Motor with Magnetic Starter



СНАМРЮН

CHCRV215AS07

Refrigerated Dryers

• Removes Condensate and Vapor So Dry Compressed Air is Produced in a Continuous, Cost-Efficient Way

Cool 15 CFM

SKU **OUTSIDE BUY/EPO** ABACOOL15

84499

ABACOOL35

Cool 35 CFM SKU OUTSIDE BUY/EPO Cool 25 CFM

SKU **OUTSIDE BUY/EPO** ABACOOL25



Mi-T-M

30 Gallon Air Compressor/Generator

SKU **OUTSIDE BUY/EPO** MTMAG2SM1430ME

- CFM @ 175 psi 15.7
- Max. AC Output: 4000 Watts
- Continuous with Compressor On Load 2300 Watts
- Continuous with Compressor Off Load 3500 Watts
- Receptacles 2 NEMA 5-20R, 1 NEMA L6-20R • Displacement/Engine 420cc Mi-T-M OHV
- Compressor Two Stage, Cast Iron Pump





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

AIR TOOLS

1/2" Impact Wrenches

Heavy Duty 1/2" **Composite Stubby Impact Wrench**

SKU **087596** 24418

- Torque: 900 Ft/Lb.
- Includes (7) 1/2" Short Impact Sockets Sizes: 13 mm to 19 mm
- · Custom Cut EVA Foam Storage Tray
- CFM: 4.0

WARRANTY: 1 Year







(IR) Ingersoll Rand



1/2" Extended Anvil **Impact Wrench**

SKU **1282755** KNGNC-4265Q

- 1200 Ft/Lb. Reverse Torque • 200 to 800 Ft/Lb. of Torque
- 8500 Free Speed RPM
- 85 dBA



(IR) Ingersoll Rand

1/2" Impact Wrench SKU **592249**

KNGNC-4232Q

- Mighty Small, Mighty Powerful Air Impact Wrench
- Max. Reverse Torque: 700 Ft/Lb. 85 dBA Noise Level Exceeds
- **OSHA Standards** Ultra Lightweight at Less Than 3 Lb.
- Twin Hammer Mechanism

WARRANTY: 3 Years

1/2" **Impact Wrench**

SKU **970487** IRT231HA

- Torque: 590 Ft/Lb.
- Pressure-Fed Lubrication System
- In-Handle Exhaust **Directs Away** from User Industry Standard
- for 3 Decades · Sound Pressure: 94 to 105 dBA

1/2" Super (IR) Ingersoll Rand **Duty Air Impact Wrench with Extended Anvil** SKU **604744** IRT231HA2

• Max. Torque: 590 Ft/Lb.



· Pressure-Fed **Lubrication System**



WARRANTY: 1 Year WARRANTY: 1 Year

(IR) Ingersoll Rand

1/2" Air **Impact Wrench Classic**

SKU **495316** IRT231C

 Original Twin Hammer Impact

• Torque: 600 Ft/Lb. • Pressure-Fed

Lubrication

• Adjustable Power Regulator

• 1/2" Square Drive

WARRANTY: 1 Year

1/2" Quiet **Impact Wrench**

SKU **738489** IRT2135QXPA **369**99

• Torque: 780 Ft/Lb.

· Light, Quiet and Powerful Impact • Twin

Hammer Mechanism

. Weighs Only 4 Lb.



(IR) Ingersoll Rand

WARRANTY: 1 Year

(IR) Ingersoll Rand

1/2" Titanium **Air Impact** Wrench

SKU **695134** IRT2235TIMAX **519**99

• Torque: 1.350 Ft/Lb.

• Reverse Torque: 930 Ft/Lb.

• Twin Hammer Impact Mechanism

Lightweight

WARRANTY: 1 Year

M7

(IR) Ingersoll Rand 1/2" Titanium **Air Impact Wrench** with Extended Anvil SKU **738490**

IRT2235TIMAX2 **499**99

• Torque: 1.350 Ft/Lb. Max. Reverse

Torque: 930 Lb. • 8,500 Free

Speed RPM

Titanium Hammercase

WARRANTY: 1 Year

3/8" Impact Wrenches



SKU 198065

WARRANTY: 1 Year

Feather Touch Trigger



3/8" Mini Air **Impact Wrench**

SKU 1125881 **KNGNC-3612Q**

174⁹⁹

 Maximum Reverse Torque Can Reach Up to 350 Ft/Lb. in 5 Seconds

 Low Noise Sound Level 85 dBA

WARRANTY: 3 Years

3/4" Impact Wrench

3/4" Quiet Air Impact Wrench

SKU **592242** KNGNC-62360

*319*99

- Power of a 3/4" Drive in a 1/2" Body
- 1200 Ft/Lb. Max Reverse Torque
- 83 dBA Noise Level Exceeds OSHA Standards
- Weighs 5.9 Lb.
- Twin Hammer Mechanism



WARRANTY: 3 Years

M7

AIR TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Air Sanders

2" Surface **Prep Air** Sander

SKU **094650** 25778

- Includes Quick Change "Twist Lock" Mandrel
- Free Speed: 20,000 RPM
- Average Air Consumption: 3.2 CFM
- Air Inlet Thread Size: 1/4" NPT

WARRANTY: 1 Year



SKU **802225** 24409

- Recommended Air Pressure: 90 psi
- Air Consumption: 1.7 CFM
- Strokes per Minute: 9,000 SPM
- Air Inlet Thread Size: 1/4" NPT • Lightweight: 1.50 Lb. (0.70 kg)
- Length: 10.6" (270 mm)
- Exhaust: Front

(IR) Ingersoll Rand

- Enhanced Blade Guard Design and Trigger Safety Lock
- Includes: Reciprocating Air Saw, 2 Hex Key Wrenches, 2 Saw Blades and 2 Blade Guards

WARRANTY: 1 Year

OEM TOOLS

6" Dual **Action Sander**

SKU **970475** IRTIR311A

 Dual Action Pad Motion Reduces Swirl

 Built-In Silencer for Quiet Operation



(IR) Ingersoll Rand

WARRANTY: 1 Year

Straight Line Sander

SKU **970479** IRTIR315

- Twin Piston Design for Smooth Operation
- 3,000 Strokes per Minute
- Quick-Action Paper Clamps



OEM TOOLS

WARRANTY: 1 Year

Heavy Duty Mini Surface Prep Kit

SKU **087620** 24417

- 2" and 3" Heavy Duty Mini Air Surface Prep Sander
- (1) 2" Backer Pad and (1) 3" Backer Pad
- (2) 2" and (2) 3" Medium Grit Surface Prep Discs
- (2) 2" and (2) 3" Coarse Súrface Prèp Discs
- (2) 2" and (2) 3" Sander Discs
- Blow Mold Case

WARRANTY: 1 Year



1/4" Die Grinders

Mini Air Die Grinder

SKU **751631** 24404

41⁹⁹

- Air Consumption: 2.4 CFM
- Free Speed: 25,000 RPM
- · Recommended Air Pressure: 90 psi

WARRANTY: 1 Year

Composite Body with Built-In Silencing to Reduce Noise Level

1/4" Air Die Grinder SKU **802212**

- 24406
- Free Speed: 22,000 RPM

WARRANTY: 1 Year

Offer Good Through June 30, 2025



- Air Consumption: 3.4 CFM
- Recommended Air
- Pressure: 90 psi
- Exhaust: Rear 360°

Extended Air Die Grinder SKU **802216** 24408

- Air Consumption: 2.5 CFM
- Free Speed: 23,000 RPM
- Recommended Air Pressure: 90 psi

WARRANTY: 1 Year



Mini Air Die Grinder

SKU **802211** 24405

- Air Consumption: 3.4 CFM • Free Speed:
- 25,000 RPM · Recommended Air
- Pressure: 90 psi

WARRANTY: 1 Year

Mini Angle Air Die Grinder

SKU **802214** 24407

- Air Consumption: 2.8 CFM
- Free Speed: 18.000 RPM
- · Recommended Air
- Pressure: 90 psi . Built-in Silencing to

Reduce Noise Level



(IR) Ingersoll Rand

WARRANTY: 1 Year

1/4" Mini Angle Die Grinder and **Surface Prep Kit**

SKU **94648** 25777

- Air Consumption: 4 CFM
- Free Speed: 20.000 RPM
- Grinding and Cleaning All-in-One Kit
- Comes in a Heavy **Duty Plastic Tray**

WARRANTY: 1 Year



1" Impact Wrench

1" Impact Wrench with Extended Anvil

SKU **970474** IRTIR285B6

- Reverse Torque: 1,770 Ft/Lb. • 6" Anvil for Better Truck Wheel
- Nut Accessibility · Hi-Efficiency Motor



Air Drill

3/8" Quiet Reversible Air Drill SKU **1189089** KNGQE-833

- · Sound Level: 83 dBA
- Ergonomic Rubber Grip
- Variable Speed Trigger
- Aluminum Body
- · Convenient Forward/Reverse Control Lever
- Free Speed: 1.800 RPM





AIR TOOLS

1/4" Air Ratchets


1/4" Super Duty Air Impact Ratchet

SKU **850508** 24415

Impact Mechanism Adds Power and Prevents Kickback

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- Sealed Head Ratchet Housing Prolongs Tool Life
- · Compact and Lightweight
- Most Power-to-Weight Ratio
- Rear Air Exhaust: 360° Adjustable

WARRANTY: 1 Year



M7

1/4" Drive Industrial **Air Ratchet**

SKU **466593** 25763

- Max. Torque: 18 Ft/Lb.
- Free Speed: 240 RPM
- Average Air Consumption: 3.0 CFM
- Recommended Air Pressure: 90 psi



OEM TOOLS

WARRANTY: 1 Year

3/8" Air Ratchets



3/8" Air Ratchet SKU **970485**

IRTIR107XPA

- Max. Torque: 54 Ft/Lb.
- · Advanced Head Design
- 360° Adjustable Exhaust

WARRANTY: 1 Year

3/8" Air **Ratchet Wrench**

Composite

SKU **662908** KNGNE-343

• Max. Reverse Torque: 75 Ft/Lb. Forward Working Torque:

Free Speed: 160 RPM

10 to 55 Ft/Lb. WARRANTY: 3 Years

(IR) Ingersoll Rand

3/8" Super Duty Air Impact Ratchet

SKU **850055** 24416

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- Sealed Head Ratchet Housing Prolongs Tool Life
- Compact and Lightweight
- Most Power-to-Weight Ratio

(IR) Ingersoll Rand

• Rear Air Exhaust

WARRANTY: 1 Year



OEM TOOLS

Air Hammers

Standard Duty Air Hammer SKU **1392327**

- **IRT117** • 2,000 Blows per Minute
- · Heat-Treated Piston and an Alloyed Steel Barrel



WARRANTY: 1 Year

1210 Super Duty Air Hammer

SKU **478945** IRT1210



. Built-In Power Regulator and Trigger Control

 Easy to Control with an "Easy Out" Throttle



WARRANTY: 1 Year

Cut-Off Tools



IRTIR429

- Designed for Cutting Intricate Shapes
- Cuts Flat and Curved Surfaces

Comes with 6 High Speed Steel **Cutting Blades**

WARRANTY: 1 Year

3" Air **Cut-Off Tool** SKU **466590**

REG. \$39.99 25760

- Air Inlet Thread Size: 1/4" NPT
- Free Speed: 22,000 RPM

 Recommended Air Pressure: 90 psi



OEM TOOLS

OEM TOOLS

WARRANTY: 1 Year

Offer Good Through June 30, 2025

Inflators

Digital Tire Inflator

SKU **802198** 24412



- · Easy-to-Read Backlit LCD Display
- 4 Units of Measure (psi, Bar, KPa, kgf)
- Measuring Range: 0 to 175 psi (0 - 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi





OEM TOOLS **Dial Tire Inflator**

SKU **301772** 24380

- Clear and Easy-to-Read 80 mm 180 psi Gauge
- 3-In-1 Function: Inflate, **Deflate and Measure** Tire Pressure

 Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks



OEM TOOLS

3.5" Digital Tire **Inflator** with Hose

SKU **1268419** AST3018



- 21" Stainless Braided Hose
- Dual AAA Battery Powered Design
- Backlit LCD Digital Read-Out
- Includes **Batteries**



& Astro

Dual Head Chuck Tire Inflator Gauge

SKU **094652** 25864

• 6" Chrome Plated Dual-Head Chuck with Full 360° Swivel Action

- 15" Air Hose with 1/4" Female NPT and 3/8" 24 Thread Air Intake
- . Inflates within 10 to 120 Lb. Pressure Range
- Magnifying Bubble Lens, Allows Full View of the Pressure Scale

 Gauge in 2 Lb. Increments



R TOOL ACCESSORIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Impact Sockets and Extensions

1/2" Drive Impact **Extension Set**

SKU **1340235**



SUN2500

• Set Includes: 1/2" Dr. 3", 5", 10" and 15" Impact Extensions · Comes in a



33 mm 1" Drive Budd **Style Wheel Socket**

SKU **466569** 25528

• 1" Drive 33 mm Budd Wheel Socket for Mack. Midliner. Volvo. White and Other Import Trucks with Dual Rear Wheels





1-1/2" Hex x 13/16" **Square Deep 1" Drive Budd Style Wheel Socket**

SKU **466570** 25529

• For Budd Wheel 1-1/2" Hex with 13/16" Inside Square





3/8" Impact • 6 Pt. High Quality Impact Sockets

• SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"
• Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

Posi-Grip No Slip™ Design Provides Superior Gripping Power for Maximum Torque Chrome Moly Steel Construction for Strength and Durability

12 Piece **Shallow (SAE)** SKU **391191**

Sockets

25589 **79**99

12 Piece **Shallow (Metric)**

SKU **391190** 25587



12 Piece Deep (Metric)

OEM TOOLS

SKU **464314** 25588

3999



Sockets

1/2" Impact • 6 Pt. High Quality Impact Sockets

• SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" • Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

OEM TOOLS

OEM TOOLS

11 Piece **Shallow (SAE)**

SKU **391195** 25593

10 Piece **Shallow (Metric)**

SKU **391192** 25591

2999



11 Piece Deep (SAE) SKU **391196**

25594

Deep (Metric) SKU **391194** 25592

10 Piece

3999



Impact Adapters

5 Piece Adapter and Universal Joint Set (3/8" and 1/2")

SKU **965864** 24226

- Chrome Moly Steel Construction
- Includes: 3/8" Drive Universal Joint, 3/8" Drive (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4"(M) Adapter



OEM TOOLS

Air Blow Gun

5 Piece Interchangeable Tip Air Blow Gun

SKU **338823** 24439

• Includes 4 Interchangeable Tips: 100 mm (4"), 140 mm (5.5"), 320 mm (12.5") and a Turbo Wide Angle Nozzle

· Quick Change Coupling Makes it Easy to Change Tips

• Wide Angle Nozzle for High Volume

Variable Trigger to Control Volume and Tip Pressure

• 1/4" NPT Air Inlet

High Flow Couplers

High Flow Coupler 70% and Plug Kits

FLOW* • Ideal for HVLP Spray Guns and High Torque Impact Wrenches

MORE

• Delivers the Highest Air Volume with the Lowest Pressure Drop

14 Piece 1/4" Body, 1/4" NPT SKU **757091 99**

26134



7 Piece 1/4" Body. 1/4" NPT

SKU **757040**

26132



7 Piece 1/4" Body. 3/8" NPT

SKU **757046** 26133



OEM TOOLS

*When Paired Together, OEMTOOLS High Flow Couplers and Plugs Deliver Up to 70% More Flow than Conventional Couplers

AIR TOOL ACCESSORIES

Hoses and Hose Reels

50' Nitrile Rubber

- Lays Flat Under Pressure for Easy Maneuverability and Safety
- Meets PFAS-Free Regulations
- Resists Abrasions and Kinks
- UV Protective Material
- · Excellent Resistance to Grease, Oil and Weather



3/8" SKU 1491309

SKU 1491310 LIN72N3850

• 1/4" NPT Brass Fittings

LINCOLN

100¹ **Wall Mount** Air Hose Reel

SKU **291343** 25970

• Comes with 18" Leader Hose . Mounts Solid or with Swivel Action

OEM TOOLS

- · Solid Steel Frame
- · Some Assembly Required



3/8" x 50¹ **Air Hose Reel**

SKU **900815** 25979

. Smooth Automatic Retracting Spring Coil

OEM TOOLS

- 50' Hose
- 3/8" NPT Fittings
- Max. Pressure:



50' Premium Hybrid

· Lightweight Design for Ease of Use and Enhanced Portability

Conditions (-40° to 150°F)

• 300 psi Working Pressure

Extending Life of Hose Solid Brass MNPT Ends

1/2" x 4' Air Hose

SKU **347221**

• 3/8" Swivel MNPT x 3/8" MNPT

24421

 Kink Resistant with All-Weather Flexibility (-40° to 150°F)

SKU **347224** 24424

3/8"

SKU 1491308 LIN72H3850

3/8" x 50' Hybrid Polymer Air Hose with Reel

• Heavy Duty Polymer Hose Material Redefines

Flexibility - Stays Flexible Under All Weather

Holds No Memory - Kink Resistant Under Pressure

. Bend Restriction for Reducing Wear and Tear and

• 1/4" NPT Brass Fittings

1/2"

SKU 1491307 LIN72H1250

LIN72N1250

81 99

OEM TOOLS

• 1/2" NPT Brass Fittings

• 1/2" NPT Brass Fittings

Value Series Air Hose Reel

- · Retractable Delivery Hose



1/2" x 50¹ SKU **972285**

LINCOLN

Durable Heavy Gauge Steel Construction
 Slotted Mounting Base for Easy Installation

LIN83754



3/8" x 50' Air **Hose Reel**

SKU OUTSIDE BUY/EPO LEGL8250FZ

(EVENTALISES)

- Extreme All-Weather Flexibility, Even in Subzero Temperatures (-40° to 140°F)
- Won't Kink Under Pressure



For Outside Buy/EPO, Call 901-300-4878

Air Piping

MaxLine Compressed Air Piping System 3/4" Master Kit

SKU **360593 RAPM7500**

Aluminum Core: Holds Any Bent Shape!

- Heavier Duty Components for Longer Air Runs in Larger Buildings
- 3 Air Outlets, (1) 3/4" NPT Straight Fitting, 2 Tees, 20 Clips and 100' of 3/4" HDPE Tubing



1/2" Tubing Master Kit

SKU **360485** RAP90500

- · Easily Install Behind Walls of New Construction or on **Existing Shop Walls**
- Includes: 2 Air Outlet Kits, 1 Compressor Manifold Kit, 100' Nylon Tubing and Tubing Cutter



3/4" MaxLine Outlet Kit SKU OUTSIDE BUY/EPO **RAPM7510**

• 3/4" Outlet Kit for MaxLine Compressed Air System

For Outside Buy/EPO, Call 901-300-4878

See More RapidAir® Products on AutoZonePro.com

Air Chuck

OEM TOOLS

Dual Foot Air Chuck with Comfort Grip Handle

SKU **802201** 24413

- Comfortable Screwdriver Style Handle
- 30° Reverse Angle Chuck Can Be Used on Outside Tires
- . Tilt Lock Feature Locks onto the Valve



- Durable, OEMTOOLS Screwdriver Style Handle for Comfort and a Positive Grip
- · Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas



AIR TOOL ACCESSORIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Surface Prep

2" Twist-to-Lock Surface **Prep Discs (50 Pack)** with Cookie Jar

Coarse

SKU **1146029** SHA13088

Medium

SKU **1146030**

SHA13089



SKU **1168677** SHA13087

REG. 84.99

• Includes: Coarse, Medium and Fine Offer Good Through June 30, 2025





SKU **1368617** SHA13012

• 2" Holder (Single)

SHA323T2

• 2" Holder (2 Pack)

SHA333T2

• 3" Holder (2 Pack)



• 2" and 3" Holder Set

2" Surface Prep Discs (25 Pack)

• Twist-Lock Style

Coarse

SKU 1330684 22517

(0.79 each)

Medium

SKU **1335806** 22516

19⁹⁹ (0.79 each)





• Twist-Lock Style

Coarse

SKU 1335795 22518

(0.99 each)

Medium

SKU **1335787** 22519

24⁹⁹ (0.99 each)



OEM TOOLS



Twist-Lock Disc Holders

SKU **094911**

SKU **094916**

SKU **094912** SHA323TB

2" Purple Strip Disc with Twist-Lock (5 Pack)

SKU **298097 24 99** SHA16206

- Long-Life Silicon Carbide for Paint and Coating Removal
- · Pack of 5 Discs



2" Twist-Lock Mini Flap Discs **Assorted Grits (6 Pack)**

SKU **306275** SHA13056

- Outlasts Mini Grinding Discs by 3 Times
- Includes: 2 Each of 40, 60 and 80 Grit





3" Green 50G Finger Discs (10 Pack)

SKU **1362011** SHA13361

- Long Life Discs with Type "R" Style Backing Improved Surface Contact Over Wire Brushes
- · Great for Rust, Surface Contamination and Oxide Removal from Metals



Ideal for Hard-to-Reach Surfaces and Lasts Longer than Most Abrasive Discs

Twist-to-Lock Green Zirconia Mini Grindina **Discs**

Green Zirconia							
SKU	SKU Part # Size Grit Qty						
306282	SHA12613	2"	36	25	<i>39.99</i>		
305896	SHA12614	2"	50	25	<i>39.99</i>		
204022	SHA12615	2"	80	25	<i>39.99</i>		
306323	SHA12617	3"	36	25	49.99		
305827	SHA12618	3"	50	25	49.99		
204009	SHA12619	3"	80	25	49.99		







Cut-Off Accessories

Mandrel Set for Cut-Off Tools (2 Pack)

SKU **094907** SHA32





10 Piece Cut-Off **Wheel Set with Mandrel**

SKU **1400046 14** 99 26528

- · Capable of Cutting Fiberglass, Plastic, Iron, Steel and Other Ferrous Metals
- Quantity: (10) 3" x 1/16" Cut-Off Wheels with 3/8" Arbor. 46 Grit
- Max. RPM: 20,400



OEM TOOLS

3" Aluminum Cutting Wheels (10 Pack)

SKU **306331** SHA13178PK2



 Includes: (10) 3" x 1/16" x 3/8" Cut-Off Wheels

 Works on 3" Die Grinders



3" x 1/16" x 3/8" **Reinforced Cut-Off Wheels (25 Pack)**

SKU **306273** SHA25E5PK5

- For Use with Pneumatic Cut-Off Tools
- Max. RPM: 25,000
- Includes: 25 Discs



AZG0225



POWER TOOLS

Professional OEMTOOLS®

20V Max* Li-ion

Heavy Duty 1/2" Impact Wrench SKU **818594** 24481

• Speed: 0 to 2,200 RPM and 0 to 2,900 IPM

- Nut Busting Torque: 300 Ft/Lb. • Tightening Torque: 260 Ft/Lb.
- Weight: 8 Lb.
- Battery Light Indicators
- Charge Time: 2 Hrs.
- Includes: 4.0Ah Li-ion Rechargeable Battery with Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion

1/2" Brushless Impact Wrench

SKU **592251** 24486

- Variable Speed: 0 to 2,600 RPM and 0 to 3,000 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Tightening Torque: 260 Ft/Lb.
- . Charge Time: 2 Hrs.
- Weight: 9.28 Lb.
- Includes: Rechargeable 4.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion

1/2" Brushless Hammer Drill

SKU **593469** 24485

- Variable Speed: 0-600 RPM and 0-2000 RPM
- Max. Torque: 310 ln/Lb.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Charge Time: 1 Hour
- Includes: Rechargeable 2.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case

20V Max* Li-ion

Cordless Angle Grinder

SKU **598786** 24492

- Speed: 0 to 10.000 RPM
- Max. Disc Diameter: 4-1/2'
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- . Charge Time: 2 Hrs.
- Includes: Grinding Disc, Assist Handle, Rechargeable 4.0Ah Li-ion Rechargeable Battery and Charging Station



20V Max* Li-ion **Reciprocating Saw**

SKU **592353** 24491 REG. \$99.99

- Variable Speed: 0 to 3,000 RPM
- Overall Length: 14-1/4"
- Charge Time: 1 Hour
- Includes: High-Quality, Multi-Purpose Bi-Metal Reciprocating Saw Blade, Rechargeable 2.0Ah Li-ion Battery and Charging Station



All Professional OEMTOOLS 20V Power Tools Work with:

Battery Charger SKU **824778**

27333B

 Replacement Part for OEMTOOLS Heavy Duty 1/2" 2VSR Cordless 20V Li-ion Drill



27333A 4.0Ah SKU **824772**

27314AM



*With respect to 20V Max, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18V.

OEM TOOLS

Corded OEMTOOLS®

Oscillating Tool

SKU **592331** 24495

- Includes: 3-1/2" Semi-Circle Wood Saw Blade, 2" Rigid Scraper, 1-1/4" Wood Plunge Blade, Standard Sanding Pad and (3) 60/80/120 Grit Sandpapers and 6 Ft. Power Cord
- Variable Speed: 11,000 to 20,000 OPM
- Power: 2.3 Amps
- Overall Length: 14-1/2"
- · Power Cord Length: 6 Ft.

OEM TOOLS

7" Variable Speed Polisher SKU **592258** 24496

- No-Load Speed: 1000 to 3000 RPM
- Power: 11 Amps
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- Power Cord Length: 6 Ft.
- Includes: Sanding Paper, Sanding Pad, Terry Bonnet, Wool Bonnet and Foam Piece



6" Bench Grinder with Lamp SKU **412598**

80058

- Solid, Heavy Duty Construction for Shaping and Sharpening Hardened Steel
- 6" Wheels with Tool Rests
- Tool Rests Adjust to 45° or 90° Position
- · Includes: Coarse and Fine 6" Grinder Wheels. Goose Neck Lamp, Adjustable Eye **Guards and Spark Breakers**





6" X 3/4" 46 Grit SKU **112398** SHA2017

· Economical, Long Lasting Ahrasive Wheels



14" Chop Saw

SKU **1228718 239** 99 24723

• Ideal for Cutting Wood, Metal,

- Steel and Pipe • 15 Amp Motor for Powerful
- Cutting Action • Spindle Lock Makes Wheel
- Changes Quick and Easy
- Accepts Standard 14" Cutoff Discs
- . Includes: Cutting Blade and 6 Ft. Power Cord





POWER TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

OEMTOOLS®

20V Max* Li-ion

3/8" Cordless Drill SKU **052383** 24660



- No-Load Variable 2 Speed Gear Box: 0 to 350 RPM and 0 to 1.150 RPM
- Max. Torque: 220 In/Lb.
- Max. Drilling Capacity: 5/16" (Metal) and 3/4" (Wood)
- Keyless, Auto Spindle Lock Chuck Size: 3/8"
- Clutch: 16 + 1 Torque Clutch Setting
- Electric Brake
- · Forward and Reverse Switch
- Battery Charge and Capacity Indicator Lights
- . Charge Time: 4 to 6 Hrs.
- Includes: 1.5Ah Li-ion Rechargeable Battery and Battery Charger



20V Max* Li-ion

3/8" Cordless Impact Wrench SKU **052379**

24661

- · Anvil: Heat-Treated 3/8" Drive Ball Detent
- · Variable Speed: 0 to 2,400 RPM and 0 to 3,000 IPM
- Max. Torque: 200 Ft/Lb. (Forward) and 240 Ft/Lb. (Reverse)
- · Battery: 1.5Ah Li-ion Electric Brake
- · Battery Charge and Capacity Indicator Lights
- Charge Time: 3 to 5 Hrs.
- · Includes:

1.5Ah Li-ion Rechargeable **Battery and Diagnostic Fast** Battery Charger

STORE STOCKED



20v MAX LIHON

20V Max* Li-ion

1/2" Cordless **Impact Wrench**

SKU **052380** 24670

- Anvil: 1/2" Square Drive
- Speed: 0 to 2,200 RPM; 0 to 2,700 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Max. Tightening Torque: 240 Ft/Lb.
- Battery: 2.0Ah Li-ionWeight: 6.5 Lb.
- Charge Time: 5 to 7 Hrs.

STORE STOCKED

Includes:

2.0Ah Li-ion Rechargeable Battery, Li-ion Battery Charger



OEM TOOLS

STORE STOCKED

and Charger Available

20V Max* Li-ion **Individual Batteries Battery 1.5 Amps** SKU **029415**

24660A

. Charges in 4 to 6 Hrs



20V Max* Li-ion

Battery 2.0 Amps SKU **1392334** 24670-36

. Charges in 4 to 6 Hrs.



20V Max* Li-ion

Battery Charger SKU **029418** 24660B



4-1/2" Compact Angle Grinder

SKU **052382** 24663

- Motor: 6 Amp
- Voltage: 120V, 60 Hz • Speed: 10,500 RPM
- Interchangeable Handle for Left or Right Hand Use
- Heavy Duty, Cast Aluminum
- Gear Head for Strength and Durability
- 6 Ft. Power Cord • Includes: Grinding Wheel, Spanner Wrench and Disc Guard

STORE STOCKED



Heavy Duty 1/2" **Impact Wrench** SKU **052388**

- 24666
- Input Power: 8.5 Amp Voltage: 120V, 60 Hz
- 1/2" Square Drive with Hog Ring Retainer
- No-Load Speed: 0 to 2,200 RPM and 0 to 3,000 IPM
- Replaceable Carbon Brushes
- 8 Ft. Power Cord

Includes 35 Piece Accessory Kit

STORE STOCKED

Rotary Tool with 35 Piece Accessory Kit

SKU **052384 37**99 24664

- Input Power: 1.2 Amp
- Voltage: 120V, 60 Hz
- No-Load Speed: 10,000 to 35,000 RPM
- Collet Capacity: 1/8" to 3/32"
- Spindle Lock for Easy Bit and Accessory Change
- 6 Ft. Power Cord
- Includes: Grinding Stones, Wheels, Brush, Sanding Bands





Power Ratchet



- Max. Torque: 35 Ft./Lb.
- Max. Manual Torque: 96 Ft./Lb.
- No-Load Speed: 230 RPM
- Ergonomic Grip with Low-Profile Head for Work in Tight Spaces
- Features Integrated Worklight for Hard-to-See Spots
- Includes: 2Ah Li-ion Removable Battery and Charger





Dual Temp Heat Gun

SKU **052387** 24665



SKU **003483 71** 99

Easily Attaches

Rotary Tools

to Many Popular

24657

Flexible Shaft Rotary Tool Extension

- Input Power: 10 Amp
- Voltage: 120V, 60 Hz
- . Temperature Settings: 482°F/842°F
- Trigger: 3 Position Rocker
- · Hanging Loop for Storage
- 6 Ft. Power Cord

STORE STOCKED





**With respect to 12V Max, Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8V.

AZG0225

POWER TOOLS

STEEL

Power Tool Accessories

OEM TOOLS 33 Piece **Impact Rated Driving S2 Bit Set**

SKU **750443** 25960

- . Designed to Withstand High Torque Applications
- Reduces Wear, Stripping and Cam-Out
- Includes: Magnetic Impact Rated Bit



6 Piece Bi-Metal OEM TOOLS **Hole Saw Set**

SKU **547011** 24378



- 29 mm, 32 mm and 38 mm)
- Slotted Saw Allows for Easier Plug Removal
- Durable Enamel Finish Protects Against Corrosion
- Bi-Metal Construction for Increased Wear Resistance



OEM TOOLS **Multi-Purpose Drill Powered Pump**


SKU **526513** 24503

· Works with a Corded or Cordless Drill to Transfer the Following Liquids: Fresh Water, Sea Water, Organic Solvents, Motor Oil, Heating Oil, Insecticides and Liquid



Bench Grinder, **Vise and Drill Press Stand**

SKU **943120** 24643



• Top/Plate Dimensions: 13.8"(L) x 9.8"(W) x 0.2"(H)

• Overall Dimensions: 13.8"(L) x 9.8"(W) x 37.4"(H)

> **Multiple Mounting Configurations Fit** Many Bench Grinders, Pipe Benders, Vises and Drill Presses



OEM TOOLS

Cut Off Wheel Pack of 6

SKU **1485031**

- 26510PK • 4-1/2" Wheel
- Diameter • 1/16" Wheel Thickness
- 7/8" Arbor Diameter
- Will Evenly Cut Through Fiberglass, Plastic and Steel
- Arbor Diameter Fits Most Drills

3 Piece Spiral Step Drill Set

SKU **99189** 24372

- Titanium Two-Flute Spiral for Longer Life,
- Faster Drilling and Less Vibration
 Split Point Generates Less Heat
- Bit Two: 6 Sizes from 3/16" to 1/2"
 Bit Two: 6 Sizes from 3/16" to 1/2"
- Bit Three: 9 Sizes from 1/4" to 3/4"
- 28 Hole Sizes in 3 Bits
- Enlarge Existing Holes
- 1/4" Hex Shank To Prevent Slipping in Chuck Applicable Materials: Stainless Steel, Copper, Brass, Aluminum, Plastic and Laminates (Material Thickness of 0.125")





- Type 27 Aluminum Oxide Grinding Wheels
- Arbor: 7/8"
- Diameter: 4.5 by 1/4
- · Hubless, 24 Grit
- Pack Contains 3 Wheels



OEM TOOLS


Mechanics Set

SKU **533204 | 24974**

649⁹⁹ REG. \$1,807.51

Includes 156 of the Most Common Tools in Tool Cart

• SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More









Technicians Set

SKU **533203 | 24975**

2,249⁹⁹ REG. \$2,526.22

Includes 312 of the Most Common Tools in Tool Cart

• SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change, Wheel Service and More









Offer Good While Supplies Last Through June 30, 2025



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Floor Jacks

2 Ton Off-Road Jack

SKU **1525571 299** 29004



20 1/4"

MAX 1

HEIGHT

3¾" LOW

PROFILE

- Full Length Skid Plate Provides Stability In Soft or Unstable Materials Such as Sand or Gravel
- · Heavy Duty Oversized Wheels are Ideal for Navigating on Rough or Uneven Surfaces
- High Lift Adapter Extension for Additional Lift Height Up to 24-3/16" Provides Access to Lifting Points for Off Road Vehicles
- · Dual Piston Hydraulic System for Quicker, More Efficient Lifting
- Min. Height without Extension: 6-1/8", with Extension Stage: 11-1/4"
- Max. Height: without Extension: 17-15/16", with Extension Stage: 24-3/16'
- Weight: 59.5 Lb.
- Padded Jack Handle to Prevent Scratches and Dents







3%"_

PROFILE

LONG

REACH

31/8" LOW

PROFILE

LOW -



Carry Handle for Portability



DEM TOOLS

Locking Adjustable Height Extender

3½" LOW

PROFILE

PADDED

23/4" LOW

4 Ton Hydraulic Service Jack

SKU **1525558** 29003



- Nylon Casters Protect Sealed Floor Surfaces and Dealer Showrooms
- Meets ASME PASE-2019 Standards
- 4.3" Saddle Provides Generous Lifting Area and Secure Grip
- Min. Height: 4-3/8" • Max. Height: 20-1/4"

• Weight: 98.3 Lb.



3 Ton Long/Low Signature Service Jack

SKU **1407611**



- Clearance Vehicles, Pickups and SUVs · Padded Jack Handle and Saddle Pad to
- Prevent Vehicle Damage · Dual Pump Design for Quicker Lifting
- Nylon Casters to Protect Sealed Floor
- Surfaces and Dealer Showrooms . Min. Height: 3-3/8"




31-3/8" • Weight: 100.3 Lb



2-1/2 Ton Aluminum/Steel **Hybrid Floor Jack**

SKU **1417557** 24869



• Padded Jack Handle and Saddle Pad to Prevent Damage to Vehicle

• Dual Pump Design for Quicker Lifting

 Nylon Casters to Protect Sealed Floor Surfaces and Dealer Showrooms

• Min. Height: 3-1/2' Max. Height: 19-1/4"

• Length: 25-1/2"

• Weight: 58.2 Lb.



3-1/2 Ton Low Profile Floor Jack

SKU **757109** 24837

· Dual Pump Design for

Quicker Lifting Min. Height: 3-3/4"

. Max. Height: 20-1/2"





2-1/2 Ton Low Profile Floor Jack

SKU **1089029** 24791



• Min. Height: 3-1/8" Max. Height: 19-3/4"

· Length: 26-1/4"

· Weight: 69.51h



2 Ton Extra Long, Extra **Low Profile Floor Jack** SKU **757041**

24838

• Min. Height: 2-3/4" • Max. Height: 24-1/4"

• Length: 31-7/8" • Weight: 97.5 Lb.



All OEMTOOLS® Jacks on this page include overload and bypass safety valves and meet ASME PASE 2014 Safety Standards.

Wheel Dollies

Mechanical Vehicle Position Dollies

- Easily Lift and Move Vehicles Up to 6,000 Lb.
- 1,500 Lb. Capacity Each

Set of 2 Dollies SKU 1089031 24793



Set of 4 Dollies with Storage Cradle SKU 1414391 69000

REG. \$564.97

When You Buy the Set



Hydraulic Vehicle Position Dollies

- Easily Lift and Move Vehicles Up to 6,000 Lb.
- 1,500 Lb. Capacity Each

Set of 2 Dollies SKU **298098** 24855TW0



Set of 4 Dollies with Storage Cradle

SKU **696485** 68986

REG. \$664.97

When You Buy the Set



1500 Lb. Wheel Dollies Set SKU **814384**

- 24858
- · Great for Moving Cars, Trucks, Trailers and Lawn Tractors
- 4 Swivel Nylon Casters Give Mobility in All Directions, Roll Smoothly and are Safe for Epoxy Floors
- HD Steel Plate Construction for a Long Life
- · 2 Casters on Each Dolly Have Locking Mechanisms

Vehicle Position Dolly Cradle

SKU **544800** 24856

. Neatly Secure and Store Up to 4 Vehicle Car Dolly Jacks





Air Hydraulic Jacks OEM TOOLS

20 Ton Air Hydraulic Bottle Jack

SKU **544795** 24850

- · Can Be Operated with Air or Manually
- Height: 10.25" to 20.1"
- Extension Screw Adjustment: 3.15"
- Meets or Exceeds ASME PASE-2019 Standards



22 Ton Air Hydraulic Truck Jack

SKU **544796** 24851

· Compact, Low Profile Design

Easily and Safely Fits Between Wheels of **Tandem Axle Vehicles** • Ram Travel: 4-15/16"

- Extension Screw Adjustment: 4"
- Min. Height: 8-3/4"
- . Max. Height: 17-11/16"

Hydraulic Jacks Built for Performance and Ease of Use



Jack Stands

3 Ton Jack Stands (Pair)

SKU **757122** 24852

- Min. Height: 11"
- Max. Height: 16-1/2"
- Meets or Exceeds ASME PASE-2019 Standards

6 Ton Jack Stands (Pair)

SKU **757050** 24853

- Min. Height: 15.75"
- Max. Height: 23.7'
- Meets or Exceeds ASME PASE-2019 Standards



22 Ton Heavy Duty Axle Stands (Pair)

SKU **757098**

24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement
- Meets or Exceeds ASME PASE-2019 Standards

6 Ton Ratcheting Jack Stand (Pair) SKU **OUTSIDE BUY/ÉPO**

VIK55060

- Min. Height: 15.75"
- Max. Height: 24.38"
- Width: 11"

For Outside Buy/EPO, Call 901-300-4878







TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com



Release





















Engine Stands

1.250 Lb. Engine Stand SKU **462493** 24829

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- Extra Wide 4 Wheel Base Provides Added Stability
- 360° Rotation
- · Lock Pin Locks Engine into Position



Heavy Duty 1,000 Lb. **Engine Stand**

SKU **757115** 24839

- Adjustable Mounting Arms to Fit Most **Engine Configurations**
- Locking Head Plate with 360° Engine Rotation
- Tubular Steel Construction
 Base: 32-1/2" (L) x 30-3/4" (W)
- Height: 37-3/8"
- Weight: 41.9 Lb.



1,100 Lb. Rotating Engine Stand

24798

SKU **1125862 2**/1099

- · Adjustable Mounting Arms to Fit Most **Engine Configurations**
- Locking Head Plate with 360° Engine Rotation
- . Heavy Duty Worm Gear for Effortless Rotation
- Tubular Steel Construction
- . Folding Legs for Easy Storage
- · Base:

41-1/4" (L) x 27-1/8" (W)

· Weight: 102.5 Lb.



1 Ton Folding **Engine Stand**

SKU **544804** 24834

• Folds Upright to Conserve Valuable

OEM TOOLS

Floor Space • Sturdy, Wide-Base Design to Prevent Tipping Under Load



Shop Cranes

6,000 Lb. Heavy Duty Engine Crane

SKU 1267948 AFF3584

- Reinforced Leg Assemblies for Added Strength and Durability • 4 Different Boom Settings:
- 3, 2, 1.5 and 1 Ton
- Rear of Crane: 61.5" Tall x 33" Wide
- . Distance Between Front of Legs: Retracted 23", Extended 28.5"
- Built-In Safety Overload to Protect the Unit from Being Used Beyond its Rated Capacity



2 Ton Folding **Shop Crane**

SKU OUTSIDE BUY/EPO RANRSC2TF

- · Heavy Duty Hydraulic Folding Engine Hoist with 2 Ton Capacity Ram is Perfect for Shops That Have Limited Space but Still Need the Pure Lifting Convenience of a Crane
- · Front Casters Include a Safety Brake to Prevent Movement





SKU **544801** 24830

49999

- · Foldable Design Makes for Convenient Easy Storage
- 6 Solid Steel Caster Wheels Add Mobility
- Fully Adjustable 4 Position Boom



OEM TOOLS

Lift Accessories


Universal Engine Lift Plate 1,000 Lb. Capacity

SKU **662861** 24867

- Corrosion Resistant, Gold Iridite Zinc Plating
- Tough, All Steel Construction
- Fits Most V Style 6 and 8 Cylinder Engines with 2 or 4 Barrel Intake Manifolds
- Mounting Hardware Not Included

Floor Jack Crossbeam

SKU **544803** 24833



- Saddles Adjust from 23" to 32" on Center
- Min. Width Capacity: 3,000 Lb.
- · Max. Width Capacity: 4.000 Lb.






OEM TOOLS





Bed Lifter

SKU **OUTSIDE BUY/EPO** STK35885



. Lifting Brackets Adjusts to Evenly Distribute Weight





STECK

Price does not include vehicle

For Outside Buy/EPO, Call 901-300-4878

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Engine Support

3 Point Engine Support Bar SKU **133617**

24951

- Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- Width Expands from 34-1/2" to 61"
- (2) 14" Adjustable Hook Screws
- (2) 38" Braided Steel Cables
- 700 Lb. Capacity

1,100 Lb. Engine Support

SKU **512946** 24950

14999

- 2 Screw Adjusters for Precise Positioning Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability

High Reach Stands

1,100 Lb. Capacity



• Compact Design for Use in Limited Workspaces

• Durable Heavy Gauge Steel Construction

3/4 Ton Engine Leveler SKU **544802 40**99

24831

- 4 Point Mounting System Provides Maximum Control
- · 3 Chain Positions to Accommodate Different **Engine Configurations**
- Durable Steel Construction
- · Smooth Operating Worm Drive Shaft for Easy Level Adjustment
- Rated Capacity: 1,500 Lb.



OEM TOOLS

OEM TOOLS

Lift Table

OEM TOOLS

660 Lb. Double-Scissor Lifting Table Cart

SKU 1525568 24789



- Reduces Operator Strain When Moving Heavy or Bulky Items
- Double Scissor Mechanism Raises the Table from 13.8" to 50.6"
- Large 32" x 20" Platform Fits a Wide Range of Items
 • Foot Pedal Pump Allows
- Hands-Free Operation
- Hand Operated Release Lever for Easy, Controlled Descent
- 5" Heavy Duty Casters with Bearings for Easy Rolling Over Rough Floors
- Safety Bar Lock Mechanism Allows the Table to Be Secured at 40.2"
- All Steel Construction for Strength and Durability



1,500 Lb. **High Reach Jack Stand**

SKU **757043** 24848

11<u>999</u>

- Min. Height: 55"
- Max. Height: 78" Meets or Exceeds ASME PASE-2019 Standards

1,500 Lb. High **Reach Jack Stand with Foot Pedal**

SKU **757078** 24847

• Provides Added Support During Installation/Removal of Automotive Components

14999

- · Foot Pedal Pump Saves Time Adjusting Load
- Min. Height: 55"
- Max. Height: 78"
- Meets or Exceeds ASME PASE-2019 Standards



179⁹⁹

- · Adjustment Pin Securely Supports Load in 5 Positions
- Min. Height: 49"
- Max. Height: 80
- Meets or Exceeds ASME PASE-2019 Standards



Powertrain Lifts

EV Lift Table

SKU **OUTSIDE BUY/EPO** CHLBT3300

- 3.300 Lb. Lift Capacity
- Scissor-Style Lifting
- Hydraulic Cylinder and 115V Plug
- Pendant Controlled Operation
- Max. Reachable Height: 76.5'
- Complies with ASME PASE-2019
- 8" Clearance Under Base Plate for Battery Removal
- Extending, Adjusting and Tilting Top Plate for Larger Batteries



2,200 Lb. Lifting Table, **Air/Hydraulic with Adapters**

SKU **OUTSIDE BUY/EPO CEA-MS10KIT**

· Designed for Removing/Replacing Battery Packs of Electric Vehicles as well as the Engine, Transmission, Drive Axle, Fuel Tank, Suspension and Sub-Frames of

- Traditional Vehicles Large Base Frame Ensures Better Stability and Reliability
- Max. Lift: 70-1/16"
- Min. Height: 22-7/16"
- Platform Length: 51-3/8" to 58-1/4"
- Platform Width: 33-1/8"



2.640 Lb. Lifting Table. Electric/ **Hvdraulic** with Adapters SKU OUTSIDE **BUY/EPO**

CUTTING EDGE

CEA-MS12MKIT

2.500 Lb. **Powertrain Lift** SKU OUTSIDE BUY/EPO AFF3182

5.099⁹⁹

- Air Assist Foot Pump with 9' Extension Provides Hands-Free Operation
- Safety Latches at 30%, 50% and 80% of Max. Height
- 8" Diameter Swivel Casters for Easy Maneuverability





4,500 Lb. BendPak **EV** Battery and **Powertrain Lift Table** SKU OUTSIDE BUY/EPO

BENEVS4500 1**.649**99

- Full-Rise Battery Powered Mobile Scissor Lift Table
- Remote Control Operation
- DC Electric Power System with **Onboard Charging**
- Full-Length Utility Trays



AZG0225

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Ask About Special Pricing on Additional Multi-Lifts and Package Deals, Call 901-300-4878

SAVE OVER \$2,049



SAVE OVER \$3,799





For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary
• Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-30

Aligners

Geoliner® 770 AC400 Clamps and VIN Reader

SKU OUTSIDE BUY/EPO **30,699**99 HOFEEWA752BV3

- Lightweight, 3-Camera System Folds to a Compact Size with a Low Center of Gravity, Taking Up Less Floor Space in the Shop and Easily Maneuverable When Needed
- Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with Single, Fast-Action Adjustment Knob
- Automatic Height Tracking to Provide Optimum
 Placement of its Advanced XD Targets and Cameras for More Speed and More Accuracy on Every Alignment Diagnostic Alignment with "Compensate Warn Alert"
- Intervention Gets it Right the First Time

 Video Speed Cameras Constantly Monitor Alignments, Providing Information at Every Step
- Unique Camera Beam Design Fits Through a Standard Doorway and Protects Cameras
- Next Generation UI Optimized for the High Volume User
- Highly Accurate and Reliable XD Camera Technology

ALIGNER INCLUDES:

WARRANTY:

- 1 Year Motor and Parts, 6 Months Labor,
- 3 Years Circuit Boards, Pods and Electronics







Geoliner® 609 **Alignment System** SKU OUTSIDE BUY/EPO

HOFEEWA741TH3



- Groundbreaking User Interface Provides Instant Access to Critical Tasks
- No Calibrations Required
- Designed for a Connected World
- Small Footprint
- Includes: AC200 Clamps

WARRANTY:

- 1 Year Motor and Parts,
- 6 Months Labor, 3 Years Circuit Boards. Pods and Electronics





Manufacturer's Set-Up

Geoliner® 660 Imaging Wheel Aligner SKU OUTSIDE BUY/EPO HOFEEWA712TH3

- Advanced XD Cameras and Sophisticated Monitoring Algorithms
- Exclusive Dimensioning and Productivity Features
- Patented EZ-TOE Turn the Front Wheels and Access Difficult Adjustment Points While Still Displaying Centered Toe Readings
- Features Easy-Rolling Casters, Storage for All Attachments and a Fully Enclosed Printer Compartment
- Includes AC200 Clamps, Brake Pedal Depressor, Color Ink-Jet Printer and Steering Wheel Holder

WARRANTY:

- 1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES:

Manufacturer's Set-Up



Geoliner® 678 Wheel Alignment System with AC400 and VIN

SKU OUTSIDE BUY/EPO HOFA715TBV3



- Corrective Actions Just One Click Away Help Videos - View Detailed Videos of How to Make Needed Adjustments to Complete Even the Most Complex Tasks
- Cross-Diagonal Measurements Identify Frame or Structural Damage (Saving Time)
- Rolling Radius Identifies Mismatched Tire Sizes to Prevent Vehicle Pulling and Drive Train Damage
- Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single Fast-Action Adjustment Knob

- 1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

WARRANTY:

ALIGNER INCLUDES:

Manufacturer's Set-Up

Alignment Accessories

Steel Turn Plates SKU OUTSIDE BUY/EPO OSP25-140

Call for Price

- Capacity: 4,500 Lb. per Plate
- Dimensions: 14" x 14" x 1.5"



Stainless Steel Turn Plates

SKU OUTSIDE BUY/EPO QSP25-129

Call for Price



Rear Slip Plate Add-On Kit

SKU **OUTSIDE BUY/EPO QSPDB-6000**

Call for Price

- (2) 59-1/2" x 20" Full Floating Rear Slip Plates
- Simple Installation On Most General Service Lifts
- Length Options: 173", 186" to 196" and 200" to 205"
- . Turn Plates Not Included




Steering Wheel Holder and Pedal Depressor Kit SKU **802195**

24231



- Holds Steering Wheel in Position for Alignment Adjustments
- · Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.





































ALIGNMENT

Aligners CWA 6500 Wheel Aligner SKI OUTSIDE BUY/EPO

AMM8006500

25,599 99
• Comes with Both Self-Centering Clamp and Exclusive Tire Gripping Adapters to Ensure

Both Accurate Reading and Fast Operation

 Multiple Compensation Modes to Make Getting Readings on Heavy Vehicles Easy without Having to Roll Vehicle Excessively Far

 Two Wheel Alignment Mode for Setting Total Tow on Large Trucks, No Rear Targets Required

- Standard VIN Scanner for Time Savings and Ease of Vehicle Selection
- Mobile Cabinet Supports Using Aligner in Multiple Bays

ALIGNER INCLUDES: Manufacturer's Set-Up and Training


WARRANTY:

1 Year Parts,

6 Months Labor, 30 Days Wheel Clamps

Portable 3D Wheel Alignment System Sku OUTSIDE BUY/EPO 99 90099

ROTR1085



· Wi-Fi Ready

- Easy-to-Use Software
- Tower-Free SystemOn Rack Test Drive Program
- Easy-to-Read Results
- Quick Locking Wheel Clamps
- Patented Targets
- Fixed Cameras



(CEMB

ALIGNER INCLUDES: Manufacturer's Set-Up WARRANTY: 3 Years Parts and

CEMB Wheel Alignment Systems

• User Friendly Software with Adjustment Graphics

- More Than 55,000 Vehicles In Database
- · Cloud Based Wi-Fi Networking
- 12" to 24.5" Clamping Range
- For Cars and Light Trucks

Trolley Wheel
Alignment System
SKU OUTSIDE BUY/EPO
CMBDWA1100TROLL

11,899⁹⁹ REG. \$13,049.99

 Toughpad with 10" Touch Screen, Waterproof, Dustproof Rubberized Case

Complete Wheel
Alignment System
SKU OUTSIDE BUY/EPO

CMBDWA1100CWAS **16,899** 99

REG. \$18,899.99

 Portable Wheel Stands with Integral Turn Plates on All Four Stands Align All Vehicles

- Stands Weight Limit: 10,000 Lb. or 2,500 Lb. per Stand
- Includes: Stands, Roller and Plates

ALIGNER INCLUDES:Manufacturer's Set-Up and Training

WARRANTY:

2 Years Parts, 1 Year Labor

Offers Good Through June 30, 2025

CEMB A

DWA3500 3D High Definition Wheel Alignment System

SKU OUTSIDE BUY/EPO CMBDWA3500

REG. \$20.149.99

• 3D HD Camera Technology


Portable Cabinet/Tower Moves Bay-to-Bay
 Adjustable Camera Height

Follows Alignment Rack
Complete 4-Wheel
Alignment System

 Includes: 24" Monitor, Color Printer, Compact Wheel Targets and User-Friendly

Software

• FREE 1-Year Spec Update and Shop Alignment Banner



ALIGNER INCLUDES:
Manufacturer's Set-Up

and Training

WARRANTY: 2 Years Parts, 1 Year Labor

Offer Good Through June 30, 2025



Customer Responsible For Offloading, Liftgate Service Available.

CMBDWA1100TROLL

SKU OUTSIDE BUY/EPO

CMBDWA1100

REG. \$16,399.99

Holder and Software

Wheel Alignment System

· Includes: Cabinet, Printer, Depressor,

For Outside Buy/EPO, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.



ALIGNMENT

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-

Alignment Lifts

12,000 Lb. Scissor Alignment Lift

SKU **OUTSIDE BUY/EPO** HOFR709APKG

- Open Front Design Provides Easy Access to Alignment Service and Calibration Areas
- 24" Wide Runways Provide Easy Drive-On for Large Vehicles
- Dual Engaging Twin Interlocking Mechanical Safety Racks with Pneumatic Release
- 95 Second Lifting Time and 45 Second Lowering Time
- 70" Lifting Height



INCLUDES: Rolling Bridge Jacks, **Air Line Kit and Turn Plates**

WARRANTY. 1 Year Parts and Labor



HOFMANN'

14,000 Lb. 4 Post Alignment Lift

SKU **OUTSIDE BUY/EPO** FORCRA14

- Max. Rise: 80-3/4"
- Max. Wheelbase: 182-1/2"
- 4 Wheel Alignment from 88" to 157"
- · Long Lasting, High Performance Cable and Sheave System



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line

WARRANTY. 1 Year Parts and Labor

FORWARD



BendPak.

15.000 Lb. 4 Post Open Front **Alignment Rack Package - Ext. Length**

SKU **OUTSIDE BUY/EPO** CHLAR4115XAO

- Max. Wheelbase: 210"
- Improved 4-Wheel Alignment Wheelbase with Longer Rear Slip Plates
- Removable Lock without Dropping the Column
- · Enclosed Column with No Outside Lubrication
- . Improved Column and Cross Beam Design
- Increased Drive Through Clearance
- 26" Wide Runways
- 78" Rise Height

WARRANTY: 2 Year Parts, 1 Year Labor

INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

CL Challenger Lifts



4 Post Alignment Lift Combo

SKU OUTSIDE BUY/EPO BEN14LSXCOMB1

• 14,000 Lb. Capacity

Overall

Length: 241" Runway

Width: 20"



WARRANTY: 1 Year Parts and Labor

INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

14,000 Lb. Scissor Alignment Lift Package

SKU OUTSIDE BUY/EPO **AMM8KSC14KITP**

42,99999

- Max. Service Wheelbase: 198"
- Max. 4 Wheel Alignment Wheelbase: 160'
- Max. 2 Wheel Alignment Wheelbase: 178"
- . Ceiling Height Required: 12'
- Overall Length: 260"
- Overall Width: 91-1/2"
- Lifting Height: 74"



15,000 Lb. 4 Post Open Front Ext. **Alignment Lift Pkg**

SKU **OUTSIDE BUY/EPO** AMM8K4P15XKITP

37,549 99


- . Max. 4 Wheel Alignment Wheelbase: 164-1/2"
- Max. 2 Wheel Alignment Wheelbase: 209'
- . Ceiling Height Required: 12' Raised Height: 75"
- Overall Length: 287-1/2"
- · Overall Width:

Front 143" to Rear 137-1/2"



INCLUDES: 2 HD Rolling Jacks, 2 SS Turn Plates, 2 Roll Back Bars and 1 Airline Kit

1 Year Parts and



• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Four Post Lifts

28,999⁹⁹

CK-14KACX-IWA iDEAL Alignment Lift & Wheel Aligner Combo Bundle Kit

SKU: 1429041

- High Performance Commercial Alignment Lift
- Durable, High Quality Cable Lift System
- Extended Rise Height
- 'Bolt-On' Runway Alignment Kit
- 18 Locking Height Positions
- 20" Wide Runways

Lift Tables

LT-PT2500AH-X

2,500lbs CAPACITY

Efficient Method to

Remove & Install

Heavy Powertrain

Innovative, High

Quality Portable

Scissor Lift Design

System Hand Controls

Full Operation Air

SKU 1410263

• Provides Safe &

- Slack Cable Safety Devices
- Self-Chocking Approach Ramps W/ Nylon Rollers
- Wide Scope High Resolution 3D Industrial **Grade Cameras**
- .01 Degrees Alignment Accuracy
- Wireless Internet Support

4,62499

Storage Lifts

Combo Bundle Kit = (1) FP14KAC-X Alignment Lift

(2) RAJ-7K-H Bridge Jacks & (1) IWA-60-2000T-K 3D iPRO Wheel Aligner

FP8K-DX-XLT 8,000lbs CAPACITY

SKU **426415**

- Extended Lift Height & Length
- Cable Driven Lifting System
 Single Point Manual Lock Release
- Slack Cable Safety
- Steel Approach Ramps
- Adjustable Locking Postitions
- Fits in Large Residential Garages



4,52999

TP11KC-DX 11,000lbs CAPACITY SKU 426140

Two Post Lifts

10,000lbs CAPACITY

SKU **942096**

Bi-symmtric Arms

Overall Height: 144"

• 3 Stage Front Arms

• Overall Width: 145-1/2"

 Bi-Symmetric Lift Arms · Low Profile Swing Arm Design

Adjustable Height Swivel

Stackable Height Adapters

ALI Certified

Pads

iDEAL - TP10KAC-DX

- Direct "Pull" Cylinders
- Overall Height: 145" Overall Width: 145-1/2"
- 3 Stage Front Arms,
- Low Profile Arms
- Rubber Door Guards
- Spin Up Pads with stackable drop in Height Adapters



4,79999

Price Does Not Include Vehicle,

Installation or Optiona

Equipment as Shown

7,09999

5,999⁹⁹

LT-PT3300DC-X 3,300lbs CAPACITY SKU **1412412**

- Provides Safe & Efficient Method To Remove & Install Heavy Powertrain Component
- Innovative, High Quality Portable Scissor Lift Design
- Full Electrical Operation • 12vdc Battery Operation W/
- Integrated 110v Battery Charger

Scissor Lifts

LR-10K-TLPAD 10,000lbs CAPACITY

SKU 1404546

- Ideal For Express Tire & Wheel Service
- Surface Mount Install Configuration
- Integrated Outer Frame & Ramps Provide Drive-On & Off Clearance For Wide Vehicles
- Latch Release Handles On Each Side Of Lift



3,024⁹⁹

TP9KACX

9,000lbs CAPACITY SKU **426138**

- Asymmetric Arms
- Overall Height: 143"
- Overall Width: 138"
- · Spin Up Pads with stackable drop-in height adapters



Wheel Service

Semi-Automatic TireChanger



- Max Wheel Diameter: 47'
- Rim Diameter: 15" 28"



- SKU **426803** Max Wheel Diameter: 39"
- Rim Width: 1.5" 20"
- Rim Diameter: 10" 24"
- Wheel Weight Capacity: 150 lbs

Single Post

SC-2K-UTV-X

iDEAL Single Column, UTV & Mowe Storage/ Service Lift SKU **1413367**

- 2,000 lbs Capacity
- Multi-Purpose Single Column **Dual Platform Lift Design**
- Ideal Storage Solution for Most Small to Mid-Sized ATVs, UTVs, Golf Carts, Riding

Lawnmowers & Zero Turns



Price Does Not Include Vehicle, Equipment as Shown

2,94999

TP9KFX 9,000lbs CAPACITY sки **426106**

- Symmetric Arms
- Overall Height: 112"
- Overall Width: 134.5"
- Spin Up Pads with Stackable drop-in height adapters



DON'T FORGET THESE ACCESSORIES!



WB-1600 **1,600 lbs Workbe** SKU **1284169**

569°°



SJ-35 sku **426447**

119999



8G DRAIN SKU **426733**

Coats Lifts

10,000 Lb. 2 Post Lift with

3 Stage 2n1 Arms

SKU **OUTSIDE BUY/EPO** AMM4TV21NSR1

*5,649*99

- 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning
- Includes Door Bumper Guards and Lifting Adapters
- Premium U.S. Made Power Unit
- Overall Height: 138" or 148"

WARRANTY: 1 Year Parts, 6 Months Labor



5,39999

12,000 Lb. 2 Post Lift with **3 Stage Symmetric Straight Arms**

SKU **OUTSIDE BUY/EPO** AMM4T212SSR1

10,249⁹⁹

- Includes: Door Bumper Guards and Lifting Adapters
- Overall Width: 137-1/8"
- Overall Height: 154-7/8" or 158-7/8"
- · Color: Red

12,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms

SKU OUTSIDE BUY/EPO AMM4T212NSR1

10,249⁹⁹

WARRANTY: 1 Year Parts, 6 Months Labor





BEFORE PLACING YOUR AUTOMOTIVE LIFT ORDER:

Please verify minimum ceiling height, concrete requirements and bay size. See page 2 for delivery information or

Call 901-300-4878.

Challenger Lifts

10.000 Lb. 2 Post New Offset **Arm Design Lift**

SKU OUTSIDE BUY/EPO CHLVLE10

Versymmetric 3-Stage Offset Front Arms

- Lifts Versymmetric Rubber Door
- Guards · Color: Red or Blue

Versymmetric® Technology



INCLUDES: Telescoping Footpads

14,000 Lb. 4 Post Lift

SKU OUTSIDE BUY/EPO

SKU **OUTSIDE BUY/EPO**

CHL4P14EFX

9.049⁹⁹

• 20" Wide Runways

• 182.5" Wheelbase

• Minimum Bay Size:

12' x 24' • Rise Height: 78'

Air Line Kit

CHL40230E

WARRANTY-1 Year Parts and Labor

10.000 Lb. 2-Post **Versymmetric® Adjustable Lift**


SKU OUTSIDE BUY/EPO CHLCL10AV3

Versymmetric 3-Stage Front, 3-Stage Rear Arms

with Swept Arm Design **Adjustable Height and Width**

- 3 Adjustable Widths and 2 Adjustable Heights
- Can Be Set Up to Lift Most EVs
- Arm Reach: Front Min. 20" Max. 42"
- Rear Min. 37-5/8", Max. 60"
- Height: 12' Minimum
- Width: 14' Recommended
- Power: 208-230V, 1pH, 30 Amps

Versymmetric® Technology



INCLUDES: Telescoping Footpads

WARRANTY:

1 Year Parts and Labor

Rolling Jacks Sold Separately

CL Challenger Lifts

WARRANTY: 2 Years Parts and 1 Year Labor

SKU OUTSIDE BUY/EPO

One 7.500 Lb.

Rolling Jack

CHLRJ75

Quality Lifts

@ quality lifts

SKU OUTSIDE BUY/EPO CHLEQ10 • 3-Stage Front,

10,000 Lb. 2 Post Lift

- 2-Stage Rear Arms Lifts Symmetrically or Asymmetrically
- Ceiling Height Required: 12
- Rubber Door Guards Color:
- Black Only



WARRANTY: **6 Months Parts** and Labor

UPGRADE YOUR QUALITY LIFT

Double Telescoping Foot Pads (4 Pack) SKU **OUTSIDE BUY/EPO** CHLB2270PK4

- 10.000 Lb. Footpads
- Fits Quality 10,000 Lb. 2 Post Lifts
- Single Pad Features Frame Engaging Ears

(2) 6" Stack Adapters SKU OUTSIDE BUY/EPO

CHL10313 • Upgrade for CHLEQ10 Lift

12,000 Lb. 2 Post **Heavy Duty Lift Screw-Style Footpad**

SKU **OUTSIDE BUY/EPO** CHLB12162S-12

- Fits Challenger and Quality 12,000 Lb. Heavy Duty 2 Post Lifts
- Single Pad Features Frame Engaging Ears







Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

Optional Equipment

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

<u>AUTOMOTIVE LIFTS</u>



12,000 Lb. I12 2 Post Lift

SKU OUTSIDE BUY/EPO FORI12N300BL

10,799 99

- 4 Robust 3-Stage Arms with Reach Range from 27-3/4" to 59"
- Includes: 1-3/4", 3-1/2" and 5" Adapter Extenders
- Low Profile 4-3/4" Adapter
- . Min. Ceiling Height: 167' • 77-1/2" Rise

INCLUDES: **Truck Adapters** WARRANTY: 1 Year Parts and Labor



15,000 Lb. **DP15N001BL** 2 Post Lift - Blue SKU OUTSIDE BUY/EPO FORDP15N001BL

- 175" Tall
- . Single Point Lock Release Design
- . Direct Pull Lifting -Smooth Operating, Low Maintenance Technology



INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor

14,000 Lb. CR14L 4 Post Lift

SKU OUTSIDE BUY/EPO FORCR14L

- · Heavy Duty Hydraulic Cylinder
- Single Point Latch Release System
- 78-3/4" Rise
- 18 Lock Positions
- Accommodates 182-1/2" Wheelbase Vehicles
- High Performance Cable and Sheave System

Internal Air Line Kit

SKU OUTSIDE BUY/EPO ROTFC5760-14

78499



WORKS WITH

One 7,000 Lb. Rolling Jack SKU OUTSIDE BUY/EPO

FORRRJ70G

Optional



Two 7,000 Lb. Rolling Jacks SKU OUTSIDE BUY/EPO

FORRRJ70GB0G0

Optiona Equipment

Offer Valid Only with Purchase of Forward 4 Post Lift

Rotary Lifts

10,000 Lb. 2-Post Asymmetric Lift with **AV Arms - Blue**

SKU OUTSIDE BUY/EPO 8.59999 ROTSPOA10AVBL

- Easy Spotting and Positioning
- Highest Capacity Low-Profile Lift Available
- · Comes Standard with Adjustable Round, Truck and Stackable Adapter Extensions
- Overall Width: 11' 5-1/2"
- Overall Height: 11' 11-1/2"
- Arm Reach: Front: Min. 18-1/2" - Max. 41", Rear: Min. 27-5/8" -Max. 58-1/4"
- Max Rise: 81-1/2"
- Drive-Thru Clearance: 95-1/4"
- Min. Bay Size: 12' x 24'



12,000 Lb. 2 Post Lift

SKU OUTSIDE BUY/EPO 12,24999 ROTSP012

- 3 Stage Front and Rear Arms
- . Thread Up Truck Adapters and Stackable Extensions - (4) 3.5" and (4) 5"



WARRANTY: 1 Year Parts and Labor

Shown with Additional Accessories

14,000 Lb. 4 Post Lift SKU **OUTSIDE BUY/EPO**

ROTSM14L · Filter/Regulator/Lubricator Included to Extend the Life of Lift and Tools

· Max. Wheel

- Base: 182"
- 78" Rise
- Long Lasting Cables and Sheaves

Rolling Jacks Sold Separately

Internal Air Line Kit

SKU **OUTSIDE BUY/EPO** ROTFC5760-14

WARRANTY: 1 Year Parts and Labor

WORKS WITH

One 7,000 Lb. Rolling Jack

SKU OUTSIDE BUY/EPO ROTRJ7100Y





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

 I ow-Pro[™] Swing Arms

10,000 Lb. 2 Post Lifts

BEN10AP

Bi-Metric[™] Reversible Triple

Telescoping Swing Arms

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

BendPak.

BendPak[®] Lifts

SKU OUTSIDE BUY/EPO BEN10AP


5,64999

• 145" Height, 135" to 145" Width, 69" Rise

SKU OUTSIDE BUY/EPO **BEN10AP-168**

7,**049**99 • 168" Height, 135" to 145" Width, 69" Rise

• 24" Bolt-On Extension for Increased Vehicle Height Clearance



 Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configurations

SKU OUTSIDE BUY/EPO BEN10APX

5.89999

• 157" Height, 135" to 145" Width, 75.5" Rise

SKU OUTSIDE BUY/EPO **BEN10APX-181**

44999

• 181" Height, 135" to 145" Width, 75.5" Rise

. 24" Bolt-On Extension for Increased Vehicle Height Clearance



WARRANTY: 1 Year Parts and Labor

12,000 Lb. 2-Post BiMetric Lift SKU **OUTSIDE BUY/EPO**

BEN12APX

· Adaptable Design: Symmetric or Asymmetric

· Automatic Swing Arm Restraint System

• Includes 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters

12,000 Lb. 2-Post **Short-Rise Floorplate Lift** SKU **OUTSIDE BUY/EPO**

BEN12AP-SRT

• Post Height: 93.5"

 Max. Lifting Height: 46

Great Choice for Low Ceiling Height Where You Do Not Need To Work Underneath the Vehicle

INCLUDES: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters



WARRANTY: 1 Year Parts and Labor

16,000 Lb. 2-Post Lift

BEN16AP • Telescoping Arms Accommodate a Wide Variety of Vehicle Chassis

 Dual Direct-Drive Hydraulic Cylinders for Smoother Operation and Less Maintenance

Includes 4 Frame Cradle Pads. 4 Medium and 4 Tall Stacking Adapters with Column-Mounted Racks



INCLUDES: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters



WARRANTY: 1 Year Parts and Labor

SKU OUTSIDE BUY/EPO

Portable

10,000 Lb. Low-Rise Lift

SKU OUTSIDE BUY/EPO **BENLR-10000**

• Min. Height: 4.5" Max. Lift Height: 23" • Lift Height + Blocks: 32"

WARRANTY:

1 Year Parts and Labor



6,000 Lb. Low-Rise Pad Lift

SKU **OUTSIDE BUY/EPO** BENLR-60

• Min. Height: 3.5"

Max. Lifting Height: 23'

• Max. Lift Height + 1.5" Blocks: 24.5"



WARRANTY: 1 Year Parts and Labor



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

BendPak® Lifts

14,000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO

BENHDS14

8,69999

- Overall Width: 130"
- Overall Length: 241"
- Max. Rise: 70"
- Motor: 220 VAC/1 Ph

14,000 Lb. Extended/Limo Style

SKU OUTSIDE BUY/EPO BENHDS14X

Air Line Kit

SKU **OUTSIDE BUY/EPO** BEN5174009



Shown with Optional Equipment

Rolling Jacks Sold Separately WARRANTY: 1 Year Parts and Labor 9.000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO

BENHD-9

- Overall Width:
- 110.25" · Overall Length: 174"
- Column Height: 88" (2,235 mm)
- Max. Lifting Height: 74-1/2" (1,892 mm)





Air Line Kit

SKU OUTSIDE BUY/EPO BEN5174009

129⁹⁹

WORKS WITH

One 4.500 Lb. Capacity

Rolling Bridge Jack SKU OUTSIDE BUY/EPO **BENRJ45W**

2,29999



Optional

WORKS WITH

One 7.000 Lb. Capacity **Rolling Bridge Jack** SKU OUTSIDE BUY/EPO

2,399°



Optional Equipment

Atlas Equipment

BENRJ7W

10.000 Lb. 2-Post Lift

SKU **OUTSIDE BUY/EPO** ATLAP-PVL10-FPD

- Can be Installed Symmetrically or Asymmetrically · 3-Stage Front Arms and 2-Stage Rear Arms
- . Comes with Direct Drive Cylinders
- Single Point Lock Release



12.000 Lb. 2-Post Lift

• Low Pad Height Allows this Lift

to Accommodate Both Long Wheel Base Trucks and Passenger Cars • Extra Tall and Extra Wide

. Comes with Direct Drive Cylinders

SKU **OUTSIDE BUY/EPO**

• 3-Stage Symmetric Arms

• Single Point Lock Release

ATLAP-PVL12-FPD



WARRANTY: 2 Years Hydraulics, 2 Years Power Unit

Computerized Wheel Balancer SKU OUTSIDE BUY/EPO ATLATWB41-FPD

- Computer Controlled Motorized Spin Balancer
- . Static and Dynamic Balancing Modes
- Self Diagnosing/Self-Calibrating
- Includes: Plastic Quick-Release Nut, 4 Centering Cones, Wheel Weight Pliers and Measuring Calipers for Complete Setup
- Max Rim Diameter: 32"

WARRANTY: 1 Year Parts Only



SKU **OUTSIDE BUY/EPO** ATLATTC289-FPD

- Extra-Large Turntable
- Metal Mount/Demount Head with Metal Roller or Replaceable Plastic Inserts
- Filter/Regulator/Lubricator Included to Ensure Smooth Operation
- Includes Tire Tool, Lube Bucket with Brush, Large Plastic Jaw Covers and Plastic Cover for Bead **Breaker Shovel**
- Maximum Tire Capacity: 47" Diameter. 18" Wheel Width, 5,500 Lb. Bead Breaker Force

WARRANTY: 1 Year Parts Only





WARRANTY: 2 Years Hydraulics, 2 Years Power Unit



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager



FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

Mid-Rise Lifts

BendPak

6,000 Lb. Portable Mid-Rise Lift SKU OUTSIDE BUY/EPO **BENMD-6XP**

- . Portable, Easy to Move from Bay to Bay
- Adjustable Arms



INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor **CL** Challenger Lifts

6,000 Lb. Mid-Rise Portable Lift SKU **OUTSIDE BUY/EPO** CHLMR6

- 6 Safety Lock PositionsStandard High and Low Adapters
- · Sliding/Rotating Arm Design Reaches Pick-Up Points on a Wider Range of Vehicles
- Zerk Fittings on Pivot Points for Serviceability



WARRANTY: 1 Year Parts and Labor

CL Challenger Lifts

10,000 Lb. Short Rise Lift

SKU OUTSIDE BUY/EPO CHLSRM10

- Min. Height: 4.25"
- Max. Height 22"
- Includes: (4) 2 Position Adapter Blocks



WARRANTY: 1 Year Parts and Labor

MaxJax Lift

MaxJax M7K

SKU OUTSIDE BUY/EPO MJXM7K

- . Min. Pad Height: 5.5'
- . Height Overall: 89.5'
- Max. Lift Height: (Pad Only) 47.25' (With 3" Adapter) 50.5"
- Clear Undercar Access
- Portability
- . Stow to Go in Less Than 15 Minutes

Air Hydraulic Motorcycle

999 REG. \$1,299.99

Lift 1,000 Lb. Capacity

Our Lift Compares to Top Brand

• 86.5" x 26.75" Platform Deck with

• Air/Hydraulic Lift System Allows Use

with Shop Air or as a Manual Lift • Tie Down Rings on Deck

25.5" Long Removable Loading Ramp

 Built-In Casters and Adjustable Stabilizers • Durable 12 Gauge, Powder Coated

Motorcycle Lifts in Every Way

Diamond Plate Deck

for Added Stability

WARRANTY-1 Year Parts and Labor

MAXJAX

Motorcycle Lift

SKU **662742**

24859

OEM TOOLS



QuickJack™ Lifts

You get it all.

(4) 3" x 3" x 4" Rubber Lifting Blocks. 1 Mini Hydraulic Power

Unit with Pendant Control

OUICKJACK

7,000 Lb. Portable Car Lift System - Extended SKU **OUTSIDE BUY/EPO**

QJK7000TLX

• Capacity: 7,000 Lb. (3,175 kg)

• Lowered Height: 3.5" (89 mm)

• Maximum Height: 24.5" (622 mm) Max. Lift Point Spread: 66" (1,676 mm)

• Min. Lift Point Spread: 43" (1,092 mm)

- Frame Length: 76" (1,930 mm)
- Frame Width: 12.5" (318 mm)
- Frame Weight: 103 Lb. (47 kg)
- Total Shipping Weight: 304 Lb. (138 kg)



12V DC Options

QuickJack™ SUV and Light Truck Adapters

SKU **862288** RAN5150561

- Fits BL-5000 and BL-7000 Series
- Set of 12 Pieces Includes: 4 Low Profile Round Polyurethane Contact Pads, 4 Sliding Receivers That Accommodate the Round Polyurethane Contact Pads and (4) 3" Stackable Adapters







Heavy Duty, Positive Shop,

Padded Wheel Vise

Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Rear Dropout Panel (for Rear

Tire Maintenance Access)

Fits Models Replaces **Lift Pads** Challenger **CL** Challenger Lifts I-DP9, DP09A2, 0EM# **Electric Vehicle Footpad** Forward/Eagle/Gemini/ DP09A, DP07A, 994105, SKU OUTSIDE BUY/EPO **Worth/American Hexagon** DP97A, DP7A, 991234. Eagle and Other **CHLTFPK** 991222 and **Shaped - 2 Bolt Style Lift Pads** Texas Style LP603 Sold in Set of 4 (Set of 4) 2 Post Lifts . Designed Specifically to Work on Electric Vehicles SKU **1137807** • Fits most Challenger 2-Post Lifts SHA51663 • For Use with All 10K, 12K, and 16K 2-Post Lifts • For Use with EV1020, EV1220, EW1020 and EW1220 In-Ground Lifts **Truck Adapter Set for 10,000 Lb.** and 12,000 Lb. 2 Post Lifts OEM# **Challenger Hexagon Shaped -**20000, 21000, SKU **OUTSIDE BUY/EPO** 26000, 27000, J0K01D. 2 Bolt Style Lift Pads (Set of 4) CHL10315 28000, 30000, I P602 SKU **1137812** • Stack Adapter Extension Kit Includes: 31000, 33000, SHA51661 36000, 37000, (4) 3" Stack Extensions, 39000 (2) 6" Stack Extensions and 2 Organizer Racks with Hardware **GM Wide Frame Footpads (Pair)** SKU **OUTSIDE BUY/EPO** Challenger CL10, E10, N/A **Rubber Round Slip-on Lift Pad** CHLB2280PR Q10, VS10 and SKU OUTSIDE BUY/EPO 9/199 Ammco AC21NS • Fits 2008 and Up Challenger Lifts CL10V3, E10, LE10, **CHLB2208** VLE10, SA10, CLFP9, E12, CL12 and EV1020 Models Works on 2019 GMC Sierra and Chevrolet Silverado Trucks . Drop-In Design Makes Switching Simple and Quick • Telescoping Feature Provides Simple Access to Lift Points For Outside Buy/EPO. Call 901-300-4878 For Outside Buy/EPO, Call 901-300-4878 VS10, Cl10, E10, TLT210, TLT210-AS, TLT211, TLT211-As, OFM# **Challenger and Quality** 104130315. **Round Slip-On Lift Pads** BendPak BendPak. R2208 SKU **1137816 54** 99 ACD210S and More **Rubber 2 Post Lift Pad Assembly/** SHA51673 **Lift Pad/Slip Over** 35 mm Pin (Set of 4) SKU 1053947 209 99 (Set of 4) BEN5215753 SKU **954179** BEN5700227 • Works with Any BendPak 2 Post Lift • Thick Rubber Construction · Heat and Cold Resistant SP09. SP0A9. OFM# **Rotary Square Bolt Style** . Highly Resistant to Gouging Textured Surface for Extra Grab SP010, SP0A10, FJ6213. • Will Not Scratch the Vehicle **Lift Pads (Set of 4)** · Oil and Solvent Resistant SP012, SI29, BH-7536-92P. • Easy Drop-In Design Tear Resistant SKU **1137817** SL19, SL210 BH7542-73 • 5" Diameter for SHA51667 and LP609 Enhanced Stability MX10AC, MXACX, OEM# **BendPak Square Slip-On** X10CX, MX10C, 5715-365 Cradle Pads Lift Pads (Set of 4) XPR-9S, XPR-9S-LP, and LP608 • Tactile Rubber Pad Reduces Slippage and Protects the Finish XPR-9DS, XPR-10S, SKU **1137805** Made for Heavy Duty Commercial-Grade Trucks XPR-10S-LP, SHA51666 XPR-10S-168, • Installs Easily to BendPak 2 Post Lift Arms XPR-10AS, • Sturdy Steel Construction XPR-10AS-LP. **Wide Frame Cradle Pads Frame Cradle Pads** XPR-10AS-168, XPR-12FDL, XPR-12CL, XPR-15CL, 35 mm Pin (Set of 4) 60 mm (Set of 2) SKU **954221** SKU **979067** XPR-18CL, BEN5215754 BEN5215848 XPR-12CL-192, XPR-15CL-192, XPR-18CL-192, RJ6, RJ6000, RJ4500



COOL BOSS™

Superior Design, Next Level Performance



Featuring industry leading tank capacity, the **CoolBlast** Series keeps you cooler, longer - without being tethered to a hose.

CoolBlast SERIES





CLBCB-12SL SKU 1360694

1.39999

- 15 Gal. Capacity
- 3,960 CFM
- CLBCB-16L SKU 1275460
- 60 Gal. Capacity 4,960 CFM

CLBCB-14SL SKU 1400037

1.649⁹⁹

- 15.6 Gal. Capacity • 4,340 CFM
- CLBCB-28L SKU 1275461
- 8,120 CFM
- 80 Gal. Capacity

CLBCB-19SL SKU Outside Buy

- 15.6 Gal. Capacity
- 5,890 CFM
 - CLBCB-28HV SKU Outside Buy
- - 80 Gal. Capacity • 12,180 CFM

• 7,540 CFM CLBCB-36L

CLBCB-26SL

SKU 1400045

3,049⁹⁹

50 Gal. Capacity

SKU 1275465

- 115 Gal. Capacity
- 10,440 CFM

© 2025 CoolBoss, All rights reserved, CoolBoss is a registered trademark of BendPak

Ranger.

Now available from Ranger, Ranger Select provides the same commercial-grade wheel service equipment with included set up and training. Expert technicians ensure precise installation, calibration, and testing for optimal performance. With a focus on efficiency and durability, we minimize downtime and keep your equipment running at its best.





*FREE SHIPPING to direct shipping points within the 48 contiguous United States only.

BendPak.

Coats Combos

RC-45E and 885 Tire **Service Combo** SKU OUTSIDE BUY/EPO

AMMCOMB05

External Rim Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10.5")

• Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter

• RC-45E Drive System: 1 HP Electric Motor

 885 Balancer - Automatic Distance and Diameter Entry Direct Tape-A-Weight®

Placement Auto Start Hood

• 110V

AMM800885

INCLUDES: Setup and Training

WARRANTY: 3 Years Parts and 6 Months Labor





AMM8560994901	\$5,649.99
AMM800885	\$4,499.99
Regular Price	\$10,149.98
COMBO PRICE	\$9,799.99

AMM8560994901

R C SAVINGS \$349.99

RC-55E and 1300 Series **Tire Service Combo** SKU **OUTSIDE BUY/EPO** AMMCOMB02

 RC-55E Features an External Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10-1/2")

RC-55E Drive System: 1 HP Electric Motor

 Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter

• 1300 Series Wheel Balancer is Powered by Direct Drive

 Static-On-Screen® Display Identifies Any Excess Residual Static Imbalance

Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement

AMM8560995001

AMM80013002D

Regular Price

SAVINGS

COMBO PRICE







HORES

AMM8560995001

\$13.649.98 **INCLUDES:** Setup and Training \$13,199.99 \$449.99

WARRANTY: 3 Years Parts and 6 Months Labor

DON'T FORGET THESE ACCESSORIES

. Works with Coats Wheel Balancers Listed on This Page



Adjustable Pin Plate Set 2.04999

SKU OUTSIDE BUY/EPO | AMM85610104



\$7,699.99

\$5,949.99

40 mm Light Truck Cone 17099 SKU OUTSIDE BUY/EPO I AMM8113277C

Customize Your Own Combo, Call for Special Pricing 901-300-4878

Rotary Combo Hofmann Combo HOFMANN'



High Quality Swing Arm Changer and Pro 3D Wheel Balancer at an Economical Price

• Changer Offers 26" Outside and 28.5" Inside Clamping with Tire Diameters Up to 46"

• Balancer Features Automatic Program, Linked Keyboard, Internal Data Gauge, and Simple Visual Display

R146P

• Inside Clamping: 12 to 28.5"

• Outside Clamping: 10 to 26"

• 115V, Single Phase

• Rim Diameter: 10" to 30"

• Rim Width: 1.5" to 22"

• 115V, Single Phase

• 8 Piece Collet Kit Included

INCLUDES: Setup and Training WARRANTY: 3 Years Parts and 1 Year Labor



Geodyna® 7100 Balancer and monty® 1270 Tire Service Combo SKU **OUTSIDE BUY/EPO** HOFCOMB01TS · Economical and Practical Package from a Brand You Can Trust Small Footprint Wheel Service Package Great for Low Volume Shops · Great Choice for Second System in High Volume Shops Ergonomic and User-Friendly Design HOFEEWB761AE1 HOFEEWH764AU1 \$4,849.99 HOFEEWH764AU1 HOFEEWB761AE1 \$4,849.99 Regular Price \$9,699.98 **COMBO PRICE** \$6,449.99 **User Setup Required** SAVINGS \$3,249,99 **WARRANTY: 1 Year Parts and 6 Months Labor**



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487



EZ10 and SM825EVOPA Swing Arm Tire Changer Combo

SKU **OUTSIDE BUY/EPO** CMBCOMB03

Tire Changer Clamping Range of 13" to 24"
Max. Tire Diameter 44" and

- Max. Tire Width 15"
- Powerful and Adjustable Bead **Breaker Shovel**
- Dual Clamping Cylinders and Semi-Automatic Swing Arm
- 3D Wheel Measurement with Sonar
- Automatic Approach and Auto Adaptive Mode to Save **Balancing Time**
- Electromagnetic Brake
- 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use • Direct Measures Input Feature
- Eliminates Selection of Balancing Modes · Guided Weight Placement, ALU,
- Hidden Spoke Modes

On-Site Training Included WARRANTY: 2 Years Parts and 1 Year Labor



CMBEZ10	\$4,949.99
CMBSM825EVOPA	\$6,549.99
Regular Price	\$11,499.98
COMBO PRICE	\$10,299.99
SAVINGS	\$1,199,99

BASELINE **Baseline Combo BL300 Tire Changer and BL350 Balancer Combo** SKU **OUTSIDE BUY/EPO** 5,649⁹⁹ AMM8500300350 • Includes: BL300 Tire Changer and BL350 Balancer • 10" to 24" External Clamping Capacity Bead Sealing Jets to Aid Inflation BL350 Balancer Features Self Diagnosis and Calibration · One Button Split and Hidden Weight Program AMM85002300 AMM85002350 AMM85002300 \$3.349.99 AMM85002350 \$3.099.99 BASSLINE Regular Price \$6,449.98 **COMBO PRICE User Setup Required** \$5,649.99

SAVINGS

Ranger Combos

R980XR and DST-2420 Tire Service Combo SKU **OUTSIDE BUY/EPO**

RANCOMB01 Includes: R980XR NEXTGEN™ Swing-Arm 30" Tire Changer

and the DST-2420 Dynamic Wheel Balancer R980XR External Rim Clamping

Capacity: 9" to 28", Internal Clamping 10" to 30"

 3-Position RimGuard" Wheel Clamps

RANR980XR

RANDST2420

Regular Price

SAVINGS

COMBO PRICE

• DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result within Hundredths of an Ounce



User Setup Required WARRANTY: 1 Year Parts and Labor

R76ATR & LS43B Tire Service Combo SKU **OUTSIDE BUY/EPO** RANCOMB02

• Includes R76ATR Tire Changer and LS43B Wheel Balancer

WARRANTY: 1 Year Parts

• Tilt Tower Tire Changer Has an External Rim Clamping Capacity of 9" to 28", Power Assist Tower and Inflation System

 LS43B Laser Wheel Balancer Optimizes Wheel Weight Placements with Exclusive Laser-Spot® Technology and Easyto-Read Display



RANLS43B	\$4,599.99
RANR76ATR	\$6,549.99
Tape Wheel Weights Combo	\$139.99
Regular Price	\$11,289.97
COMBO PRICE	\$10,899.99
SAVINGS	\$389.98



\$799.99

Ranger:

User Setup Required WARRANTY: 1 Year Parts and Labor



BEFORE PLACING YOUR TIRE SERVICE ORDER:

Please verify minimum air pressure and CFM along with voltage and phase. See page 2 for delivery information or *Call 901-300-4878*.



\$6,999.99

Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Tire Changers

Maxx 50 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX50E

- Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

 110V Electric Operation, Plug In Almost Anywhere
- 6" to 24" Steel Clamps Standard
- Nylon Duckhead Standard



Maxx 50 **Tire Changer, Air** SKU **OUTSIDE BUY/EPO** AMM800MAXX50A

6,649⁹⁹

Maxx 70 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX70

- · Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- 110V Electric Operation, Plug in Almost Anywhere
- Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter
- 6" to 24" Steel Clamps Standard

 Steel and Nylon Duckheads Standard No-Index Tabletop



AMM800MAXX70A

Maxx 70 Tire Changer, 220V, 2 HP SKU **OUTSIDE BUY/EPO** AMM800MAXX70220

Maxx 80 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX80

• Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

- Dual Control, Hand or Foot Operated Bead Loosener System
- 110V Electric Operation, Plug in Almost Anywhere
- 6" to 24" Steel Clamps and Zinc Plated 6" to 24" Grip Max 2.0 Clamps with Dual Soft Compound Inserts

 Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter

 Steel and Nylon Duckheads Standard

- . No-Index Tabletop for High Efficiency Use
- Includes Storage Cabinet



(A) CEMB

21150F

Tire Changer, Air SKU OUTSIDE BUY/EPO AMM800MAXX80A 10,249⁹⁹

Maxx 80

Maxx 80 Tire Changer, 220V, 2 HP SKU **OUTSIDE BUY/EPO** AMM800MX80220

INCLUDES: Setup and Training

WARRANTY: 3 Years Parts and 6 Months Labor

enats

Coats Wheel Balancers

1600A 3D Wheel Balancer

SKU OUTSIDE BUY/EPO AMM80016003D

- Powered by Direct Drive
- Max. Tire Diameter: 44'
- Premium Quicknut
- · Behind-the-Spoke Balancing • 8 Piece Collet Kit
- Automatic
- 3-D Data Entry
- Touch-Screen • 220V, 1 Phase



INCLUDES: Setup and Training

1500A 3D **Wheel Balancer** SKIJ OUTSIDE BUY/EPO

AMM80015003D · Powered by Direct Drive

Max. Tire Diameter: 44'

- Behind-the-Spoke Mode
- Premium Quicknut
- 8 Piece Collet Kit Automatic
- 3-D Data Entry 220V, 1 Phase



WARRANTY: 3 Year Parts and 6 Months Labor

CEMB Wheel Balancer

Automatic Wheel Balancer with Monitor

SKU OUTSIDE BUY/EPO CMBER65



- Diameter and Width Laser Pointer for
- Weight Placement • 17" Monitor with **Intuitive Software**
- Auto-Approach Positions Wheel at **Correction Point**



Offer Good Through June 30, 2025

On-Site Training Included

WARRANTY: 2 Years Parts and 1 Year Labor



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

Ranger

R76ATR Tilt-Back Tire Changer with Assist Tower

SKU OUTSIDE BUY/EPO **RANR76ATR**

- Motor: 3 HP/220V
- · Alloy and Nylon Mount and Demount Heads
- External Rim Clamping Capacity: 9" to 28"
- Power Assist Tower Right Side
- Available in 110V or 220V Power Option



DST-2420 Tire Balancer

SKU **OUTSIDE BUY/EPO** RANDST2420

- Motor: 1.5 HP, 110V/220V, 50/60 Hz, 1Ph Balancing Modes: Dynamic/Static/3-Alloy
- Quick-Release Hub Nut for Dramatically Reduced Set-Up Times
- Max Tire Diameter: 47'
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz.



R980XR NextGen™ **Swing-Arm Tire Changer** SKU **OUTSIDE BUY/EPO** RANR980XR

4.34999

- Motor: 3 HP/220V
- Drive System Type: Electric/Air
- Adjustable RimGuard™ Wheel Clamps
- External Rim Clamping Capacity: 9" to 28' Internal Rim Clamping
- Capacity: 10" to 30" Max. Tire Diameter:
- 50" (1,270 mm) Bead Seating System: Turbo Blast/Bead Seating



Ranger:

DST30P Direct Drive Wheel Balancer

SKU OUTSIDE BUY/EPO RANDST-30P

- Ergonomic Control Board and Easy-to-Read LED Display
- Dynamic, Static and Performance Alloy Settings
- · Automatic Rolling Wheel Parameter Setting
- Low RPM Balancing Speed
- Automatic Braking
- Wheel Width Capacity: 1.2" to 20"
- Max. Wheel Diameter: 8" to 30" Quick-Release Hub Nut

INCLUDES: 7438 Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll



LS43B Wheel Balancer

SKU **OUTSIDE BUY/EPO** RANLS43B

- Included Cones: 3 Standard, 1 Truck
- Cycle Time: 6 Seconds (Avg.)
- Balancing Modes: Dynamic/Static/3-Alloy
- Max. Tire Diameter: 43" (1,100 mm)
 Max. Tire Weight: 145 Lb. (65 kg)
- Wheel Diameter Capacity: 12" to 26" (304 mm to 660 mm)
 Wheel Width Capacity: 4" to 15" (102 mm to 381 mm)

INCLUDES: **74**38 Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll



User Set-Up Required

Do you work on Trucks, Vans, or SUVs? **DON'T FORGET THIS ACCESSORY**

40 mm Truck Cone Kit

SKU OUTSIDE BUY/EPO I RAN5150032

Works with Ranger Wheel Balancers Listed on This Page



Hofmann

Monty® 3550EM Tire Changer with smartSpeed™ SKU **OUTSIDE BUY/EPO**

HOFEEWH747B

 smartSpeed[™] Technology Automatically Controls Turntable Speed and Torque to Minimize Tire and Wheel Damage

• Push-Button Controlled Mount/Demount Head Pneumatically Lowers and Locks into Position. Automatically Indexing Away from the Wheel to Prevent Contact and Damage

• Fast and Ergonomic Pneumatic Vertical Arm Automatically Re-Positions the Mounting Head to Minimize Wheel Damage

• High Capacity Tire Changer Allows for Broadest Tire and Wheel **Assembly Coverage**

- Clamping Range: Inside 12" to 28" Outside 12" to 26'
- Max. Tire Diameter: 47"
- Max. Tire Width: 17"

INCLUDES: Setup and Training

WARRANTY: 1 Year Parts and 6 Months Labor



HOFMANN°

WARRANTY: 1 Year Parts and Labor

Geodyna® 7600P with **Laser and Power Clamp**

SKU OUTSIDE BUY/EPO HOFEEWB765AP

· Power Clamp Clamps Wheel Accurately with Constant Force Smart Sonar[™] Delivers Automatic,

Non-Contact Rim Width Acquisition Split Weight Mode, Allows Exact



WARRANTY: 1 Year Parts and 6 Months Labor

Manatec

MANATEC USA

DL-65 DSP C Wheel Balancer SKU **OUTSIDE BUY/EPO**

MANDL65-DSPC

- . Static and Dynamic Balancing
- · Automatic Start with Wheel Guard Closure
- Unbalance Recalculation
- Self-Calibration • 7 Modes of Alloy
- Wheel Functions Normal and
- Fine Measurement
- Motor Power: 0.35 HP
- Maximum Wheel Diameter: 39'



WARRANTY: 1 Year Parts



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

TPMS Tools

VT37 TPMS Sensor Activation and Programming Tool

SKU **1343925** ATEVT37-0000

- Search TPMS Sensor Replacement Part Numbers
- Test Keyfob Signal Strength/Battery Status
- Install and Service TPMS Retrofit Kits

Includes 2 Years Software Updates and 1 Year Warranty



VT67 TPMS and Tire Management Diagnostic Tablet

SKU **OUTSIDE BUY/EPO** ATESM67-8BLE

- · Secure Gateway (SGW) Ready for Stellantis Vehicles
- Save, Manage and Edit Customer Jobs and Reports on the Cloud
- Program and Clone 20+ Aftermarket Sensor Brands
- Export and Send Complete Customer Reports via Email
- TPMS Sensor and Service Kit Image Library for Easy Reference
- ID Match Functionality to Troubleshoot and Repair TPM Systems
- Tire Management: Tread Reading, Wheel Inspection, Tire Registration
- Built-In HD Camera for Accurate Vehicle and Wheel Inspection

Includes 8 Bluetooth Sensors ALUE: \$479.92



ATEQ

VT47 TPMS Programming Tool SKU **OUTSIDE BUY/EPO**

ATESM47-12SC

- TPMS Sensor Part Number Look-Up (OE and Aftermarket)
- Change Placard Values When Swapping Tire Sizes
- Includes: 12 Dual Band Sensors with Both Metal and Rubber Valve Stems

Includes 12 Dual Band Sensors

ALUE: \$299.88

Includes 5 Years Software Updates and 1 Year Warranty





VT57 TPMS and Tire Management Tool SKU OUTSIDE BUY/EPO ATESM57-20SC

- All-New Updated User Interface
- Touch-Screen Capability
- Includes: 20 Sensors Dual Band Sensors with Both Rubber and Metal Valve Stems

Includes 20 Dual Band Sensors

VALUE: \$499.80

Includes 5 Years Software Updates and 1 Year Warranty



Dual Band TPMS Sensor

SKU **OUTSIDE BUY/EPO** SIMSM-1SC

- Dual Band TPMS
- Aluminum and Rubber Valve Included
- 98% Coverage Tested and Validated in USA
- Live Tech Support





Bluetooth Pre-Programmed Sensors SKU **OUTSIDE BUY/EPO** SIMSM-BLE

- Tesla, OE Like
- Future Proof, OE Like

· Plug and Play

- Black Valve · Live Tech Support



*A*TEQ

For Outside Buy/EPO, Call 901-300-4878

FUNCTIONALITY	VT37	TS47	TS57	VT67
Reads, Diagnoses and Activates 100% of OE and Aftermarket Sensors, Including 2022 Coverage	V	V	~	V
VIN Barcode Scanner to Select Make, Model and Year			✓	/
Wi-Fi and Real-Time Updates Powered by Live Sensor™		V	✓	/
Programs Aftermarket Sensors (Including EZ-Sensor® and All Leading Brands)	V	✓	V	V
Secure Gateway (SGW) Ready for Stellantis Vehicles and Others				/
Provides Direct (OBD, Auto, Manual) and Indirect TPMS Relearn Procedures	~	V	✓	/
98.6% TPMS Reset Coverage, Including Bonus ECU Reset Coverage in <2 Min. (OBD Connectivity)		✓	✓	/
ECU Unlock for Toyota, Scion and Lexus Models (Closed Loop)		✓	✓	/
OE and Aftermarket TPMS Sensors and Service Kits Part Number Look-Up	V	V	~	/
Save, Manage and Edit Customer Jobs and Reports on the Cloud				/
Retrieves, Decodes and Clears TPMS DTCs		V	V	/
Tire Management, DOT, Tread Reading and More		~	V	v /

Wheel Stud Tools

8 Piece Wheel Stud Alignment Guide Kit

SKU **818715 41** 99 24233

. Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts

 Applications: Mercedes-Benz. BMW. Audi, VW, Porsche, Fiat and Dodge

• Sizes Included: 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75



Wheel Stud Installers SKU **339123**

24234 · Works with Hubs, Rotors and

- Axles on Both Front and Rear Wheel Drive Vehicles · Prevents Damage to Lug Nut
- or New Stud Designed to
- Fit Studs Up to 14 mm or 9/16"

Truck Wheel Stud Installer SKU **339117** 24235

- · Designed to Work on Truck Wheel Studs Up to 22 mm (7/8") in Diameter
- Ùse with an Impact Wrench or Ratchet



Wheel Stud Installer

Set for Cars and Trucks



For Outside Buy/EPO,

OEM TOOLS

REG. \$34.98

OVFR When You Buy the Set

Tesla-ready & programmable for new vehicles with Bluetooth TPMS for smarter, more connected tires

Adjustable-Angle Sensor 15°-34° for a more secure fit for a broader range of vehicles.

MaxiTPMS® MX-Sensor BLE SKU 1366285 Part #300100 **\$68**00

- Pre-programmed Bluetooth Low Energy TPMS sensors for Tesla 3/Y/S/X models
- . Tesla-ready: Just Fit and Go
- Future-proof: programmable with Autel TPMS tools for the latest BLE-equipped vehicles

MaxiTPMS® TS508 WiFi Kits Part #700180 \$24900 SKU 1328117

- Update software directly from tool-enabled Wi-Fi
- Quick Mode & Advanced Mode Options • Read/Activate/Relearn All Known Sensors
- Detect & Display TPMS System Faults
- Display Vehicle-Specific Relearn Procedures; Perform OBDII Relearns
- Placard Value Reset on Supported Vehicles
- •2 Programming Options: MX-Sensors Only
- FREE Software for lifetime of tool
- 4 1-Sensors & Metal Valve Included

SKU 1413611 Part #700190 **\$579**00

•20 1-Sensors Included



AUTEL MAXITPMS

MaxiTPMS®

MayiTPMS[®]

SKII 370328

1-Sensor 20-Pack (R)

Part #300010 \$579⁰⁰

with Rubber Valves

1-Sensor 20-Pack (M) SKU 1107286 \$579⁰⁰ Part #300060

with Aluminum Valves

Bulk pack of 20 1-Sensors

Bulk pack of 20 1-Sensors

MaxiTPMS® 1-Sensor SKU 317455 Part #1SENSOR **\$29**95

- Combined Frequency: 315MHz & 433MHz
- Interchangeable Valve Stems (rubber included)
- Program to Replace 99% of OE Sensors
- · Fast valve stem swap

MAXITPMS® 1-SENSORM Part #1SENSORM \$2995 SKU 1064478

Same as 1-Sensor with Aluminum stem





MaxiTPMS® 1-Sensor 240 Pack SKU 1089240 \$6,960⁰⁰ Part #300050 \$6,960

Bulk pack of 240 1-Sensors with **Rubber Valves**

MaxiTPMS® 1-Sensor 100 Pack SKU 1128315 **\$2,995**00 Part #300070

•Bulk pack of 100 1-Sensors with Rubber Valves

OEM TOOLS



- SKU 1337325 Part #TS900 \$795⁰⁰ Activate, Read, and Relearn ALL known
- TPMS sensors, including Tesla OE sensors Program universal Autel 1-Sensors to replace 99% TPMS sensors
- Compatible with BLE TPMS sensors and Autel BLE Sensor for Tesla vehicles
- · Features Android 11 operating system and 64GB storage memory
- All Systems Diagnostics with bi-directional controls, Active Tests & Special Functions



MaxiSYS® MS906PR0-TS Part #MS906PROTS \$1,99500 SKU 1207797

AutoVIN 2006+/AutoSCAN

- 21 Service Functions
- . Wi-Fi Software Updates
- Eligible for ADAS Software Upgrade
- Advanced Coding & Adaptations



- 5.5 Inch Color Touchscreen/Android 9.0 OS
- · Activates, Reads and Relearns All Known Sensors
- On-Tool DOT Tire Registration
- 2 MX-Sensor Program Modes



USE TOGETHER TO CREATE A COMPLETE TPMS SYSTEM **HEALTH REPORT**

MaxiTPMS® TBE200 SKU 1129878 Part #TBE200 \$44900 • Tire Tread and Brake Disc Wear Examiner

- · Laser-Enabled; No Need to Remove Tire
- 1.65" AMOLED Super Retina, Color Touchscreen Display
- Full Color Graphical Display Illustrates Wear
- Displays Recommendations for Tire and Brake Disc Replacement, 4-wheel Alignment and Tire Rotation
 4-megapixel, 4 cm Macro Camera and 8-megapixel Zoomable Camera to Document Tire Damage

CALL YOUR COMMERCIAL SALES MANAGER FOR CURRENT DEALS & ORDERING

Inflators

OEM TOOLS

Digital Tire Inflator SKU **802198** 24412

- · Easy-to-Read Backlit LCD Display
- . 4 Units of Measure (psi, Bar, KPa, kgf)
- . Measuring Range: 0 to 175 psi (0 - 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive. +/-3.6 psi Greater Than 145 psi
- . High Air Flow Saves the Technician Time



2 AAA



Dial Tire Inflator

SKU **301772** 24380

- . Clear and Easy-to-Read 80 mm 180 psi Gauge
- 3-In-1 Function: Inflate, Deflate and Measure Tire Pressure
- · Increased Accuracy to Improve Tire Performance and Prevent **TPMS Comebacks**



3.5" Digital Tire 4 Astro **Inflator with Hose**

SKU **1268419** AST3018



- 21" Stainless Braided Hose
- Dual AAA Battery Powered Design
- Backlit LCD Digital Read-Out
- Includes **Batteries**



Airstation

Wall Mount Airstation SKU OUTSIDE BUY/EPO

- **BRA155**
- Four 25' Hoses with Lock-On Chucks • Large Easy-to-Read Digital Display
- . High Flow Valve for Faster Operation • Max Inlet Pressure: 218 psi
- Max Operating Pressure: 145 psi
- Accuracy: +/- 0.7 psi
- Increments: 1 psi



OEM TOOLS

AZG0225

For Outside Buy/EPO, Call 901-300-4878

Bead Seater

5 Gallon Bead Seater

SKU **526505** 24449

- Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires
- Operates on Standard Shop Air; Max. 120 psi



Air Chuck

Dual Foot Air Chuck with Comfort Grip Handle

SKU **802201** 24413

• Tilt Lock Feature Locks onto the Valve

Air Chuck with **Comfort Grip Handle**

SKU **802200** 24414

• Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas





Mount/Demount Heads	Fits	Models	OE Part Number		Fits	Models	OE Part Number
Red Nylon Mount/Demount Head SKU 1137811 2099	Hunter	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series	221-615-2-13	Nylon Mount/Demount Head without Hardware SKU 1125892	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433, 14024784
SKU 1137811 3999 SHA35034	Accuturn	(Requires Adapter) 220A, All Other Models Require 102765 Adapter	SM102529	SKU 1125892 SHA35033	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784, ST0024335
	Ranger	R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter	5150523		John Bean	EHP System IVE, IV, III, IIE	2433, EAA 0247G20A
Nylon Mount/Demount Tapered Hole Head with		5030, 5040, 5045, 5050,			Snap On	All Models	2433, EAA 0247G20A
Hardware SKU 1137818 SHA38306 3999	Coats	5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7660, 7665, 50X, 60X, 70X, 80X, GTS, RC45, RC55,	8183061	Nylon Mount/Demount Head with Hardware SKU 1442589	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433
		Maxx50, 70 and 80		TMRTC14024784 54 59	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784
	Baseline	BL200, BL300, BL400 and BL500	8183061		John Bean	EHP System IVE, IV, III, IIE	24335
Low Profile Mount/ Demount Head SKU 1125869 SHA35038 5999	8 R 5	Replacement for Coats 8184432. For use on Models RC100, RC150, RC200, 5030, 5035, 5040, 5045, 5050 Se-			Snap On	All Models	24335
2111111	Coats	ries, 5060 Series, 5065 Series, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, BL200, BL300, BL400 and BL500	8184432	Nylon Mount/Demount Head with Round	All Tool	All Models	2008401
Nylon Mount/	Coats	5060, 50601, 5063, 5060AX, 5060EX and 9010A, 9010E.	8300843	Hole Kit SKU 1137815 9999 SHA35030	Coats	RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90	83008402, 83008403
Demount Head SKU 1125877 2099	(Early)	9024E-PAX and Many RC Models	0300043		Corghi	All Rim Clamp	250309, 450310
SHA35031	CEMB	All Models	3008403, 2008402				
	Hofmann	12SE, 22SE, 1510, 1610, S410 Not for Use on Hofmann 1550,1620 and 1625	8314813		Hofmann	Earlier Models Except 1550, 1620 and 1625	8314813
	Other	Fits Many Hunter TCX Series, Fits Giuliano and SICE Machines	Various		Sice	M39, S40, S42, S43, S45, S408MAXI, S435, S436 and S436TC	8314813

Bead Lifting Tool

20" Bead Lifting Tool - 3 Pack

SKU **1142616 19**99 26036

• For Use with Any Make of Tire Changer and Tire Combination

• Curved End to Prevent Tire Damage

• Can Be Used for Both the Removal and Mounting of Tires

. Heat-Treated for High Strength and Durability

Rim Protectors OEM TOOLS

12 Pack Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head

SKU **1400044** TMRTI182963

• For Coats Stainless Steel Mount/ Demount Head Coats 8182961 (2 Pk.) RC1, 5, 10, 15, 20 8182963 (12 Pk.) Early 5060, 5030, 5040, 5050, 5060, 5065 5070, 6050, 6060, 6065, 7050, 7055, 7060 7065, 7655, 7660 and 7665



Hybrid Duckhead Tail - 2 Pack

SKU **1442586** AMM8560896102



- Designed to Float Across the Rim, Decreasing the Stretching of the Bead
- Compatible with Hybrid Duckhead® Mount/ Demount Tool (85608959)
- Compatible with All X-Series and RC Series That Have Hybrid Duckhead® Mount/Demount Tools







104

Non-Marring Lug Nut Sockets

1/2" Drive 17 mm **Mercedes-Benz® Flower Lug Bolt Impact Socket**

SKU **081308** 24469





3 Piece Extra Thin-Wall Wheel Nut Protector Impact Socket Set

SKU **094646** 25583

• Blue - 17 mm/11/16", Gold - 19 mm/3/4" Red - 21 mm/13/16"



3 Piece Super Strength Wheel Nut Impact Socket Set

SKU **347212** 24227

REG. \$39.99

• Blue - 17 mm/11/16" Gold - 19 mm/3/4" Red - 21 mm/13/16'





Offer Good While Supplies Last Through June 30, 2025

OEM TOOLS

9 Piece Thin-Wall Wheel Protector Impact Socket Set

SKU **965856 74** 99 24224

• Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



1/2" Drive Non-Marring Lug Nut **Socket Set**

SKU OUTSIDE BUY/EPO 68945

- Services 17 mm, 19 mm, 21 mm and 22 mm Lug Nuts
- Non-Marring Sleeve Prevents Damage of Lug Nuts and Wheel Rims
- · CR-MO Steel Construction for Strength and Durability





For Outside Buy/EPO, Call 901-300-4878

Lug Nut Sockets

Master Lug Nut Kit SKU **1190208** 68919

. Includes: 2 Socket Sets for Removing, Locking, Damaged and Undamaged Lug Nuts on Most Vehicles

- · Ideal for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts
- Easily Removes Locking Lug Nuts on Most Aftermarket Wheels



REG. \$109.98

OEM TOOLS

When You Buy the Kit

16 Piece Locking Lug Master Kev Set

SKU **626107 79 99** 24447

- · Easily Removes Locking Lug Nuts on Most Aftermarket Wheels
- Thin-Wall Sockets Prevent Damaging Wheels and Lugs
- . Hex-Head Design Fits Most Lug Wrenches as well as 13/16" and 7/8" Sockets



4 Piece Deep Thin-Wall SAE and Metric Impact Flip Socket Set

SKU **965857 999**

24223

• Includes: 3/4" to 13/16" 19 mm to 21 mm and 7/8" to 15/16" Sockets and 3" Extension



5 Piece 1/2" Drive Flip Socket Set

SKU **1125891** 25555

Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

Cakkan

- Durable CR-MO Flip Socket Set
- Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension



Granich

Tire Service Tools

2 Piece Tire Valve Core Tool Set

SKU **1209377** 22589

- · Designed for Removal and Installation of Schrader Style Valve Cores
- Includes: 2" and 5" Tools
- Extra-Long 5" Tool for Hard-to-Reach Applications
- Tough Impact and Solvent-Resistant Acetate Handle



OEM TOOLS

OEM TOOLS

Wheel Stud Cleaner Kit SKU **666299**

CAL16

Quick Change

- Kit Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



5025 Tire Spreader SKU **757051** BRA00-0161


· Self-Locking Spread Arms

- 4 Horizontal and 2 Vertical Adjustments
- Handles Any Passenger Tire, Including
- · Quick Pin Adjustment with Lanyard



Spare Tire Removal Set

SKU **749919** 24219




• Includes: 6 Zinc-Plated Steel Attachments That Fit a Range of Vehicle Types, Hand Crank and Heavy Duty Nylon Pouch No Additional **Tools Needed**

Attachments Included



Tire Tube Test Tank

SKU **291382** LIS19822



- Will Handle Passenger Tire Sizes to Wide Oval and **Light Duty Truck Tires**
- Dimensions:



AZG0225



TPMS SAVINGS



EZ-sens r Multi-pack Options

4 Pack #33500-4

12 Pack #33500-12

50 Pack #33500-50

100 Pack #33500-100

EZ-sensor® is the market-leading OE quality, programmable, single SKU TPMS solution.

> Schrader's EZ-sensor® family of products can be programmed to service the majority of vehicles!

EZ-sensor® is compatible with most industry programming tools.

Tool and Sensor Bundle #21324AZ SKU #1232018

Includes S41 Tool and

16 EZ-sensors®

Benefits:

Exclusive EZ-sensor® programming **Built-in OBDII module** and quick connect cable

Full color screen

Allows placard pressure change



CALL YOUR COMMERCIAL SALES MANAGER TO ORDER YOUR WHEEL WEIGHTS TODAY

5 YEARS OF

SOFTWARE INCLUDED!

OEM TOOLS

Wheel Weight Kits

- Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative
- Premium Powder Coated Finish Resists Chips and Scratches Which Helps Prevent Damage and Corrosion to Wheels

Complete Wheel Weight Kit with Floor Rack SKU **1392466** 68953A

- Includes 78 Boxes of Coated Clip-On Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE
- 25 Weights per Box
- All Metal Floor Rack



ALFE Steel

LHFE Steel MCFE Steel

PFE Steel

TFE Steel

ENFE Steel

FNFE Steel

IWFE Steel

REG. \$1.609.21

When You Buy the Kit

Wheel Weight Starter Kit with Floor Rack SKU **1339729**

- Includes: 18 Boxes of Coated Clip-On Wheel Weights
- ALFE, MCFE and PFE in the Most Popular Sizes • 25 Weights per Box

OEMREPLENKITA

All Metal Floor Rack

REG. \$631.81

OVER When You Buy the Kit

Adhesive Wheel Weight

Starter Kit with Stand SKU **1392467** 68955A

- . Includes: 4 Boxes and 2 Rolls of Adhesive Wheel Weights
- 3 Boxes of Strips. .25 Oz. .50 Oz. and 1.00 Oz.
- 1 Box of .25 Oz. Strips, Black
- (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.
- · Wheel Weight Dispenser Stand



When You Buy the Kit

Wheel Weights Only

Complete Wheel Weight Kit, Weights Only

SKU 1392468 68954A

• Includes 78 Boxes of Coated Clip-On Wheel Weights

 ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE in the Most Popular Sizes

· 25 Weights per Box

ALFE Steel ENFE Steel

FNFE Steel LHFE Steel

MCFE Steel

PFE Steel TFE Steel

IWFE Steel

REG. \$1,209.22

OEM TOOLS

When You Buy the Kit

Wheel Weight Starter Kit. Weights Only SKU **1392326**

68952 • Includes: 18 Boxes of Coated Clip-On

Wheel Weights ALFE, MCFE and PFE in the

Most Popular Sizes · 25 Weights per Box

ALFE Steel MCFE Steel PFE Steel

REG. \$231.82

When You Buy the Kit

Adhesive Wheel Weight Starter Kit SKU **1525567**

68956

- . Includes: 4 Boxes and 2 Rolls of Adhesive Wheel Weights
- 3 Boxes of Strips, .25 Oz, .50 Oz. and 1.00 Oz.
- 1 Box of .25 Oz. Strips. Black • (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.





REG. \$361.94

When You Buy the Kit

Wheel Weight Tools

Adhesive Wheel Weight Removal/Cutting Tool

SKU **1362016** 25096

REG. \$24.99

SAVE

OEM TOOLS


- All-In-One Wheel Weight Tool for Removal Installation and **Cutting with Precision**
- Hammer End with Non-Marring Head Prevents Damage Sharp Cutting Edge to Trim Adhesive Wheel Weights
- Jaws Feature a Protected Surface for Non-Marring Removal of Adhesive Wheel Weights
- Anti-Slip Rubber Coated Handle



4 Piece Plastic Scraper Set

SKU 900802 25513

- Will Not Scratch Paint
- · Great for Wheel Weight Removal



Adhesive Weights

OEM TOOLS

OVO	rait#	SIZE	rype	Description	FILLE
19304	23200*	.25 Oz.	40 Strips	12 Pieces per Strip, 480 Pieces per Box	52.99
19312	23201*	.25 Oz.	10 Lb. Roll	640 Pieces per Box	63.99
19294	23203*	.50 Oz.	24 Strips	10 Pieces per Strip, 240 Pieces per Box	63.99
19310	23202*	.50 Oz.	10 Lb. Roll	320 Pieces per Box	74.99
1339726	23214	1.00 Oz.	16 Strips	7 Pieces per Strip, 112 Pieces per Box	67.99
1339728	23216	.25 Oz.	30 Strips	Black, 8 Pieces per Strip, 240 Pieces per Box	37.99



Wheel Weight Racks

Adhesive Wheel Weight Dispenser Stand

SKU **1363723** 23209

- · Easy Assembly
- Can Be Secured to Workshop Floors
- Holds 2 Rolls All Metal
- Construction





Metal Wheel Weight Floor Rack

SKU **1328027** PLM486-31280

- All Metal Construction
- 8 Shelves
- Includes Dividers



Clip-On Wheel Weights

STORE STOCKED*

• Easy to Apply and Remain Firmly in Place Once Installed

STORE STOCKED*

- Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative
- · Polymer Coated for the Best Appearance and Exceptional Corrosion Resistance
- 1 Box of 25 Each

23.99 26,99 28.99 31.99 *3.99* 5.99 7.99 9.99 11.99 13.99 14.99 16.99 18.99 20.99 22.99 9.99 10.99 15.99 18.99 19.99 20.99 21.99 *23.99 26.99* 28.99 31.99 9.99 10.99 12.99 14.99

OEM TOOLS

OTOME OTO	KED ///	//	•
SKU	Part #	Profile	Price
1359082	23246	10 gm. IWFE	3.99
1359087	23248	15 gm. IWFE	5.99
1359077	23271	20 gm. IWFE	7.99
1359098	23273	25 gm. IWFE	9.99
1359089	23277	30 gm. IWFE	11.99
1359075	23283	35 gm. IWFE	13.99
1359040	23290	40 gm. IWFE	14.99
1359084	23294	45 gm. IWFE	16.99
1359043	23297	50 gm. IWFE	18.99
1417848	23301	55 gm. IWFE	20.99
1414943	23310	60 gm IWFE	22.99
382841	23217*	0.25 Oz. MCFE	9.99
382842	23219*	0.50 Oz. MCFE	10.99
382843	23220*	0.75 Oz. MCFE	11.99
382844	23221*	1.00 Oz. MCFE	13.99
382845	23227*	1.25 Oz. MCFE	17.99
382846	23230*	1.50 Oz. MCFE	17.99
1359096	23244	1.75 Oz. MCFE	20.99
1359053	23253	2.00 Oz. MCFE	21.99
1359056	23257	2.25 Oz. MCFE	23.99
1359052	23260	2.50 Oz. MCFE	26.99
1359095	23262	2.75 Oz. MCFE	28.99
1359036	23263	3.00 Oz. MCFE	31.99
382853	23218*	0.25 Oz. PFE	6.99
382919	23223*	0.50 Oz. PFE	8.99
382920	23224*	0.75 Oz. PFE	<i>8.99</i>
382921	23225*	1.00 Oz. PFE	10.99
382922	23226*	1.25 Oz. PFE	12.99
382923	23228*	1.50 Oz. PFE	14.99
382924	23229*	1.75 Oz. PFE	15.99
382925	23232*	2.00 Oz. PFE	16.99

SKU	Part #	Profile				
1359093	23235	2.25 Oz. PFE				
1359086	23236	2.50 Oz. PFE				
1359058	23237	2.75 Oz. PFE				
1359069	23259	3.00 Oz. PFE				
1359038	23239	10 gm. FNFE				
1359073	23242	15 gm. FNFE				
1359092	23265	20 gm. FNFE				
1359068	23267	25 gm. FNFE				
1359071	23269	30 gm. FNFE				
1359063	23270	35 gm. FNFE				
1359083	23272	40 gm. FNFE				
1359057	23274	45 gm. FNFE				
1359094	23275	50 gm. FNFE				
1359070	23276	55 gm. FNFE				
1417552	23309	60 gm FNFE				
383021	23222*	0.25 Oz. ALFE				
383022	23231*	0.50 Oz. ALFE				
383023	23233*	0.75 Oz. ALFE				
383029	23234*	1.00 Oz. ALFE				
1359044	23243	1.25 Oz. ALFE				
1359078	23247	1.50 Oz. ALFE				
1359076	23249	1.75 Oz. ALFE				
1359037	23250	2.00 Oz. ALFE				
1359048	23252	2.25 Oz. ALFE				
1359074	23287	2.50 Oz. ALFE				
1359047	23289	2.75 Oz. ALFE				
1417555	23302	3.0 Oz. ALFE				
1359054	23238	0.25 Oz. TFE				
1359064	23241	0.50 Oz. TFE				
1359091	23255	0.75 Oz. TFE				
1359049	23256	1.00 Oz. TFE				
	Wheel Weight Profile					

SKU	Part #	Profile	Price
1359039	23258	1.25 Oz. TFE	18.99
1359088	23261	1.50 Oz. TFE	19.99
1359080	23264	1.75 Oz. TFE	<i>20.99</i>
1359059	23266	2.00 Oz. TFE	21.99
1359060	23268	2.25 Oz. TFE	<i>23.99</i>
1359079	23284	2.50 Oz. TFE	<i>26.99</i>
1359066	23286	2.75 Oz. TFE	<i>28.99</i>
1359062	23288	3.00 Oz. TFE	31.99
1359097	23251	10 gm. ENFE	3.99
1359067	23254	15 gm. ENFE	5.99
1359081	23278	20 gm. ENFE	7.99
1359051	23279	25 gm. ENFE	9.99
1359045	23280	30 gm. ENFE	11.99
1359090	23282	35 gm. ENFE	13.99
1359061	23293	40 gm. ENFE	14.99
1359050	23296	45 gm. ENFE	16.99
1414944	23299	50 gm ENFE	18.99
1414942	23300	55 gm ENFE	20.99
1414945	23308	60 gm ENFE	<i>22.99</i>
1359055	23240	0.25 Oz. LHFE	9.99
1359085	23245	0.50 Oz. LHFE	10.99
1359042	23281	0.75 Oz. LHFE	12.99
1359072	23285	1.00 Oz. LHFE	14.99
1359065	23291	1.25 Oz. LHFE	18.99
1359041	23292	1.50 Oz. LHFE	19.99
1359046	23295	1.75 Oz. LHFE	<i>20.99</i>
1414947	23298	2.00 Oz. LHFE	21.99
1414946	23303	2.25 Oz. LHFE	23.99
1417553	23304	2.50 Oz. LHFE	<i>26.99</i>
1417556	23305	2.75 Oz. LHFE	28.99
1417554	23306	3.00 Oz. LHFE	31.99

















Torque Limiting Set

8 Piece Torque Limiting Extension and Thin Wall Socket Set

SKU **347217** 24228

- 4 Extension Bars: 65Ft/Lb. (90Nm), 90 Ft/Lb. (120 Nm), 100 Ft/Lb. (135 Nm) and 110Ft/Lb. (150 Nm)
- 4 Deep Sockets: 17 mm, 19 mm, 21 mm, 22 mm



5 Piece 1/2" Drive Torque Limiting Extension Set SKU **965858**

24220

- · Quick, Simple and Accurate
- Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lb., 80 Ft/Lb., 100 Ft/Lb., 120 Ft/Lb. and 140 Ft/Lb.
- Made with Flexible Chromoly Steel that Stops Turning When the Required Torque is Reached
- Comes in a Sturdy Blow Mold Case



Torque Wrenches 1/2" Drive 10-150 Ft/Lb. O=MITOOLS

3/8" Drive

SKU **177722**

25694

SKU **012651** 25689 10-80 Ft/Lb.

6099

1/2" Drive 25-250 Ft/Lb. SKU **177715** 25695



1/2" Drive Undercar Torque Wrench

SKU **OUTSIDE BUY/EPO CEN97354A**



- Unique One-Way Design Cannot Be Used as a Breaker Bar (thus Preventing Damage)
- High Contrast Laser Markings for Easier Reading
- Rubber Over-Mold Lock Ring for Better Grip
- · Head and Handle Covers for Increased Durability
- Range: 25 to 250 Ft/Lb. (43.4 to 348.4 Nm)
- Length: 23.3"



For Outside Buy/EPO, Call 901-300-4878

Tire Repair

Puncture Repair Set SKU OUTSIDE BUY/EPO XTS14-662

- Includes Puncture Repair Procedures Guide and 20" x 32" Shop Poster
- Enough Supplies to Provide More Than 70 Complete Repairs



For Outside Buy/EPO, Call 901-300-4878

Tire Repair Cabinet Assortment

SKU **OUTŠIDE BUY/EPO** XTS14-603

- Deluxe Wall-Mount Cabinet
- · Loaded to Complete Over 110 Industry Standard **Puncture Repairs**
- · All the Tools Plus XLIGHT Air Powered Vacuum Carbide Cutters and More



For Outside Buy/EPO, Call 901-300-4878

11" Cotton Tire Swab (6 Pack)

SKU **666324** XTS14-378PK

- · Professional Quality Tire Repair Tool
- Use to Spread Mount/Demount Lube on Bead of Tire

Xotra₁

Mounting/Demounting Compound (2 Pack)

SKU **OUTSIDE BUY/EPO** XTS14-708EPK

- Very Slippery
- . No Mixing or Water Required
- Dries Tacky
- Rust Inhibitors
- · Works Great with Low Pro, Run Flat and Alloy Wheel Applications
- Mounting and Demounting Compounds to Prevent Damage to Tire Bead For Outside Buy/EPO, Call 901-300-4878



Xtra Slick Tire Bead Lube (2 Pack)

SKU 1281603 XTS14-753PMPK

- Ready-to-Use Mounting and Demounting Compounds to Prevent Damage to Tire Bead
- Pre-Mixed





8 Oz. Vulcanizing Cement (3 Pack)

SKU **666342** XTS14-008PK

- Fast Drying
- Can Be Used with Heat Vulcanization



Xotra 1

OEM TOOLS

Tire Buffing Cone

SKU **1142704** 24479

- Tungsten Carbide Wheel for Fast and Effective Surface Preparation
- 3/8" Quick Disconnect Arbor
- Max. RPM: 5,000

108



OEM TOOLS

57 Piece Tire Repair Kit SKU **213119**

26686

• Includes: T-Handle Plug Insert Tool, T-Handle Reaming Tool, Replacement Insert Needle. Long Nose Pliers, Hex Keys, 30 Repair Plugs, Utility Knife, Lubricant,

Valve Cores, Valve Caps, Valve Stems and a Valve Core Tool



OEM TOOLS

Refill Plugs for Any OEMTOOLS® Tire Repair Kit

Repair Plug Refill Sets

• For Use with 26680, 26682, 26683 and 26686

30 Pack SKU **477063** 26684

100 Pack SKU **477176** 26685



FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48



PRO-CUT

PCTR-17

Combination Bench Lathe Kit

SKU OUTSIDE BUY/EPO PCTB-17K

· Features Adapters and Accessories for All Passenger Vehicles and Light Trucks

· Resurfaces Brake Drums and Discs to Exceed OEM Specs for Surface Finish in 1 Pass

 Switch from Drums to Rotors in Seconds

 Includes: Dust Collection System and Side Work Table

> **On-Site Installation and Training Included**





WARRANTY: 1 Year Parts and Labor

VALUE: \$1.099.99

Ouick Chuck Kit PCT50-4250K

With Purchase of PCTB-17K

Offer Good While Supplies Last Through June 30, 2025

Lathe Kit with Trolley

PRO-CUT

On Car Brake Lathe for Car and Light Truck SKU **OUTSIDE BUY/EPO**

15.29 PCTX15-6ADP REG. \$16,449.99 • Plug In, Variable Speed 48v DC Motor

 Performance Plus Cutting Head New PFM 2.0 Electronics · Patented One Touch Lateral Run Out (LRO) Compensation

 Cross Platform Compatible Computer and Wiring Harness

• 6 LED On-Board Work Light

4 Wheel, 4 Axis, Adjustable Trolley

On-Site Installation and Training Included

Offer Good While Supplies Last Through June 30, 2025

WARRANTY: 2 Year Parts and Labor

Performance Plus Cutting Tips SKU **OUTSIDE BUY/EPO**

PCT50-778 • Includes: 6 Tips with Screws

> **TEST DRIVE BEFORE** YOU PURCHASE!

901-300-4878

Ranger[®]

RL-8500 Combination Brake Lathe with Bench and Standard Tooling

SKU OUTSIDE BUY/EPO RANRL8500

• Complete Kit Includes Lathe, Standard Adapters and Bench

· Provides a Faster, More Accurate and Easier Resurfacing Capability Than Any Other Brake Lathe in Its Class

Infinitely Variable Speed Controller Able to Turn Rotors and Drums

 Quick-Change Adapter-Plus System with Built-In Springs Eliminates the Need for Conventional Bell Clamps and Cones

Independent DC Servo Motors Control the

Cross-Feed and Spindle-Feed Drives

• One-Cut Micro Finish

• 150 or 200 RPM Spindle

RL-8500XLT HD Combination Brake Lathe with Bench and Standard Tooling

SKU OUTSIDE BUY/EPO RANRL8500XLT

WARRANTY: 1 Year Parts and Labor

Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.



Shown with Optional Equipment. Accessories Not Included.

Ranger

Truck Adapter Package

SKU OUTSIDE BUY/EPO RAN5150161

- · Super-Duty Truck Tooling Package Consists of an Upgraded 1-7/8" Arbor and a Wide Variety of Adapters
- 32 Piece Set Allows Expanded Coverage to Handle Any Vehicle Up to 1 Ton Trucks
- Fits RL-8500 and RL-8500XLT





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Brake Service Tools

2 Piece Steel Line Stopper Set

SKU 1331483 199 35057


- Seals Steel Lines Found on Fuel, Brake, AC, Power Steering, Transmission Cooling Lines and Banjo Lines
- Prevents Leaks and Contamination
- For Use with All Automotive Fluids
- Fits 3/8", 1/2", 5/16" and Banjo Lines



8 Piece Brake Tool Set SKU **900827**

• Includes: Spring Compressor, Brake Spring Installer, Spring Removal Tool, Brake Retaining Spring Tool, Brake Spring Pliers, 2 Brake Adjustment Spoons and Mini Adjustment Spoon

Offer Good Through June 30, 2025



Brake Cylinder Retainer Remover

SKU **265111** 25268

• Expands and Holds Special Retainer So the Brake Cylinder May Be Removed

• Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



8 Piece Brake Caliper Hanger Set

27194

SKU **312538** 24518

- Prevents Kinking or Premature Failure of Brake Hose
- Keeps Calipers Up and Out of the Way When Servicing Suspension Components, Brakes, etc.
- Hi-Vis Green Powder Coat So You Won't Misplace Them or Leave Them Attached to the Vehicle



REG. \$57.99



- Color Coded Brake Gauge Identifies Thickness Levels for Brake Lining Inspection • Includes Sizes: Red: 2, 3 mm,
- Yellow: 4, 5, 6 mm, Green: 8, 10, 12 mm
- Red Indicates Must Be Serviced: Yellow Indicates Should Be Serviced; Green Indicates Good



OEM TOOLS

OEM TOOLS

OEM TOOLS

OEM TOOLS

Brake Caliper Brush

SKU **250125 4 4 99** 25435

· Slim Design for Cleaning Brake Calipers and Other Brake Hardware



25179

- Lightweight for Easy Handling
- . Makes Left, Right and Offset Bends Up to 90°
- Degrees Marked for Accuracy

Central TOOLS, Inc.

• Use with 1/4", 5/16" and 3/8" (4, 6 and 8 mm) Diameter of Mild Steel and Soft Tube Material



1/2" Drive Impact Driver Set

SKU **1142387** 22561

- · Easily Break Free Rusted, Corroded and Frozen Screws Includes: Impact Driver.
- Bit Adapter, 8 Impact Bits and Sturdy Blow Mold Case



Rotor/Drum Caliper Kit

SKU 186504 **CEN3K301**

- · Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors 8" to 13"
- · Range 0 to 6" Digital Caliber Included



Electronic Digital Rotor Gage

SKU **1330687 CEN3M431**

- Easy to See Digital Readout
- Long Arms for All Rotors
- Interchangeable Flat and Pointed Anvils



Central TOOLS, Inc.

Disc Brake Rotor Micrometer

SKU **607071**

25367

- .001" Accuracy, .0005" Reading
- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On
- Range: 5.5"/140 mm
- Easy Glide Action
- Hardened Measurement Surface



Carbide Lathe Inserts













Part Number Quantity Application SKII **OEM Part No.** Price Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 262385 SHA0626 6 Pack Ammco 90614-6 19.99 7000. 7700 Use on Ammco Models 1000, 1001, 3000, 4000, 4100. 29.99 262386 SHA06210 10 Pack Ammco 90614-10 7000, 7700 Accu-turn/ Use on Accu-Turn, Bosch On-The-Car Brake Lathe Models 433796, 878051, 262389 SHA06810 10 Pack 49.99 Bosch 8700, 8750 and 8800 080-80000-68 Postive Rake Cutting Bits for Ammco Models 3850, 4000, 262388 SHA1046 6 Pack Ammco 906918-6 49.99 7000 and 7500 as well as Twin Cutter and 9381 Facing Set Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes SHA069-10 for Ford. RJ West PFM 9.2, FM900, PFM 9.2DR0 Warthog 543384 10 Pack Pro-Cut 50-742 64.99 and 9.2DRO Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/ 90488, W139, 262382 SHA40710 10 Pack **FMC** *54.99* D139 Drum Lathes Use On All Kwik-Way and Snap-On SDL, DL, 850 Disc 109-1092-23, 262409 SHA80210 10 Pack Kwik Way Lathes, Rotunda, Snap-On On-The-Car YA180, YA 281 109-1092-45, Bench Lathes BTK10A Ranger RL8500 and RL8500XLT Disc and Drum Cutting FMC/Ranger/ SHA408-10 10 Pack 45016 84.99 300786 Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes Accu-turn Use on Models: 7700, 8920, 8922, 8944, 8989, 8990, 262383 SHA06010 10 Pack Accu-turn 433796 *59,99* 8991, 8993, 8995 and 8997 Brake Lathes. 3 Cutting Edges **1142331** SHA065-10 10 Pack Hunter Use on Rotor Models: BL500, 501 and 505 Hunter Lathes 221-639-3 89.99

Silencer Bands

Large Solid Rotor Silencer Band (9")

SKU **262396** SHA94



Small Solid Rotor Silencer Band (6")

SKU **262393** SHA96

Silencer Clamp SKU **388821** SHA70B



Ammco Style Disc Silencer **Band with Steel Weights**

SKU **262392** SHA69





Ammco Style 1-3/4" Drum Silencer Band SKU **262390**

SHA80B **Ammco Style Large Disc**

Band with Steel Weights SKU **262397 SHA930**



See AutoZonePro.com for More Applications

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Brake Bleeding Tools

OEM TOOLS

Vacuum Pump Tester, Power Steering and Brake Bleeder Kit

SKU **1103570** 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing Pump with Vacuum Gauge and Accessories



1 Liter Pneumatic **Vacuum Brake Bleeder** with Refill Bottle

SKU **1282750** 22505

- Convenient Single-Person Operation
- · Effective for Use on Disc/Drum Brakes and Clutches
- · Auto-Refill Kit to Simplify the Master Cylinder Refill
- Uses a Standard Workshop Air Supply

OEM TOOLS

OEM TOOLS

SKU **568477 39**99 24443

· Refill the Master Cylinder During Vacuum or Manual Hydraulic Brake or Clutch Bleeding and Flushing

Universal Fluid Dispensing Bottle

 Mounts Securely to Master Cylinder and Clamps

Capacity: 50 Oz.



VALUE: \$9.99

Brake Bleeder Wrench (8 and 10 mm)

25317

OF*

With Purchase of: 24443

Mityvac∴

OEM TOOLS

Offer Good While Supplies Last Through June 30, 2025

2 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

REG. \$69.99

SKU **1361989** 22506

• For Use on Brakes and **Hydraulic Clutches**

 Convenient Single-Person Operation

 Uses Standard Workshop Air Supply

• Includes: Auto-Refill Kit to Simplify the Master Cylinder Refill and Adapters to Fit Most US and Domestic Vehicles

Offer Good While Supplies Last Through June 30, 2025

Standard and ABS Brake Systems

DIY Reverse Brake and Clutch Bleeder

SKU **459112** PH02104-B

· Easily Bleeds ABS

Removes Trapped Air

· Attachments to Fit All Vehicles



Master Cylinder Adapter Cap Update Kit

SKU OUTSIDE BUY/EPO MITMVA6855

• Includes Adapter Caps: (2) Honda Specific Caps, (1) Tesla Specific Cap, (1) Nissan / Infinity Hybrid Specific Cap, (2) Ford Caps, (1) Ford / Tesla Specific Cap, and 3 Down Tubes for Caps

EV/Hybrid

 Update Cap Kit Combined with MVA6850 Covers Most Hybrid and Electric Vehicle Brake Pressure Bleeding Applications

. Expands Our Cap Offerings for Brake Bleeding

· Can Be Used with All MityVac Manual and Pneumatic Pressure Pumps

Mituvac:

For Outside Buy/EPO, Call 901-300-4878

1.3 Quart Vacuum Brake Bleeder

SKU **459166 MITMV6870**

• 1.3 Quart Reservoir

- · Applications: Brake Bleeding, Hydraulic Clutch Bleeding
- Universal Bleed Screw Adapter Fits Most Common Sizes
- · Includes Two Replacement Bleed Screw Adapters





Mityvac:

Silverline Elite Test Kit

SKU **988888** MITMV8500

• Provides Either Vacuum or Pressure with Equal Precision and Convenience

Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation. Sampling and More

Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests





Mituvac:

Brake Bleeding Kit SKU **604208**

MITMV6830 Compressed

Air Operation 1.9 Quart Capacity

 Swivel Air Inlet with Quick Disconnect



Pressure Brake Bleeding System

SKU **383099** MITMV6840


• Large 1.2 Gallon Capacity Dispenser

- Includes 7 Master Cylinder Adapters That Connect to Most U.S., Asian and European Cars and Light Trucks
- Pressure Gauge Indicates Dispensing Pressure Utilizes Push-to-Connect, Quick-Change Adapters
- Integrated Manual Relief Valve for Safety



2.5 L Pressure Brake Bleed Kit

SKU **1361996** MITMV7840



Pressure Control System Safely Maintains Output Pressure Between 20 and 25 psi

 Includes 7 Master Cylinder Adapters That Connect to Most Domestic and Import Cars and Light Trucks


Conveniently Located On/Off and Flow Control Valve



5 Piece Brake Bleeder Wrench Set

SKU **1442597** VIMBB500

- Includes: 7 mm to 11 mm
- True Size Hex Openings for Tight Fit
- · Satin Chrome Plated High Alloy Steel
- Angles are Designed to Access Bleeder Screws without Removing the Wheel



AZG0225

Disc Brake Tools

OEM TOOLS

18 Piece Disc Brake Caliper Set SKU **94798** 27113

- Includes Caliper Adapters from 1-3/16" to 2-1/2" - Some Specifically to Service Nissan. Saab and Honda Models
- . Includes Right and Left Hand Caliper **Rotation Tools**
- · Left Hand Thread is Useful When Working on 2004-2007 Ford Freestyle, 500, 2008 Taurus and Taurus X Models
- Rust Resistant Finish



37 Piece Disc Brake Service Kit SKU 1125858 25107

· Includes: Disc Brake Caliper Tool Set, Pad Spreader, Brake Caliper Brush, 8 Brake Caliper Hangers, 3 Bleeder Wrenches and One-Man Brake Bleeder Kit



Pneumatic Brake Caliper Tool Set

MSC43050

SKU **1053954 710 99**

- Durable Non-Impact Single Piston Shaft
- . O-Ring Protected Shaft to Maintain Proper Pressure
- Magnetic Base to Secure Press Adapters
- 15 Piece Press Adapter Set





Dual Piston Press SKU **900811** 25741

- Designed to Press-In Single and **Dual Piston Brake Calipers**
- Universal Application on Cars, Light and Heavy Trucks
- Rugged Design for Longer Tool Life



lisle

Dual Speedy Pad Spreader

SKU **291420** LIS25750

- · Compresses Dual Brake Pistons Simultaneously
- · Makes Dual Piston Pad Replacement a Simple Job





LIS24300

- Compresses Disc Brake Pistons in Seconds
- Makes Brake Pad Replacement Easier



lisle

Quick Quad Pad Spreader SKU **080553**

LIS29100

- · A Quick Way to Spread Brake Pads and Compress Disc Brake Pistons for Pad Replacement on Single, Double and Quad Piston Calipers
- · Simultaneously Compress All 4 Pistons on **Quad Piston Applications**
- · Can Be Used While Caliper is on the Vehicle or Hanging Free

Brake Caliper Press (Standard Size)

SKU **954224** LNG279

- Size Range is 1.7" to 3"
- . Works on Various Single, Dual and Quad Piston Calipers
- 360° Ratchet Swing Allows Access at Any Angle

Brake Caliper Press (Small Size)

SKU **1400043 LNG277**

• Size Range is 1" to 2.25"



Brake Caliper Piston Rewind Tool

SKU **1368620** 35058

REG. \$54.99

- Includes a Standard Two-Pin Adapter Compatible with Any Piston Adapter
- Includes a Fully Adjustable 3/8" Drive 2 and 3 Pin Adapter Tool That Fits Most Vehicles
- Powerful Internal Spring to Apply Stable Pressure to the Caliper Piston



Offer Good While Supplies Last Through June 30, 2025

Brake Hub Resurfacing Tool

SKU **013590** 24686

- · Quickly Remove Rust on Lug Studs and Rotors on the Hub Assembly
- · Use with Drill for a Quick and Easy Job
- Fits All Passenger Cars, Light Trucks and SUVs
- Includes 4 Pads

VALUE: \$19.99

Large Replacement Pads - 5 Pack 65688

· Replacement Brake Hub Resurfacing Pads for 24686 Includes (5) 2" Pads

With Purchase of: 24686 Offer Good Through June 30, 2025



2 and 3 Pin Brake Rewind Tool

SKU **13592 94 99** 24693

- 2 Fully Adjustable to Fit Thousands of Vehicles
- No Need for Multiple Tools
- 3/8" Drive Adapters





3 Pin Side

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Sprayers

Red Powder Coated Aluminum Sprayer

SKU **186463** MSMB8000PL

- 16 Oz. Capacity
- . Not for Use with Chlorinated Solvents
- Pressurize Up to 200 psi

Complete Repair Kit for B8000PL

SKU **186467 29**99 MSMBK50



Red Powder Coated Steel Sprayer

SKU **186459** MSMA1000R

- 32 Oz. Capacity
- Not for Use with Water-Based Products
- Pressurize Up to 200 psi



Repair Kit SKU 186465 MSMK10

Used for MSMA1000R

- Includes All Parts That Can Be Replaced
- All Chemical Resistant Seals





Filler Cap Assembly SKU **186466** MSMP156

- For Model "A" Sprayers
- Hand Removable

Hones and Stones

Rotor Flex-Hone®

Lowers Harmonic Vibrations

Ideal for New and Resurfaced Rotors and Flywheels

SKU **341310**

Medium

SKU **341298** SKU **341314** BRMRMFH240Z25 BRMRMFH120Z25 BRMRMFH60Z25

Coarse



Adjustable Disc Brake or Small Engine Hone

SKU **531707** 25030

• Includes 3 Medium (220) Grit 3/4" Stones



OEM TOOLS

OEM TOOLS

OEM TOOLS

Brake Fluid Testers

Brake Strip + 100 Ct. Coolant Strip Double Ended with Customer Cards

SKU 1089037 PH03006-PLUS

- Double Ended Test Strips for Brake Fluid and Coolant
- Use on DOT 3 or 4 Brake Fluid
- Compatible with All Coolant Colors
- Includes: 100 Double Ended Strips and 100 Rating Scale Cards



Brake Fluid Tester - DOT 3, DOT 4, DOT 5.1

SKU **850067 27 99 25269**

Built-In LED Light to Ensure Tips are in Proper Contact with Fluid

• Easily, Quickly and Precisely Checks the Water Content of 8 Types of Polyglycol-Based Brake Fluids (DOT 3, DOT 4, DOT 5.1, ACDelco DOT 3, Pennzoil, Prestone, Motorcraft and Toyota DOT 3)



Double Ended Brake Fluid + Coolant Test Strips, 100 Ct.

SKU **666577** PH03001-PLUS



BrakeStrip Brake Fluid Copper Test Kit

SKU **289905** PH03006

- Everything Needed to Test Brake Fluid
- . Know within 60 Seconds if it's Time for a Change • Includes: 1 Tube of 100 Test Strips and 100 Color Pop
- Rating Cards







25267

Electronic Brake Fluid Tester

- Checks Moisture Content in Any Brake Fluid
- Multi-Colored LED Panel for Easy Recognition
- · Automatic Shut-Off

SKU **191687**

- . Calibrated for DOT 4 Fluid
- 1 AAA Battery Included



Fluid Exchanger

Premium Brake Fluid Exchange System

SKU 1407509 MVC500-8100

3,479⁹⁹

- Includes Brake Adapter Kit
- Pressure and Vacuum Assist
- Portable Operates on 12 Volt DC
- Complete Brake System Exchange in 10 Minutes
- Adjustable Pressure Regulator Controls Operating Pressure
- · Performs Brake Flush Using Pressure and Vacuum Simultaneously



Brake Service Tool

Heavy Duty Hub Drum and Rotor Puller Kit

SKU **1125878** 25106

13999

Use with Impact Wrench to Remove Hubs, **Drums and Brake Rotors** Includes 3 Hub Adapters for Use with Most

- Common Hub Sizes and Types

 Jaw Spread Up to 12-3/4" with 5" Reach
- Durable Forged Frame Rated to 7 Tons of Pulling Force for the Toughest Jobs
- . Drum and Rotor Pulling Arms Feature with Raised Stops for Use with Ratchet Straps (Not Included)
- Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces
- Includes: Sturdy Blow Mold Case





- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- Constructed with 16 G Steel Frame
- Lift Latch Drawer Pulls







72" 16 Drawer Rolling Cabinet with Stainless Steel Top – GreenSKU **126793**5

HOM72RSPRCSG

• $72"(W) \times 24"(D) \times 40"(H)$



54" 10 Drawer Rolling Cabinet with Stainless Steel Top – Blue SKU 1343816 HOM54RSCABSBL

1,799⁹⁹

• 54.5"(W) x 24"(D) x 40.375"(H)



72" 3 Drawer Hutch – BlackSKU **OUTSIDE BUY/EPO HOM72RSPHUTBK**

1,59999

• 71.5"(W) x 23.5"(D) x 24.375"(H)

72" 16 Drawer Roller Cabinet – BlackSKU **OUTSIDE BUY/EPO**HOM72RSPRCBBK

2,149⁹⁹

• 72"(W) x 24"(D) x 39.25"(H)



54" Top Hutch – Blue Sku **1343820 HOM54RSPHUTBL**

1.099⁹⁹

• 54"(W) x 23.5"(D) x 24.375"(H)

54" 10 Drawer Rolling Cabinet – Blue

SKU 1442581 HOM54RSPCABBL

1.69999

• 54.5"(W) x 24"(D) x 40.375"(H)



72" 12 Drawer Top Chest – BlueSKU OUTSIDE BUY/EPO

NU OUTSIDE BUY/EPU HOM72RSPCHSTOBL

1.69999

• 72"(W) x 23.5"(D) x 21.375"(H)

72" 16 Drawer Roller Cabinet – BlueSKU OUTSIDE BUY/EPO
HOM72RSPRCBBL

2.149°

• 72"(W) × 24"(D) × 39.25"(H)



54" 8 Drawer Top Chest – BlackSKU OUTSIDE BUY/EPO
HOM54RSCHSTBK

1.19999

• 54"(W) x 23.5"(D) x 21.375"(H)

54" 10 Drawer Rolling Cabinet – Black

SKU OUTSIDE BUY/EPO HOM54RSPCABBK

1,69999

• 54.5"(W) x 24"(D) x 40.375"(H)



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary
• Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48



- 24" Deep Drawers
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- 100/200 Lb. Drawer Capacity
 Constructed with 16 G Steel Frame
 - Lift Latch Drawer Pulls







44" 8 Drawer Power Service Cart - Gray

SKU 1282738 HOMRSPR044G

• Top Till Includes Full-Extension Gas Struts and a Lockable Security Compartment with an Additional Power Strip to Store and Charge Phones, Laptops and Other Devices

. Equipped with High Security Locking System to

Keep Valuables Safe and Secure

• 40.5"(W) x 23.9"(D) x 40.2"(H)

Features 4 Electric Outlets and 2 USB Ports to Efficiently Charge, Store and **Organize Power Tools** in One Place





54" 7 Drawer Rolling Workstation - Blue SKU OUTSIDE BUY/EPO HOM54RWSBL

Durable Stainless Steel Work Surface

 Four (4) 5×2" Casters with a Weight Capacity of 520 Lb. Each: 2 Swivel Locking and 2 Fixed

• $57.5"(W) \times 29"(D) \times 41"(H)$

Features 4 Electric Outlets and 2 USB Ports to Efficiently Charge, Store and Organize Power Tools in One Place





35" 4 Drawer Slide Top Cart - Blue

SKU **1343821** HOM35STCBL

• 35"(W) x 20.625"(D) x 42"(H)



34" Professional 3 Drawer **Service Cart - Black**

SKU **1267944**

HOM34PSCBK

• 34.5"(W) x 16.75"(D) x 39.38"(H)



32" Professional 1 Drawer Service Cart - Blue

SKU 1343817 HOM32PSCBL

• 31.5"(W) x 17.5"(D) x 35.625"(H)



Professional Plastic Service Cart НОМРРО6032031 **249**99

- Four 4"× 1" Swivel Casters
- Load Capacity Up to 300 Lb.
- Tray-to-Tray Distance of 16.1" for Maximum Storage



41" Top Hutch - Orange SKU OUTSIDE BUY/EPO HOM41RSPHUTO

84999

• 40.75"(W) x 23.5"(D) x 24.375"(H)

41" 9 Drawer Rolling Cabinet - Orange SKU OUTSIDE BUY/EPO

HOM41RSPRCO 1.249⁹⁹

• 41"(W) x 24"(D) x 39"(H)

35" 7 Drawer **Flip-Top Service Cart - White** SKU **1343819** HOM35FTSCWH

• 31"(W) x 22.5"(D) x 38.875"(H)



35" Professional **4 Drawer Flip Top Service Cart - Red**

SKU **1343822** HOM35PSCR

• 35"(W) x 20.5"(D) x 39.375"(H)





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

34" 4 Drawer Rolling Tool Cart SKU OUTSIDE BUY/EPO

- . Lockable Flip-Top Lid with Gas Struts
- Equipped with Tubular Locking System
- Four (4) Drawers With Replaceable Ball-Bearing Slides with a Weight Capacity of 100 Lb. per Drawer
- · Foam Drawer Liners Keep Tools Stationary
- Plastic Corner Bumpers Protect from Scrapes and Dents
- Four (4) 5×2 Casters with a Weight Capacity of 330 Lb. Each: Two (2) Swivel Locking and Two (2) Swivel
- Dimensions: 34" (W) x 20.5" (L) x 46" (H)

For Outside Buy/EPO, Call 901-300-4878





Heavy Duty Handle



100 Lb. Capacity



Tubular Lock



Heavy Duty Casters



OEM TOOLS

Professional Tool Carts

- Full Extension Ball Bearing Drawers for Strong, Smooth Operation (100 Lb. Capacity)
- 19 Gauge Steel Body Construction with a 16 Gauge Steel Base Reinforcement
- · Complete Welded Dual-Wall Construction for Added Strength, Stability and Durability
- Quick Lock System Prevents Drawers from Opening While the Cart is Moving
- 4 Bumpers on Cart Edges Help Prevent Damage to Vehicles
- Includes EVA Liners to Keep Tools in Place
- Features 5" x 2" Heavy Duty Casters for Easy Maneuverability (Rated to 450 Lb.)
- . Total Loading Capacity: 1,500 Lb.

28" 7 Drawer - Molded Worktop

SKU **477172 629**⁹⁹ 24566

- Dimensions: 28.3"(W) x 18.9"(D) x 40.5"(H)
- Storage Space: 9,505 Cubic Inches
- Fully Sealed Plastic Work Surface is Solvent Resistant
- Integrated Pegboard Provides Additional Storage and Organization



36" 8 Drawer

SKU **477134** 24565

- Dimensions:
- 35.8"(W) x 18.9"(D) x 39.3"(H)
- Storage Space: 12.594 Cubic Inches • Stainless Steel Work Top is Corrosion Resistant and Easy to Clean



57" 22 Drawer **Professional Combo**

SKU **662893** 24738

3,59999

Total Loading Capacity: 2,697 Lb.



Casters Rated to 880 Lb. Each

- Overall Dimensions: 57"(W) x 24"(D) x 66.5"(H)
- Storage Space: 41,466 Cubic Inches
 Drawer Space: 13,404 Sq. Inches



Part #	Description	Dimensions	Storage Space	Price
24737	57" 10 Drawer Professional Chest	57"(W) x 24"(D) x 26"(H)	18,938 Cu. In.	\$1,699.99
24736	57" 12 Drawer Professional Cabinet	57"(W) x 24"(D) x 40.5"(H)	22,528 Cu. In.	\$2,099.99
	Regular Price			\$3,799.98
24738	COMBO PRICE			\$3,599.99
	SAVINGS			\$199.99

57" 10 Drawer **Professional Chest**

SKU **666333** 24737

57" 12 Drawer **Professional Cabinet**

SKU **666300** 24736

36" Slide Top 3 Drawer **Tool Cart - Green**

SKU **666298** 24731



- Constructed with a 19 Gauge Steel Shell and 21 Gauge Steel Drawers
- Full Length Anodized Aluminum Drawer Pull
- Shallow Drawer Dimensions: 30"(W) x 18"(D) x 2.9"(H)
- Deep Drawer Dimensions: 30"(W) x 18"(D) x 6.1"(H)
- Overall Dimensions: 36"(W) x 21"(D) x 46"(H)

Offer Good Through June 30, 2025



Service Cart with Locking Lid and Drawer

SKU **512948** 24961

159 REG. \$249.99

- Total Load Capacity: 350 Lb.
- Drawer Loading Capacity of 75 Lb.Easy to Maneuver with 4 Swivel Casters: 2 Standard and 2 Locking
- Stays Securely in Place with 2 Locking Casters
- Durable Powder Coated Finish
- Raise-and-Release Safety Drawer Latches to Prevent Drawer from Drifting Open
- Dimensions: 36"(H) x 18"(D) x 30"(L)

Offer Good Through June 30, 2025





Customer Responsible For Offloading, Liftgate Service Available.

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

72" Stainless Steel 11 Drawer **Cabinet and Upper Cabinet**

SKU **1168659 0EM24615**

1.599⁹⁹

Features:

- Dimensions: 72"(W) x 18"(D) x 71.5"(H)
- Upper Cabinet is 12"(H) x 18"(D)
- Drawer Liners Included





18" Tall Pegboard

Full Extension 100 Lb. Capacity Slides



PVC Coated

MDF Top



Heavy Duty Casters

OEM TOOLS




Tear Down Tray



Adiustable Mobile Work Table 200 Lb. Capacity

SKU **1485038** VIK52200

- · Adjustable Tray
- Heavy Duty 2" Rubber Composite Swivel Casters
- Multiple Storage Slots, Trays and Insert Grooves Keeps Tools and Parts Organized and Within Reach
- 1" Drawer with Roller Bearing Slides Offer Additional Storage Capacity







Tools Not Included

Steel Workbenches

- Black Powder Coat Finish
- · Engineered for Quick Assembly
- · Built-In Leg Levelers

59" Steel Workbench

SKU **1392321**

Homak



HOMGW00550150

. Weight Capacity: 880 Lb.

59" Steel Workbench with 2 Drawers

SKU 1392318 HOMGW00550170

- . High Security Tubular Lock System
- Ball-Bearing Drawer Slides
- Weight Capacity: 1100 Lb.



79" Steel Workbench with **3 Drawers and Wood Top**

SKU **1392314** HOMGS00579030

- 1.5" Wood Work Surface with Top Mat
- · Weight Capacity: 440 Lb.



79" Steel Workbench with 3 Drawers

SKU 1392331 HOMGW00550160

- High Security Tubular Lock System
- Ball-Bearing Drawer Slides
- . Weight Capacity: 1100 Lb.

Field Boxes



2 Pack Nested Field Box Set

• Includes: XL Field Box and Standard Field Box Standard Size Box:

External Dimensions: 11-1/2" (L) x 5" (W) x 7-1/4" (H) Internal Dimensions: 9-3/8" (L) x 4" (W) x 6" (H)

· Compression Fit Lid with Rubber Gasket for Water and

Food Safe and Resistant to Most Acids and Solvents

External Dimensions: 14" (L) x 9" (W) x 9-1/4" (H) Internal Dimensions: 12-5/8"(L) x 6-5/8"(W) x 8"(H)

Manufactured with Impact, Abrasion and Crack

Olive Green

Frost

12722

XL Field Box

Dust Resistance

• 4 Locking Options for Security

Resistant Copolymer Plastics

SKU **989242** 12713

SKU OSB/EPO

Gray SKU **OSB/EPO**

SKU OSB/EPO

Black

12706

12755



SHEFFIELD

For Outside Buy/EPO. Call 901-300-4878

XL Field Box with Lift Out Storage Tray

. Lift-Out Tray with 8 Compartments

Olive Green SKU **989216**

12712 **34**99 **Black** SKU 1392328 12701

3199

White SKU 1392312 12721

3499

XL Field Box

Olive Green

12710

SKU **989218**

Black

SKU **1392313 7799** 12700



AZG0225

TOOL ORGANIZATIO

2 Post Socket Trays

6 Piece Socket Tray Sets

- Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)
- SAE Socket Range: 1/8" to 5/8" (1/4" Drive), 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)
 Includes: 6 Trays - 1/4", 3/8" and 1/2" Drive
- in Both Metric and SAE







SAE

Black and Green

SKU **949573** 22233

REG. \$33.99



SAE

Black and Orange

Offers Good Through June 30, 2025

SKU **1142583** 22418

REG. \$33.99

Metric

SAVE

Gray and Red SKU **477209** 22413 SAE

REG. \$33.99

Metric

SAE

3 Piece **Socket Trays**

• Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive



Black SKU **749937** 22211

OEM TOOLS




Tools Not Included

LIMITEDARADA

Magnetic Socket Tray Sets

3 Piece Magnetic Socket Tray Set





SAVE

 Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive in Metric or SAE



22486

Red (SAE) SKU 1149183 22484



Metric

Black (Metric)

SKU 1149156 22487

Green (SAE) SKU **1149165** 22485





6 Piece Magnetic Socket Tray Set - Metric and SAE

• Includes: 6 Trays - 1/4", 3/8" and 1/2" Drive in Both Metric and SAE



Black and Red

SKU 1485048

22488

22460


8999











SAVE



SKU 1392463 22461



SAE

Blue and Red



SAE

SKU 1331485 22489



- SAE 1/4" Tray Holds 2 Sets of Sockets 1/8" to 5/8"
 - 3/8" Tray Holds 2 Sets of Sockets 3/8" to 7/8"

OEM TOOLS

• 1/2" Tray Holds 1 Set of Sockets 3/8" to 1-1/4"

- METRIC 1/4" Tray Holds 2 Sets of Sockets 4 mm to 14 mm
 - 3/8" Tray Holds 2 Sets of Sockets 6 mm to 20 mm
 - 1/2" Tray Holds 1 Set of Sockets 10 mm to 27 mm

OEM TOOLS

7 1


Tools Not Included

OEM TOOLS

Pro Socket Organizers

Magnetic Socket Trav SKU **082922 2**// 99 22389

• Store Up to 36 Total Sockets -1/4", 3/8" and 1/2" Drive



Magnetic Socket Organizers

Portable Magnetic Socket Organizers

- Holds Up to 28 Sockets
- · Powerful Magnets Hold Sockets Securely and Attach Organizer to Any Magnetic Surface
- Low-Profile Design Fits Most Toolbox Drawers

3/8" Drive SKU **1442590** 23117

1/2" Drive SKU **1414403** 23118



Tools Not Included

Tool Holder

Magnetic Tool Holder SKU **749848**

22212







- 18" Rail with 16 Sliding Clips
- · Multipurpose Clips Hold a Variety of Tools Great for Screwdrivers, Ratchets, Wrenches,
- Pliers and Other Small Tools Powerful Magnet for Secure Hold
- Foam Shield to Protect Paint Finishes



TOOL ORGANIZATION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

Flexi-Trays

3 Piece Set SKU **943130**

22417

- . Trays Included: 10-1/2" x 5-1/4" 10-1/2" x 8-1/2" 21" x 11-1/2"
- Withstands Motor Oil and Non-Corrosive Fluids
- · Anti-Static, Silicone Material Protects Work Surfaces from Damage and Scratching




Organizers

16 Piece **Pliers Holder**

SKU **765589** 22215

13⁹⁹

- 16 Extra-Wide Spaces for Pliers with Rubber Grips
- Vinyl Coating for Lasting Dependability
- Dimensions: 14.0" (L) x 5.2" (W) x 2.5" (H)





Tools Not Included

OEM TOOLS **Drawer Organizer Tray**

SKU **749932** 22213

- Rolled Bottom Edges Allow Easy Removal of Small Parts
- Low-Profile Fits in Shallow Toolbox Drawers
- 10-Compartment Tray
- Stackable Design
- · Dimensions: 16" (L) x 11" (W) x 1.5"(H)



Magnetic Trays

4 Piece Magnetic Foldable Trav

SKU **1207890** 26052

- Collapsible Tray Expands from 3/4" to 2" Deep
- . Holds Up to 2 Lb.
- Multiple Color Set Keeps You Organized
- Dimensions: 4-1/2" x 4-1/2"



OEM TOOLS



Tools Not Included

OEM TOOLS

Magnetic Bit Holders

4 Piece Magnetic Hex Bit Travs SKU **1284964**

24142

· Each Tray Holds 36 Hex Bits

. Coated Magnetic Trays Adhere to Most Metal Surfaces



OEM TOOLS

OEM TOOLS

OEM TOOLS

Magnetic **Trays**

- · Trays Stick to Most Metal Surfaces
- Ideal for Holding Small Parts and Tools
- Heavy Duty Stainless Steel

5" x 9"

SKU **965834** 25117C

 2 Powerful Magnets with Protective Rubber Coating to Resist Scratching



10" x 11"

SKU **965835** 25119

• 4 Powerful Magnets with Protective Rubber Coating to Resist Scratching



Tools Not Included

Paper Towel Holder

Magnetic Paper Towel Holder

SKU **280376** 24952

· Adjusts to Fit Different Size Rolls

 3 Rubber-Faced Magnets Won't Scratch Metal Surfaces



Towel Roll Not Included

Wrench Organizers

4 Piece Magnetic Wrench Rails Holds 40 Wrenches

- Includes: 4 Rails
- Rail Dimensions: 16.6" (L) x 1.9" (H)

Green SKU **749850**

22217 **21**⁹⁹ **Black** SKU **765514** 22219



2 Piece Wrench Organizing Rails - Black SKU **213161**

22218

· Holds 35 Wrenches Slotted Design Will Fit a Variety of

Wrench Types and Sizes • Rail Dimensions: 23.4" (L) x 1.0" (H)

Adhesive Backs for **Quick Attachment**

Magnetic Wrench Organizer

SKU **662782** 22177

. Organize Up to 12 Wrenches

- Strong Magnets Will Hold Organizer Upright at Full Capacity
- Non-Marring Foam Backing
- Durable Coated Steel Construction



Pro Magnetic Wrench Organizer (Black)

SKU **213098** 22176 Organize Up to



• Non-Marring Foam Backing

Durable Coated Steel Construction

13⁹⁹ **Black** SKU 1331501 22513 13⁹⁹

Magnetic **Wrench Holder** and Organizer

Green

22512

• Holds 10 SAE or Metric Wrenches

. Magnetic Base Attaches to Your Tool Box, Tool Chest, Cart or Metallic Peg Board

• Dimensions: 9-1/4" (L) x 1-1/4" (W) x 2" (D)



Tools Not Included

AZG0225

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

HEAVY DUTY

Scan Tools

TEXA Diagnostic Kits

- World Class US-Based Support, with the Most Complete Vehicle Coverage
- Lifetime Repair or Replacement Equipment Warranty with Current Software Subscription
- Continual Updates on All Makes and Models with Current Software Subscription
- Fast, Powerful Hardware for Maximum Shop Efficiency
- Wiring Diagrams, Repair Procedures, Dashboards, Advanced Resets, Activations and More

Axone Light Truck Diagnostic Kit SKU OUTSIDE BUY/EPO 5,999

- Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles
- Includes: AXONE NEMO LIGHT, Suitable for a Large Range Of Environments and the TXT Multihub



Axone Plus Truck Diagnostic Kit SKU OUTSIDE BUY/EPO 7,499

- Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles
- Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments and the TXT Multihub



Axone Plus Master Fleet Package for Truck/OHW/Car

SKU **OUTSIDE BUY/EPO TEXAXPLMFP**

11,999⁹⁹

TEXA

- Provides Advanced Diagnostics and OE-Level Coverage for Diverse Fleets Including Car, Truck, Agriculture and Construction Equipment
- Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments, the TXT Multihub and the Off-Highway Essential Cable Case



For Outside Buy/EPO, Call 901-300-4878

Smoke Leak Detector

Dual Evap Smoke Machine*SKU OUTSIDE BUY/EPO **1,649**MSC43065

- For Evap, Turbo/Intake and Heavy Duty Truck Testing*
- For Evap and High Pressure Diagnostic Testing
- Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air and Inert Gases
- Accessories Include: Smoke Hose, Block Off Caps, Exhaust Cone, Schrader Valve Remover/Installer, Evap Service Port Adapter Hose, Smoke Illuminating Flashlight, Smoke Producing Fluid and Bladder



* Heavy Duty Truck Testing Requires MSC43062 Adapter Kit, Not Included (Sold Separately)

Cooling System

Heavy Duty Cooling Kit

SKU **954231 MSC43306**

Mastercool.

¹ 479⁹⁹

Mastercool.

- Includes Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case
- For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems
- Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks



Recovery Machine

Fully-Automatic Heavy Duty R134a Refrigerant Management System

SKU **1407805 CPSMXHD**

 For Commercial and Heavy Duty Applications

- 6 CFM Dual-Stage Vacuum Pump
- Large 12.67 CC Twin-Piston Oilless Compressor
- Comes Standard with a 50 Lb. Tank; Upgradeable to 90 Lb.
- Wi-Fi and Bluetooth Enabled





HEAVY DUTY

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

Specialty Tools

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece

SKU **004112** 25031

- For Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines;

1 Straight and (1) 90° Tool for 16 mm **Fuel Lines**



Heavy Duty U-Joint Puller SKU **041474** 24538

- Easily Removes Seized U-Joint Cups on Most Class 7 and 8 Trucks
- · Safely Disassemble Drivelines without Hammering or Heating Components
- Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups
- Bearing Cup Outside Diameter: 1.5" to 2.2"



Automatic Slack Adjuster **Release Tool and Wrench**

SKU **1207889 24** 99 25252

- 5/16" Double Square Ratchet Has an Angled Head to Give Extra Clearance for Hands Side-Mounted Forward/
- Reverse Lever for Easy Operation Speeds Up Installation
- on Meritor® Heavy **Duty Truck Brake Slack** Adjusters to Simplify Brake Service

SKU **1361998 124 99**

Brake Anchor Pin Press

27090 • For Removal of Brake Anchor Pins and Bushings on 16-1/2" S-Cam Trailer and Tractor Q Brake Systems

- No Need to Remove the Hub or Dust Shield
- Rigid C-Frame with 10 Ton Capacity
- · Manufactured from High Grade Steel for Strength and Durability
- · Manual, No Hydraulics Required



Heavy Duty Wheel and Tire Service

Heavy Duty Truck Wheel Changer SKU **OUTSIDE BUY/EPO ROTR501PLUS**

- Dismount and Mount a Truck Tire in 30 Seconds
- Super Fast Truck Tire Changer
- Adjustable Arm Position
- Max. Tire Diameter: 52"
- Quick Loading

INCLUDES: Set Up and Training

WARRANTY: 3 Years Parts and Labor



Heavy Duty Wheel Balancer SKU **OUTSIDE BUY/EPO**

ROTR540

- . Designed to Fit Commercial Truck, Light Truck and Passenger Vehicles
- Balance Compact Cars to HD Trucks
- Auto Stop on Top for Weight Position
- Auto Entry of Distance and Diameter Integrated Wheel Lift Up to 441 Lb.
- Max. Rim Diameter: 30"
- Max. Tire Diameter: 51"

INCLUDES: Set Up and Training

WARRANTY: 3 Years Parts and Labor




Coats® CHD-6330 Heavy Duty Tire Changer SKU **OUTSIDE BUY/EPO** AMM8006330

- Motor: 2 HP
- Max. Tire Diameter: 63"
- Rim Diameter: 13" to 27"
- · 4-Jaw Chuck Allows for Fast and Easy Clamping of Virtually All Rim Styles • Features Portable Control Station
- · Solid, Single Piece Frame for Added Capacity and Dependability

INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor





SKU OUTSIDE BUY/EPO AMM64503DKT1P

Kit Includes Wheel Lift Plus Lug and Hub Centered Budd Style Adapters

- Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations
- Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds Off of a Typical 22.5" Spin
- · Designed for High Volume Balancing, the Perfect Machine for Delivery Vehicles and **Tractor Trailers**
- Max. Tire Diameter: 52"
- . Max. Tire Weight: 500 Lb.

INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Low Profile Oil Drain

17 Gallon Low Profile Truck Drain

SKU **526486** LIN3665

• 6' Hose Extends from the Bottom of the Reservoir and Can Be Connected to a Pump to Evacuate Fluid from the Drain



Truck Tire Tool

Tubeless Truck Tire Iron SKU **394384**

KTL34645

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37"
- Stock Diameter: 3/41





MKen-Tool

 Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.

HEAVY DUTY

Heavy Duty Lifts

56,000 Lb. Mobile Lift System/Set of 4 SKU **OUTSIDE BUY/EPO** CHLCLHM-140-4

- 110 Volt Charging System
- Completely Wireless System
 Adjustable Wheel Carriage Adapts from 5" to 24.5"
- Integrated Touch-Screen Control Console at Each Column Allows Operation from Any Unit
- 14,000 Lb. Capacity per Column

Includes: Batteries, Fluids and Factory Training

WARRANTY: 1 Year Parts and Labor



CL Challenger Lifts

27,000 Lb. Heavy Duty Truck Lift

SKU OUTSIDE BUY/EPO BENHDS27

- · Runways Include Rail-Kit for Optional Accessories
- · Runways Adjust for Different Tread Widths
- Electric/Hydraulic Power System
- Fully Enclosed Lifting Cables, Safety Locks and Sheaves
- · Pneumatic Push-Button Safety Release
- Length: 24-3/4

WARRANTY: 1 Year Parts and Labor



BendPak.

Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

Lifting Equipment

6,000 Lb. Heavy Duty **Engine Crane**

SKU 1267948 AFF3584

1,39999

- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton
- · Rear of Crane: 61.5" Tall and 33" Wide
- Distance Between Front of Leas: Retracted 23" Extended 28.5"



35 Ton Air Hydraulic **Axle Jack**

SKU **954200** AFF536

- Unique Motor Design Advances Ram to Load Faster · Air Assisted Lowering and Dual
- Return Springs Provide Controlled and Easy Descent
- · Safety Overload System Prevents Jack from Being Used Beyond its **Rated Capacity**
- Corrosion Resistant Aluminum and Nylon Composite Air Motor



1.94999

4,400 Lb. Transmission Jack

SKU **954183** AFF3180A


1,899999

- Heavy Duty with a Rated Capacity of Over 2 Tons
- Rugged Industrial Grade 4" Casters
- Fully Adjustable Saddle
- Extra-Long 32" Handle
- Safety Chain Included
- 8.5" Low Height Convenient Side Tray to Store Small



10 Ton Air/Hydraulic Service Jack

SKU **OUTSIDE BUY/EPO** AFF3135



- Can Be Operated Manually When Shop Air is Not Available
- Foot-Operated Pump for Quick Lifting Efficiency
- Automatic Overload Safety Valves

OEM TOOLS

- . Chassis Length: 61"
- Low Height: 7
- Width: 18"



Locknut Sockets

7 Piece Wheel Bearing Locknut Set

SKU **1207886 114 99** 37385

 Includes: 55 mm 6PT, 2-3/8" 6R, 2-3/8" 6PT, 2-1/2" 6R, 2-1/2" 6PT, 2-9/16" 6R and 2-3/4" 6R



 For Use with 1/2" Square Drive Ratchet, Breaker Bar or Torque Wrench

OEM TOOLS

5 Piece Budd Wheel Socket Set SKU **1207878**

37384 REG. \$139.99 • 35 mm, 38 mm, 41 mm and 1-1/2" Sockets

- Feature a Dual Socket Design with a Hex to Remove the Lug Nut and an Internal Square Drive to Remove the Inside Wheel • 38 mm, 41 mm and 1-1/2" Sockets Each
- Have a 13/16" Internal Square
- 35 mm Socket Has a 11/16" Internal Square
- For Use with 1" Drive Ratchet, Breaker Bar, **Torque Wrench and Impact Wrench**

Offer Good While Supplies Last Through June 30, 2025

Truck Axle Wheel Bearing Sockets

- 3/4" Square Drive
- · Constructed with High-Grade Steel for Strength

4", 6 Pt.

SKU **466541**

25482

2-9/16". 8 Pt. SKU **466534** 25473

4-1/8", 6 Pt.

SKU **265085** 25483

4-3/8". 8 Pt.

SKU **466543** 25485

Heavy Duty Stands

22 Ton Heavy Duty Axle Stands (Pair)

SKU **757098** 24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement



Small

SKU **344322** 25231

• Range: 4-1/8" to 4-5/8" (104 to 118 mm)

Heavy Duty Truck Oil Filter Wrenches

Medium

SKU **344323** 25232

• Range: 4-5/8" to 5-1/4" (118 to 134 mm)

Large

SKU **344324 91 99** 25233

• Range: 5-1/4" to 5-3/4" (134 to 142 mm)



OEM TOOLS

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.

SHOP EQUIPMENT

Shop Presses

20 Ton Super Duty Air/Manual Shop Press SKU OUTSIDE BUY/EPO

SHOP EQUIPMENT

29000



Frame for Unmatched Durability • Movable Cylinder and 10 Height Adjustments with 4.3" Increments for

- Operator Versatility Glycerin-Filled Pressure Gauge Ensures Precise Pressure Readings Every Time
- Air/Hydraulic Pump Supports Both Manual and Pneumatic Operation (110-120 psi)
- Includes Anti-Slip Steel Blocks and Meets ASME PASE-2019 Standards

For Outside Buy/EPO, Call 901-300-4878

30 Ton Super Duty Air/Manual Shop Press

SKU **1525570** 29001

1,39999

- Fully Welded Construction for Exceptional Strength and Durability
- Movable Cylinder for Added Flexibility In Working Position
- Glycerin Filled Pressure Gauge for Accurate Pressure Readings
- Polycarbonate Protective Guard Shield for Maximum Safety Against Shrapnel and Debris Air/Hydraulic Pump Supports
- Both Manual and Pneumatic Operation (110 to 120 psi) Includes Anti-Slip Steel
- **Blocks and Meets ASME** PASE-2019 Standards

Polycarbonate Protective Guard Shield for Maximum Safety Against Shrapnel and Debris

20 Ton Air Hydraulic **Shop Press**

SKU **662928** 25087

- Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813)
- Air/Hydraulic Pump Provides Added Versatility
- Double Speed Pump Greatly Reduces Set-Up and Press Time
- Movable Press Head for Flexibility of Working Positions
- Liquid Filled Pressure Gauge for Accurate Pressure Readings Durable Powder Coated
- Steel Frame









Removable Press Dual Scale Gauge Cap with 25 mm Hole



OEM TOOLS


10 Ton Hydraulic Benchtop Shop Press

SKU **666327** 25088



· Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813)

- Double Speed Pump **Greatly Reduces** Set-Up and Press Time
- Movable Press Head for Added Flexibility in Working Position
- Liquid Filled Pressure Gauge



20 Ton Shop Press

sки **300134 699**99 24810

- Stronger Compared to Similar Lighter Weight Shop Presses on the Market
- Includes Press Plates
- · Remove and Install Bearings. Gears, U-Joints, Bushings, **Ball Joints and Pulleys**
- . Multi-Position Bed for Work Height Adjustment
- Max. Height: 31.5'
- Max. Width: 21.75"



1-3/4



Manually Adjustable

Super Heavy Duty

8 Piece Press Accessory Kit

SKU **1525566** 29002



- · Versatile Press Accessory Kit Works on Many Different Press Sizes
- Includes: 2 Press Plates, 5 Punches, a Quick Change Adapter Chuck and a Bearing Shield
- 5 Punches Fit a Wide Range of Applications with Sizes 1/2", 3/4", 1", 1-1/2" and 2"

 • Capacity of Up to 50 Tons
- with the Largest Punch



30 Ton X Style Press Plates SKU OUTSIDE BUY/EPO 24808

• For Use on All Presses Up to 30-Ton Capacity

. "X" Type Design for Use in Many **Different Pressing Operations**

• 1.2" Steel Thickness to Comply with ASME PASE Requirements

For Outside Buy/EPO. Call 901-300-4878

OEM TOOLS


Bearing Separators

5 Ton Bar-Type Puller/Bearing Separator Set

SKU **347218** 27236

• Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs

· Set Includes: 2" and 3" Bearing Splitters, 4 Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw



Bearing Splitter 1/4" to 15/16"

SKU **514005** 27231

- · Maximum Spread: 15/16"
- . Minimum Spread: 1/4" Thread of Tapped Holes in Adapter: 5/16" to 18"
- Distance Between Adjusting Screws: 1-11/16"

Bearing Splitter 1/2" to 4-5/8" SKU **514006**

27232

Bearing Splitter 1/8" to 2"

H-Frame

Press Weighs Over 250 Lb.

OEM TOOLS

SKU **516522** 27084

99

Press Support

Universal Press Support SKU **804487** 24809


Will Make Your Shop Press Safe and Easy to Use
Supports in 3 Points to Ensure Safe

Support without Any Wobbling

 Numerous Holes on Main Block and Swivel Element for Easy Set-Up

 Swivel Element and Removable/Height Adjustable Anvil Bolts Allow Adjustment to Individual Requirements

 Dimensions: 7-3/4" (W) x 9-3/4" (L) x 1-1/2" (H)



AZG0225

SHOP EQUIPMENT

Aqueous Parts Washers

Steel Parts Washers

· Works with Safe Water-Based Cleaning Solutions Only (Not for Use with Solvents)

- 325 GPH Pump • Includes a Drain Shelf
- · Powder-Coated 20 Gauge Steel for **Durability and Rust Resistance**

3.5 Gallon Bench Top SKU **300128** 24800

· Dimensions: 18" (L) x 13-1/2" (W) x 9" (H)



20 Gallon Mobile SKU **750449**

24805

- 4" Casters for Maneuverability • Drain Tray with 2.9 Gallon Collection Reservoir
- · Dimensions: 38" (L) x 21.5" (W) x 37" (H)

20 Gallon SKU **300117 20099** 24801

 Small Parts Tray • Dimensions:

31" (L) x 21" (W) x 34.5" (H)



40 Gallon SKU **300118** 24803

- Small Parts Tray
 - 44.75" (L) x 20.5" (W) x 35" (H)

- · Dimensions:



Washer Cabinet SKU **1330681** 24677

• Uses Compressed Air to Spray Heated Cleaner for Maximum Cleaning Effectiveness

OEM TOOLS

- Fully Enclosed Chamber Keeps Cleaning Solution and Debris Contained
- Thermostat Controlled Heating Element Heats Cleaning Solution Up to 140°F (60°C)
- Fluorescent Lighting Inside Cabinet Illuminates Work Area

Pneumatic Heated Parts

- Built-In Vent Fan Improves Visibility Inside Chamber While Cleaning
- Built-In Air Pressure Regulator and Gauge
- Adjustable Leveling Pads for Added Stability on Uneven Floors
- Holds Up to 3.5 Gallons of Cleaning Solution



4 Gallon Mobile Parts Washer

SKU **546660** 24804

- Lid Has Positive Seal and Latches for Mobility
- 4 GPM Pump
- Dimensions: 26" (L) x 18" (W) x 9.5" (H)

Biological Parts Washers

Ocean Sunset 3.0 Pack

SKU OUTSIDE BUY/EPO

SRIPAF0000623

3,349⁹⁹

• 26 Gal. Tank Capacity

and Solvent Free

Heavy Soiled Parts

• Includes: (5) 5 Gallon

Multi-Stage Heater

and 4 Tablets

Sealed Lid

· Environmentally Friendly

. Soak Sink for Cleaning of



Portable Bucket-Top Parts Washer

SKU **003759** 24816

- Fits Most Standard 5 Gallon Buckets
- Includes: Submersible Pump, 40" Hose and Flow-Through Brush
- Pumping Rate: 1 GPM



Gravity X2 Mobile Pack

SKU **OUTSIDE BUY/EPO** SRIPAF0000717

- 10 Gal. Tank Capacity
- Heating Speed of 15 Minutes
- Regulated to 100°F Easy to Move Around
- Environmentally Friendly and Solvent Free
- Simple Controls
- Easy Maintenance
- Air or Electric
- Includes: (2) 5 Gallon Containers of Bluesolution and 4 Tablets

INCOLN

For Outside Buv/EPO. Call 901-300-4878

BlueTablets SRBT

SKU **1485037** SRIOFOMBT1100

- Simple Small Tablets
- Convenient
- · Qty: 4 Tablets



BlueLiquid SRBLPE+ Agouos Solution

SKU **1485035** SRIPFOL2P-100



- · Concentrated Cleaning Solution for Biological Parts Cleaning
- Water Based
- ECO friendly



Washer Accessories

Containers of Bluesolution

Straight Handle Flow Thru Parts Washer Brush

SKU **1368637 BRMPWA**



- Made with Synthetic Filaments to Resist Solvent Cleaners
- Works with Most Popular Recirculating Parts Washers
- For Use in Either Petroleum-Based or Water **Based Solutions**

Parts Washer Brush without Tube

SKU **1368624 BRMPWANT**



Air Operated **Sprayer**

SKU **222507** LIN5983



- . Max. Operating Pressure: 150 psi
- . Can Be Used with Solvents or **Detergent Solutions**



Abrasive Blasting

Bench Top Abrasive Blast Cabinet

SKU **300119** 24815

- · Easily Remove Paint, Rust and Oxidation
- · Fits on the End of Any Bench or Cabinet
- . Overall Height: 19.3"
- Exterior Width: 19.3" Work Area: 3.18 Cubic Ft.
- Includes: 10 Replaceable Window Underlays



OEM TOOLS

SHARK 25 Lb. Glass **Bead Blasting Media**


- Ideal for Many Uses
- Removes Surface Rust
- · Paint and **Body Applications**

Coarse

SKU **010136** SHA13077

Medium SKU 010139

SHA13078



Better for the Environment and the Bottom Line



Toucan Pack

The absorbent recycling pack

in maintenance products.

All-in-One Cleaning Concept

The Toucan Pack is an all-in-one mobile cart that distributes and recycles Fibercan+® Absorbent. Clean up oils, coolant, solvents and water while saving money by reusing the absorbent up to eight times.

Effective

Instant absorption safely dries floors. Leaves no greasy film and eliminates dust.

Economical

Ideal for small and large clean ups. Absorbs up to 8 times more spills than traditional sawdust and granules.

Efficient

Cart includes tools, sifting tray, Fibercan+ Absorbent and space for mats, gloves, etc.

Toucan Pack® SKU **OUTSIDE BUY/EPO** SRIPFPAF00015

. Includes: Mobile Cart, (1) 20 Lb. Bag of Fibercan+ Absorbent, Easy to Reach Collection Tray, Ergonomic Sifting System, Broom, Dust Pan and Tool Holder

Fibercan+ **Absorbent**

SKU **1414395** SRIOPEAFIC001

• 20 Lb. Bag



Scan for video

Spray Wash Cabinets

8 Times More Savings

Consumption

Fibercan+

Absorbents

- Heavy Duty Steel Construction
- Removable Parts Tree
- Brass Nozzles
- Heavy Duty Rubber Casters
- Stainless Oil Skimmer

Traditional

Absorbents

· Removable Tank Screen

Each Cabinet Includes: 20 Lb. Aluma-Klean Soap Bucket

VALUE: \$124.99





Ranger Aluma-Klean Soap Bucket

20 Lb. SKU **751966**

RAN5155096

50 Lb. SKU **1442593** RAN5155100 **289**99



SKU	Part #	Product	Tank Capacity	Load Capacity	Price
OUTSIDE BUY/EPO	RANRS500DS	Stainless Steel	50 Gallon	500 Lb. Load	11,899.99
OUTSIDE BUY/EPO	RANRS750DS	Stainless Steel Truck	53 Gallon	1,000 Lb. Load	12,649.99
OUTSIDE BUY/EPO	RANRS500D	Professional	50 Gallon	500 Lb. Load	7,949.99
OUTSIDE BUY/EPO	RANRS750D	Truck	53 Gallon	1,000 Lb. Load	8,449.99

OEM TOOLS



Customer Responsible for Offloading, Liftgate Service Available. For Outside Buy/EPO, Call 901-300-4878

Solvent-Free Cleaning Solution

Heavy Duty WATER WORKS Degreaser

Concentrate (5 Gallons)

SKU **227558** WWSHD-5G

Designed to Effectively **Replace Hazardous Solvent in** Water-Based Parts Washers

· Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician



Vises

OEM TOOLS 4-1/2" Light Duty Bench

Vise with Swivel Base SKU **751645** 24216

 Clamping Strength: 100 l b.



4" Heavy **Duty Bench Vise** with Swivel Base SKU **751643**

24217 · Clamping Strength: 200 Lb.



6" Heavy Duty

Bench Vise with Swivel Base SKU **751654**

24218

- Polished Replaceable Steel Jaws
- · Polished Anvil, Permanent Pipe Jaws
- Full 360° Swivel Base
- Clamping Strength:



OEM TOOLS

6-1/2" **Professional Workshop Vise**

SKU **394648** KTL64065

- Jaw Width: 6-1/2' Jaw Opening:
- 9" Replaceable, Reversible Jaws



AZG0225

Men-Tool

SHOP EQUIPMENT

Pipe Bender

BB-2 Pipe Bender with 302 Die Package SKU OUTSIDE BUY/EPO BENBB2

11,499⁹⁹

. Knee Control and Depth-of-Bend Degree Plate for Manual Bending Operations

• Includes: BB-2 Tooling Package, Quick Release Bending and Finishing Dies, High-Speed Clampless Swager and Internal Expander

1302 Automatic with 302 Die Package

SKU OUTSIDE BUY/EPO BEN1302BAS302



OEM TOOLS

BendPak.



Large 3" Die Package -**Optional**

SKU OUTSIDE BUY/EPO BEN300-1

1,579⁹⁹

 Optional Die Package Extends the Bending Capabilities of Your BendPak Pipe Bender

For Outside Buy/EPO, Call 901-300-4878

Drill Press

15" 16 Speed Floor Drill **Press**

SKU **082857** 24992

449 REG. \$499.99

- Drilling Depth: 3-5/16"
- 16 Speed Spindle: 240 to 3,200 RPM
- Dimensions: 15" x 25-1/3" x 63-1/3"
- Distance from Spindle to Table: 27" Distance from Spindle to Base: 47"
- Offer Good While **Supplies Last Through**

June 30, 2025



Shop Vacuums

Air Blow and Suction Gun SKU **1168663 REG. \$49.99** 26038

- One-Touch Button That Changes the Gun from Blow to Suction
- Standard Shop Vacuum Power for Quick and Easy Clean Up
- Lightweight Gun
- High Filtration Collection Bag
- Rugged and Durable Metal Construction and Easy-to-Use Trigger
- 1/4" PT/NPT Inlet and 90 psi

Offer Good While Supplies Last Through June 30, 2025

Headlight Aimer

Headlight Aiming **System**

SKU OUTSIDE BUY/EPO SYMHBA5

2,62999

- · Certified in Maryland and Virginia
- Laser Floor Slope Measurement (Accurate, Precise and Easy to Achieve)
- Photosensor Positioning

For Outside Buy/EPO, Call 901-300-4878

Key Programmer

Smart Pro Lite Vehicle Kev Programmer

SKU **1414393**

KABSMARTPROLT

- Includes: OBDII Cable, Main Cable, Charger and Hard **Body Case**
- Wi-Fi and Bluetooth Connectivity
- 75% Vehicles in Operation Coverage
- Compatible with the ADC245 Smart Aerial Plus+ and MyKeysPro (MKP)
- No Need to Purchase Tokens, Software or Standard UTP
- Free Updates for 1 Year
- · Only Works with Ilco Remotes and Keys, Not Compatible with Other Brands



Key Machines

- Includes Three Functions: Copy by Original, Decode and Cut by Code
- Fast Key Search Enter Make/Model/Year and the Software Guides You Through the Process
- US Based Tech Support Available

*12,299*⁹⁹

SAVE

Futura Auto Electric Kev Machine

SKU **1267953 KABFUTURAAUTO**

4,74999

- User Friendly Software with Step-By-Step Instructions
- Multiple Language Support
- Step-By-Step Calibration
- Automatic Tip **Detection for Tip** Gauged Keys



Futura Pro Electric Kev Machine

SKU 1267950 **KABFUTURAPRO** 10,869⁹⁹

• Two Cutting Stations - One for Edge and One for Laser and Dimple Keys



Popular Remote **Assortment Kits**

35 Piece **Most Popular** SKU **1267947**

KAB0221-35

1.479⁹⁹

100 Piece **Most Popular** SKU **1267939**

KAB0221-100

35 Piece Most **Popular Late Model** SKU **1267965**

KAB0221-35LM



Go to AZTOOL1.com for **Remote Kit Component List and Application Chart**



SHOP EQUIPMENT

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Pressure Washers

Electric Pressure Washer

SKU OUTSIDE BUY/EPO MTMCW3004SME1

- Pump Accepts Incoming Water Up to 165°F
- PSI: 3000 GPM 3.9
- Includes Quick **Connect Nozzles** 0°, 15°, 25° and 40°, 50, 50' x 3/8" High Pressure Hose, Insulated Trigger Gun and Adjustable Pressure Insulated Dual Lance and 35' Power Cord 8.0 HP, 230V

WARRANTY: 1 Year Electric Motor and 7 Year General Pump

Wall Mount Electric Pressure Washer

SKU OUTSIDE BUY/EPO MTMCAW20040ME1

3,54999

- Pump Accepts Incoming Water Up to 165°F
- 2000 psi, 3.9 GPM
 6.0 HP, 230V
- · Includes: Quick Connect Nozzles - 0°. 15°, 25° and 40°, 50' x 3/8" Hose and 36" Adjustable Pressure Dual Lance

WARRANTY: 1 Year **Electric Washers and** 7 Year General Pump



Dual Fuel Powered Generator

5500-Watt Dual Fuel **Portable Generator**

SKU OUTSIDE BUY/EPO CHM201505

84999

• Dual Fuel: Runs on Gasoline or Propane, Providing Up to 11 Hours of Run Time on Gasoline or 6.5 Hours on Propane

WARRANTY: 3 Years Limited

· Monitors Voltage, Frequency and Run-Time Hours





CARB Compliant

🕸 IPC

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO Call 901-300-4878

Hot Water Pressure Washers

HSE 1400 psi Hot Water Pressure Washer

SKU **OUTSIDE BUY/EPO** MTMHSE14000M11

· Diesel or Kerosene Fired Burner

- 1400 psi, 2.0 GPM
- 1.5 HP, 120V
- Includes: 50' x 3/8" Wire Braided Hose. Adjustable Pressure Insulated Dual Lance with 15° Fixed and Detergent Nozzle



HSE 1500 psi Hot Water Pressure Washer

SKU OUTSIDE BUY/EPO MTMHSE15020MM

- Diesel or Kerosene Fired Burner
- Fuel Consumption: 1.2aph
- 1500 psi, 2.0 GPM
- Temperature Rise: 150°F (66°C): Max. Outlet Temperature: 200°F (93°C)
- Includes: Quick Connect Nozzles 0°, 15°, 25° and 40°, 50' x 3/8" Wire Braided Hose and Adjustable Pressure Insulated Dual Lance



Floor Scrubbers

Battery Powered 14" Floor Scrubber

SKU OUTSIDE BUY/EPO IPCCT15

- · Height-Adiustable Handle
- Removable Recovery Tank • 1.5 Hour Run Time
- Includes: Lithium Battery, Charger and Brush

Battery Powered 20" Floor Scrubber

SKU OUTSIDE BUY/EPO IPCCT50

4,914⁹⁹

- 13 Gallon Tank Capacity
- 2.5 Hour Run Time
- For Up to 10 Bay Shop
- Includes: Self-Leveling Brush Head and Cast Aluminum Squeegee Assembly, 2 AGM Maintenance






Cleaner/Degreaser 1 Quart Bottle (6 Pack)

SKU OUTSIDE BUY/EPO IPCT80451

· High Performance Concentrated Formula Quickly Cuts through Grease, Oil and Tough Carbon Soils

SHOP OWNERS, WE LOAN SPECIALTY TOOLS FOR SPECIAL JOBS!



AUTOZONE® LOAN-A-TOOL® PROGRAM **Over 90 Specialty Tools for Loan or Sale**

We offer the most complete selection of tools for a variety of jobs, from steering and suspension, air conditioning, engine repair and more.

The best part is Loan-A-Tool® products are free to use! Leave a deposit at the store when you pick up the tool. When you're through just bring it back within 90 days, and we'll refund the deposit, or keep the tool.





A/C Flush Kit

Fuel Injector Puller Kit – VW/Audi

AZG0225

See your Commercial Sales Manager for a complete list of loaner tools.

WELDING & CUTTING

Welding

Spot Welder 120V

SKU **814396** 24819

• Convenient 120V AC Input Power

Spot Welds Uncoated Mild Steel Including Galvanized and Stainless

• Output Current: 13.5A

• Rated Duty Cycle: 50% @ 1.5kVA



Includes 6" Tongs and



OEM TOOLS

OEM TOOLS

Stick Welder 110V (70 Amp)

SKU **814387** REG. \$149.99 24818

• DC Inverter Powered for Improved **Efficiency and Control**

Lightweight and Portable

Welds Mild Steel, Stainless and Cast Iron





Offer Good While Supplies Last Through June 30, 2025

Flux Core Welder 110V (70 Amp)

SKU **814197 9499** 24817

• Rated Duty Cycle: 20% @ 70 Amps

Adjustable Wire Feed Speed

High and Low Output Settings

• Includes: Welding Gun and Cable, Ground Cable with Clamp, Chipping Hammer/Brush, 1 Spool of .035" Flux Core Wire and Protective Face Shield with Welding Lens



MIG and Flux-Core Welder (130 Amp) SKU **OUTSIDE BUY/EPO HSAHSW-6213**

· Features Wire Speed and Power Settings by Material/Wire Thickness

• Rated Duty Cycle: 20% @ 130 Amps · Includes: Inverter, Power Supply, Torch, Earth Clamp, Gas Regulator, Spool of .030" FluxCore Wire and Spool of .030" MIG Wire



3-in-1 OEM TOOLS

Easy Weld 140 MP

SKU OUTSIDE BUY/EPO 57999 FRN271

 3-in-1 Machine (Stick/MIG/TIG, TIG Torch not Included)
 Input: 120V | Output Voltage: 12-23V | Output Current Range: 43-110A Duty Cyle: Stick 30% @ 80A, MIG 30% @ 90A and TIG 30% @ 110A

• Includes: 10' MIG Gun. 8' Electrode Holder, 8' Ground Clamp.

20A-15A Adaptor and One Additional .030 in Contact Tip

No Gas Required

190 MP MIG Stick TIG Welder SKU **OUTSIDE BUY/EPO 1,299**99 FRN323

• 4-in-1 Multi-Process Machine (MIG/Stick/Flux-Core/DC TIG TIG Torch Not Included)

Amperage Range (MIG): 120V: 30A-120A | 240V: 30A-200A

Amperage Range (Stick): 120V: 10A-80A | 240V: 10A-190A

Amperage Range (TIG): 120V: 10A-85A | 240V: 10A-190A
 Includes: 6' Power Cable, 8' Stick Electrode Holder,

8' Ground Cable and Clamp, 120V-240V Adapter Cord, 6' Gas Hose, 10' M IG Gun, Gas Regulator, Spare .030" and .035" Tips



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO,

Plasma Cutter

Flex 30™ Plasma and Stick/Tig Welder SKU **OUTSIDE BUY/EPO** FRN320

• Cut and Weld Up to 3/8" Thick Material with One Small, Powerful Machine

Amperage Range (TIG): 120V: 10A-85A | 240V: 10A-160A

Amperage Range (Stick): 120V: 10A-80A | 240V: 10A-160A

 Amperage Range (Plasma): 120V: 10A-20A | 240V: 10A-30A
 Includes: Forney Flex 30™ Plasma ST Machine, Additional Set of Consumables, 6' Power Cable, 8' Stick Electrode Holder, 8' Ground Cable and Clamp, 15' Plasma Torch and 120V-240V Adapter Cord (TIG Torch Not Included)



Forney

Acetylene Torch

Medium Duty Torch Kit

SKU OUTSIDE BUY/EPO FRN1705

Torney

 Cuts Up to 150 mm (5.91") and Welds Up to 9 mm (0.35") with Proper Tips

• Includes: 250-Series Regulators, 100-Series Torch Handle, 1350-Series Cutting Attachment, 0-3-101 Cutting Tip, W-1-0 Welding Tip, 1/4" (6.35 mm) X 12.5' (3.81 m) Twin Welding Hose with Fittings, #5 Goggles, Round Single Flint Striker, 13-Piece Tip Cleaner and Plastic Carry Case



Welding Cart

Portable Welding Cart

SKU OUTSIDE BUY/EPO **FRN332**

119⁹⁹




• Steel Construction

· Dimensions: 11-1/2" (W) x 27-1/2" (H)

• Weight Capacity: 90 Lb. (40.8 Kg)

· Sleek Black Finish for a Professional Look





AZG0225

WELDING & CUTTING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Valor Auto-Darkening Welding Helmet

SKU **OUTŠIDE BUY/EPO** FRN55861



- 2 Optical Arc Sensors
- 1/1/1/2 Optical Clarity Rating
- UV/IR Coating to Reduce Scratching and Discoloration of the Lens
- DIN 9 to 13 Variable **Shade Selection**
- 1/25,000 Per Second Switching Speed



24357 • TIG Rated Variable Shade 9 to 13

- Viewing Area: 3.54" x 1.37"
- Battery Powered with Solar Assist
- · Includes: Replacement Cover Lenses

Auto

Darkening

SKU **362974**



Auto Darkening OEM TOOLS Welding Helmet with Grinding Function

SKU **347233** 24358

- TIG Rated Variable Shade 9-13 Variable Sensitivity and Delay Controls
- 2 Independent Arc Sensors
- Grinding Function
- · Lens Darkening is 1/25.000
- · Battery Powered with Solar Assist
- Includes: Replacement Cover Lenses
- · Viewing Area: 3.62" x 1.65"

Premium Welding

Helmet - Gray Matter SKU **1400038** JAS47102

- 6.24 Sq. Inch Viewing Area
- · Auto Darkening Filter Meets 1/1/1/1 Optical Clarity Standard, the Highest in the Industry
- · Powered By Solar Technology and (1) CR2032 Lithium Battery



Welding Helmet

OEM TOOLS

Mechanics Butane Mini Torch

SKU **804655** 24353

Soldering

- · Adjustable Flame Lights Upside Down
- · Auto Ignition, Refillable Auto Ignition, nomination
 Safety Lock When Not in Use
 Butane Not Included



Mechanics Butane Torch

SKU **802236** 24354

· Heavy Duty Piezo Ignition with Strong Flame



Butane Not Included

Professional 3-in-1 Butane Micro Torch Kit

SKU **420339** 24356

- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip
- · Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/ Soldering Tip and Base
- Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
- Power Range: 30W to 125W



Butane Not Included

OEM TOOLS **Professional**

3-in-1 Butane Soldering **Iron Kit**

SKU **420338** 24355

- . Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip
- · Cable Free



Professional Soldering Gun Kit

SKU **1362003** 24773

REG. \$49.99

SAVE


- Includes: Heavy Duty 230/150-Watt Soldering Gun, General Purpose Soldering Tip, Plastic Cutting Tip and 0.5 Oz. (14 g) Rosin Core Solder
- Reaches Max. Temperature of 937°F at Low Power
- Reaches Max. Temperature of 1400°F at High Power
- 120V, 150/230W, 60 Hz



Welding Accessories

Welder's Combo Pack

SKU **459159** SHA14526





Multi-Purpose Welding Gloves

SKU OUTŠIDE BUY/EPO FRN53415



- · Size: Men's Large
- Ultra-Soft Premium Goatskin Leather
- · Back of the Hand is Lined for Extra Defense from Heat. Palm is Unlined for Dexterity and Finger Control



Welder Start-Up Kit SKU OUTSIDE BUY/EPO **FRN377**

5999

- . Bandit Flip Front Welding Helmet with Fully Adjustable Ratcheting Headgear
- · Leather Welding Gloves Chipping Hammer with
- Anti-Shock Handle Carbon Steel Scratch Brush



Consumables

E71T-GS Flux-Core Welding Wire 0.030" 2 Lb.

SKU OUTSIDE BUY/EPO FRN42300



- Tensile Strenath: 79,000 psi
- · Weight: 2 Lb.
- Recommended Polarity: DCEN Straight
- No Shielding Gas Required





ER70S-6 MIG Welding Wire 0.030" 10 Lb.

SKU **OUTSIDE BUY/EPO** FRN42286



- Tensile Strength: 70,000 psi
- · Weight: 10 Lb.
- Recommended Polarity: DCEP Reverse Polarity
- Required Shielding Gas: Argon/CO2



Torney

E71T-GS Flux-Core Welding Wire 0.035" 2 Lb.

SKU OUTSIDE BUY/EPO FRN42302

- Tensile Strength: 79,000 psi
- · Weight: 2 Lb.
- Recommended Polarity: DCEN Straight
- . No Shielding Gas Required



AZG0225

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

PAINT & BODY

Dent Repair

Adjustable Bumper Stand

SKU OUTSIDE BUY/EPO

- Holds Any Plastic Bumper Cover without Touching the Painted Surface
- Cover Can Be Rotated 90° to Ensure Proper Paint Coverage
- 5 Locking Positions
- Protective Rubber Boots Keep Critical Areas Free of Overspray
- 4 Industrial Grade Casters with 2 Locking for Zero Movement

For Outside Buv/EPO. Call 901-300-4878



Body Repair

Fast Action Body Repair Kit

- Includes: Hydraulic Pump, Hydraulic Ram, 4 Extension Rods, a Rubber Ball Foot and a Duckbill Hydraulic Spreader
- Features a Faster Double-Action Hydraulic Pump
- . Includes: Blow Mold Case

4 Ton

SKU **301327** 24820

10 Ton



3 Piece **Body Seam Splitter Set**

SKU **265129** 25337

OEM TOOLS

HAS

- . Includes: Straight, 30° Offset and 90° Angle Seam Splitters
- Tough Chrome Vanadium Steel
- GoThru® Shafts



Dent Puller

Slide Hammer Dent Puller Set

SKU **265148** 25922

- 12 Lb. Hammer, Slide Hammer Shaft, Slide Hammer Handle, Slide Hammer Adapter, Deep Hook, Short Hook, Door Edge Tool, Claw, Straight Driver, Hook and Chain, Sheet Metal Screw and Holder, Nose Piece with Screw
- . Comes in a Blow Mold Case



Windshield Tool

18" Professional Windshield Knife

SKU **480782** CAL53100

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle



Hood Props

Telescopic Hood Support

SKU **420337** 24211

- Simple Turn Locks and Unlocks the Support in Place
- Rubber End Caps Protect Vehicle's Finish
- 21" When Closed and Almost 48" When Fully Extended
- Compact and Easy to Store, Easy to Use



OEM TOOLS

Universal **Lift Support** Clamp

SKU 191671 25307

2999

· Securely Holds Weak Lift Supports in the Extended Position to Allow Access to the **Engine Compartment** or Luggage Area



1099 • Fits Most GM Cars, Minivans and Light Trucks

Headlight Tools

Headlamp/Taillight **Removal Tool Set**

SKU 1485047 **HSAUNI-7800**

- Features Two Lever Arms and Two Feeler Locator Strips
- · Allows Removal of Modules Without **Breaking Off Tabs**
- · Won't Scratch Surface Paint
- · Allows for Quick Removal and Snap-In Replacement



Door Tools

Door Spring Tool SKU **447118** 25336

- . Quickly and Easily Remove or Install Door Hinge Springs
- Designed for GM Cars and Light Trucks



OEM TOOLS

Catter

OEM TOOLS

Panel and Trim Clip Pliers

SKU **447154** 25930

- · Designed to Remove Panel Clips
- Constructed with a Durable Chrome Plated Allov Steel
- 2-Step Tip Minimizes Risk of Clip Damage
- . Ergonomic Comfort Grip Handles for Reduced User Fatigue

5 Piece Door Panel and Trim Remover Set

SKU **989263**

REG. \$45.99

- Comprised of 3 Door Panels and 2 Trim Tools
- Textured, Comfortable Grips with Thumb Stop and Hanging Hole

Offer Good Through June 30, 2025

6 Piece Door Panel and Trim Removal Set

SKU **003868** 25301

REG. \$59.99

• Includes: V-Notch Clip Remover, U-Notch Clip Remover, 2 Door Panel Removal Tools, C-Type Clip Removal Tool and Handle Clip Removal Tool Offer Good Through June 30, 2025



Trim Fastener and Molding Remover Set SKU **900801**

25314

Trim Tools

SKU **191678**

Air Bag Release Tool for GM

- Includes: 5 Tools for Easy Removal of Fasteners, Molding, Wheel Hubs and More
- For Use on Internal and External Vehicle Molding and Trim Fasteners


3 Piece Light Duty Smoothing/Prying Kit SKU **004111**

25084

- Prv Dashboard Parts and Vents without Damaging Interior
- Clean Crevices and Joints in Small Electronics
- Disassemble Key Fobs and Other Remotes
- Evenly Smooth Epoxy and Adhesives



OEM TOOLS




Door Hinge Adjuster SKU **447144**

Large and Small Latches

25946

- Adjusts Door Hinge Position on Most Vehicles 2-Head Adapter Works with
 - · Excellent Grip for Ease of Use Provides Leverage to Get the Job Done





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Combo Wrench Sets

RingStop® Reversible **Ratcheting Wrench Set**

- Patented RingStop® Design Makes One-Hand Use Easy
- Posi-Grip No-Slip[®] Design
- Jaw is 15° Offset
- Made with Chrome Vanadium Steel





Go Thru Ratcheting Head





15" Width x 10" Depth

VALUE: \$21.99

8 Piece Go Thru Socket Set (SAE) 22979

With Purchase of 23989

Offers Good While Supplies Last Through June 30, 2025

VALUE: \$29.99

12 Piece Go Thru Socket Set (Metric) 22978

With Purchase of 23988

Flex Head Flare Nut Wrench Set 5 Piece (SAE)

SKU **749849** 22063

• 1/4" x 5/16", 3/8" x 7/16" 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



6 Piece (Metric) SKU **749930** 22064

• 9 mm x 11 mm, 10 mm x 12 mm, 13 mm x 14 mm, 15 mm x 17 mm, 16 mm x 18 mm, 19 mm x 21 mm

With Purchase of 22063 or 22064

VALUE: \$9.99

Offer Good While Supplies Last Through June 30, 2025

Combo Wrench Sets

14 Piece (SAE)

SKU **802222 REG. \$119.99** 23993

• 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1", 1-1/16" and 1-1/8"

Offer Good Through June 30, 2025

16 Piece (Metric)

SKU **802224** 23994

• 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 and 22 mm



10 Piece Combination Wrench Set (Metric)

SKU **127920** 22995

• Includes: 10 to 19 mm

• Posi-Grip No-Slip® Design Provides Off-Corner Loading for Greater Torque with More Socket-to-Fastener Contact

. Marked on All 4 Sides for Easy Identification



JUMBO WRENCHES

SAVE

Jumbo wrenches are made of high quality drop forged steel and are precision machined to prevent fastener damage.

Individual Jumbo Wrenches Available on AZTOOL1.COM





SKU	Part #	Metric or SAE	Size	Price
338830	22100	SAE	1-1/16", 1-1/8", 1-1/4", 1-5/16",1-3/8" and 1-7/16"	<i>89.99</i>
338833	22101	SAE	1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"	119.99
338852	22120	Metric	21 mm, 22 mm, 24 mm, 25 mm, 27 mm, 29 mm, 30 mm and 32 mm	74.99
338858	22121	Metric	33 mm, 34 mm, 35 mm, 36 mm, 40 mm, 42 mm, 46 mm, 50 mm	139.99

Box End Offset 15° for Work in **Tight Spaces**

Continuous Curve Design Reduces Spreading, Slippage and Fastener Damage

SKU	Part #	SAE Size	Price
338859	22102	1-1/16"	15.99
338864	22103	1-1/8"	17.99
338866	22104	1-1/4"	19.99
338868	22105	1-5/16"	21.99
338877	22106	1-3/8"	23.99
338890	22107	1-7/16"	25.99
338896	22108	1-1/2"	27.99
338898	22109	1-5/8"	29.99
338903	22110	1-3/4"	31.99
338935	22111	1-7/8"	34.99



Jumbo Angle Wrench Set

6 Piece Jumbo Angle Head Wrench Set

SKU OSB/EPO 22113

• Sizes: 1-3/8", 1-1/2", 1-5/8", 1-3/4". 1-7/8" and 2"



Include Roll-Up Storage Bag


For Outside Buy/EPO, Call 901-300-4878

Ratcheting Combination Wrenches

GEARWRENCH 16 Piece 12 Pt. Ratcheting **Combination Wrench Set (Metric)**

SKU **213125** KDT9416

- Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 and 24 mm
- Ratcheting Box End Requires Only 5° to Move Fasteners
- 12 Point Design Providing More Positions to Engage the Fastener



Wrench Extender

Wrench Extender OFM TOOLS

SKU **1368628** 22656

- Safely Provides Extra Leverage to Loosen Rusted Bolts. Jammed Fasteners or Over-Tightened Nuts
- · Great for Use on Those Hard to Reach Fasteners



OEM TOOLS

Screwdrivers

19 Piece Screwdriver Set

SKU **1142325 20**99 73775





- Phillips: #0 x 1.5", #0 x 2.5", #1 x 3", #2 x 1.5" (Stubby), #2 x 4", #2 x 8", #3 x 6", #4 x 8"
- Offset: 3/16" x #1, 1/4" x #2
- Magnetic Tips Hold Fasteners in Place
- Square Shafts Can Be Used with Wrench for More Torque
- Hexagon Shaped Handles Prevent Roll Off
- Color Coded Fluting Defines Driver Type



8 Piece Mechanics Screwdriver Set

SKU **802208** 23999



- Features a Hard Chrome[™] Finish, an Easy-to-Clean Smooth Satin Finish That Won't Show Prints and Keeps Rust Away
- Visible if a Tool is Missing

 Slotted: 1/4" x 1-1/2", 3/16" x 3", 1/4" x 4",
- 5/16" x 6" and 3/8" x 8"

Offer Good Through June 30, 2025







REG. \$69.99

· Custom Cut of the Tool is a Hi-Vis Green Making it



20 Piece Screwdriver Set SKU **1142343** 92080


· Chrome Vanadium Steel Shaft for Strength and Durability

- Precision Ground Sandblasted Tip
- Highest Quality Acetate Handle
- Slotted: 3/32" x 2", 1/8" x 2", 3/16" x 4", 1/4" x 1-1/2", 1/4" x 4", 1/4" x 6" Phillips: #00 x 1-1/2", #0 x 2", #1 x 3", #2 x 4", #2 x 6", #2 x 1-1/2"
- Star: T15, T20
- Square: #2
- (1) Offset Screwdriver
- · 4 Piece Hook and Pick Set

Star Screwdrivers

5 Piece Star Screwdriver Set

SKU **1142630** 73721



- Magnetic Tips Hold Fasteners in Place
- · Hexagon Shaped Handles Prevent Roll Off



Gasket Scraper Set

3 Piece Gasket Scraper Set SKU **1069069**

• Includes: 3/4", 1" and 1-1/2" Gasket Scrapers



Ratcheting Screwdriver

Pivot-Grip Ratcheting Screwdriver

SKU **004103 71** 99 22557



- Pivoting Handle Provides Ergonomic Gripping Positions

 • Forward and Reverse Ratcheting
- . Magnetic Bit Shaft for a Secure Fit
- Overall Length: 10"
- Internal Bit Cartridge for Convenient Storage
- Includes: 6 Bits: Phillips (#1, #2),

Slotted (4 mm, 6 mm) and Robinson (#1, #2)






OEM TOOLS

OEM TOOLS

Long Reach Screwdrivers

• High Performance Hex Shaped Shaft for More Torque and Less Flex

- Precision Machined and Sand Blasted Tips That Reduce Cam-Out
- Durable Ergonomic Handles are Made of Hardened Resin



Hex Key Sets

27 Piece Star and Hex Key Set (Metric and SAE)

SKU **1209375** 24299

- . Extra Long Arm for Accessing Hard-to-Reach Spots
- · Each Tool is Color Coded and Marked with Sizes for Easy Identification
- SAE and Metric Hex Keys Have Ball-End Design for Reaching at Angles Up to 25°



Extra Long Blades for Hard to Reach and

Recessed Fasteners in Tight Spaces

- Manganese Phosphate Finish Resists Corrosion
- 25° Entry Angle for Better Work Near Obstructions
- Long Arms Provide for Increased Torque and Extra Reach

35 Piece SAE, Metric and Star SKU **1168819** 24249





9 Piece Magnetic Long Arm Hex Key Set Long - SAE SKU **978109**

24261 REG. \$27.99

• Includes SAE Sizes: 1/16", 5/64", 3/32", 1/8", 5/32" 3/16", 1/4", 5/16" and 3/8" Color Coded Red - SAE Magnetic Tips Hold Fasteners in Place and Prevents Them from Slipping









Offer Good Through June 30, 2025

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.co

10 mm Socket Set

10 Piece 10 mm Master Socket Set (Metric)

SKU **1267951 94 99** 22463

- Magnetic Impact Sockets are Constructed with Chrome Molybdenum for Strength and Durability
- Includes: (5) 1/4" Drive Sockets and (5) 3/8" Drive Sockets

OEM TOOLS 10 mm If You Know, You Know

Mechanics Set

64 Piece 1/4" Drive Metric Set

SKU **020788** 23997

- Shallow Sockets, 6 Pt: 4 to 15 mm Ratchet Screwdriver
- Deep Sockets, 6 Pt: 4 to 15 mm
- Drive Wobble Straight Extension
- . Bit Extension Bars: 6" and 10"

FOĀM

 Universal Joint Ratchet

OEM TOOLS

• 28 Bits



3 Piece Low-Profile Adapter Set

SKU **818570** 22535



1/4" F x 3/8" M, 3/8" F x 1/2" M, and 1/2" F x 3/4" M



Ratchet and Socket Set

OEM TOOLS

26 Piece 1/2" Drive Ratchet and Socket Set SKU **591154**

23995

• Includes: (21) 6 Pt. Metric and SAE Sockets (1) 1/2" Dr. Extension Bar 3" (1) 1/2" Dr. Extension Bar L6 (1) 1/2" Swivel U-Joint (1) 1/2" Dr. Regular Ratchet



Universal Joints

1/4" Drive

SKU **081225** 22520

1/2" Drive

3/8" Drive

SKU **081226** 22521

(Style May Vary)

Socket Adapters

CR-V Steel for Strength

Get into Tighter Spaces

· Includes:

Adapters

 Hard Chrome[™] Finish is Easy to Clean and Will Keep Away Rust



HARD CHROME™FINI\$H **OEM** TOOLS

SKU	Part #	Drive	Price
81228	22530	1/2" F x 3/4" M	14.99
81229	22531	1/2" F x 3/8" M	10.99
81230	22532	3/8" F x 1/2" M	7.99
81232	22533	3/8" F x 1/4" M	6.99
81233	22534	1/4" F x 3/8" M	7.99

OEM TOOLS

Socket Sets

10 Piece (SAE)

SKU **127786**

• 3/16" to 9/16"

22952

SKU **081227**

22522

- Posi-Grip No-Slip®
- . Off Corner Loading for Greater Torque

12 Piece (Metric)

SKU **127836**

• 5 mm to 15 mm

22950

- . Knurling Position for Best Finger Gripping
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head

10 Piece Deep (SAE) 12 Piece Deep (Metric)

22951

SKU **127772**

• 5 to 15 mm

. Deep Marking for Easy Identification





SKU **850056**

12 Piece 1/4" Deep (Metric) SKU **850510**

10 Piece 1/4" Deep (SAE)

23986 · Includes:

5 mm to 15 mm



10" Width x 4" Depth

3/8" Drive Socket Sets

1/4" Drive Socket Sets

11 Piece (SAE)

SKU **127798**

22956

• 1/4" to 7/8"

12 Piece (Metric)

SKU **127794** 22954

• 8 mm to 19 mm

SKU **127803**

SKU **1414402**

3/16" to 9/16"

22953A

11 Piece Deep (SAE) 12 Piece Deep (Metric)

22955

22957

• 1/4" to 7/8'

SKU **127797**

• 8 mm to 19 mm

1/2" Drive Socket Sets

11 Piece (SAE) SKU **127812**

22960

• 1/2" to 1-1/8"

10 Piece (Metric) SKU **127807** 22958

• 10 mm to 19 mm

11 Piece Deep (SAE) 10 Piece Deep (Metric) SKU **127846** 22961

• 1/2" to 1-1/8"

SKU **127809** 22959

• 10 mm to 19 mm



12 Piece 3/8" Deep Socket Set (Metric)

SKU **103402** 23981

• Includes: 8 mm to 19 mm



10" Width x 7" Depth



24 Piece 3/8" Dr. Socket Set (Metric)

SKU **127868** 22963

• Includes: 8-19 mm (Deep) and 8-19 mm (Shallow)

22 Piece 3/8" Drive **Socket Set (SAE)** SKU **127869**

22962


• Includes: 1/4" to 7/8" (Deep); 1/4" to 7/8" (Shallow)



AZG0225

Ratchets

- 36 Teeth with 10° Arc Motion for Precision and Strength
- Reversing Lever Allows a Forward and Reverse in One-Hand Action
- . Sealed to Keep Dirt and Debris Out of Head
- . Compact Head Designed to Get into Tight Spaces



HARD CHROME"FINISH OFMITOOLS!

SKU	Part #	Type	Drive	Length	Price
081298	22900	Standard	1/4"	4-1/4"	18.99
177728	22911	Standard	3/8"	8"	34.99
177768	22920	Standard	1/2"	10"	43.99
177702	22910	Stubby	3/8"	4"	33.99
081301	22901	Flexible	1/4"	6"	29.99
177730	22912	Flexible	3/8"	11-1/2"	42.99
177769	22921	Flexible	1/2"	17-1/2"	45.99

Extensions

- **OEM** TOOLS
- · Chamfered Ends for Positive **Engagement with Drive Tools**
- . Knurled Shank for Easy Fingertip Turning
- Milled Ends Provide a Solid Connection

SKU	Part #	Drive	Length	Price
081213	22481	1/4"	4"	<i>5.99</i>
081215	22482	1/4"	6"	7.99
081218	22483	1/4"	11"	9.99
081219	22490	3/8"	1-3/4"	9.99
081220	22491	3/8"	4"	10.99
306326	22492	3/8"	6"	<i>8.99</i>
306287	22494	3/8"	10"	11.99
081212	22480	1/2"	2"	<i>3.99</i>
081221	22500	1/2"	3"	9.99
081223	22501	1/2"	6"	11.99
081224	22502	1/2"	10"	18.99

Flex Head Breaker Bars

- · Special Alloy Steel, Heat-Treated to Provide Durability
- 180° Flex Head Provides Leverage at Desired Angle for Hard-to-Reach Applications

SKU	Part #	Drive	Length	Price
081302	22913	3/8"	11-9/16"	14.99
081303	22922	1/2"	18"	24.99
750437	22923	1/2"	24"	29.99



Impact Driver

1/2" Drive Impact Driver Set

SKU **1142387**

- 22561
- Easily Break Free Rusted, Corroded and Frozen Screws
- Includes: Impact Driver, Bit Adapter, 8 Impact Bits and Sturdy Blow Mold Case



Pocket Screwdrivers

5 Piece Spiral Drive Bit Set

SKU **80223**4 22975

· Sizes: MTS0, MTS1, MTS2, MTS3 and MTS4 • 3/8" Drive

GM, Chrysler, BMW and Fiat Vehicles of the Mid-2000 and Later Model Range Including Bolts That Secure the Bell Housing to the Transmission on GM 4L60 Transmissions

Services New Fasteners Found on Many





Triple Square Bit Sets

- Use on European Vehicles Like BMW, Mercedes, VW, Audi and Porsche
- Heat-Treated Alloy Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets to Increase Turning Power
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treatment to Prevent Rust and Corrosion
- Meets and Exceeds ANSI Standards

OEM TOOLS

OEM TOOLS

10 Piece Extra Long XZN Triple Square Spline Bit Socket Set

SKU **1368626** 23519

REG. \$44.99



Socket Length: 3.93











10 Piece Magnetic Long Triple

Square Bit Socket Set

Socket Length: 3.93"





• 1/4" Drive: M4, M5 and M6 (Length: 37 mm)

SKU **191052**

25953

9 Piece Triple Square Bit Set

• 3/8" Drive: M8, M10 and M12 (Length: 48 mm)

 1/2" Drive Tamper-Proof: M14, M16 and M18 (Length: 55 mm)







Offer Good Through June 30, 2025

10 Piece Triple Square Bit Socket Set

SKU **1368630** 22711

134



- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper-Proof) M14, M16, M18
- . Comes Enclosed in Blow Mold Case for Easy Identification and Storage



10 Piece Magnetic Triple Square Bit Socket Set

SKU **1368615** 23906



- . Powerful Magnetic Bits to Prevent the Loss of Nuts, Bolts and Fasteners
- · Comes Enclosed in Blow Mold Case for Easy Identification and Storage
- Sizes Included: (1/4" Drive) M4, M5, M6; (3/8" Drive) M8, M9, M10, M12, M14; (1/2" Drive) M16, M18



- . Constructed for Professionals with Superior Materials for Increased Torque and Hardness
- . Heat-Treated S2 Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets for Durability and Improved Finish
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treated to Prevent Rust and Corrosion

OEM TOOLS

Hex Sets

12 Piece Magnetic (SAE)

SKU **1282759** 23900 **REG. \$34.99**

- 1/4" Drive: 1/16", 5/64", 3/32", 7/64" and 1/8" 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"

12 Piece Magnetic (Metric)

SKU **1282804** 23901

REG. \$34.99

- 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm and 5.5 mm
- 3/8" Drive 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

12 Piece Magnetic Long (SAE)

SKU **1282807** 23902

FREG. \$44.99

• 1/4" Drive: 1/16", 5/64", 3/32", 7/64", 1/8" • 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

12 Piece Magnetic Long (Metric)

SKU **1282737** 23903

REG. \$44.99 • 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

Offers Good While Supplies Last Through June 30, 2025



26 Piece Master Hex Bit Set

SKU **802219** 23990

• Includes: 1/4" Drive Sizes: 1/8" to 7/32" and 2.5 to 5 mm, 3/8" Drive Sizes: 1/4" to 11/32" and 6 to 9 mm, 1/2" Drive Sizes: 3/8" to 5/8" and 10 to 19 mm



S2

STEEL

STEEL



12 Piece Long (SAE)

SKU **1282747** 23563 **REG. \$34.99**

- 1/4" Drive: 1/16", 5/64" 3/32", 7/64" and 1/8"
- 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8'



12 Piece Long (Metric)

SKU **1282757** 23538

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm 7 mm. 8 mm. 9 mm. 10 mm and 12 mm

SAVE

REG. \$34.99





32 Piece Hex Bit Socket Set (SAE and Metric)


SKU **1282740** 22989

SAE

- 1/4" Drive: 1/8", 5/32", 3/16", 7/32" and 1/4"
- 3/8" Drive: 9/32", 5/16", 3/8", 7/16" and 1/2'
- 1/2" Drive: 9/16", 5/8", 11/16" and 3/4"

Metric

- 1/4" Drive: 2, 2.5, 3, 4, 5, 5.5 and 6 mm
- 3/8" Drive: 7, 8, 9, 10 and 12 mm
- 1/2" Drive: 14, 15, 17 and 19 mm





1/2" Drive Hex Bit Set (Metric) SKU **OUTSIDE BUY/EPO**

- 25417 • Sizes: 12, 14 and 17 mm
- Use on Transmission and Differential Drain Plugs

For Outside Buy/EPO, Call 901-300-4878



7 Piece Hex Bit Set (SAE)

SKU **127904** 22982





- 3/8" Drive: 5/16" and 3/8' • 1/2" Drive: 7/16",
- 1/2", 9/16", 5/8" and 3/4"





Offers Good Through June 30, 2025

STEEL

1/2" Drive Metric Hex Bit **Socket Set (7 Piece)**

SKU 1168830 22998



• Includes: 13, 14, 15, 17, 19, 21 and 22 mm



9 Piece Hex Bit Set (Metric)

SKU **127903** 22983


- Includes: 1/4" Drive 2, 2.5, 3, 4 mm and 3/8" Drive 5. 6. 7. 8. 10 mm
- . Knurling Position is Optimized for Best Finger **Gripping Position**



1/2" Drive SAE Hex Bit **Socket Set (6 Piece)**

SKU **1168826** 22999





 Tempered Chrome Vanadium Steel with a Plated Finish for Long Life



12 Piece Hex Bit Set (SAE) SKU **127905**





S2

STEEL

STEEL



AZG0225

(3/8" Drive) 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" Knurling Position is Optimized for Best Finger Gripping Position





Multi-Drive Sets

♦ ♦ S2 STEEL **35 Piece Multi-Drive Star Socket Set**

SKU **802217** _____99 23991

• 1/4" Drive Star: T10, T15, T20, T25, T27 and T30

- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4. E5. E6. E7 and E8
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55
- 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60 and T70
- 1/2" Drive Female Star: E18



44 Piece Multi-Drive Star and Bit Socket Set

SKU **802206** 23992





- 1/4" Bit Holder
- 1/4" Hex Drive Tamper-Proof Star Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30
- 1/4" Hex Drive Star: T10, T15, T20, T25, T27 and T30
- 3/8" Drive Star: T40, T45, T47, T50, T55 and T60
- 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32",
- 1/4", 5/16" and 3/8"
- 3/8" Drive Phillips: #1, #2 and #3
- 3/8" Drive Slotted: 3/16", 1/4" and 5/16"



Star Sets

13 Piece Tamper-Proof SKU **1282735**

22710 **REG. \$24.99** • 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60

13 Piece Star Bit Socket Set

SKU **1282806** 22977

19 REG. \$24.99







- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60

Offers Good While Supplies Last Through June 30, 2025

35 Piece Master Star Bit Set

SKU **466622** 25951

- 1/4" Drive Star: T8 to T30
- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8
 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60





11 Piece Tamper-Proof Star Set

SKU **127872** 22972



- Includes: (1/4" Drive) T8, T10, T15, T20, T25, (3/8" Drive) T27, T30, T40, T45, T47, T50
- Knurling Position is Optimized for Best Finger Gripping Position
- Black Oxide Finish Indicates Star Drivers

Offer Good While Supplies Last Through June 30, 2025



12 Piece Tamper-Proof Star Set

SKU **127870 299** 22971

136



- Includes: (1/4" Drive) T8 to T25; and (3/8" Drive) T27 to T55
- Knurling Position is Optimized for Best Finger Gripping Position -- Go Ahead and Put On Serious Torque, it Won't Slip
- Black Oxide Finish Indicates Star Drivers
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- Makes Fastener Engagement Quick and Smooth



13 Piece Magnetic

SKU **1267957** 23904



• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and T60



13 Piece Magnetic Long SKU **OUTSIDE BUY/EPO**

23905



T20, T25 T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and



For Outside Buy/EPO. Call 901-300-4878

Offers Good While Supplies Last Through June 30, 2025

STEEL

STEEL



Stubby Star Drive Sets

13 Piece

SKU **447157** 24293



• 1/4" Drive: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T47 and T50



13 Piece Tamper-Proof

SKU **447156** 24294







OEM TOOLS



13 Piece **Extra Long** SKU **1282758** 23680



• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and T60











23987

Pro Series Pliers Sets 3 Piece Groove Joint Pliers Set SKU **662761**

REG. \$49.99

22648 • Sizes: 8", 10'

and 12'

 Gripping Capacity: 8" (1.25") 10" (1.80") 12" (2.25")

> Offer Good Through June 30, 2025

OEM TOOLS

Locking Pliers

- For Clamping and Gripping in Tight Spaces
- . Constructed with Heat-Treated Alloy Steel
- Precision-Machined Jaws Feature Hardened Teeth to Provide a Sure Grip from Any Angle

• Instant Locking and Release Mechanism for Improved Control

· Nickel Chrome Plated to Resist Rust

7 Piece Locking Pliers Set

SKU **012622** 23987

• Sizes: 4", 5", 7", 10" Curved Jaw and 4", 6", 9" Long Nose



15" Width x 10" Depth

22635

22637

22642



OEM TOOLS

3 Piece Mechanics Pliers Set

SKU **662748** 22647

· Pliers and Sizes: 7" Diagonal Pliers 8" Linesman Pliers 10" Speed-Fit Pliers



Curved Jaw



Chain

C-Clamp 22641

SKU	Part #	Туре	Size	Price
081256	22635		4"	7.99
081257	22636	Curved Jaw	5"	14.99
081261	22638	Curveu Jaw	7"	12.99
081263	22640	-	10"	18.99
081260	22637	Long Noos	6-1/2"	9.99
081262	22639	Long Nose	9"	12.99
081267	22642	Chain	19"	19.99
081265	22641	C-Clamp	11"	14.99

Diagonal Pliers

OEM TOOLS

6-1/2" High Leverage **Diagonal Pliers**

SKU **081240** 22614

1299 TECKERDY

• High Leverage Design for Gripping, Bending and Cutting Tasks



Extended Reach Pliers

TECHEROY 11" Long Reach Long Nose Pliers

Constructed with Durable Heat-Treated Alloy Steel

- Precision-Machined Jaws Provide Improved Grip
- TecReady Grip Handles Reduce User Fatique
- Nickel Chrome Plated to Resist Rust

Straight

SKU **081249** 22621

45°

SKU **081250** 22622

Duck Bill

SKU **213108** 22644

(Color May Vary)

11" Hose Gripper Pliers Set (3 Piece)

SKU **94811** L311L

- Sizes: 5/16", 1/2" and 3/4" Constructed with Durable Drop Forged Steel
- Specialized Jaw will Securely Grip Cooling System, Fuel and Vacuum Lines without Damaging the Hose Heavy Duty Double-Dipped
- Synthetic Grip Handles to Minimize Slippage and Reduce User Fatique
- Chrome Plated to Resist Rust

OEM TOOLS

Mechanic's Pliers

- · Precision-Machined Jaws Provide Improved Grip
- TecReady Grip Handles Reduce User Fatique
- Nickel Chrome Plated to Resist Rust

OEM TOOLS

Diagonal **Pliers**

· High Leverage Design for Gripping, Bending and Cutting Tasks

Groove Joint Pliers · Adjustable Jaw Provides

Gripping Power for Turning Irregularly Shaped Objects, **Nuts and Bolts**

Linesman **Pliers**

 Designed for Gripping Twisting, Bending and **Cutting Wire and Cable**



Hard-to-Reach Spaces

 For Powerful Gripping and Cutting in

SKU	Part #	Type	Size	Price
081241	22615	Diagonal	7-1/2"	17.99
081245	22617	Groove Joint	6"	16.99
081246	22618		8"	18.99
081247	22619		10"	19.99
081248	22620		12"	21.99
081252	22624		16"	24.99
081243	22616	Linesman	8"	18.99
081237	22612	Long Nose Pliers with Side Cutter	6"	16.99
081239	22613		8"	18.99

X-Type Pliers 2 Piece 13" Long **Nose Pliers Set**

SKU **213127** 22632

• Includes: 45° and Straight **Extended Reach Pliers**

REG. \$39.98 When You Buy the Set

OEM TOOLS

13" Long Nose Pliers

· Serrated Jaws for Precision Gripping

Straight SKU **213135**

22633

45° SKU **213117** 22634



Offer Good Through June 30, 2025

Dead Blow Hammers 3 Piece Dead OEM TOOLS **Blow Hammer Set** SKU **900804** REG. \$32.99 • Soft Rubber Handles for Non-Slip Grip • Steel Shot Filled for More Force Non-Spark Material Used 1/2 l h 11h 21h Offer Good Through June 30, 2025





36" Prv Bar

SKU **695126** 24435

• Unique Ergonomically Designed 3-Sided Handle

- for Secure Grip and Comfort Handles Made with Hardened Resin That is Solvent Resistant and Easy-to-Clean
- Forged and Hardened 5/8 In. Square Stock for Incredible Strength

Adiustable Wrenches

OEM TOOLS

- · Made with Special Alloy Steel, Heat-Treated
- Deep Marking for Easy Identification
- Nickel Chrome Plated Steel Won't Rust



SKU	Part #	Size	Price
081268	22650	4"	9.99
081269	22651	6"	11.99
081271	22652	8"	13.99
081273	22653	10"	15.99
081274	22654	12"	17.99
081297	22655	15"	21.99

Pipe Wrench



- Precision Milled Moveable Jaws
- · Perfectly Balanced



SKU	Part #	Material	Size	Price
965845	APW14	Aluminum -	14"	29.99
965848	APW18		18"	<i>59.99</i>
972768	APW24		24"	<i>59.99</i>
965847	APW36		36"	69.99
965846	PW24	Steel	24"	44.99

Pick-Up Tool

OEM TOOLS

OEM TOOLS

Heavy Duty Telescopic Magnetic Pick-Up Tool SKU **231**205

25466

- Lifts Up to 3 Lb.
- Telescoping Handle Range: 6" to 33'



SHEFFIELD

Cutting Tools

Folding Lock Back® Utility Knife with Blade Dispenser

SKU **1022296** 25537

- Includes: Blade Dispenser with 50 Blades
- Extra-Wide Handle for Increased Comfort and Leverage



Premium Folding Lock Back® Utility Knife with Sheath SKU **1142419**

12818

- 3-1/2" Stainless Steel and Hardwood Handle
- Patented Quick-Change Mechanism
- Accepts All Standard Utility Blades
- Includes: 1 Blade and Leather Sheath with Pocket Clip

4 Piece Plastic Scraper Set

SKU **900802** 25513



- · Works Like a Chisel
- Will Not Scratch Paint
- . Will Not Cause Sparks
- Can Be Used for Wheel Weight Removal





10" Utility Scissors SKU **1142911** 25085

• Super Hard Diamond-Like Carbon (DLC) Coating

- Stainless Steel Construction for Strength and Durability
- Bolt Lock Keeps Blades Secure
- Full Length Metal Frame Extends Through Handle for Added Strength



SHEFFIELD

OFM TOOLS

Scraper Kit SKU **1282744** 69004

- . Includes: 2 Packs of Razor Blades (200) and 1 Razor Blade Scraper
- Perfect for Removing Paint and Decals



Moab Auto Emergency Folding Pocket Knife SKU **1142700**

12870



- One-Handed Opening Mechanism
- Liner Lock
- Pocket Clip • 4.5 Oz.
- · Glass Breaker · Belt Cutter
- Lifetime Warranty



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.cor





8 Piece Combination Hook and Pick Set

SKU **1168660** 68913

• Set Includes: 4 Pc. 8" Hook and Pick Set with Acetate Handle and 4 Pc. 6" Mini Hook and Pick Set with Cushion Grip



6 Piece 8" Hook and Pick Set SKU **1207883**


26545 • Set Includes: 1 Hook Pick, 1 Complex Pick, (1) 90° Pick, 1 Combination Pick,



8 Piece 10" Cushion TOOLS **Hook and Pick Set**

SKU **1207881** 26526

 Set Includes: Hook Pick, 90° Pick, 45° Pick, **Double Angle** Pick, Complex Pick, Angle Hook Pick, Combination Pick and a Straight Pick



Safety Wire Pliers

OEM TOOLS

Reversible Wire Twister Pliers

Includes: 10 Meter x 0.5 mm Wire

- Heavy Duty Construction with Automatic Spring Return
- · Reversible Action for Left and Right Twists
- · Locking Jaws for Superior Wire Twisting
- Forged High Carbon Diamond Grooved Jaws to Cut and Grip Stainless Wire





Offer Good Through June 30, 2025

Hack Saw and Blade Packs

Professional Hack Saw

SKU **1142352** 74007

- Includes (1) 12" 24 TPI Bi-Material Blade
- High Tension Blade Prevents Twisting to Ensure Straight, Fast Cut
- Ergonomic Comfort Grip on Front Frame and Handle Provides Two-Handed Control





Tension Control Provides Easy Adjustment When Changing Blades

GreatNeck

GreatNeck

Bolt Cutters

OEM TOOLS

8" Mini Bolt Cutter


SKU **479080** 22609

- . Designed for Heavy Duty Wire, Bolt, Nail and Rivet Cutting
- 8" Mini Bolt Cutter Features Induction Hardened Cutting
- Blades Rated at Over **58 HRC**



Bolt Cutters

- Forged S2 Steel Construction for Cutting Power
- . Hardened Cutting Edge for Long Life
- Ergonomic Comfort Grip Handles





BC30

9099 SKU **965828** SKU **025213**

SKU **965827 BC36**

AZG0225

BC36

Specialty Wrenches

Adjustable Gland Nut Wrench

- · For Hydraulic Cylinders with Gland Nuts
- · Reversible Design

SKU **1207900** 27398

- Range: 1" to 3.75"
- Pin Size: 7/32" and 1/4"
- Drive: 1/2"

OEM TOOLS



SKU **1340231** 27397

6" and 9"

SKU 1282746

22663

99

- Range: 2" to 6"
- Pin Size: 1/4" and 5/16"
- Drive: 3/4"

Nut Drivers

7 Piece Professional Nut Driver Set

· Chrome Vanadium Steel for Strength and Durability

24¹¹

BC24

- . Highest Quality Acetate Handle Stands Up to Abuse
- · Color Coded for Easy Identification

Metric

SKU **949001** ND71

• Sizes: 6, 7, 8, 9, 10, 11 and 12 mm

SAE

SKU **949002 ND72**

• Sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2"



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

THREAD REPAIR

Ford Triton Repair Kits

Ford Triton 2 Valve Cylinder Repair Set

SKU **1268421** CAL38900

- Quality Foolproof Repair System That is Cost-Effective and Fast
- · High-Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail
- Application: 1996 to 2003 Ford 4.6L, 5.4L and 6.8L Engines



Ford 2 Valve Insert

SKU **1268420 34** 99 CAL389-100

- Designed to Aid in Repairing 1996-2003 Two Valve Ford Modular Cylinder Heads
- · High Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail



Cal-Yan



Ford Triton 3 Valve Set

SKU **343388 329** 99 CAL39300

- Application: 2004 to 2008 Ford 4.6 and 5.4 3 Valve Engines with Spark Plugs That are M16 x 1.5
- Includes 8 Inserts



FIX-A-THRED

Cal-Van

M₁₆ x 1.5 **3 Valve Insert**

SKU **396658** CAL393-100

2 Valve Kit

• Note: this is NOT the Replacement Insert for the Triton



Ford Triton Spark Plug and Electrode Repair Set

SKU **1268418** CAL39500

• Extracts the Broken Porcelain or Seized Sleeves from Broken Spark Plugs in 2003 to Current Ford Triton Engines



Ford Triton Plug-Saver® Kit SKU **094873**

FIX98140T

• Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines

10000001

- · Repairs Worn, Damaged Threads
- Includes: Self Cutting Tap, Tool and 8 Inserts in a Sturdy Case



FIX-A-THRED

Broken Spark Plug Remover Ford Triton 3 Valve SKU **489173** 12099

LIS65600 • Includes a Unique Porcelain Pusher Tool and a Tapered Left-Hand Thread Remover for Removing the Broken Spark Plug without Leaving the Porcelain in



al-Van

SKU **110263** FIX98149P

Califan

Inserts (Pack of 8)

3999

Oxygen Sensor Thread Repair

Oxygen FIX-A-THRED **Sensor Thread Repair Kit** SKU 010134

- FIX38189-1 No Need to Replace Exhaust Manifold
- Pilot Nose Tap Provided



Wheel Stud Cleaner

Quick Change Wheel Stud Cleaner Kit

SKU 666299 CAL16

- Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



Head Bolt Thread Repair

Metric Head Bolt Thread Repair Kit

SKU **010131** FIX35119S

- · Extended Reach for Deep Threads
- Longer Length (33 x 1.5 mm) Inserts for Maximum Thread Engagement
- · Applications: Cadillac, Honda, Toyota and Other Imports That Use M11 x 1.5 Head Bolts



Spark Plug Thread Repair

Spark Plug Thread Repair Kit -**Metric M14 - 1.25**

SKU **557108** 25643



OEM TOOLS

- . Includes: High-Grade Tap, (3) Inserts and a Job-Specific Installation/Tang Break-Off Tool
- Returns Threads to Original Size
- Creates a Permanent and Wear-Resistant Thread



Nut Busting Bolt Extractors

Nut Busting Bolt Extractor Socket Sets

- High Visibility Markings for Fast, Easy Socket Selection
- Chrome-Molybdenum Steel Construction for Maximum Durability









OEM TOOLS

9 Piece (SAE)

SKU **751720** 22968

 Includes: 1/4", 5/16", 3/8". 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"



22967

SKU **751718 94** 99

9 Piece (Metric)

• Includes: 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 16 mm, 17 mm and 19 mm

Spiral Bolt Extractor Sets

- . Made of High-Quality Chrome Molybdenum Steel for Durability
- Grips and Removes a Wide Range of Stubborn Fasteners
- 3/8" Drive

Bites into Rusted. **Rounded and Painted Over Nuts and Bolts**



OEM TOOLS

SAVE




Specialized Spiral Design for a Secure Universal Grip on Nuts and Bolts

3/8" Drive 18 Piece Impact **Extractor Set**

SKU **1361992** // 1099 23700

• Sizes: 7 mm, 5/16" (8 mm), 9 mm, 3/8", 10 mm, 7/16" (11 mm), 12 mm, 1/2", 3 mm, 14 mm, 9/16", 5/8" (16 mm), 17 mm, 11/16", 3/4" (19 mm) and 1/4" Hex Adapter and Knockout Pin



5 Piece Spiral Type Deep Extractor Set on Aluminum Rail

SKU **OUTSIDE BUY/EPO** 22993

• Sizes: 3/8" (10 mm), 7/16" (11 mm), 1/2" (13 mm), 9/16" (14 mm) and 5/8" (16 mm)



For Outside Buy/EPO, Call 901-300-4878

5 Piece Spiral Type Extractor Set on Aluminum Rail

SKU **081304** 22985

• Sizes: 5/16" (8 mm), 10 mm, 13 mm, 11/16" and 3/4" (19 mm)



10 Piece Spiral Type Bolt Extractor Set on Aluminum Rail

SKU **081788** 22988

39 REG. \$49.99 • Sizes: 5/16" (8 mm), 3/8", 10 mm, 7/16" (11 mm), 13 mm, 11/16", 1/2" (13 mm), 9/16" (14 mm),



Offer Good Through June 30, 2025

Drain Plug Repair

Drain Plug Repair Kit SKU **818569** CAL38400

- Designed to Repair Aluminum Oil Pans with Damaged Drain Plug Threads, Size M12 x 1.75 Commonly Found in GM, Ford and Mazda Vehicles
- · Includes: Drill, Counter Bore, Tap, Driver, Guide and (5) 12 mm Inserts
- Allows Use of OEM Plug Instead of an Oversize Replacement

Catron



Axle Spindle Thread Repair

Axle Spindle Threading Set SKU **1103645**

- Used to Clean or Repair Axle Threads
- Set Comes with a Special Twist Shape That Provides Easier and Quicker Work
- Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar



Oil Pan Rethreading Kit

SKU **751709** LIS58850

. Oil Pan Plug Rethreading Kit Works on Steel or Aluminum Pans 1/2", 12 mm and 14 mm Threads



Tap Sockets

8 Piece Tap Socket Set SKU **OUTSIDE BUY/EPO** 24750

Designed to Fit All Standard Taps Up to 1/2"

- Compatible with 1/8" NPT Taps and Metric Taps Up to 12 mm
- · Perfect for Use in Tight Spaces Where a T-Handle Cannot Fit

For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

Screw Extractor Bits

6 Piece Spiral Flute Screw Extractors Set

SKU **099277** 24374

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4, Fx-5 and Fx-6
- Comes in a Vinyl Pouch



10 Piece Spiral Extractor and Drill Bit Combo Pack SKU **099229** 24373

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4 and Ex-5
- Left Hand 135° Split Point Cobalt
- Drill Bit Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"
- · Pilot Point Starts on Contact and Eliminates Bit Walking

· Comes in a Vinyl

10 Piece Multi-Spline Screw Extractor Set

SKU **099281** 24375

lisle

- Sizes 1/8" to 13/32" (1/32" Increments)
- Can Be Used with Hand Sockets and Wrenches
- Aggressive Left Hand Spiral Design Provides Extra Gripping Power
- Designed to Prevent Extractor from Entering too Deeply and **Expanding Screw**
- · Comes in a Foam-Lined Metal Case

35 Piece Master **Screw Extractor/Drill Bit Set**

SKU **099258** 24377



135° Split Point Left Hand Cobalt Drill Bits

Comes in a Foam-Lined Metal Case



Offer Good Through June 30, 2025

OEM TOOLS

4 Piece Damaged **Screw Extractor Set** SKU **081310 Q** 99

25158

• Used to Quickly Remove Stripped, Broken and Painted Over Screws

· Will Work with Phillips, Flathead, Hex and Other Common Screws



AZG0225

SHOP SUPPLIES

SNG Consumables

Start-Up Kit (Dispenser and Product)

SKU **262544 SNGMFKP994376**

1 Sign

• Kit Includes: 250 Seat Covers 250 Paper Floor Mats 500 Plastic Floor Mats 500 Parts Bags 100 Tire Bags 1 Metal Floor Rack



BONUS VALUE: \$64.99

Steering Wheel Cover SNGFBP994462

With Purchase of: SNGMFKP994376

Offer Good While Supplies Last Through June 30, 2025

Plastic Write On Key Tag (1,000 Count)



· Self Locking Plastic Kev Tags Help Secure Keys

Blue SKU 1125872 SNGFBP993398

Red


SKU 1125859 SNGFBP993324

Yellow

SKU **262547**

SNGMFBP993323

SKU 1125868 SNGFBP993399



Disposable Seat Cover

- 2-Layer Construction Keeps Cover in Place
- Refill for Start-Up Kit

Premium (250/Roll)

SKU **262537** SNGMFGP994314

• .7 Mil Thick with the Dimensions of 32" x 56" Dispensing Box

Value (500/Roll) SKU **186487**

SNGMFGP994315

• .5 Mil Thick with the Dimensions of 32" x 52"

Plastic Floor Mats (500/Box)

ŠKU **186488 SNGMFGP994302**

• Roll Size: 16.5" x 21"

• Comes in Durable Self-Dispensing Box



Steering Wheel Cover (500/Box) SKU **186485 SNGMFBP994333**

7499

 Double-Band Design Ensures a Snug Fit and Easy Installation



Vehicle Not Included

Work Ticket Holder (25/Box)

- Durable Brass Grommet Increases Strength Accommodates Most Pre-Printed and Computer Generated Forms
- Clear

SKU **698887** SNGFBP993302

Front and Back

Clear/Black SKU 1142449 SNGFBP993303

• 10.5" x 14.5" Clear • 11" x 13" Clear Front and Black Back



Adhesive Floor Mats (175/Roll) SKU **262546**

SNGMFBP993349 Self Adhesive. 3 mil Protective Film Keeps

Carpet Protected



Parts Bag 11" x 17" (500/Case)

SKU **262541** SNGMFGP994330

• High Strength Protection Impervious to Most Shop Chemicals

Price Does Not Include Parts Shown



Paper Floor Mat

Paper Floor Mat (500/Box) SKU OÙTSIDE BUY/EPO

DOWPFM-500

5999

• Durable Paper

 Measures 16" x 22'

Tumbler

Tumbler

26046

SKU **1392320**

20 Oz. Stainless

Steel Double Wall

. Keeps Drinks Cold for 24

• Lid Made from Durable

BPA-Free Plastic

Hours and Hot for 6 Hours





OEM TOOLS

JohnDow Industries

For Outside Buy/EPO, Call 901-300-4878

Oil Change Labels

Thermal Oil Change Sticker Printer SKU **OUTSIDE BUY/EPO**

SNGFKGX00106

· Kit Includes: Printer, Keyboard, Power Cord/Adapter, 1 Ink Ribbon and 2 Rolls of 500 Generic Static Cling Labels



Static Cling Refill Kit SKU **291380**

SNGMFKG016501 · 2 Rolls of Labels

- 1 Replacement Ribbon
- · Fits Thermal Oil and Static Cling Printers

For Outside Buy/EPO, Call 901-300-4878

SLIP GRIP **Red Oil Can** Service Reminder Labels

SKU **1405960** SNGFB-P993345

 Replacement Roll of 500 Labels



SKU 1407511 SNGFB-P993394

3Q99

 Replacement Roll of 500 Labels



Hand Cleaner

Starter Kit OEM TOOLS with Dispenser

SKU **972773** 24292

• Kit Includes: Wall-Mount

Dispenser and 4,000 mL of Cherry Fragrance Cleaner · All Natural, Concentrated,

Solvent Free Cleansing Formula

 Unique Skin Conditioning System Leaves Hands Feeling Smoother, While Fibril Scrubbers Deep Clean Even the **Toughest Dirt**

100% Biodegradable



4000 mL **Refill Bottle** SKU **972772** 24291



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

SHOP SUPPLIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Creeper Seats

Workshop Seat and Step Stool

SKU **1189077** 24904

REG. \$89.99

• Combination Step Stool and Creeper Seat That Allows Additional Maneuverability

 Thick Padding Covered with Durable Vinyl **Provides Comfort** While Working

- Includes a Tool Tray for Organization and Convenience
- 4 Swivel Casters Made for All Terrain Weight Capacity:
- 300 Lb. • 18"(L) x 16"(W) x 7"(H)



Sidekick Creeper Stool

SKU **1168662** 24987

· Large Open Tray to Carry a Wide Range of Items with Additional Holster Caddies on the Side for Rapid Access to Most Used Items

 Slide Out Under Seat Drawer Can Be Used to Store and Organize Tools

. Weight Capacity: 330 Lb.



OEM TOOLS

Heavy Duty Rolling Workbench and Creeper Seat

SKU **1142423 RQ**99 24986

- Molded Seat and Frame Provide **Durable Support**
- · Removable Clip-In Trays for Storage and Easy Transport of Parts and Tools
- Trays Feature Screwdriver Storage Holes for Easy Organization
- . Weight Capacity: 300 Lb.



Cushioned OFM TOOLS **Creeper Seat** with **Tool Tray**

SKU **757019** 24948

- Tool Tray Dimensions: 11-1/2" x 12-1/2"
- Cushioned Seat
- 4 Swivel, Oil-Resistant Wheels
- Weight Capacity: 330 lb.



TRAXION engineered products

Creepers

Mechanics Creepers with Headrest

- Made with HDPE Plastic and Molded for Comfort to Ensure a Quick and Accurate Job
- Easy to Handle, Lift and Store6 Swivel Casters Able to Maneuver
- Casters are 3" in Diameter for Additional Durability and **Product Longevity**
- · Weight Capacity: 350 Lb.

Offers Good Through June 30, 2025

40¹¹ SKU **1189063** 24909



- Light Weight 13.2 Lb.
- 40"(L) x 19"(W)

36¹¹ SKU 1189084 24977

39 REG. \$49.99

- Light Weight 9 Lb.
- 36"(L) x 18"(W)

Creeper Seats

OEM TOOLS **Workshop Creeper Seat** with 2 Drawers - Blue

SKU **542531** 24996

- Padded Seat for Maximum Comfort
- 2 Sliding Drawers
- · Can Holder for 3 Cans
- Smooth Rolling Wheels
- . Weight Capacity: 280 Lb.



ProGear Race Seat, Green/Black

SKU **OUTSIDE BUY/EPO** TRX2-705

- Tray Spins for Easy Access to Tools and Parts
- · Adjustable Seat Height: 13-1/2" to 17-1/2"
- Five Spoke Frame is **OSHA** Compliant



STECK

For Outside Buy/EPO, Call 901-300-4878

Professional 41" 6 Wheel Creeper SKU **125749**

- 3D Streamline Design for Shoulder Clearance
- 6 Heavy Duty TPU Casters
- Low Ground Clearance Allows for Greater Mobility
- 4 Tool Storage Trays
- Weight Capacity: 300 Lb.



Topside Creepers

Topside Creeper SKU OUTSIDE BUY/EPO TRX3-100

• Height Adjusts from 48" to 64" . Weight Capacity: 400 Lb.

NXT Topside Creeper SKU OUTSIDE BUY/EPO TRX3-200

• Height Adjusts from 48" to 64"

- I-Base Design for More Flexible Positioning Around the Vehicle
- Weight Capacity: 400 Lb.

For Outside Buy/EPO, Call 901-300-4878







Work Stand

Pro Step Adjustable Work Stand

SKU **222856** STK20350

- 500 Lb. Capacity
- Height Adjustable from 6-1/2" to 22-1/2"
- 32" x 16"





Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

TRX3-200

SHOP SUPPLIES

Workshop Stools

Swivel Shop Stools

- Swivel Seat
- Double Foot Ring for Strength
- Seamless Pad
- 30.5" High x 14" Across

Black

SKU **512951** 24910

7999

Black (2 Pack) SKU **432326** 24910TW0

14999



· Durable, Vinyl-Padded Swivel Seat · Backrest for Comfortable Support

Black SKU **512945**

24911 **qq**99

Black (2 Pack) SKU **362969** 24911TW0



· Vinyl Padded Swivel Seat for Comfort Chrome Footrest

Powder Coated Legs

Adjustable Height: 28" to 32-1/2"



300 Lb. Weight Capacity

OEM TOOLS



360° Rotating Seat

Fender Covers

Fender Cover

SKU **965832** 24900

• Heavy Gauge Vinyl Wipes Clean • 27" x 34"



Soft Fleece Fender Cover

SKU **751711** 24899

• Soft Fleece Fender Cover to Prevent Paint Damage

- 2 Super Powerful Corner Magnets for Securing the Cover in Place
- Magnets are Removable to Wash the Cover
- Large 42" x 24" Size for Cars, Trucks and SUVs



741

Magnetic Nut Cups

Leg Color May Vary

Multicolor Magnetic Nut Cup Assortment (4 Pack)

SKU **1282743** 68939

- Holds Bolts, Nuts and Parts to Speed Up Work and Eliminate Misplacing Parts
- Coated Magnet Sticks to All Ferrous Metal Work Surfaces
- Includes: 1 Green Cup, 1 Red Cup 1 Orange Cup, 1 Blue Cup



Strong Magnets Attach the Cups Securely to Most Flat Metal Surfaces



Red

GU GEARWRENCH

DIAGNOSTICS THAT BREAK ALL THE RULES

SHOP DIAGNOSTICS AT AUTOZONEPRO.COM

Delivering more for techs, just like always. No more missing functionality. No more expensive subscriptions. No more overpriced hardware. We're delivering a combination of power and value that other tool brands can't touch.



GWSCAN, SKU: 1480740 **SCAN TOOL**



GWSMARTBT, SKU: 1480738 SSIONAL BIDIRECTIONAL **DIAGNOSTIC TOOL**



Hardware and Service Parts

SKU **271169** 68148

• Includes: Mini Fuses 3A to 30A



96 Piece Mini Fuse Kit



96 Piece ATO Fuse Assortment

68149

• Includes: ATO Fuses 3A to 30A





24 Piece Maxi **Fuse Assortment**

SKU **271152 94 99** 68146

Includes: Maxi Fuses 20A to 100A







200 Piece Spring Assortment

SKU **271195** 68140

• Includes: 20 Popular Sizes from 7/32" x 11/16" to 5/16" x 1-1/4" BAAAAAAA





Universal O-Ring Set 407 Piece (SAE)

SKU **546661** 68168 **19**99

 Inside Diameters from 1/8" to 2"

MACHINERY. 419 Piece (Metric) SKU **546659** 68167



• Inside Diameters from 3 mm to 50 mm



Dvnamic

MACHINERY

270 Piece A/C O-Ring Kit SKU **271196 17***99*

68141

· Contains 270 O-Rings in a Variety of SAE Sizes

 Great O-Ring Set for Most Automotive and Refrigerant Applications



110 Piece Copper **Washer Assortment**

SKU **271176** 68117

· Includes: **Popular** Sizes M6 to M16



115 Piece Master Brake Line Fitting Assortment Kit

SKU **082943** DOWDY-BLF-5

- 23 Brake Line Fitting Variations
- Tube Nuts, Union, Brake Line Adapters





555 Piece Stainless Cotter Pin Assortment

SKU **271183** 68121

• Includes: 6 Popular Sizes from 1/16" x 1' to 5/32" x 2-1/2"



500 Piece Aluminum Rivet Assortment

SKU **271150** 68109

Includes: 1/8 and 3/16" Rivets 1/4", 5/16" and 3/8" Long



MACHINERY

80 Piece Vacuum Cap Assortment

SKU **271197 12**99 68129

. Includes Sizes: 3/16" to 3/8"



34 Piece Hose Clamp Assortment

SKU **271201** 68137

· Includes Sizes: 5/8" to 1-1/4"



MACHINERY

SURIR.

88 Piece Drain Plug and Gasket Assortment Kit

SKU **617724** DOWDY-DPA-6

• 18 Drain Plug Variations, 4 Gasket Variations

· Most Popular 12 mm and 14 mm Drain Plugs



240 Piece Master Drain Plug Gasket Assortment Kit

SKU **606762**

DOWDY-DGK-240 • 24 Drain Plug

Gasket Variations · Aluminum, Copper, Crush, Fold-Over, Nylon,

Rubber/Metal



Dynamic 120 Piece Oil Drain Plug Gasket Assortment

SKU 1400041

SURDPG120



• 120 Total: 24 Variations (5 each), Incl. Copper, Metal Crush. Nylon, Fiber and Rubber/Metal



76 Piece Oil Drain Plua Assortment

SKU **662839** SURDP454

- Includes: 76 Pieces with Corresponding Gaskets. 17 Direct Fit SKUs
- Includes: Labeled Case for Quick Identification and Organization
- . Covers Most Domestic and Import Cars and Light Duty Trucks



60 Piece Wheel Lug Nut

• 12 Lug Nut Variations

Assortment A SKU **082947** DOWDY-WN-12

 Standard, Dome. Acorn Thread



Assortment B SKU **082948** DOWDY-WN-12B

 Dome Acorn, Bulge Flat-Capped, **External Thread**





SAFETY & GLOVES

First Aid Kits

Safeguard Employees and Jobsites Through Injury Preparation with Multi-Functional First Aid Kits

First Aid Kits

- Wall Mountable Organized Durable Plastic Case
- · Contains Essentials for Light Injuries and Wounds
- Meets ANSI/ISEA Z308.1-2021. Class A. Type I. II. III. or IV First Aid Kit

25-Person First Aid Kit

SKU **1442584** SAS6025-025

100-Person First Aid Kit

SKU **765585** SAS6099-100



SAS6025-25



SAS6099-100

Safety Supplies



Hi Vis Knit Beanie - Orange SKU **687972** SAS692-1711

- One Size Fits All
- Comfortable and Warm
- 100% Knit Polyester
- ANSI/ISFA
- 107 Compliant
- Reflective Knit Stripe



Hot Sleeve

SKU **291321** LIS18700

• Protects Arms from Burns While Working Around the Engine

- Made of Durable, Heat-Resistant Kevlar
- Double Wall Construction for Added Heat Protection



lisle

Smoke

SKU **462983**

SAS5331PK

• Box of 12

Evewash Stations

Face Shield Clear

SKU **972271** SAS5140

- Impact-Resistant
- Polycarbonate Shield Curved Lens Design
- Ratcheting Headpiece
- Meets ANSI Z87.1-2015



SAS

Ear Plugs



ŚAŚ

Foam Ear Plugs SKU **526953**

SAS6100 • Noise Reduction

- Rating: 31 200 Individually
- **Packaged Pairs**
- Pre-Shaped Foam Earplugs



Safety Glasses

LED Safety Glasses

SKU **555987** 26039

- · High-Impact Resistant Lens Protects Eyes · Flexible, Lightweight and Padded Frames
- Meets ANSI Z87.1
- Includes: (8) LR41 Batteries

LED Safety Glasses (3 Pack)

SKU **592265** 26017PK3

NSX Turbo Safety Glasses

- High-Impact Polycarbonate Lens
- Safety Eyewear That Also Provides 99.9% UV Protection



Clear SKU **301767**

SAS5330PK Box of 12

· Scratch-Resistant Coating

• Lightweight Wrap-Around Lens

ANSI/ISEA Z87.1-2015 Compliant

· Single Lens Design

Amber SKU **462984** SAS5332PK

• Box of 12

STORE STOCKED

Advantage X300 Series Safety Glasses - Amber (12 Pack)

SKU **1149164** JASS70711PK

REG. \$34.99

- Lightweight, Comfortable and Affordable
- Lens Features an Anti-Scratch Hard Coating Made Using Virgin, Unitary Polycarbonate Lenses
- 99.9% UV Protection
 - Ideal for Construction, Shop and General Eye Protection Applications

OEM TOOLS



Emergency 9 Gallon Eyewash Station Wall Mount Gravity Fed







Multifocal Safety Reading Glasses

- · Eye Protection and Multifocal Reading Glasses
- High Impact, Anti-Scratch Lenses Protect Your Eves
- · Fully Adjustable Temples for Comfort and Fit • ANSI/ISEA Z87.1-2015 Compliant



+1.5

+2.0

+2.5SKU **752076** SKU **752077** SKU **752078** 26025 26024

+3.0SKU **752086**



26026

Detection Light

UV Leak Detection Light and Glasses SKU **213144** 24516

26023

- Compact UV Leak Detection Pen Light
- Yellow Lens Protective Glasses **Enhance Visibility of Leaks**
- · Can Be Used with All Types of **UV Leak Detection Dves**
- . Includes: 2 AAA Batteries



OEM TOOLS

2 AAA



Compliance - ANSI Z358.1-2014

- Portable Unit Measures 20.15" x 16.5" x 9.5"
- Includes: Mounting Bracket, Inspection Tag, Tamper Resistant Tie and Preservative

Eyewash Concentrate Solution

SKU **1142715** SAS5136-01

SKU **912344**

SAS5134-00

For Use with 9 Gallon Eyewash Station #SAS5134-00

Bottle Eyewash Station

SKU **094904** SAS5132

SAS5130

- Includes: (2) 16 Oz. Eye Irrigate Solution Bottles
- Does Not Meet ANSI Z358.1

16 Oz. Eyewash Irrigate Refill SKU **977588**

• For Use with Eyewash Station SAS5132







ŚAŚ

Raven Patriot Gloves





- 7 mil Powder-Free Exam Grade Nitrile
- Textured fingertips
- Latex-Free







Compression Fit Technology



Environmentally Responsible



Supply Chain Resilient

Buy More, Save More

5 Boxes of 100 Each

114 99 per box

1525554 | SAS66482-5PK Medium 1525556 | SAS66483-5PK Large

> XL 1525565 | SAS66484-5PK

2XL 1525560 | SAS66485-5PK

219 99 22.00 per box 10 Boxes of 100 Each

Medium 1522380 | SAS66482CS 1525553 | SAS66483CS Large XL 1525561 | SAS66484CS 2XL 1525562 | SAS66485CS

Raven Gloves

- 7 mil Powder-Free Exam Grade Nitrile
- Ambidextrous Textured Grip
- Latex-Free

Find In Store, Right Now **10**99 per box

Medium SKU 435079 | 66517

Large SKU 244622 | 66518

XL SKU 244617 | 66519

STORE STOCKED /////

Buv More. Save More



Medium SKU 547964 | SAS66517-2PK

Large SKU 547965 | SAS66518-2PK XL SKU 547966 | SAS66519-2PK

2XL SKU **547963 | SAS66520-2PK**

5 Boxes of 100 Each **99** 20.00 per box Medium SKU 1189346 | SAS66517-5PK

Large SKU 1189328 | SAS66518-5PK

XL SKU **1189339 | SAS66519-5PK**

2XL SKU 1442587 | SAS66520-5PK

10 Boxes of 100 Each **189** 19.00 per box

Medium SKU 1190191 | SAS66517CS

Large SKU 265052 | SAS66518CS

XL SKU 265053 | SAS66519CS

2XL SKU **1330682 | SAS66520CS**

<u> Astro-Grip Gloves</u>

45TRO-GRIP

- Embossed Cube Grip
- Latex-Free

Find In Store, Right Now / 99 per box

STORE STOCKED ////

Medium SKU **823166 | 66472 Large SKU 823167 | 66473**

XL SKU 823168 | 66474





Buy More, Save More

2 Boxes of 100 Each $54^{99}_{27,50 \text{ per box}}$

Medium SKU 1330679 | SAS66472-2PK

Large SKU 1330676 | SAS66473-2PK

XL SKU **1331500 | SAS66474-2PK**

2XL SKU **1331496 | SAS66475-2PK**

5 Boxes of 100 Each **129**⁹⁹_{26.00 per box}

Medium SKU 1330686 | SAS66472-5PK

Large SKU 1331480 | SAS66473-5PK

XL SKU **1331488 | SAS66474-5PK**

2XL SKU 1331487 | SAS66475-5PK

10 Boxes of 100 Each **249**⁹⁹_{25.00 per box}

Medium SKU 1330697 | SAS66472CS

Large SKU 1331497 | SAS66473CS

XL SKU 1331489 | SAS66474CS

2XL SKU 1331494 | SAS66475CS

Derma-Tuff Gloves



Derma-Tuff



· Powder-Free Exam Grade Nitrile, 6 mil

Textured for Enhanced Grip

Outstanding Strength, Wear and Dexterity



2 Boxes of 120 Each $28^{99}_{14.49 \text{ per box}}$

Large SKU 1189330 | SAS66583-2PK

XL SKU **1189352 I SAS66584-2PK**

5 Boxes of 120 Each **71** 99 14.39 per box

Large SKU 1189350 | SAS66583-5PK XL SKU 1189331 | SAS66584-5PK 10 Boxes of 120 Each 139 99 per box

Large SKU 1189326 | SAS66583CS XL SKU 1189347 | SAS66584CS





2025 Apr-Jun

Hablamos Español **Call 901-300-4878**

GREAT FINANCING PROGRAMS*

UNISOURCE 800-404-6792

NEWLANE 267-768-3228

PEAC 856-505-4450

1 LEASING COMPANIES

- · Leases are handled by four companies
- · Customer must:
 - Select equipment
 - Complete credit application
 - Receive approval from leasing company
- Once the transaction is approved and documents are signed by customer:
 - Customer invoice is funded by leasing company
 - Equipment order is placed







2 30-60-90

- AutoZone® credit account in existence for 6 months
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- . No credit holds within 6 months
- · Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$15 K
- Minimum equipment cost = \$1 K (sales tax included)

3 EXTENDED TERMS

- AutoZone® credit account in existence for 1 year
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- · Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$25 K
- Minimum equipment cost by term:
 - 6 months \$3 K
 - 9 months \$6 K
 - 12 months \$8 K or greater (financial statement may be required)
- * Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods. Free overnight shipping available to continental U.S. for qualifying VDP orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

©2025 GreatNeckTools, Inc. Certain content provided by and is the property of AutoZone Parts, Inc. All rights reserved. AutoZone & Design, Loan A Tool, Duralast, Duralast Gold, Duralast Proven Tough and Duralast ProPower are registered marks of AutoZone IP LLC or one of its affiliates. All other marks are the property of their respective holders. iPhone® and iPad® are registered trademarks of Apple Inc., Android® is a trademark of Google Inc., STP® is a registered trademark of the Energizer Auto, Inc., and Bluetooth® is a trademark of Bluetooth® SIG, Inc. Items requiring freight shipping cannot be delivered outside of the continental United States. For shipping cost to Alaska or Hawaii, please contact Commercial Sales Manager. Ad prices cannot be combined with any other offer. Offers may vary by market. Offers valid while quantities last. Items may not be available at all locations at all times. We reserve the right to limit quantities and to correct pricing errors. Some new items might not be available at the time of print deadline. Prices valid only during sales catalog effective dates. All photographic, clerical, typographical and printing errors are subject to correction. Images shown may not be actual product but represent products or sets which include product. We reserve the right to substitute a like item or an item of greater value on any promotional offer in this publication. Store stock items may be purchased at any local AutoZone store or through your AutoZone Commercial Sales Manager. Bonus items are fulfilled while supplies last and may ship separately. Bonus items may be replaced with like items of the same or greater value.

AZG0225 | SKU 1391458 \$2.99